AD-A082 212 LAMONT-DOHERTY GEOLOGICAL OBSERVATORY PALISADES N Y F/G 8/3
ARCTIC ICE DYNAMICS JOINT EXPERIMENT (AIDJEX) 1975-1976, PHYSIC--ETC(U)
FEB 80 T O MANLEY, K HUNKINS, W TIEMANN N00014-76-C-0004
UNCLASSIFIED LDGO-CU-4-80-VOL-1 NL

1 OF 3
AD
A082212

12

6

ARCTIC ICE DYNAMICS JOINT EXPERIMENT 1975-1976,

PHYSICAL OCEANOGRAPHY DATA REPORT

PROFILING CURRENT METER DATA -- CAMP CARIBOU.

Volume 1.

prepared by

10 T.O. Manley, Kenneth Hunkins, Werner Tiemann

DTIC

14 LDGO-CU-4-80-VOL-1, TR-4 ~~Technical Report~~ No. 4

Department of the Navy
Office of ~~Naval Research~~
Contract N00014-76-C-0004

15

Approved for public release, distribution unlimited

12)

11 Feb[redacted]80

Lamont-Doherty Geological Observatory of Columbia University
New York, N.Y.

TABLE OF CONTENTS

	Page
TABLE OF CONTENTS	ii
ABSTRACT	iii
LIST OF FIGURES	v
LIST OF TABLES	vii
INTRODUCTION	1
PCM RELIABILITY	11
INITIAL DATA REDUCTION	14
COMPUTER REDUCTION	16
INTERPOLATED POSITION AND ICE VELOCITY	25
ERROR ESTIMATES FOR INTERPOLATED POSITION AND ICE VELOCITY	27
OUTPUT FORMAT OF FINAL DATA	39
FEATURES OBSERVED IN THE PROFILING CURRENT METER DATA	42
1. THE EKMAN LAYER	42
2. SUBSURFACE EDDIES	45
3. WIND-DRIVEN CURRENTS	49
ACKNOWLEDGEMENTS	54
APPENDIX 1	55
APPENDIX 2	56
APPENDIX 3	62
REFERENCES	64
RESULTS	66
PCM STATION LISTINGS	67

ABSTRACT

ARCTIC ICE DYNAMICS JOINT EXPERIMENT 1975-1976
PHYSICAL OCEANOGRAPHY DATA REPORT
PROFILING CURRENT METER DATA - CAMP CARIBOU
VOLUME 1

by T.O. Manley, Kenneth Hunkins, and Werner Tiemann

The oceanographic program of the 1975-1976 ARCTIC ICE DYNAMIC JOINT EXPERIMENT (AIDJEX) was designed to investigate the Arctic Ocean on space scales of 100 kilometers in the horizontal and hundreds of meters in the vertical. This was accomplished with oceanographic observations from a triangular array of three smaller manned satellite camps with a centrally located larger main camp. The radio call signs of the satellite camps were Caribou, Blue Fox, and Snowbird, the main camp being designated Big Bear.

Profiles of relative current speed and direction were measured twice each day between the surface and 200 meters at each of the four camps. A profiling current meter (PCM) with speed, direction and depth sensors was lowered and retrieved with a multi-conductor cable at a slow rate of 5 meters per minute. Sensor signals were transmitted by cable to be recorded graphically and digitally at the surface. Digital recording of the data at a slow rate of 1 scan per half minute along with a low signal-to-noise ratio made it preferable to manually digitize the analog charts to preserve as much information as possible.

The final data set consisting of absolute velocity profiles of speed and direction was obtained by the vector addition of the relative PCM profiles with the interpolated ice velocity based on precise satellite navigation at the time of the observation. Data reduction problems included a hysteresis effect between up and down traces due to cable angle, directional spikes resulting from a rapid sensor package rotation, and spurious results when low velocities are added vectorially.

Relative speed between the ice and water in the upper mixed layer is often small indicating that this layer closely follows the ice motion. Persistent large clockwise shears in relative current direction occur sometimes in the mixed layer, attaining up to 540 degrees of rotation. These are best seen in the relative velocity data. Upon the addition of the ice velocity vector, to produce absolute velocities, the smooth relative directional shear of the Ekman spiral then exhibits local shears and speed minimums. This is due to the directions and speeds in the spiral being opposite or nearly opposite to the ice velocity vector and of comparable magnitude.

One of the most striking features of the current profiles is the appearance from time to time of swift currents below the mixed layer with speeds attaining 60 cm/sec. The depth of maximum velocity ranges from 80 to 190 meters. Although evidence of swift transient undercurrents had been observed in the Arctic Ocean as early as 1937, it was not until 1974 that these currents were shown to be associated with mesoscale eddies.

This data report deals only with the absolute velocity data obtained from the profiling current meter at Camp Caribou. PCM data for Camps Blue Fox, Snowbird and Big Bear are in separate volumes (Manley et al., 1980). Data reports pertaining to the salinity-temperature-depth (STD) data taken at the manned AIDJEX camps are also in separate volumes (Bauer et al., 1980).

LIST OF FIGURES

		Page
1.	Beginning and ending positions of the four manned camps.	2
2.	Detailed drift track of camp Caribou	3
3.	Detailed drift track of camp Blue Fox	4
4.	Detailed drift track of camp Snowbird	5
5.	Detailed drift track of camp Big Bear	6
6.	Speed calibration segment and corresponding linear regression - camp Big Bear	13
7.	Flow diagram of processing scheme	17
8.	Profile with sensor-induced 360° rotation	20
9.	Profile of Figure 8 after visual editing	20
10.	Example of summer inertial oscillations	28
11.	Example of winter segment with very low amplitude inertial oscillations	29
12.	Raw error data for latitude - camp Blue Fox	32
13.	Raw error data for longitude - camp Blue Fox	32
14.	Raw error data for north ice velocity - camp Blue Fox	33
15.	Raw error data for east ice velocity - camp Blue Fox	33
16.	95% confidence limit curve for Figure 12	34
17.	95% confidence limit curve for Figure 13	34
18.	95% confidence limit curve for Figure 14	35
19.	95% confidence limit curve for Figure 15	35
20.	Blue Fox summer error curves for latitude, showing relative importance of time ratio and time difference	37
21.	Comparison of an Ekman Spiral in both the relative and absolute velocity data	44
22.	Eddy observed at camp Caribou - station 96	47
23.	Eddy observed at camp Blue Fox - station 51	47

LIST OF FIGURES

		Page
24.	Eddy observed at camp Snowbird - station 49	48
25.	Eddy observed at camp Big Bear - station 154	48
26.	PCM data at camp Caribou through time at pre-selected depths of 50, 100, 150 and 175 meters	50
27.	PCM data at camp Blue Fox through time at pre-selected depths of 50, 100, 150 and 175 meters	51
28.	PCM data at camp Snowbird through time at pre-selected depths of 50, 100, 150 and 175 meters	52
29	PCM data at camp Big Bear through time at pre-selected depths of 50, 100, 150 and 175 meters	53

LIST OF TABLES

		Page
1.	Breakdown of PCM stations taken at each camp along with starting and ending dates	7
2.	Hydro-hole thicknesses at each of the manned camps	23
3.	List of meanings for the terms used in the "RESULTS" section	41

INTRODUCTION

The objective of the AIDJEX oceanographic program was to monitor velocity and mass fields in the upper levels of the Arctic Ocean from the four manned camps in order to provide an understanding of the interaction between ice and water.

The initial deployment of the manned camps began in March of 1975 with the establishment of the main camp, Big Bear. The satellite camps were then established during the next month and a half. The scientific program at each camp began as soon after its establishment as possible. Inclusive dates for the beginning and ending of the profiling current meter work done at each camp is listed in Table 1. Big Bear broke up in early October of 1975 and its scientific and logistic functions were transferred to the satellite camp Caribou. All of the other camps remained in operation until the closing, according to schedule, in May 1976. Figure 1 shows the position of the camps during the initial deployment in March of 1975.

The drift tracks that each camp made during the duration of the experiment are shown in Figures 2 through 5. A thumbnail sketch locates the plotted region with respect to the Alaskan and Canadian coasts. The asterisks indicate the positions at integral multiples of 20 days. The beginning and ending days are noted for each trajectory. A dashed line indicates a period of missing data. The region is 500 kilometers by 500 kilometers aligned with the x-y coordinate system shown in Appendix 1. Figures 2-5 were taken from Thorndike and Cheung, 1977.



Figure 1. Beginning and ending positions of the four manned AIDJEX camps Caribou (C), Blue Fox (F), Snowbird (S) and Big Bear. Subscripts of 1 indicate the beginning positions. A subscript of 2 indicates the final position of the camp.





Figure 2.

Camp Caribou

Became the main camp after Big Bear broke up. Measurements by NavSat from day 115 through 487.



Figure 3.

Camp Blue Fox

Measurements by NavSat from day 110 through 489 with a gap from 203 to 208. Celestial position fixes were made during that period but were not used in the data set. After day 490 data from RAMS buoy R 772 were used. There is a gap from 531 to 573. The buoy was last heard from on day 579.





Figure 4.

Camp Snowbird

Measurements by NavSat from 105 through 491. This station was split by cracks during the winter and the NavSat antennas were moved short distances several times.





Figure 5.

Camp Big Bear

Measurements were made by NavSat beginning on day 102. On day 274 the camp was broken up by ice activity and eventually abandoned, the last data being on day 280. For a brief period in the Spring of 1976 the station was reoccupied and position measurements were made using RAMS buoy R 604, days 465 485. By this time the old camp had been spread over several kilometers.

TABLE 1

Breakdown of Profiling Current Meter Stations for Individual Camps

Camp	Occupation Date	Evacuation Date	Total Stations Taken	Profiling Stations	Time Series Stations	Stations Digitized
Caribou	6-Apr-75 (5-Aug-75)	7-May-76 (22-Apr-76)	404	395	9	163
Blue Fox	5-Apr-75 (8-May-75)	4-May-76 (20-Apr-76)	700	698	2	376
Snowbird	4-Apr-75 (4-May-75)	6-May-76 (20-Apr-76)	620	603	17	377
Big Bear	13-Mar-75 (8-Apr-75)	8-Oct-75 (1-Oct-75)	425	397	28	258

Note: 1) Parenthetical dates are those when PCM data collection began and ended.

2) "Stations digitized" indicate stations that had sustained speeds greater than a few cm/sec and were manually digitized for computer reduction.

The largest horizontal scale sampled by the PCM observations was the nominal 100 kilometer spacing of the manned camps, the smallest was the distance between successive casts at one camp. The maximum vertical scale sample was limited by the 200 meter depth of the profiling current meter casts. The smallest vertical scale sampled was about 10 meters and was determined by the response rate of the instrument and its rate of ascent and descent.

The AIDJEX oceanographic program maintained fixed-mast current meters of uniform type (Hydro Products) at all camps at shallow depths in the planetary boundary layer. The fixed-mast current meters at each camp were suspended on a series of rigid 3 meter, 7.5 cm diameter, PVC sections at depths of 2 and 30 meters below the base of the ice. Hourly averages pertaining to the fixed-mast current meters can be obtained through the National Oceanographic Data Center.

The directional sensors of the fixed-mast current meters were referenced to the instrument case and therefore had to be referenced to the camp azimuth to provide directions relative to true north. This was accomplished by accurately drilling the coupling holes at the ends of the PVC pipe by a lathe. When the current meter was suspended at its correct depth, the top drill hole of the pipe was then aligned to a fixed point in the camp area. A simple correction angle could then be applied to the fixed-mast data relating their direction to the camp azimuth.

Profiling instrumentation consisted of a Tsurumi-Seiki Co., Ltd. (TSK) underwater unit with a Savonius rotor, directional vane and pressure sensor. The unit was raised and lowered at 5 meters per minute by an electric winch. The rate was chosen after several experiments to determine rotor response with different axial velocities. Current direction in this instrument was referenced to an internal magnetic compass. The direction vane follower and compass were both operated on the "light encoding disk" principle and were therefore not subject to unnecessary drag caused by the usual wiper arm friction. Low bearing friction and viscosity of the fluid surrounding the compass were the only components of drag on the directional system. This is an important factor since the horizontal component of the earth's magnetic field is so weak at these high latitudes.

Data from the PCM were simultaneously recorded on an analog chart recorder with speed, direction and depth versus time and on the AIDJEX digital data logging system (DDL). The data pertaining to the fixed-mast current meters were also recorded on the AIDJEX DDL system as well as on a multipoint recorder. The scan rate of the DDL (30 seconds) was acceptable for sensors obtaining long time series such as the fixed-mast current meters, but was not fast enough for the rapidly changing signals of the PCM.

Magnetic declination was measured one or more times each day at all the camps. These measurements were calculated by a relationship between the true and magnetic bearings of the camp azimuth. The camp azimuth was defined as an imaginary directed line passing through the A and B antennas of the satellite navigation system. The bearing of the camp azimuth, as related to true north, was determined by sun shots taken by the meteorologists. The magnetic bearing was obtained using an accurate surveyors compass placed directly in line with the camp azimuth. Magnetic declinations taken in this manner were good to plus or minus one-half a degree.

A total of 2084 PCM stations were obtained at the four camps over the yearlong duration of the program, each station consisting of an uptrace and downtrace. Of these, 1174 stations were useable. Stations that were not acceptable had relative currents that were below the threshold velocity of the instrument (approximately 5 cm/sec). Table 1 shows the breakdown of the total stations at each of the camps with those used in the final data reports. A listing of all the stations taken at the camp along with other associated parameters (dates, position, ...) is reported under the section "PCM STATION LISTING."

PCM RELIABILITY

Generally, all of the stations that have been processed show good coherence between the uptrace and downtrace of the relative velocity profiles on the scale of 10 meters or more. In many cases, the short wavelength structures can be followed from one station to the next. No spectral studies have, as of yet, been completed on the data to statistically confirm these observations. It appears, however, that repeatability of the data is very good on the scale of 20 meters and greater.

Similarity of directional tracking between the down and uptraces was rather good provided that the current speed was greater than 5 cm/sec. As the speed increased, the tracking of direction became very uniform as can be seen during any of the stations where rapid currents or eddies were observed. Below the velocity of 5 cm/sec, the directional vane oscillates widely and the coherence between traces falls off rapidly.

The one major problem associated with the PCM at all of the camps was the sluggishness of the Savonius rotor when compared with the Savonius rotors of the higher quality Hydro Products fixed-mast meters. We feel that this problem, since it was observed at all of the camps, was inherent in the design of the rotor system itself and was most likely due to bearing drag. Because of this problem of velocity data being less than suggested manufacturers' limits, great care was taken from the beginning to calibrate the PCM velocity readings at every station against the more accurate velocity readings of the 30 meter fixed-mast sensor. Experience from a number of investigators has shown that Savonius rotors with free bearings and uniform manufacture do not need individual tank testing. A universal calibration curve may be used as was done for the Hydro Products meters. The Hydro Products Savonius rotor units had exceptionally good bearings and were used for calibration. The velocity of the 30 meter fixed-mast sensor and the velocity reading of the PCM were recorded at the instant that the two sensors were at the same depth level during each cast.

Calibration of the PCM velocity sensor was accomplished by linear regression between the PCM and 30 meter velocity readings over fairly large blocks of time (10 to 20 days). The blocks were separated into up and down-traces due to the presence of a hysteresis effect caused by the raising and lowering of the PCM through a current. In effect, a higher velocity would be recorded at any one level on the uptrace because of the sensor being pulled through the current. The opposite would be true for the downtrace. Large data blocks were used in the calibration procedure in order to (1) obtain enough data points over a wide range of speeds, and (2) average out random noise due to turbulence and/or human recording errors.

The mean coefficient of determination was calculated to be 0.87 with a standard deviation of 0.08. This indicates a high degree of correlation between the two Savonius rotors. Figure 6 shows a typical regression diagram used in the calibration of the speed sensor at camp Big Bear.



Figure 6. Linear regression diagram taken from a segment in the speed calibration from camp Big Bear.

INITIAL DATA REDUCTION

In addition to the calibration of the raw velocity data of the PCM, directional calibration, values for magnetic declination through time, and digitized card decks of the analog data had to be obtained before reduction could begin.

The PCM deck unit produced directional output from 0 to 540 degrees. This was designed to eliminate the rapid pen oscillations (zero to full scale) commonly seen on the 0 to 360 degree outputs when the directional vane oscillates around 0 degrees. There were only two instances when rapid pen movement was observed on the analog charts. The first being a shift from 0 degrees to 360 degrees and the second being a shift from 540 degrees to 180 degrees. On the basis of these exact shift points for 0 and 540 degrees, calibration segments throughout time were made that would correct direction for any linear drifts or sudden offsets. Linear drifting of the zero and full scale settings in time were not evident or did not account significantly for changes in the calibration data. As a result, bounds of the calibration segments were chosen because of sudden offsets in the data.

Magnetic declination data were originally taken once every day at each camp and then increased to once every time a profiling current meter station was taken. Readings obtained from a surveyor's compass aligned with the camp azimuth were combined with the camp azimuth determination closest in time to determine magnetic declination. The reduction of magnetic declination information was done so as to create blocks of data points that were separated by naturally occurring breaks caused by rapid ice movement. An average magnetic declination was then computed for each data block representing a short span in time for each camp. In these data sets, very few points fell outside a span range of 3 degrees. Magnetic declination data obtained in this manner were accurate to within the plus or minus 6 degree accuracy limits for the PCM directional system. Final magnetic declination was then used to convert original PCM directional data (referenced to magnetic north) to true direction.

Finally, the analog chart records were digitized. Generally, each station consisted of a downtrace and uptrace unless one or the other had been rejected because of insufficient current or recorder problems. The points taken for digitization on each of the output traces for speed, direction and depth were the maxima, minima and inflection points, with enough points in between to preserve the proper curvature. Digitization provides some smoothing of the data. However, data with a scale length of greater than 2 meters were not affected.

The AIDJEX digital data logger tapes were not used for PCM data reduction due to a predesigned sampling rate of the computer that was too slow for the rate at which the PCM was lowered. Excessive noise along the data transmission lines also was a main factor in not attempting to reduce the tape data for the PCM.

Due to the convention adopted by the AIDJEX staff and other institutions responsible for the reduction of data taken during the main AIDJEX experiment, time was converted to a Julian calendar system with day 1 = 1 January 1975 and ending with day 500 = 4 May 1976. Throughout this data report, time in AIDJEX days is frequently cited. A list of the AIDJEX days versus the normal Gregorian system was tabulated in Appendix 3.

COMPUTER REDUCTION

Computer reduction involved quality control and calibration of the relative traces. The final product was absolute velocity consisting of speed and direction at one meter intervals to the maximum depth of the station. The flow diagram shown in Figure 7 indicates the sequence of operations used to produce the absolute data.

Once a large block of digitized data, consisting of up and down traces was completed, several quality control programs were run on the data. These programs checked for various mechanical and operator errors. After all problems were removed from the digitized decks, they were stored permanently in computer files.

Relative data were then produced for the individual up and down traces for all stations. Velocity and directional corrections were applied to the data to provide calibrated speed referenced to the Hydro Products 30 meter fixed-mast sensor and correction for directional offset and full scale parameters. Direction at this point in the processing was relative to true north by the addition of magnetic declination. The data set being produced consisted of individual traces with speed and direction at one meter intervals.

As reduction of the data proceeded, it became apparent that there were frequent, rapid 360 degree directional rotations and corresponding fluctuations in speed which were caused by the instrument (Figure 8). This feature appeared to be inconsistent with, or entirely absent from, the associated up or downtrace for a given station. Further investigation of this feature showed it to be an artifact induced into the analog records by a rapid



Figure 7. Flow diagram indicating the process by which absolute velocity data are obtained. Dashed line with arrow indicates the file necessary for editing. Solid line with arrow indicates where final edited data are returned.

spinning of the sensor package. The reason for the rotation of the sensor is believed to be a rapid untwisting of the stiff electrical cable after it had been slowly turned by hydrodynamic forces acting on the slight asymmetries of the instrument package.

Even though the direction system of the PCM was independent of the instrument package, the viscosity of the fluid surrounding the compass provided enough friction to partially rotate it along with the instrument housing.

Approximately 70 percent of the analog traces had been digitized by the time this feature had been recognized as an instrument-induced signal. Nearly half of these digitized traces were associated with one or more of the directional features. The remaining analog traces requiring digitization had the rapid directional rotation and associated speed fluctuation removed manually. This was accomplished by supplying a visual best fit curve to the valid data before and after the deleted segment.

Due to the large portion of digitized analog traces that included this rapid directional rotation, a visual editing program was created to remove them. The editing program graphically displayed any uptrace or downtrace found by the operator to contain one of these rotational features. The operator then chose the upper and lower depth limits of the feature that was to be deleted. A least squares best fit cubic equation was then calculated using three points preceding the upper depth limit and three points following the lower depth limit. In the special cases where the directional rotation began at the start of the trace or concluded at the end of the trace, so there was no leading or succeeding three points, an average of the three points present was used to fill in the deleted section. Figures 8 and 9 show an example of the editing procedure of the program using a before and after profile of a station with one of the rotational features.

The uptrace and downtrace were combined, by vector averaging, to provide a single relative velocity profile. Speed and direction of the two traces were converted to north and east components. After the averaging of the individual components at one depth level, they were reconverted to speed and direction.

The hysteresis effect was effectively eliminated by the addition of the two traces. In several cases where only one trace existed for a station, the profile was not altered to remove the hysteresis.

Vector averaging was preferred over arithmetic averaging of the traces because of an added advantage during low speed addition. As previously mentioned, directional coherence falls off rapidly as the speed approaches the threshold velocity of the instrument. When combining the two traces, it was preferable that the greater velocity observed would have more weight in determining the final output at that depth level.

Vector averaging did possess its own inherent difficulties. The majority of these problems were confined to low velocity addition. When the traces to be added were significantly different in directions at the same depth level (due to low directional coherence at low speeds), erratic directional oscillations or rapid shifts in direction would result when the vectors from both traces would alternate dominance and thereby change the final output more to the direction of the dominant vector. These shifts would sometime attain a directional shear of 180 degrees per meter.



Figure 8. Typical example of a 360 degree directional rotation caused by the sensor package being spun. Seen at 130 m.



Figure 9. Same plot as Figure 8, but after being visually edited to remove 360° rotation.

The remainder of the cases providing the erratic directional output were due to a rapid increase in speed (within a few meters) resulting from the Savonius rotor attaining or passing its threshold velocity after being motionless for some period of time. As before, if directions were significantly different, an increase in speed would sometimes change dominance from one trace to another, thereby providing rapid directional shifts.

Both of these problems, for the most part, were removed without any major difficulty. This was accomplished by visually editing the section of the trace causing the erratic directional output. Editing was done in the same manner used to remove the sensor-induced rotational spikes. It should be noted that the editing of the traces was not designed to eliminate the sense of the rapid shift in direction, but rather to smooth the shift out to a more realistic rate of change of direction. In general, rapid directional shifts with a rate of change of direction less than 30 degrees per meter were left untouched. For consistency throughout the data set, only one person familiar with this particular problem was used in the editing process. It was felt that this provided as much continuity as possible in the decision making from station to station and from camp to camp. Several stations from a few of the camps were eliminated all together from the data set because necessary editing would have been too severe.

Before the editing of the relative data was to commence, an attempt was made to reduce the amount of visual editing by removing all relative speeds and their associated directions less than or equal to 5 cm/sec from the data set. This, however, turned out to be impractical because the total amount of relative data lost would have been on the order of 30%, as compared to the 1% - 2%

that was to be edited. Another problem was the loss in continuity of speed and direction in a profile every time a block of data less than 5cm/sec was removed.

Finally, absolute velocities were computed by vectorially adding ice velocities to the relative data.

Obtaining estimates for the position and ice velocity for a particular station is given in greater detail in the section entitled "Interpolated Position and Ice Velocity." Briefly, two cubic equations (related to latitude and longitude) are uniquely defined by the satellite navigation data sets directly preceding and following the point in time related to the station. Each satellite navigation set consists of the position (latitude and longitude), ice velocity (north and east components) and the time of observation. Introduction of the time of the station into the two cubic equations provides the latitude and longitude of the station. North and east ice velocities are calculated using the first time derivatives of the latitude and longitude equations respectively at the time of the station.

Estimates (95% confidence limit) of the errors associated with latitude, longitude, north and east ice velocities are also provided at the same time. If the error estimates were too severe, the station in question was then removed from the absolute data set.

Any data obtained while the sensor was in the hydro-hole were removed. Ice thickness at the hydro-holes is indicated in Table 2. The first data point to be kept as viable data was at the first integral depth value past the bottom depth of the hydro-hole. Any data reported in the hydro-hole were given default values for speed and direction. The default values being 0.0 cm/sec and 999.9 degrees respectively.

TABLE 2

Camp	Ice Depth Below Sea Level at Hydro-hole (cm)
Caribou	300
Blue Fox	470
Snowbird	340
Big Bear	250

Vector addition still proved to be a problem in a small percentage of the total number of data points. This problem was very similar to the difficulties encountered during the low velocity vector averaging of the up and downtraces, the only difference being that this occurred when speeds of the relative data closely matched that of the added ice velocity vector. Generally, this happened when ice velocities were low; however, problems did still exist at speeds of 15 to 20 cm/sec. Even though the final result of the addition of the ice vector to the relative data for these special cases was very similar to the low velocity vector averaging problem, the physics of the situation was not the same. The reason for the majority of the problems was a result of the PCM being pulled through a nearly motionless part of the water column (absolute speed less than 5 cm/sec). The result being a relative speed profile of the negative of the ice velocity vector while the sensor was in that particular part of the water column. Upon the addition of the ice velocity vector to the relative data, resultants are going to be very small and for the most part directions will have very high shears attaining 180 degrees per meter.

Consider the example where two relative velocity vectors separated by 1 meter in depth are being added to the ice velocity. Both vectors are nearly opposite to the ice vector, however one of the relative vectors is less than the speed of the ice and the other having a magnitude greater than that of the ice. The result of the addition would be two successive small amplitude absolute velocity vectors, each being out of phase with the other by approximately 180 degrees.

Visual editing of the relative data was again employed to remove the extreme directional shears from the absolute velocity profiles. There was, however, one major difference in the editing policy, since directional shears were generally larger than those seen in the averaging process and they were due to a different situation. This procedural difference was to ignore the directional shifts at low speeds and concern ourselves with trying to provide correct decisions at the higher velocity directional shifts that would maintain the integrity of the original analog profiles. As a result of this decision, there are several profiles still possessing the high directional shears at low absolute speeds. These directions are not to be taken as fact but rather should be put in proper perspective with the directions at more reliable speeds above and below the affected segment.

INTERPOLATED POSITION AND ICE VELOCITY

Filtered and smoothed estimates for position and velocity through time were recently updated for all of the AIDJEX 1975-76 manned camps (Thorndike and Manley, 1980) to provide better resolution for inertial oscillations of the ice motion. The initial Satellite Navigation report (Thorndike and Cheung, 1977) indicated signal reduction in the data at the inertial period due to filtering of approximately 50% and was therefore not acceptable for the reduction of certain parts of the oceanographic data set.

Positional estimates were not regularly spaced in time nor were they at the times when the STD or PCM stations were started. Therefore it was necessary that some software routine be constructed in order to give reliable estimates of the position and ice velocity at the times of the stations in question.

Normally, 25 - 30 position fixes were recorded per day at each of the four camps. The maximum number of fixes per day was close to sixty, and the minimum was zero for a period of approximately five days. With these wide variations in the spacing of the data, it became important to estimate the standard error associated with the calculated positions and velocities. These error estimates would then later become useful in the determination of the station's relative importance for a particular application. Typical examples would be the rejection of an STD station (position error of 1000 m) intended to be used in a geostrophic calculation where the inter-station spacing is on the order of 2 kilometers, or relative velocity PCM stations being rejected for absolute data processing when the ice velocity error was exceedingly high. Regardless of the intended application, error estimates for both position and velocity are an integral part of the data set.

There are several methods to determine the position of a given camp at a particular time, given precise estimates of the position and velocity before and after the time in question. The methods range from a simple approach of choosing the position fix closest in time to the station in question, to more involved interpolation schemes.

Due to the presence of small to intermediate scale structures observed in the AIDJEX oceanographic data set, precise position and ice velocity estimates were required to resolve them as best possible. By defining a smooth and continuous time dependent function X(t), of a positional parameter such as 'atitude or longitude, four boundary conditions were initially provided by the navigation data set. These known conditions were: X(t1), X(t2), X'(t1) and X'(t2). In order for the function X(t) to be uniquely defined, X(t) by definition must be cubic.

Once the time of the station was provided, cubic equations for both latitude and longitude were defined using the navigation points directly before and after the station time in question. Position and ice velocity were then obtained by substituting the time of the station into the cubic equations and their first derivatives. North and east ice velocities being defined as the first time derivative of latitude and longitude respectively.

ERROR ESTIMATES FOR INTERPOLATED POSITION AND VELOCITY

Error estimates for the parameters of latitude, longitude, north and east ice velocities were broken into two time blocks consisting of summer and winter data. This was done to take into account the more uniform movement of the ice during the winter and the more variable movement in the summer due to the presence of more open water and higher amplitude inertial oscillations. The summer block consists of the data between 1 July 1975 (day 182) and 30 September 1975 (day 273). All data outside the summer segment comprised the winter block. The breaking points in time were chosen on the basis of the presence or lack of high amplitude inertial oscillations using the entire plotted data set of ice velocities (Thorndike and Cheung, 1977) of which Figures 10 and 11 are only a part. A major part of the summer data showing the increased presence of high amplitude inertial oscillations can be seen in part of Figure 10. In Figure 11, which comprises part of the winter data block, there is a marked damping of inertial oscillations, showing amplitudes less than a few cm/sec (days 409-422; 13-26 February 1976).

Errors were then calculated with the use of the Navigational data set. The general processing system would be to take three sets of points from the navigation data set, at times T1 < Tu < T2, each set containing latitude, longitude, north and east ice velocity and the time of observation, T1, Tu and T2 defined as follows:

Tu = time of the "unknown"
T1 = time of first bounding data set
T2 = time of second bounding data set



Figure 10. Speed and direction plotted for the manned AIDJEX camps, days 201 to 301.



Figure 11. Speed and direction plotted for the manned AIDJEX camps, days 401 to 501.

The first and third sets of data define the boundary conditions upon which to formulate the cubic equations. The equations were then solved for the latitude, longitude, north and east velocity at the time of the second navigation set. Errors were then calculated by finding the absolute difference between the estimated (cubic) and known (navigational) parameters. The resulting errors for the four parameters were stored and statistically analyzed at a later time.

The errors were analyzed to determine their dependence on the times T1, Tu, and T2. If the bounding sets were separated by a relatively short span of time, regardless of where the "unknown" is within the time bounds, the errors for all four parameters are bound to be very small. On the other hand, if the bounding sets are separated by a large time span, then it becomes important to know where the "unknown" is located within the time bounds. As the time of the "unknown" approaches either of the bounding sets, errors are again going to be low. The same would be true for the reverse, i.e., as the "unknown" reaches a time point roughly in the center of the bounding sets, the errors should correspondingly get larger. Because of this, a time ratio was calculated and stored with the errors made for a particular point in time. The time ratio was defined to be the absolute difference in time between the first bounding set and the "unknown" divided by the time difference of the two bounding sets. This would be written as:

$$\text{Time Ratio} = Rt = (Tu - T1)/(T2 - T1) \tag{1}$$

$$\text{Time Difference} = Dt = T2 - T1 \tag{2}$$

Roughly 1200 "unknowns" were computed for specified maximum time differences. The maximum time difference being the time difference between the bounding data sets. Maximum time differences were confined to specific limits, those being from 1-2 hours, 3-4 hours, 6-7 hours, 11-13 hours, 23-25 hours, and 47-49 hours. Each of these runs was computed for the summer as well as the winter block, thus making 12 runs total. Each run computed better than 4800 errors for the four parameters in question.

Data were then stored as to time ratio and plotted for each run and parameter as shown in Figures 12, 13, 14 and 15. These figures show the errors from the 11-13 hour run for the winter time block at camp Blue Fox, each figure being one of the error parameters.

A sliding t-distribution of 30 points (95% confidence limit) was run on each of the data sets to provide a statistical upper limit below which 95% of the original data would fall. A least squares best fit quartic equation was then computed for the 95% confidence limit points. The quartic equation was chosen because of its ability to fit the data more closely at the time ratios of 0.0 and 1.0. Quadratic and cubic equations would tend to provide excessive negative error approximations as the bounding ratios were approached. Figures 16, 17, 18 and 19 represent the 95% confidence limit points and corresponding best fit equation resulting from the original data sets shown in Figures 12-15.

It has already been estimated that the error estimate (Ee) is defined to be a function of two parameters as stated in equation 3.

$$Ee = F(Dt, Rt) \tag{3}$$



Figure 14. See text for more complete description.



Figure 15. See text for more complete description.



Figure 12. See text for more complete description.



Figure 13. See text for more complete description.



Figure 16. See text for more complete description.



Figure 17. See text for more complete description.



Figure 18. See text for more complete description.



Figure 19. See text for more complete description.

The relative importance of these parameters can be seen in Figure 20. The six error equations corresponding to the total time differences of 1-2, 3-4, 6-7, 11-13, 23-25, and 47-49 hours are shown in the figure. Error estimates increase steadily with the total time differences previously listed. If we confine the data to time ratios from 0.2 to 0.8, a more reliable estimate of the importance of each parameter can be obtained. The justification being that all of the curves have roughly the same low errors near time ratios of 0.0 and 1.0. For any one of the curves in this range, the parameter of time ratio increases the error estimates at most by a factor of 3. The parameter of time difference, however, has a corresponding increase in error estimates as the cube of the time difference. Representing this in a mathematical form, we have:

$$Ee \approx [(3Rt), (Dt^3)] \tag{4}$$

The concept of time ratio was kept in the error equation for two reasons. The first reason was to give a worst error estimate, thereby allowing the user to select the best possible data for analysis. The other reason being that better than 95% of the error estimates provided to the oceanographic data set used the 1-2 hour time difference equation. At this low time difference, the time ratio becomes an equal contributor to estimation of errors.

Estimates of positions and velocities that required navigation points separated by more than 50 hours were given error defaults of 9999.9, even though the position and velocity were calculated. It was felt that after two days, error estimates would be extremely high (see equation 4) and therefore any resulting position and velocity must be flagged to indicate this. Error



Figure 20. Shows relative importance of the time ratio and total time difference (Dt). The curves represent total time differences calculated from the summer data of Blue Fox. Symbols on the graph indicate the Dt as follows: x (1-2 HRS), diamond (3-4 HRS), up arrow (6-7 HRS), circle (11-13 HRS), + (23-25 HRS), and the triangle (47-49 HRS).

default data are extremely rare in this data set, however it should be reemphasized that the number is not to imply a quantitative estimate but designed to be a flag indicating questionable data.

Error estimates are also calculated to be negative in the cases where the time ratio is close to 0.0 or 1.0. These negative values are converted to zero since at these low time ratios, realistic errors are considered to be close to this value.

Coefficients for the 48 quadratic equations (4 equations per time band * 6 time bands per season * 2 seasons) were then placed in a computer program. With the maximum time difference and time ratio known, approximations to the 95% confidence error estimates could be computed for latitude, longitude, north and east ice velocity. These error estimates for position and ice velocity are in meters and cm/sec respectively. A copy of the subroutine listing that contains the coefficients of the quartic equations is shown in Appendix 2.

OUTPUT FORMAT OF FINAL DATA

This report consists entirely of absolute velocity data consisting of speed and direction at one meter intervals from the base of the ice to the maximum depth obtained by the sensor for any particular station. The limiting depth for all stations was 200 meters and was always obtained during low to moderate relative speeds in the water column. As the relative velocities increased, as in the presence of eddies, a significant portion of the 200 meters of cable was taken up in arching due to the increase in drag on the cable and sensor. During some eddies, maximum sensor depth may only be 140 meters even though the 200 meters of cable was payed out.

Station information is provided in two different formats, one being a numerical listing and the other being a plot of the profile. Two stations are graphically shown on one page of the data report. On the facing page, the corresponding numerical listing of the station is given.

The numerical data consist of other parameters relative to station information and are in some cases abbreviated to save space. A list of the parameters and their meaning is given in Table 3.

The plot of the absolute velocity profile is broken down into two components consisting of speed (shown as the solid line) and direction (shown as the dashed line). The speed scale is shown at the base of the profile. Three different scales for speed are used in the plotting of the figures, their respective maximum velocities being 25, 50 and 75 cm/sec. This was done to show as much structure as possible for the speeds indicated on any one particular profile. The directional scale is shown at the top of the profile and is a fixed scale from 0 to 360 degrees relative to True North. The labeling of the plot consists of the camp identification, the station number, the date (day-month-year) and the time (GMT).

TABLE 3

BIG BEAR	First Main Camp
CARIBOU	Satellite Camp later to become Main Camp
BLUE FOX	Satellite Camp
SNOWBIRD	Satellite Camp
STATION	Consecutive station listing as shown on analog charts
(***M.)	Maximum depth of station in meters
LAT	Latitude of station in decimal degrees N implying North
LONG	Longitude of station in decimal degrees W implying West
LTER	Estimate of positional error for latitude in meters
LGER	Estimate of positional error for longitude in meters
NIVEL	North component of ice velocity (cm/sec)
EIVEL	East component of ice velocity (cm/sec)
NVER	Estimate of error in north ice velocity (cm/sec)
EVER	Estimate of error in east ice velocity (cm/sec)
DPT	Depth in meters
SPD	Absolute speed in cm/sec
DRN	Direction as related to True North. Directions with a code of 999.9 imply no direction reported.

Note ... All dates and times are given in terms of Greenwich Mean Time.

FEATURES OBSERVED IN THE PROFILING CURRENT METER DATA

THE EKMAN LAYER

The concept of the planetary boundary layer, or Ekman layer, in which the velocity turns with depth, was first stimulated by observations of drifting ice. Nansen visualized the balances between surface wind stress, friction and Coriolis force which lead to a spiral structure for the current vectors. The idea was developed and set into mathematical form by Ekman. This layer, in which momentum exchange occurs between ice and water, was a central focus for the AIDJEX oceanographic program. Pack-ice forms a particularly stable platform for observations of behavior in the Ekman layer and observations of the Ekman spiral had been made from ice stations before the main AIDJEX experiment.

The PCM data, however, do frequently show indications of a spiral current structure in the upper layers. The vertically-integrated transport of water in the Ekman layer must flow at a right angle to the surface stress. In the northern hemisphere, the integrated flow is 90 degrees to the right of the surface stress. Water at the ice base will move with the ice in the direction of surface stress. Thus the current vectors will spiral downward to the right to achieve a net flow to the right. The exact shape of the spiral depends on the conditions of turbulence and stratification in the layer. A clockwise tendency for the current vectors is often noted in the current profiles. This indicates downward transfer of momentum from ice to water. Counterclockwise turning is also observed but less frequently. It indicates momentum transfer upwards from water to ice. Figures 21a and 21b show the effect of ice velocity addition on an Ekman spiral. Figure 21a is the relative trace showing a well developed directional shear of approximately 360 degrees. With the addition of the ice velocity vector, the directional shear is somewhat altered as seen in Figure 21b. Notice also the high directional shears at low speeds.



Figure 21. Graphically shows the result of adding the ice velocity vector to an Ekman spiral seen on a relative velocity profile (a) to produce absolute velocity data (b). Notice the change in directional shear between the relative and absolute profile from a depth of 20 to 40 meters.

SUBSURFACE EDDIES

Swift mesoscale undercurrents are one of the most notable oceanographic features observed in the AIDJEX area of the Arctic Ocean. The eddy form of these undercurrents was first described as a result of the 1972 AIDJEX pilot program. The eddies were shown to be 10 to 20 kilometers across and to extend in depth from 50 to 300 meters. The temperature and salinity fields as well as the velocity field are perturbed by the eddies which are baroclinic, and are approximately in geostrophic balance (Hunkins, 1974; Newton et al., 1974).

The 1975-76 data confirm that eddies are a common feature of this part of the Arctic Ocean. Maximum current speeds were found at depths ranging from 80 to 190 meters. In some cases current speeds attain a maximum of 59 cm/sec. Examples of different eddies at the four camps are shown in Figures 22-25. The 1972 data taken at discrete levels showed the rounded shape of the current profile. PCM data also show this but with some small scale structure imposed on the broad nose. There is often little directional shear through the eddy as in Figures 22 and 23, although, in some cases, as in Figures 24 and 25, there may be directional as well as speed shear through the eddy depth.

In Figures 26-29, current velocity vectors at four depths are plotted as a function of time at each of the four camps. Ice velocity vectors are at the top of each diagram. Days are numbered in sequence starting from January 1, 1975 (see Appendix 3). Examples of eddies are evident at each station. The eddy profiled in Figure 23 can be seen between days 151-155 of

Figure 27. The eddy profiled in Figure 24 appears in Figure 28 between days 150-154, while the eddy in Figure 25 appears in Figure 29, days 165-169. The eddy observed at Caribou, Figure 22, can be seen in Figure 26 between days 327 and 330. Although two of the eddies at different camps overlap in time, the camps are separated by 170 kilometers and are undoubtedly two distinct features. The tendency of the current vector to rotate with time is attributed to two reasons. (1) passage of the camp over the eddy, and (2) the translational velocity of the eddy. In most cases, the velocity of the camp is significantly greater than the velocity of the eddy. Profiles taken in this case appear to "freeze" the eddy as the camp passes over.



Figure 22. Eddy profile observed at camp Caribou.



Figure 23. Eddy profile observed at camp Blue Fox.



Figure 24. Eddy profile observed at camp Snowbird.



Figure 25. Eddy profile observed at camp Big Bear.

WIND-DRIVEN CURRENTS

Although the effect of wind-driven ice on the Ekman layer has been observed for some time, deeper influences have not been as carefully studied. Wind and ice motion are generally coherent over the array. There should be a clear separation of spatial scales between the ice-driven current scale of order 1000 kilometers and the baroclinic eddy scale of order 10 kilometers. Clear examples of barotropic currents appear in Figure 26, days 324-327, days 335-336, and days 368-370. These currents change little with depth, in contrast to the highly barotropic eddies. Other barotropic currents appear intermittently in Figures 27-29. However, random observations of eddies mask these currents below 50 meters. Such masking can be seen in Figure 27, days 170-174, Figure 28, days 149-156, and Figure 29, days 157-168.

Barotropic behavior is expected for currents generated by a transient wind stress. As the stress becomes less impulsive, more baroclinic motion would be produced. Thus the wind field at the largest time and space scales, the mean winds over the Canada Basin, generate the large scale Beaufort gyre. Short period wind and ice motion will result in a more barotropic response. Barotropic motions would not be reflected in the temperature and salinity profiles. They are detectable only with current meters or absolute measurements of surface height and tilt.



Figure 26. Stick diagram of profiling current meter data from camp Caribou at preselected depths of 50, 100, 150 and 175 meters. Ice velocity observed at camp is plotted at top of diagram. Vector pointing vertically upwards implies movement towards True North. AIDJEX days are shown on the horizontal axis.



Figure 27. Stick diagram of profiling current meter data from camp Blue Fox at preselected depths of 50, 100, 150 and 175 meters. Ice velocity observed at camp is plotted at top of diagram. Vector pointing vertically upwards implies movement towards True North. AIDJEX days are shown on the horizontal axis.



Figure 28. Stick diagram of profiling current meter data through time from camp Snowbird at preselected depths of 50, 100, 150 and 175 meters. Ice velocity observed at the camp is plotted at top of diagram. Vector pointing vertically upwards implies movement towards True North. AIDJEX days are shown on the horizontal axis.



Figure 29. Stick diagram of profiling current meter data through time from camp Big Bear at preselected depths of 50, 100, 150 and 175 meters. Ice velocity observed at the camp is plotted at top of diagram. Vector pointing vertically upwards implies movement towards True North. AIDJEX days are shown on the horizontal axis.

ACKNOWLEDGEMENTS

The AIDJEX oceanographic program was carried out with the financial support from the Office of Naval Research under contract N00014-76-C-0004.

We are pleased to acknowledge the efforts of the people who operated the current meters at the various camps: Barry Allen, Jai Ardai, Bharrat Dixit, Alan Gill, Brian Hill, and Paul Peltola.

APPENDIX 1

COORDINATE SYSTEMS



Position measurements were made in geographical coordinates (latitude north, longitude east). The smoothing operation was done in a Cartesian system (x,y), where

$$x = 110.949\ (90^\circ - \text{latitude}) \cos(\text{longitude}) \quad (\text{km})$$

$$y = 110.949\ (90^\circ - \text{latitude}) \sin(\text{longitude}) \quad (\text{km})$$

APPENDIX 2

Subroutine PSNVEL is written in FORTRAN IV-PLUS and is adapted for use on a PDP 11/70. This subroutine calculates the position and ice velocity from the data base of Thorndike and Manley, 1980. Error estimates are also calculated for latitude, longitude, north and east ice velocities. The coefficients for the error estimate equations are found at the end of the subroutine. The actual equation is written as an arithmetic statement function near the beginning of the listing. Decimal AIDJEX days (Appendix 3) are used extensively in this subroutine.

```
C**********************************************************************
C**********************************************************************
C**** SUBROUTINE PSNVEL  ******  AIDJEX POSITION AND VELOCITY DETERMINATION ****
C**********************************************************************
C********************* PROGRAMMER  -- TOM MANLEY  ***********************
C******************************** DATE -- AUG. 01, 1979  ****************
C**********************************************************************
C** SUBROUTINE PSNVEL INTERPOLATES BETWEEN TWO CONSECUTIVE POSITIONAL OBSER-   *
C** VATIONS USING THE UPDATED SATELLITE-NAVIGATION DATA AS ITS BASE. INTERPOL- *
C** ATION IS BASED ON 2 CUBIC EQUATIONS DEFINED UNIQUELY BY THE BOUNDING NAV-  *
C** IGATION POINTS.                                                            *
C**    ERROR ESTIMATES TO THE CALCULATED POSITION AND ICE VELOCITY ARE SUPPLIED *
C** TO THE USER VIA THE 48 QUARTIC ERROR EQUATIONS DEFINED AT THE END OF THE   *
C** SUBROUTINE.                                                                *
C**    ALL DATES AND TIMES USED IN THE NAVIGATIONAL DATA SET AND THIS SUBROUTINE*
C** MUST BE GREENWHICH MEAN TIME.                                              *
C**********************************************************************
C**INPUT PARAMETERS ARE AS FOLLOWS:                                            *
C**    1) IUNIT -- THE UNIT NUMBER THAT THE PROGRAM WILL USE IN OPENING THE     *
C**                APPROPRIATE CAMP FILE. ** NOTE ** THE UNIT WILL BE OPENED   *
C**                PERMANENTLY UNLESS THE CAMP IDENTIFIER CHANGES. IF THIS IS  *
C**                TRUE, THEN THE CURRENT FILE WILL BE CLOSED AND THE NEW CAMP *
C**                NAVIGATION FILE WILL BE OPEN.                               *
C**    2) ICAMP -- THE CAMP ALPHANUMERIC(A2) I.E.--> BB,CB,BF,SB,M1            *
C**    3) IDAY  -- THE DAY IN QUESTION                                         *
C**    4) MON   -- THE MONTH IN QUESTION                                       *
C**    5) IYR   -- THE YEAR IN QUESTION                                        *
C**    6) ITIME -- THE TIME IN QUESTION                                        *
C**********************************************************************
C**OUTPUT PARAMETERS ARE AS FOLLOWS:                                           *
C**    1) RLAT  -- LATITUDE OF THE STATION                                     *
C**    2) RLON  -- LONGITUDE OF THE STATION                                    *
C**    3) VELN  -- NORTH VELOCITY IN CM/SEC                                    *
C**    4) VELE  -- EAST VELOCITY IN CM/SEC                                     *
C**    5) LTERR -- ERROR ESTIMATE(95% CONFIDENCE) ON LATITUDE( IN METERS)      *
C**    6) LGERR -- ERROR ESTIMATE(95% CONFIDENCE) ON LONGITUDE( IN METERS)     *
C**    7) VNERR -- ERROR ESTIMATE(95% CONFIDENCE) ON NORTH VELOCITY(IN CM/SEC) *
C**    8) NEERR -- ERROR ESTIMATE(95% CONFIDENCE) ON EAST VELOCITY  (IN CM/SEC) *
C**                                                                            *
C**      ** NOTE ** IF THE LAT. AND LONG ARE NOT AVAILABLE, THE SUBROUTINE     *
C**      GIVES THE FOLLOWING INFORMATION:                                      *
C**              RLAT = 9999.9              RLON = 9999.9                      *
C**              VELN = 9999.9              VELE = 9999.9                      *
C**              LTERR = 9999.9             LGERR = 9999.9                     *
C**              VNERR = 9999.9             VEERR = 9999.9                     *
C**                                                                            *
C**      ** NOTE ** IF THE BOUNDING SETS OF NAVIGATION DATA USED TO DEFINE THE *
C**      CUBIC EQUATIONS ARE MORE THAN 50 HOURS APART, POSITION AND ICE VELOCITY*
C**      WILL BE PROVIDED. DEFAULT VALUES WILL HOWEVER BE ASSIGNED TO THE ERROR *
C**      ESTIMATES AS FOLLOWS:                                                 *
C**              LTERR = 9999.9             LGERR = 9999.9                     *
C**              VNERR = 9999.9             VEERR = 9999.9                     *
C**********************************************************************
C** PARAMETERS THAT ARE NOT TO BE CHANGED BY THE USER DURING A RUN:            *
C**    1) FILE   --  INDICATES THE FILE HAS ALREADY BEEN OPENED                *
C**                  'YES' IF TRUE, 0 IF NO                                    *
C**                  THIS CUTS DOWN ON THE AMOUNT OF TIME SPENT OPENING AND CLOS-*
C**                  ING THE FILE.                                             *
C**    2) ICMPCK -   INTEGER CAMP CHECK VARIABLE. THIS HOLDS THE ID "CODE" OF THE*
C**                  CAMP NUMBER WHOSE NAVIGATION FILE IS CURRENTLY OPENED.    *
C**                  IF ICMPCK AND ICAMP DO NOT AGREE, THEN THE CURRENT FILE   *
C**                  IS CLOSED AND THE NEW NAVIGATION FILE CORRESPONDING TO THE *
C**                  NEW CAMP ID "ICAMP" IS OPENED. ICMPCK IS THEN CHANGED TO  *
C**                  ICAMP.                                                    *
C**    3) IDBSE -    THE INTEGER THAT HOLDS THE BASE DAY SUBTRACTION CONSTANT  *
C**                  USED BY THE SUBROUTINE TO DETERMINE THE LOCATION OF ALL THE*
C**                  DAYS IN THE NAVIGATION FILE. ------> UNDER NO CIRCUMSTANCES *
C**                  SHOULD THIS VARIABLE BE CHANGED DURING A RUN ON ANY ONE CAMP*
C**    4) IYRBSE -   THE INTEGER THAT HOLDS THE BASE YEAR UPON WHICH THE JULIAN *
C**                  DAY IS DETERMINED. THE BASE YEAR IS DETERMINED THROUGH THE *
C**                  SUBROUTINE "CPCODE" AS ONE OF THE OUTPUT PARAMETERS. BASE *
C**                  YEARS WILL CHANGE WITH THE CAMPS SUCH AS THE MAIN AIDJEX  *
C**                  EXPERIMENT BEING BASED ON THE YEAR 1975. THE FRAM 1 DATA IS *
C**                  BASED ON THE YEAR 1979.  ======> UNDER NO CIRCUMSTANCES   *
C**                  SHOULD THIS VARIABLE BE CHANGED DURING A RUN ON ANY ONE CAMP*
C**********************************************************************
C**********************************************************************
C**********************************************************************
C*****************************
C********************
```

```
C************
C****
C*
C**
C**
      SUBROUTINE PSNVEL(IUNIT,ICAMP,IDAY,MON,IYR,ITIME,FILE,RLAT,RLON,
     1 VELN,VELE,LTERR,LGERR,VNERR,VEERR,ICMPCK,IDBSE,IYRBSE)
C**
      IMPLICIT REAL*8 (Z)
      REAL*8 RAD
      REAL LTERR,LGERR
      BYTE FILNAM(30),DIR(11)
      DIMENSION INAM(4)
C**
C** DEFINE A FUNCTION FOR THE QUARTIC ERROR ESTIMATES
C**
      Q(E,D,C,B,A,T)=A*T**4 + B*T**3 + C*T**2 + D*T + E
C**
C** SET AN ERROR CODE
C**
      CALL ERRSET(39,.TRUE.,.FALSE.,.TRUE.,.FALSE.,100)
C**
C**
      DATA FILNAM(30)/0/
      RAD = DASIN(1.0D0)/90.0D0
C**
C** CHECK TO SEE IF FILES ARE ALREADY OPENED
C**
   10 IF((ICMPCK.EQ.ICAMP) .AND. (FILE .EQ. 'YES')) GO TO 77
      IF((ICMPCK.NE.ICAMP) .AND. (FILE .NE. 'YES')) GO TO 18
      IF((ICMPCK.NE.ICAMP) .AND. (FILE .EQ. 'YES')) GO TO 15
   15 CLOSE(UNIT=IUNIT)
   18 ENCODE(20,23,FILNAM) ICAMP
   23 FORMAT('DB2:[310,1]NAVDAT.',A2)
      ICMPCK = ICAMP
C**
      OPEN(UNIT=IUNIT,NAME=FILNAM,TYPE='OLD',
     1 ACCESS='DIRECT',FORM='FORMATTED',RECORDSIZE=70)
      FILE = 'YES'
C****=> FIND THE BASE YEAR FOR THE CAMP DATA
      I = 0
      CALL CPCODE(ICAMP,I,ZCAMA8,IYRBSE)
C****=> NOW FIND THE BASE JULIAN DAY THAT THE FILE WAS BASED ON USING THE
C****=> EQUATION IREC = (IJULDAY-IBASEDAY)*75 -1
      DO 27 IREC = 1,2000
      READ(IUNIT'IREC,20) RDAY
      IF(RDAY .EQ. 0.0) GO TO 27
      IDY = RDAY
      IDBSE = IDY - IFIX(((IREC-1)/75.)+.5)
D     TYPE 31, ICAMP,IDY,IREC,IDBSE
D  31 FORMAT(2X,'CAMP-> ',A2,' DAY/IREC/IDBASE=> ',3I6)
      GO TO 28
   27 CONTINUE
   28 CONTINUE
C**
C** CALCULATE THE RECORD NUMBER OF THE FIRST NAVIGATION POINTS CLOSEST
C** TO THE TIME OF THE STATION IN QUESTION
C**
   77 CALL JULDAY(IDAY,MON,IYR,ITIME,IYRBSE,RDAY)
      IADY = RDAY
      IREC = (IADY - IDBSE)*75 + 1
D     TYPE 66, IREC,IADY,IAPER
D  66 FORMAT(2X,'IREC/IADY/IAP---> ',3I6)
C**
C** CHECK FOR BAD RECORD NUMBER
C**
      IF(IREC .GE. 1) GO TO 79
   45 RLAT = 9999.9
      RLON = 9999.9
      VELN = 9999.9
      VELE = 9999.9
      VNERR = 9999.9
      VEERR = 9999.9
      LTERR = 9999.9
      LGERR = 9999.9
      GO TO 300
C**
C** READ THE RECORD
C**
   79 READ(IUNIT'IREC,20) DAYS,RLATS,RLONS,VELNS,VELES
```

```
   20 FORMAT(2X,3F12.6,2F8.1)
C**
C** IF THE BEGINNING RECORD HAS NO INFORMATION ON IT, KEEP INCREMENTING
C** THE IREC COUNTER UNTIL A RECORD WITH INFORMATION HAS BEEN FOUND
C**
      IF(DAYS .NE. 0.0) GO TO 83
      IREC = IREC + 1
      GO TO 79
C**
C** TURN THE DESIRED TIME INTO DECIMAL DAYS
C**
   83 IHR = ITIME/100.0 + .01
      IMN = (ITIME-(IHR*100))
      DAYSTN = (IADY*1.0) + (IHR/24.0) + (IMN/1440.)
      IDYSTN = DAYSTN
D     TYPE 87, DAYSTN
D  87 FORMAT(2X,'TIME OF DESIRED POINT => ',F12.6)
C**
C** CHECK TO SEE WHICH RECORD TO READ FOR THE BOUNDING INFORMATION
C**
C**
      IF((IDYSTN.LT.IDBSE) .AND. (IDYSTN.GT.500)) GO TO 45
      IF((IDYSTN.EQ.IDBSE) .AND. (DAYSTN.LT.DAYS)) GO TO 45
      IF(DAYSTN .LT. DAYS) GO TO 50
      IF(DAYSTN .GE. DAYS) GO TO 100
C** READ PREVIOUS RECORD
C**
   50 IREC = IREC -1
      READ(IUNIT'IREC,20) DAYE,RLATE,RLONE,VELNE,VELEE
C**==> CHECK FOR RECORD WITH NO DATA LISTED ON IT
      IF((RLATE.EQ.0.0).OR.(RLONE.EQ.0.0)) GO TO 50
C* => REORIENT THE DATA SO DAYS IS FIRST IN TIME,DAYE IS LAST
      DY = DAYS
      RL = RLATS
      RG = RLONS
      VN = VELNS
      VE = VELES
      DAYS = DAYE
      RLATS = RLATE
      RLONS = RLONE
      VELNS = VELNE
      VELES = VELEE
      DAYE = DY
      RLATE = RL
      RLONE = RG
      VELNE = VN
      VELEE = VE
      GO TO 200
C**
C** READ FOLLOWING RECORD
C**
  100 IREC = IREC + 1
      READ(IUNIT'IREC,20,ERR=45) DAYE,RLATE,RLONE,VELNE,VELEE
C**==> CHECK FOR RECORD WITH NO DATA LISTED ON IT
      IF((RLATE.EQ.0.0).OR.(RLONE.EQ.0.0)) GO TO 100
      IF(DAYSTN .LE. DAYE) GO TO 200
      DAYS = DAYE
      RLATS = RLATE
      RLONS = RLONE
      VELNS = VELNE
      VELES = VELEE
      GO TO 100
C**
C** START WITH TIME INTERPOLATION FOR LATITUDE AND VELOCITY NORTH
C**
C**==> CHANGE TIME POINTS IN DAYS TO TIME POINTS IN SECONDS
  200 CONTINUE
D     TYPE 43, DAYS,RLATS,RLONS,VELNS,VELES
D  43 FORMAT(2X,'START=> ',3F12.6,2F8.1)
D     TYPE 24, DAYE,RLATE,RLONE,VELNE,VELEE
D  24 FORMAT(2X,'END ==> ',3F12.6,2F8.1)
      ZT1 = DAYS*86400.D0
      ZT2 = DAYE*86400.D0
      ZTS = DAYSTN*86400.D0
      ZC = ZT2 - ZT1
C**==> CHANGE THE VEL TO DEGREES (LAT OR LONG)/SEC
      ZVELNS = VELNS/11094900.D0
      ZVELNE = VELNE/11094900.D0
      ZVELES = VELES/(11094900.D0*DCOS(RLATS*RAD))
      ZVELEE = VELEE/(11094900.D0*DCOS(RLATE*RAD))
```

```
      ZATNT = ZTS -ZT1
      ZALP = (ZVELNE - ZVELNS)/(3.D0*ZC**2)
      ZBET = -2.D0/(3.D0*ZC)
      ZB = (RLATE-RLATS-ZVELNS*ZC-ZALP*ZC**3)/(ZBET*ZC**3+ZC**2)
      ZA = ZALP + ZBET*ZB
      RLAT = (ZA*ZATNT**3)+(ZB*ZATNT**2)+(ZVELNS*ZATNT)+RLATS
      ZVELN = (3.D0*ZA*ZATNT**2)+(2.D0*ZB*ZATNT)+ZVELNS
C**
C** NOW FIGURE OUT THE LONGITUDE AND THE VELOCITY EAST
C**
      ZALP = (ZVELEE - ZVELES)/(3.D0*ZC**2)
      ZBET = -2.D0/(3.D0*ZC)
      ZB = (RLONE-RLONS-ZVELES*ZC-ZALP*ZC**3)/(ZBET*ZC**3+ZC**2)
      ZA = ZALP + ZBET*ZB
      RLON = (ZA*ZATNT**3)+(ZB*ZATNT**2)+(ZVELES*ZATNT)+RLONS
      ZVELE = (3.D0*ZA*ZATNT**2)+(2.D0*ZB*ZATNT)+ZVELES
C** CHANGE VEL BACK TO CM/SEC
      VELN = ZVELN*11094900.D0
      VELE = ZVELE*(11094900.D0*DCOS(RLAT*RAD))
D     TYPE 57, RLAT,RLON,VELN,VELE
D  57 FORMAT(2X,'LAT/LON/VN/VE=> ',4F10.4)
C**
C** CALCULATE TIME RATIO AND TOTAL TIME DIFFERENCE FOR ERROR ESTIMATES
C**
      SDIF = ZATNT/3.600E3
      TDIF = ZC/3.600E3
      T = SDIF/TDIF
D     TYPE 47, SDIF,TDIF,T
D  47 FORMAT(2X,'SDIF/TDIF/T=> ',3(F8.4,1X))
C**
C** CHECK FOR SUMMER OR WINTER DATA
C**
      IF((IDYSTN.LT.182) .OR. (IDYSTN.GT.273)) GO TO 205
C**==> THIS IS SUMMER DATA
C**==> NOW CHECK FOR THE SDIF TIME BOUNDS
      IF(TDIF .GT. 2.00) GO TO 110
C**==> THIS IS ERROR DATA BETWEEN 1 AND 2 HOURS
      LTERR=Q(.192869,-.575945E1,.700460E2,-.134647E3,.702872E2,T)
      LGERR=Q(.202941,-.468376E1,.903089E2,-.179822E3,.940866E2,T)
      VNERR=Q(-.264094E-1,.164596E1,-.672279E1,.976800E1,-.466455E1,T)
      VEERR=Q(.190725E-1,.182885E1,-.574349E1,.761949E1,-.374149E1,T)
      GO TO 300
  110 IF(TDIF .GT. 4.00) GO TO 120
C**==> THIS IS ERROR DATA BETWEEN 3 AND 4 HOURS
      LTERR=Q(.190364E1,-.466727E2,.553386E3,-.983192E3,.474845E3,T)
      LGERR=Q(.391057E1,-.105472E3,.118601E4,-.209909E4,.101307E4,T)
      VNERR=Q(-.220280,.878184E1,-.362110E2,.544938E2,-.267458E2,T)
      VEERR=Q(-.466398,.180550E2,-.748721E2,.114565E3,-.574648E2,T)
      GO TO 300
  120 IF(TDIF .GT. 7.00) GO TO 130
C**==> THIS IS ERROR DATA BETWEEN 6 AND 7 HOURS
      LTERR=Q(-.434573E1,.810672E2,.156793E4,-.335384E4,.170874E4,T)
      LGERR=Q(.406848E1,-.644965E2,.260012E4,-.513404E4,.259836E4,T)
      VNERR=Q(-.168660,.223409E2,-.950057E2,.146842E3,-.745103E2,T)
      VEERR=Q(.461851E-1,.212938E2,-.807473E2,.119812E3,-.606414E2,T)
      GO TO 300
  130 IF(TDIF .GT. 13.00) GO TO 140
C**==> THIS IS ERROR DATA BETWEEN 11 AND 13 HOURS
      LTERR=Q(.551924E1,-.312993E2,.945618E4,-.188342E5,.939432E4,T)
      LGERR=Q(.203458E2,-.355332E3,.103268E5,-.194064E5,.940165E4,T)
      VNERR=Q(-.450471,.627998E2,-.266976E3,.413131E3,-.209935E3,T)
      VEERR=Q(-.399648,.599848E2,-.249716E3,.387004E3,-.197477E3,T)
      GO TO 300
  140 IF(TDIF .GT. 25.00) GO TO 150
C**==> THIS IS ERROR DATA BETWEEN 23 AND 25 HOURS
      LTERR=Q(-.407233E2,.278504E4,.285207E4,-.116745E5,.605943E4,T)
      LGERR=Q(-.170113E3,.661352E4,-.170675E5,.213869E5,-.110412E5,T)
      VNERR=Q(.169221E1,.297300E2,-.644268E2,.657767E2,-.309871E2,T)
      VEERR=Q(.250704E1,.164704E2,-.889819E1,-.181705E2,.106707E2,T)
      GO TO 300
  150 IF(TDIF .GT. 50.00) GO TO 160
C**==> THIS IS ERROR DATA BETWEEN 47 AND 49 HOURS
      LTERR=Q(-.429890E3,.193509E5,-.443267E5,.406707E5,-.152876E5,T)
      LGERR=Q(-.341247E3,.155251E5,-.331577E5,.317635E5,-.140253E5,T)
      VNERR=Q(.419435E1,.583175E2,-.252295E3,.377632E3,-.186022E3,T)
      VEERR=Q(.143486E1,.854762E2,-.354166E3,.525771E3,-.256694E3,T)
      GO TO 300
  160 CONTINUE
C**==> NO DATA FOR TDIF GREATER THAN 50 HOURS, SET TO DEFAULT
             VEERR= 9999.9
```

```
             VNERR= 9999.9
             LGERR= 9999.9
             LTERR= 9999.9
      GO TO 300
C**==> THIS IS THE WINTER DATA SET
  205 IF(TDIF .GT. 2.00) GO TO 210
C**==> THIS IS ERROR DATA BETWEEN 1 AND 2 HOURS
      LTERR=Q(.247002,-.141055E1,.239450E2,-.475730E2,.248538E2,T)
      LGERR=Q(.377059,-.408318E1,.556174E2,-.108728E3,.568677E2,T)
      VNERR=Q(.735694E-2,.658285,-.274560E1,.408656E1,-.201109E1,T)
      VEERR=Q(.214845E-1,.138559E1,-.561334E1,.830719E1,-.412921E1,T)
      GO TO 300
  210 IF(TDIF .GT. 4.00) GO TO 220
C**==> THIS IS ERROR DATA BETWEEN 3 AND 4 HOURS
      LTERR=Q(.136832E1,-.282074E2,.306371E3,-.542406E3,.262633E3,T)
      LGERR=Q(.286660E1,-.795060E2,.941639E3,-.171066E4,.846418E3,T)
      VNERR=Q(-.602995E-1,.418834E1,-.178370E2,.275296E2,-.138677E2,T)
      VEERR=Q(-.284836,.133084E2,-.557777E2,.852540E2,-.476655E2,T)
      GO TO 300
  220 IF(TDIF .GT. 7.00) GO TO 230
C**==> THIS IS ERROR DATA BETWEEN 6 AND 7 HOURS
      LTERR=Q(-.549117,.123283E2,.594540E3,-.118623E4,.577537E3,T)
      LGERR=Q(.504752E1,-.109335E3,.182691E4,-.340773E4,.168563E4,T)
      VNERR=Q(-.798305E-2,.646701E1,-.240102E2,.351633E2,-.176241E2,T)
      VEERR=Q(-.740555E-1,.140985E2,-.533356E2,.794973E2,-.404684E2,T)
      GO TO 300
  230 IF(TDIF .GT. 13.00) GO TO 240
C**==> THIS IS ERROR DATA BETWEEN 11 AND 13 HOURS
      LTERR=Q(-.196154E1,.832318E2,.121998E4,-.251663E4,.120790E4,T)
      LGERR=Q(-.128723E2,.528756E3,-.563005E3,.169304E3,-.136860E3,T)
      VNERR=Q(-.137067,.124627E2,-.464115E2,.662067E2,-.320744E2,T)
      VEERR=Q(.305289,.113129E2,-.340711E2,.418276E2,-.187287E2,T)
      GO TO 300
  240 IF(TDIF .GT. 25.00) GO TO 250
C**==> THIS IS ERROR DATA BETWEEN 23 AND 25 HOURS
      LTERR=Q(-.527531E2,.194688E4,-.397901E4,.326826E4,-.120623E4,T)
      LGERR=Q(.209375E2,.402766E3,.411796E4,-.889242E4,.435372E4,T)
      VNERR=Q(.626779,.832293E1,-.279371E2,.367508E2,-.172505E2,T)
      VEERR=Q(.728756,.208960E2,-.899374E2,.136860E3,-.682694E2,T)
      GO TO 300
  250 IF(TDIF .GT. 50.00) GO TO 260
C**==> THIS IS ERROR DATA BETWEEN 47 AND 49 HOURS
      LTERR=Q(-.154057E3,.517674E4,-.147802E5,.182932E5,-.858630E4,T)
      LGERR=Q(.608849E1,.148286E4,.770615E4,-.178465E5,.865979E4,T)
      VNERR=Q(.619958,.843798E1,-.265352E2,.351965E2,-.165618E2,T)
      VEERR=Q(.110754E1,.976905E1,-.314405E2,.435897E2,-.216482E2,T)
      GO TO 300
C**==> NO DATA FOR TDIF GREATER THAN 50 HOURS, SET TO DEFAULT
  260 VEERR= 9999.9
      VNERR= 9999.9
      LGERR= 9999.9
      LTERR= 9999.9
C**
C** IF THE ERROR ESTIMATE EQUATIONS PROVIDE NEGATIVE VALUES SET THEM
C** TO ZERO
C**
  300 IF(LTERR .LT. 0.0) LTERR = 0.0
      IF(LGERR .LT. 0.0) LGERR = 0.0
      IF(VNERR .LT. 0.0) VNERR = 0.0
      IF(VEERR .LT. 0.0) VEERR = 0.0
D     TYPE 320, LTERR,LGERR,VNERR,VEERR
D 320 FORMAT(2X,'LT/LG/VN//VE ERR==> ',4F10.4)
C**
C** THATS ALL FOLKS
C**
      RETURN
      END
```

APPENDIX 3

CONVERSION TABLE FOR AIDJEX DAYS TO CALENDAR DAYS

For the main experiment, AIDJEX adopted a convention of numbering days consecutively, beginning with day 1 = 01 January, 1975 and ending with day 500 = 14 May, 1976.

In the conversion table, the first column is the AIDJEX day, the second is the corresponding day of 1975 or 1976 and the third entry is the calendar date.

Appendix 3 - Conversion Table

101	101	11	APR	75
102	102	12	APR	75
103	103	13	APR	75
104	104	14	APR	75
105	105	15	APR	75
106	106	16	APR	75
107	107	17	APR	75
108	108	18	APR	75
109	109	19	APR	75
110	110	20	APR	75
111	111	21	APR	75
112	112	22	APR	75
113	113	23	APR	75
114	114	24	APR	75
115	115	25	APR	75
116	116	26	APR	75
117	117	27	APR	75
118	118	28	APR	75
119	119	29	APR	75
120	120	30	APR	75
121	121	1	MAY	75
122	122	2	MAY	75
123	123	3	MAY	75
124	124	4	MAY	75
125	125	5	MAY	75
126	126	6	MAY	75
127	127	7	MAY	75
128	128	8	MAY	75
129	129	9	MAY	75
130	130	10	MAY	75
131	131	11	MAY	75
132	132	12	MAY	75
133	133	13	MAY	75
134	134	14	MAY	75
135	135	15	MAY	75
136	136	16	MAY	75
137	137	17	MAY	75
138	138	18	MAY	75
139	139	19	MAY	75
140	140	20	MAY	75
141	141	21	MAY	75
142	142	22	MAY	75
143	143	23	MAY	75
144	144	24	MAY	75
145	145	25	MAY	75
146	146	26	MAY	75
147	147	27	MAY	75
148	148	28	MAY	75
149	149	29	MAY	75
150	150	30	MAY	75
151	151	31	MAY	75
152	152	1	JUN	75
153	153	2	JUN	75
154	154	3	JUN	75
155	155	4	JUN	75
156	156	5	JUN	75
157	157	6	JUN	75
158	158	7	JUN	75
159	159	8	JUN	75
160	160	9	JUN	75
161	161	10	JUN	75
162	162	11	JUN	75
163	163	12	JUN	75
164	164	13	JUN	75
165	165	14	JUN	75
166	166	15	JUN	75
167	167	16	JUN	75
168	168	17	JUN	75
169	169	18	JUN	75
170	170	19	JUN	75
171	171	20	JUN	75
172	172	21	JUN	75
173	173	22	JUN	75
174	174	23	JUN	75
175	175	24	JUN	75
176	176	25	JUN	75
177	177	26	JUN	75
178	178	27	JUN	75
179	179	28	JUN	75
180	180	29	JUN	75
181	181	30	JUN	75
182	182	1	JUL	75
183	183	2	JUL	75
184	184	3	JUL	75
185	185	4	JUL	75
186	186	5	JUL	75
187	187	6	JUL	75
188	188	7	JUL	75
189	189	8	JUL	75
190	190	9	JUL	75
191	191	10	JUL	75
192	192	11	JUL	75
193	193	12	JUL	75
194	194	13	JUL	75
195	195	14	JUL	75
196	196	15	JUL	75
197	197	16	JUL	75
198	198	17	JUL	75
199	199	18	JUL	75
200	200	19	JUL	75
201	201	20	JUL	75
202	202	21	JUL	75
203	203	22	JUL	75
204	204	23	JUL	75
205	205	24	JUL	75
206	206	25	JUL	75
207	207	26	JUL	75
208	208	27	JUL	75
209	209	28	JUL	75
210	210	29	JUL	75
211	211	30	JUL	75
212	212	31	JUL	75
213	213	1	AUG	75
214	214	2	AUG	75
215	215	3	AUG	75
216	216	4	AUG	75
217	217	5	AUG	75
218	218	6	AUG	75
219	219	7	AUG	75
220	220	8	AUG	75
221	221	9	AUG	75
222	222	10	AUG	75
223	223	11	AUG	75
224	224	12	AUG	75
225	225	13	AUG	75
226	226	14	AUG	75
227	227	15	AUG	75
228	228	16	AUG	75
229	229	17	AUG	75
230	230	18	AUG	75
231	231	19	AUG	75
232	232	20	AUG	75
233	233	21	AUG	75
234	234	22	AUG	75
235	235	23	AUG	75
236	236	24	AUG	75
237	237	25	AUG	75
238	238	26	AUG	75
239	239	27	AUG	75
240	240	28	AUG	75
241	241	29	AUG	75
242	242	30	AUG	75
243	243	31	AUG	75
244	244	1	SEP	75
245	245	2	SEP	75
246	246	3	SEP	75
247	247	4	SEP	75
248	248	5	SEP	75
249	249	6	SEP	75
250	250	7	SEP	75
251	251	8	SEP	75
252	252	9	SEP	75
253	253	10	SEP	75
254	254	11	SEP	75
255	255	12	SEP	75
256	256	13	SEP	75
257	257	14	SEP	75
258	258	15	SEP	75
259	259	16	SEP	75
260	260	17	SEP	75
261	261	18	SEP	75
262	262	19	SEP	75
263	263	20	SEP	75
264	264	21	SEP	75
265	265	22	SEP	75
266	266	23	SEP	75
267	267	24	SEP	75
268	268	25	SEP	75
269	269	26	SEP	75
270	270	27	SEP	75
271	271	28	SEP	75
272	272	29	SEP	75
273	273	30	SEP	75
274	274	1	OCT	75
275	275	2	OCT	75
276	276	3	OCT	75
277	277	4	OCT	75
278	278	5	OCT	75
279	279	6	OCT	75
280	280	7	OCT	75
281	281	8	OCT	75
282	282	9	OCT	75
283	283	10	OCT	75
284	284	11	OCT	75
285	285	12	OCT	75
286	286	13	OCT	75
287	287	14	OCT	75
288	288	15	OCT	75
289	289	16	OCT	75
290	290	17	OCT	75
291	291	18	OCT	75
292	292	19	OCT	75
293	293	20	OCT	75
294	294	21	OCT	75
295	295	22	OCT	75
296	296	23	OCT	75
297	297	24	OCT	75
298	298	25	OCT	75
299	299	26	OCT	75
300	300	27	OCT	75
301	301	28	OCT	75
302	302	29	OCT	75
303	303	30	OCT	75
304	304	31	OCT	75
305	305	1	NOV	75
306	306	2	NOV	75
307	307	3	NOV	75
308	308	4	NOV	75
309	309	5	NOV	75
310	310	6	NOV	75
311	311	7	NOV	75
312	312	8	NOV	75
313	313	9	NOV	75
314	314	10	NOV	75
315	315	11	NOV	75
316	316	12	NOV	75
317	317	13	NOV	75
318	318	14	NOV	75
319	319	15	NOV	75
320	320	16	NOV	75
321	321	17	NOV	75
322	322	18	NOV	75
323	323	19	NOV	75
324	324	20	NOV	75
325	325	21	NOV	75
326	326	22	NOV	75
327	327	23	NOV	75
328	328	24	NOV	75
329	329	25	NOV	75
330	330	26	NOV	75
331	331	27	NOV	75
332	332	28	NOV	75
333	333	29	NOV	75
334	334	30	NOV	75
335	335	1	DEC	75
336	336	2	DEC	75
337	337	3	DEC	75
338	338	4	DEC	75
339	339	5	DEC	75
340	340	6	DEC	75
341	341	7	DEC	75
342	342	8	DEC	75
343	343	9	DEC	75
344	344	10	DEC	75
345	345	11	DEC	75
346	346	12	DEC	75
347	347	13	DEC	75
348	348	14	DEC	75
349	349	15	DEC	75
350	350	16	DEC	75
351	351	17	DEC	75
352	352	18	DEC	75
353	353	19	DEC	75
354	354	20	DEC	75
355	355	21	DEC	75
356	356	22	DEC	75
357	357	23	DEC	75
358	358	24	DEC	75
359	359	25	DEC	75
360	360	26	DEC	75
361	361	27	DEC	75
362	362	28	DEC	75
363	363	29	DEC	75
364	364	30	DEC	75
365	365	31	DEC	75
366	1	1	JAN	76
367	2	2	JAN	76
368	3	3	JAN	76
369	4	4	JAN	76
370	5	5	JAN	76
371	6	6	JAN	76
372	7	7	JAN	76
373	8	8	JAN	76
374	9	9	JAN	76
375	10	10	JAN	76
376	11	11	JAN	76
377	12	12	JAN	76
378	13	13	JAN	76
379	14	14	JAN	76
380	15	15	JAN	76
381	16	16	JAN	76
382	17	17	JAN	76
383	18	18	JAN	76
384	19	19	JAN	76
385	20	20	JAN	76
386	21	21	JAN	76
387	22	22	JAN	76
388	23	23	JAN	76
389	24	24	JAN	76
390	25	25	JAN	76
391	26	26	JAN	76
392	27	27	JAN	76
393	28	28	JAN	76
394	29	29	JAN	76
395	30	30	JAN	76
396	31	31	JAN	76
397	32	1	FEB	76
398	33	2	FEB	76
399	34	3	FEB	76
400	35	4	FEB	76
401	36	5	FEB	76
402	37	6	FEB	76
403	38	7	FEB	76
404	39	8	FEB	76
405	40	9	FEB	76
406	41	10	FEB	76
407	42	11	FEB	76
408	43	12	FEB	76
409	44	13	FEB	76
410	45	14	FEB	76
411	46	15	FEB	76
412	47	16	FEB	76
413	48	17	FEB	76
414	49	18	FEB	76
415	50	19	FEB	76
416	51	20	FEB	76
417	52	21	FEB	76
418	53	22	FEB	76
419	54	23	FEB	76
420	55	24	FEB	76
421	56	25	FEB	76
422	57	26	FEB	76
423	58	27	FEB	76
424	59	28	FEB	76
425	60	29	FEB	76
426	61	1	MAR	76
427	62	2	MAR	76
428	63	3	MAR	76
429	64	4	MAR	76
430	65	5	MAR	76
431	66	6	MAR	76
432	67	7	MAR	76
433	68	8	MAR	76
434	69	9	MAR	76
435	70	10	MAR	76
436	71	11	MAR	76
437	72	12	MAR	76
438	73	13	MAR	76
439	74	14	MAR	76
440	75	15	MAR	76
441	76	16	MAR	76
442	77	17	MAR	76
443	78	18	MAR	76
444	79	19	MAR	76
445	80	20	MAR	76
446	81	21	MAR	76
447	82	22	MAR	76
448	83	23	MAR	76
449	84	24	MAR	76
450	85	25	MAR	76
451	86	26	MAR	76
452	87	27	MAR	76
453	88	28	MAR	76
454	89	29	MAR	76
455	90	30	MAR	76
456	91	31	MAR	76
457	92	1	APR	76
458	93	2	APR	76
459	94	3	APR	76
460	95	4	APR	76
461	96	5	APR	76
462	97	6	APR	76
463	98	7	APR	76
464	99	8	APR	76
465	100	9	APR	76
466	101	10	APR	76
467	102	11	APR	76
468	103	12	APR	76
469	104	13	APR	76
470	105	14	APR	76
471	106	15	APR	76
472	107	16	APR	76
473	108	17	APR	76
474	109	18	APR	76
475	110	19	APR	76
476	111	20	APR	76
477	112	21	APR	76
478	113	22	APR	76
479	114	23	APR	76
480	115	24	APR	76
481	116	25	APR	76
482	117	26	APR	76
483	118	27	APR	76
484	119	28	APR	76
485	120	29	APR	76
486	121	30	APR	76
487	122	1	MAY	76
488	123	2	MAY	76
489	124	3	MAY	76
490	125	4	MAY	76
491	126	5	MAY	76
492	127	6	MAY	76
493	128	7	MAY	76
494	129	8	MAY	76
495	130	9	MAY	76
496	131	10	MAY	76
497	132	11	MAY	76
498	133	12	MAY	76
499	134	13	MAY	76
500	135	14	MAY	76

REFERENCES

Bauer, E., Hunkins, K., Manley, T.O., and Tiemann, W., 1980. Arctic Ice Dynamics Joint Experiment 1975-1976, Physical Oceanography Data Report, STD Data - Camp Caribou, Volume 1. CU-8-80. Tech. Rpt. No. 8, Lamont-Doherty Geological Observatory of Columbia University, Palisades, N.Y.

Bauer, E., Hunkins, K., Manley, T.O., and Tiemann, W., 1980. Arctic Ice Dynamics Joint Experiment 1975-1976, Physical Oceanography Data Report, STD Data - Camp Blue Fox, Volume 2. CU-9-80. Tech. Rpt. No. 9, Lamont-Doherty Geological Observatory of Columbia University, Palisades, N.Y.

Bauer, E., Hunkins, K., Manley, T.O., and Tiemann, W., 1980. Arctic Ice Dynamics Joint Experiment 1975-1976, Physical Oceanography Data Report, STD Data - Camp Snowbird, Volume 3. CU-10-80. Tech. Rpt. No. 10, Lamont-Doherty Geological Observatory of Columbia University, Palisades, N.Y.

Bauer, E., Hunkins, K., Manley, T.O., and Tiemann, W., 1980. Arctic Ice Dynamics Joint Experiment 1975-1976, Physical Oceanography Data Report, STD Data - Camp Big Bear, Volume 4. CU-11-80. Tech. Rpt. No. 11, Lamont-Doherty Geological Observatory of Columbia University, Palisades, N.Y.

Hunkins, K., 1974. Subsurface eddies in the Arctic Ocean. Deep Sea Res. 21, 1017-1033.

Manley, T.O., Hunkins, K., and Tiemann, W., 1980. Arctic Ice Dynamics Joint Experiment 1975-1976. Physical Oceanography Data Report, Profiling Current Meter Data - Camp Blue Fox. Volume 2. CU-5-80. Tech. Rpt. No. 5. Lamont-Doherty Geological Observatory of Columbia University, Palisades, N.Y.

Manley, T.O., Hunkins, K., and Tiemann, W., 1980. Arctic Ice Dynamics Joint Experiment 1975-1976, Physical Oceanography Data Report. Profiling Current Meter Data - Camp Snowbird, Volume 3. CU-6-80. Tech. Rpt. No. 6, Lamont-Doherty Geological Observatory of Columbia University, Palisades, N.Y.

Manley, T.O., Hunkins, K., and Tiemann, W., 1980. Arctic Ice Dynamics Joint Experiment 1975-1976, Physical Oceanography Data Report, Profiling Current Meter Data - Camp Big Bear, Volume 4. CU-7-80. Tech. Rpt. No. 7, Lamont-Doherty Geological Observatory of Columbia University, Palisades, N.Y.

Newton, J.L., K. Aagaard, and L.K. Coachman, 1974. Baroclinic eddies in the Arctic Ocean. Deep Sea Res. 21, 707-719.

Thorndike, A.S., and Cheung, J.Y., 1977. AIDJEX Measurements of Sea Ice Motion, 11 April 1975 to 14 May 1976. AIDJEX Bull. Vol. 35, 149 pp.

Thorndike, A.S. and Manley, T.O., 1980. Updated Position and Ice Velocities Measurements for the AIDJEX Manned Camps, Volume 1, 11 April 1975 to 17 October 1975. CU-2-80. Tech. Rpt. No. 2, Lamont-Doherty Geological Observatory of Columbia University, Palisades, N.Y.

Thorndike, A.S. and Manley, T.O., 1980. Updated Position and Ice Velocities Measurements for the AIDJEX Manned Camps, Volume 2, 18 October 1975 to 4 May 1976. CU-3-80. Tech. Rpt. No. 3. Lamont-Doherty Geological Observatory of Columbia University, Palisades, N.Y.

____________________, 1976. Ocean Current Velocities at 2 and 38 m. AIDJEX Bull. Vol. 32, 59-64.

RESULTS

The following section of the data report provides all of the absolute velocity PCM data taken at camp Caribou during the 1975-76 Arctic Ice Dynamics Joint Experiment. Numerical listings and corresponding plots of the data are given.

PCM STATION LISTINGS

The station listing shows all stations taken at the camp along with other pertinent information. Stations that have been digitized are indicated by the word "PLOT", stations that are listed with "TSER" ("time series" or "   ") were not digitized primarily due to lack of relative speeds. Parameters at the top of each page imply the following:

CAMP	Name of manned camp
STAT	PCM station
CODE	Processing code, see above
DY	day
MON	month
YR	year
TIME	GMT time of station
AJXDAY	AIDJEX day (decimal) of station, see Appendix 3
DEPTH	maximum depth (meters) obtained at station
N. VEL	north component of ice velocity (+ implies North, - implies South)
E. VEL	east component of ice velocity (+ implies East, - implies West)
LATITUDE	latitude of station in decimal degrees
LONGITUDE	longitude of station in decimal degrees (- implies West longitude)
LT. ERR	error of latitude position in meters
LG. ERR	error of longitude position in meters
VN. ERR	error in north component of ice velocity in cm/sec
VE. ERR	error in east component of ice velocity in cm/sec

CAMP	STAT	CODE	DY	MON	YR	TIME	AJXDAY	DEPTH	N.VEL	E.VEL	LATITUDE	LONGITUDE	LAT.ERR	LNG.ERR	NV.ERR	EV.ERR
CARIBOU	1	PLOT	5	AUG	75	701	217.2924	190	2.7	11.7	74.59102	-144.10948	2.4	3.9	0.1	0.2
CARIBOU	2		8	AUG	75	649	220.2840		1.8	7.4	74.50076	-143.73836	8.7	17.4	0.5	1.0
CARIBOU	3	PLOT	8	AUG	75	2130	220.9792	130	3.7	38.7	74.50574	-143.49086	84.5	6.2	2.8	3.1
CARIBOU	4	TSER	9	AUG	75	328	221.1444		-29.0	40.8	74.49541	-143.27899	0.1	0.5	0.1	0.2
CARIBOU	5	PLOT	9	AUG	75	2244	221.9472	194	-6.8	8.9	74.40854	-142.86867	2.1	3.5	0.1	0.2
CARIBOU	6	TSER	10	AUG	75	101	222.0424		-9.9	13.4	74.40274	-142.84070	1.4	2.4	0.1	0.2
CARIBOU	7	PLOT	10	AUG	75	2309	222.9646	190	-7.1	1.3	74.27118	-142.55647	1.8	2.9	0.1	0.2
CARIBOU	8	TSER	11	AUG	75	204	223.0861		-1.4	10.8	74.26928	-142.53893	0.0	0.0	0.1	0.1
CARIBOU	9	PLOT	11	AUG	75	2351	223.9937	190	-5.3	2.6	74.17989	-142.28183	0.6	1.1	0.1	0.2
CARIBOU	10		13	AUG	75	2335	225.9826		-12.5	14.1	74.20222	-141.74435	1.4	2.4	0.1	0.2
CARIBOU	11		15	AUG	75	2241	227.9451		3.1	-1.8	74.17344	-141.55255	2.0	3.2	0.1	0.2
CARIBOU	12	PLOT	16	AUG	75	2344	228.9889	195	-13.5	-2.2	74.16885	-141.57451	0.0	0.0	0.0	0.1
CARIBOU	13	PLOT	17	AUG	75	2225	229.9340	195	2.9	-6.4	74.10846	-141.84198	1.9	3.1	0.1	0.2
CARIBOU	14		19	AUG	75	2252	231.9528		6.2	-15.5	74.11183	-142.35498	0.3	0.7	0.1	0.2
CARIBOU	15		20	AUG	75	2240	232.9444		2.8	-9.7	74.12672	-142.72084	0.0	0.0	0.0	0.0
CARIBOU	16		22	AUG	75	2249	234.9507		-8.4	6.6	74.07642	-142.74225	9.3	18.6	0.5	1.0
CARIBOU	17		23	AUG	75	2238	235.9431		-4.2	1.2	74.02147	-142.66418	0.1	0.0	0.0	0.0
CARIBOU	18		24	AUG	75	2239	236.9438		2.3	13.1	74.01426	-142.57085	0.7	1.5	0.1	0.2
CARIBOU	19	PLOT	25	AUG	75	2310	237.9653	195	3.5	4.3	74.01589	-142.34926	0.0	0.0	0.0	0.0
CARIBOU	20		26	AUG	75	2251	238.9521		2.7	15.5	74.08389	-142.26241	0.0	4.0	0.0	0.0
CARIBOU	21	PLOT	27	AUG	75	2247	239.9493	171	-24.2	24.2	73.96153	-141.76547	2.3	3.7	0.1	0.2
CARIBOU	22	PLOT	28	AUG	75	2255	240.9549	195	8.1	4.3	73.87157	-141.34305	116.5	77.4	3.0	3.3
CARIBOU	23		29	AUG	75	2301	241.9590		-20.5	2.6	73.76048	-141.05812	2388.7	2114.8	7.5	7.1
CARIBOU	24		30	AUG	75	2257	242.9563		-4.1	10.4	73.72940	-141.09010	0.0	0.0	0.0	0.0
CARIBOU	25		1	SEP	75	2255	244.9549		-10.7	7.8	73.57336	-140.78899	0.2	0.7	0.1	0.2
CARIBOU	26		2	SEP	75	2300	245.9583		8.4	5.1	73.50216	-140.70444	346.2	450.1	4.5	4.3
CARIBOU	27		3	SEP	75	2259	246.9576		1.0	5.4	73.51583	-140.65077	2.4	3.8	0.0	0.2
CARIBOU	28		5	SEP	75	2254	248.9542		-2.6	-2.9	73.43368	-140.41035	2.4	3.9	0.0	0.2
CARIBOU	29		6	SEP	75	2254	249.9542		-0.6	-11.1	73.41885	-140.62167	1.9	3.1	0.0	0.2
CARIBOU	30		8	SEP	75	2257	251.9563		-1.4	14.3	73.39459	-140.54279	0.4	0.9	0.1	0.2
CARIBOU	31		9	SEP	75	2258	252.9569		-5.7	17.5	73.39182	-140.16411	0.0	0.0	0.1	0.1
CARIBOU	32		10	SEP	75	2256	253.9556		-2.2	12.7	73.36879	-139.89746	1.3	2.2	0.1	0.2
CARIBOU	33		11	SEP	75	2303	254.9604		-5.7	14.2	73.37982	-139.60773	1.1	2.0	0.1	0.2
CARIBOU	34		12	SEP	75	2301	255.9590		5.9	22.6	73.39716	-139.26675	2.0	3.4	0.0	0.2
CARIBOU	35		13	SEP	75	2259	256.9576		3.0	18.6	73.37080	-139.03035	0.0	0.0	0.1	0.1
CARIBOU	36		14	SEP	75	2303	257.9604		2.6	-2.9	73.34686	-138.79399	0.0	0.0	0.1	0.1
CARIBOU	37		15	SEP	75	2258	258.9569		13.4	-7.4	73.37635	-139.04366	1.3	2.3	0.1	0.2
CARIBOU	38		17	SEP	75	2305	260.9618		18.0	1.4	73.48539	-139.23221	2.4	3.8	0.1	0.2
CARIBOU	39		18	SEP	75	2324	261.9750		-5.4	-14.4	73.46248	-139.23438	4.3	7.1	0.6	1.1
CARIBOU	40		19	SEP	75	2252	262.9528		-7.7	-11.6	73.42470	-139.53726	2.4	3.9	0.0	0.2
CARIBOU	41		20	SEP	75	2230	263.9375		4.2	11.8	73.38012	-139.46725	2.1	3.5	0.1	0.2
CARIBOU	42		21	SEP	75	2256	264.9556		-15.1	35.4	73.37465	-138.86119	23.3	47.9	0.3	0.6
CARIBOU	43		22	SEP	75	2241	265.9451		-1.3	8.7	73.34795	-138.54147	2.4	3.9	0.0	0.2
CARIBOU	44		24	SEP	75	2309	267.9646		-12.3	21.0	73.22117	-138.49001	1.1	1.9	0.1	0.2
CARIBOU	45		27	SEP	75	2301	270.9590		0.7	-0.6	73.10467	-138.29247	89.2	107.4	1.3	1.9
CARIBOU	46		28	SEP	75	2302	271.9597		-0.1	-5.8	73.10612	-138.31870	1.1	1.9	0.1	0.2
CARIBOU	47		4	OCT	75	2322	277.9736		7.4	-7.6	73.43781	-140.02448	1.1	2.2	0.0	0.1
CARIBOU	48		5	OCT	75	2322	278.9736		0.9	-7.6	73.45052	-140.19165	0.2	0.3	0.0	0.1
CARIBOU	49		11	OCT	75	2205	284.9201		1.5	11.4	73.29192	-140.17393	0.5	0.8	0.0	0.1
CARIBOU	50		12	OCT	75	2318	285.9708		-0.6	-3.7	73.30664	-139.97389	0.2	0.2	0.0	0.1
CARIBOU	51		13	OCT	75	2255	286.9549		-4.1	-7.2	73.27110	-140.12549	1.0	1.9	0.0	0.1
CARIBOU	52		23	OCT	75	2046	296.8653		15.1	-21.3	73.29586	-141.59303	0.4	0.6	0.0	0.1
CARIBOU	53		25	OCT	75	645	298.2813		-2.5	10.9	73.38893	-141.75467	0.7	1.3	0.1	0.1
CARIBOU	54	PLOT	27	OCT	75	2046	300.8653	199	-10.1	0.3	73.23248	-141.15016	0.1	0.0	0.0	0.1
CARIBOU	55	PLOT	29	OCT	75	828	302.3528	197	-19.7	-7.9	73.04944	-141.27980	0.8	1.4	0.0	0.1
CARIBOU	56		31	OCT	75	112	304.0500		-12.9	-2.2	72.82203	-141.19870	0.8	1.5	0.0	0.1
CARIBOU	57	PLOT	1	NOV	75	300	305.1250	190	-1.5	5.7	72.79023	-141.15567	0.2	0.3	0.0	0.1
CARIBOU	58		2	NOV	75	610	306.2570		0.9	-0.7	72.78637	-141.10512	0.2	0.3	0.0	0.1
CARIBOU	59		3	NOV	75	113	307.0507		7.4	0.0	72.78858	-141.10782	0.0	0.0	0.0	0.0
CARIBOU	60		4	NOV	75	217	308.0952		3.0	-0.7	72.80175	-141.15727	0.6	1.0	0.1	0.1
CARIBOU	61	PLOT	6	NOV	75	903	310.3771	198	1.8	6.9	72.84725	-141.14006	1.0	1.9	0.0	0.1
CARIBOU	62	PLOT	6	NOV	75	2231	310.9382	198	-6.1	1.0	72.86233	-141.00800	1.1	2.2	0.0	0.1
CARIBOU	63	PLOT	7	NOV	75	2145	311.9063	198	2.1	1.2	72.87867	-140.92340	0.8	1.4	0.1	0.1
CARIBOU	64		11	NOV	75	922	315.3903		-0.4	0.0	72.87530	-140.80742	0.1	0.1	0.0	0.1
CARIBOU	65		11	NOV	75	1910	315.7986		0.1	-0.7	72.87508	-140.80495	1.0	1.9	0.0	0.1
CARIBOU	66		12	NOV	75	540	316.2361		-0.6	-1.0	72.87367	-140.80513	0.5	0.9	0.1	0.1
CARIBOU	67	PLOT	12	NOV	75	1820	316.7639	200	-2.1	-12.6	72.86299	-140.86650	0.8	1.4	0.1	0.1
CARIBOU	68	PLOT	13	NOV	75	503	317.2104	200	-5.7	-8.4	72.85161	-140.97522	1.1	2.2	0.0	0.1
CARIBOU	69	TSER	13	NOV	75	841	317.3618		-6.8	-11.8	72.84487	-141.01546	0.9	1.8	0.0	0.1
CARIBOU	70	TSER	14	NOV	75	215	318.0938		-10.9	-5.7	72.79689	-141.23950	1.1	2.1	0.0	0.1

CAMP	STAT	CODE	DY	MON	YR	TIME	AJXDAY	DEPTH	N.VEL	E.VEL	LATITUDE	LONGITUDE	LAT.ERR	LNG.ERR	NV.ERR	EV.ERR
CARIBOU	71	PLOT	14	NOV	75	546	318.2403	198	-11.2	-10.6	72.78436	-141.28624	1.1	2.1	0.0	0.1
CARIBOU	72	PLOT	14	NOV	75	1856	318.7889	197	-11.6	-1.7	72.73756	-141.38423	0.9	1.8	0.0	0.1
CARIBOU	73		15	NOV	75	628	319.2694		1.5	1.5	72.72829	-141.37357	210.6	216.8	1.5	2.3
CARIBOU	74	PLOT	16	NOV	75	623	320.2670	196	-0.5	-0.9	72.71841	-141.36223	0.3	0.5	0.0	0.1
CARIBOU	75	PLOT	16	NOV	75	1931	320.8112	196	-0.7	-1.0	72.71815	-141.36244	0.0	0.0	0.0	0.1
CARIBOU	76		17	NOV	75	646	321.2820		-0.7	2.8	72.71866	-141.36046	1.1	2.0	0.0	0.1
CARIBOU	77		17	NOV	75	2110	321.8820		2.7	-2.1	72.71843	-141.36218	0.8	1.5	0.1	0.1
CARIBOU	78		18	NOV	75	740	322.3195		0.1	1.3	72.71839	-141.36223	0.7	1.3	0.1	0.1
CARIBOU	79		18	NOV	75	2105	322.8785		0.8	0.3	72.71828	-141.36220	0.7	1.2	0.1	0.1
CARIBOU	80		19	NOV	75	703	323.2938		-0.7	1.3	72.71861	-141.36070	1.0	2.0	0.0	0.1
CARIBOU	81		19	NOV	75	1943	323.8215		0.1	-2.1	72.71870	-141.36543	0.4	0.6	0.0	0.1
CARIBOU	82	TSER	20	NOV	75	52	324.0361		5.2	-9.1	72.72295	-141.39693	1.1	2.0	0.0	0.1
CARIBOU	83	PLOT	20	NOV	75	650	324.2847	196	11.1	-9.4	72.74062	-141.45792	0.9	1.7	0.0	0.1
CARIBOU	84	PLOT	20	NOV	75	2109	324.8813	200	14.2	-15.6	72.80576	-141.65504	1.1	2.2	0.0	0.1
CARIBOU	85	PLOT	21	NOV	75	1955	325.8299	194	22.9	-13.8	72.94724	-142.03519	1.1	2.2	0.0	0.1
CARIBOU	86	PLOT	21	NOV	75	2026	325.8514	192	23.7	-12.4	72.95115	-142.04274	0.9	1.7	0.1	0.1
CARIBOU	87	PLOT	22	NOV	75	558	326.2486	190	22.6	-10.4	73.02429	-142.16508	0.9	1.7	0.1	0.1
CARIBOU	88	PLOT	22	NOV	75	2125	326.8924	197	5.5	-0.9	73.09303	-142.21950	0.3	0.4	0.0	0.1
CARIBOU	89	PLOT	23	NOV	75	611	327.2576	198	1.3	-4.7	73.10259	-142.25066	0.1	0.0	0.0	0.1
CARIBOU	90	PLOT	23	NOV	75	1931	327.8132	196	2.3	-5.9	73.11289	-142.36444	1.0	2.0	0.0	0.1
CARIBOU	91	PLOT	24	NOV	75	645	328.2813	195	1.0	0.6	73.12135	-142.39198	1.1	2.2	0.0	0.1
CARIBOU	92	PLOT	24	NOV	75	1956	328.8306	200	0.7	-3.4	73.12303	-142.39186	0.1	0.0	0.0	0.1
CARIBOU	93	PLOT	25	NOV	75	638	329.2764	194	1.3	-7.9	73.12643	-142.45659	0.0	0.0	0.0	0.0
CARIBOU	94	PLOT	25	NOV	75	1044	329.4472	192	0.4	-9.1	73.12725	-142.49510	0.0	0.0	0.0	0.0
CARIBOU	95	PLOT	26	NOV	75	51	330.0354	183	5.8	-11.4	73.13862	-142.65404	0.0	0.0	0.0	0.0
CARIBOU	96	PLOT	26	NOV	75	643	330.2798	178	9.0	-10.1	73.15305	-142.72513	0.4	0.7	0.0	0.1
CARIBOU	97	PLOT	26	NOV	75	2056	330.8722	200	9.0	0.9	73.19928	-142.85564	0.6	1.1	0.1	0.1
CARIBOU	98	PLOT	27	NOV	75	620	331.2639	170	6.8	-2.1	73.21666	-142.89392	1.0	1.9	0.0	0.1
CARIBOU	99		27	NOV	75	2020	331.8472		1.8	-1.4	73.22200	-142.90089	0.9	1.8	0.0	0.1
CARIBOU	100	PLOT	28	NOV	75	715	332.3021	200	3.1	-5.5	73.22481	-142.92151	0.6	1.0	0.0	0.1
CARIBOU	101	PLOT	28	NOV	75	2030	332.8542	200	4.6	-4.4	73.23266	-143.01443	0.7	1.2	0.0	0.1
CARIBOU	102	PLOT	29	NOV	75	624	333.2667	196	0.5	-10.1	73.23910	-143.10272	4.1	10.8	0.3	0.8
CARIBOU	103		29	NOV	75	2006	333.8375		-0.9	-2.9	73.23355	-143.16280	4.5	13.7	0.3	0.8
CARIBOU	104	PLOT	1	DEC	75	1322	335.5569	185	-15.4	1.7	73.15336	-143.00458	0.5	0.7	0.0	0.1
CARIBOU	105	PLOT	1	DEC	75	1948	335.8250	195	-9.2	-4.1	73.12423	-142.99182	0.9	1.6	0.0	0.1
CARIBOU	106	PLOT	2	DEC	75	636	336.2750	190	-7.4	-2.9	73.09734	-143.02908	0.2	0.1	0.0	0.1
CARIBOU	107	PLOT	2	DEC	75	2026	336.8514	198	-3.4	0.4	73.06745	-143.01285	0.1	0.0	0.0	0.1
CARIBOU	108	PLOT	3	DEC	75	1928	337.8111	200	0.2	1.2	73.05831	-142.94917	0.5	0.8	0.1	0.1
CARIBOU	109	PLOT	3	DEC	75	2052	337.8694	200	-0.5	2.7	73.05831	-142.94557	0.8	1.6	0.0	0.1
CARIBOU	110	PLOT	4	DEC	75	625	338.2674	200	-0.9	1.1	73.05685	-142.94485	0.2	0.1	0.0	0.1
CARIBOU	111	PLOT	4	DEC	75	2112	338.8833	200	0.0	1.9	73.05625	-142.94290	0.2	0.3	0.0	0.1
CARIBOU	112	PLOT	5	DEC	75	638	339.2764	200	-0.2	-1.0	73.05578	-142.93201	0.9	1.7	0.0	0.1
CARIBOU	113	PLOT	5	DEC	75	1953	339.8285	200	0.3	-0.5	73.05499	-142.93230	1.1	2.2	0.0	0.1
CARIBOU	114	PLOT	6	DEC	75	629	340.2701	200	-0.6	-0.8	73.05392	-142.92776	0.9	1.7	0.0	0.1
CARIBOU	115	PLOT	6	DEC	75	2338	340.9847	200	-0.7	2.0	73.05296	-142.92165	0.5	0.8	0.0	0.1
CARIBOU	116	PLOT	7	DEC	75	559	341.2493	200	-1.3	3.4	73.05169	-142.91040	1.0	2.0	0.0	0.1
CARIBOU	117	PLOT	7	DEC	75	2108	341.8806	195	11.1	6.7	73.07716	-142.80022	0.8	1.7	0.2	0.6
CARIBOU	118		8	DEC	75	720	342.3055		13.8	-4.6	73.11835	-142.76602	2.3	5.5	0.3	0.8
CARIBOU	119	PLOT	8	DEC	75	1153	342.4951	198	10.6	-7.6	73.13765	-142.79698	1.0	1.9	0.0	0.1
CARIBOU	120	PLOT	8	DEC	75	2123	342.8910	197	1.2	-7.9	73.15737	-142.89870	1.0	2.0	0.0	0.1
CARIBOU	121		9	DEC	75	745	343.3229		-5.1	-3.7	73.15051	-142.95955	0.0	0.0	0.0	0.0
CARIBOU	122	PLOT	9	DEC	75	813	343.3423	190	-5.6	-3.5	73.14970	-142.96141	0.3	0.4	0.0	0.1
CARIBOU	123	PLOT	9	DEC	75	938	343.4014	150	-5.8	0.7	73.14701	-142.96384	0.3	0.5	0.1	0.1
CARIBOU	124		9	DEC	75	2248	343.9500		-3.2	2.8	73.12708	-142.95177	0.1	0.0	0.0	0.1
CARIBOU	125	PLOT	10	DEC	75	1929	344.8118	196	-5.9	5.2	73.09305	-142.79892	0.8	1.5	0.0	0.1
CARIBOU	126	PLOT	11	DEC	75	738	345.3181	200	-5.2	1.2	73.06869	-142.74750	0.4	0.6	0.1	0.1
CARIBOU	127		11	DEC	75	2055	345.8715		0.4	-0.7	73.05857	-142.72835	0.3	0.4	0.0	0.1
CARIBOU	128	PLOT	15	DEC	75	744	349.3222	199	3.0	1.8	73.11995	-143.04022	0.6	1.1	0.0	0.1
CARIBOU	129		16	DEC	75	742	350.3208		-1.6	-1.0	73.12505	-142.95683	0.6	1.1	0.0	0.1
CARIBOU	130	PLOT	16	DEC	75	2233	350.9396	200	6.8	-11.8	73.13562	-143.09576	0.3	0.4	0.1	0.1
CARIBOU	131	PLOT	17	DEC	75	719	351.3049	200	2.7	-15.1	73.15106	-143.21835	1.1	2.2	0.0	0.1
CARIBOU	132	PLOT	17	DEC	75	2222	351.9319	198	-10.3	-1.9	73.14117	-143.38748	1.0	2.0	0.0	0.1
CARIBOU	133	PLOT	18	DEC	75	718	352.3042	184	-11.9	2.2	73.10943	-143.38000	0.3	0.3	0.0	0.1
CARIBOU	134	PLOT	18	DEC	75	2053	352.8701	200	-7.2	1.8	73.06696	-143.31334	11.2	32.9	0.2	0.5
CARIBOU	135		19	DEC	75	2044	353.8639		-1.1	5.3	73.03635	-143.20027	1.1	2.2	0.0	0.1
CARIBOU	136	PLOT	20	DEC	75	2106	354.8792	200	4.4	-7.2	73.02805	-143.15263	0.9	1.7	0.1	0.1
CARIBOU	137	PLOT	21	DEC	75	1936	355.8167	199	-0.4	1.1	73.02706	-143.12280	1.1	2.1	0.0	0.1
CARIBOU	138	PLOT	22	DEC	75	641	356.2785	200	1.1	-3.3	73.02766	-143.12213	1.1	2.1	0.0	0.1
CARIBOU	139	PLOT	22	DEC	75	2016	356.8445	200	2.0	-3.8	73.03555	-143.18511	2.7	6.7	0.3	0.8
CARIBOU	140		23	DEC	75	622	357.2653		-0.4	0.3	73.04008	-143.22556	0.2	0.3	0.0	0.1

CAMP	STAT	CODE	DY	MON	YR	TIME	AJXDAY	DEPTH	N.VEL	E.VEL	LATITUDE	LONGITUDE	LAT.ERR	LNG.ERR	NV.ERR	EV.ERR
CARIBOU	141	PLOT	23	DEC	75	2022	357.8486	200	-0.8	0.7	73.04076	-143.24829	0.9	1.7	0.1	0.1
CARIBOU	142	PLOT	24	DEC	75	647	358.2827	198	-2.9	1.7	73.03682	-143.23337	0.9	1.8	0.1	0.1
CARIBOU	143		24	DEC	75	1941	358.8201		-1.9	-0.5	73.02897	-143.21437	1.0	2.0	0.0	0.1
CARIBOU	144		27	DEC	75	723	361.3076		1.5	-3.3	73.02528	-143.21106	0.2	0.3	0.0	0.1
CARIBOU	145		27	DEC	75	2014	361.8430		1.2	-6.1	73.03262	-143.30641	1.1	2.2	0.0	0.1
CARIBOU	146		28	DEC	75	705	362.2951		4.9	-9.3	73.04658	-143.42592	0.2	0.4	0.0	0.0
CARIBOU	147		29	DEC	75	556	363.2472		-0.4	0.7	73.06260	-143.54005	0.5	0.9	0.0	0.1
CARIBOU	148	PLOT	29	DEC	75	2024	363.8500	196	-3.5	8.0	73.04884	-143.45551	0.6	1.1	0.0	0.1
CARIBOU	149	PLOT	30	DEC	75	616	364.2611	195	-1.9	4.9	73.04270	-143.39604	0.3	0.3	0.0	0.1
CARIBOU	150		30	DEC	75	1940	364.8195		-0.8	1.9	73.03670	-143.32425	0.6	1.1	0.1	0.1
CARIBOU	151		31	DEC	75	648	365.2833		2.0	-1.1	73.03693	-143.31532	1.1	2.2	0.0	0.1
CARIBOU	152	PLOT	31	DEC	75	2333	365.9813	193	8.3	-10.4	73.06681	-143.46741	0.0	0.0	0.0	0.1
CARIBOU	153	PLOT	1	JAN	76	658	366.2903	196	8.1	-8.9	73.08614	-143.55106	0.2	0.3	0.0	0.0
CARIBOU	154		2	JAN	76	714	367.3014		1.3	-1.9	73.10707	-143.58348	19.4	33.2	0.6	1.2
CARIBOU	155	PLOT	2	JAN	76	2045	367.8646	196	5.9	-2.7	73.12827	-143.64697	0.0	0.0	0.0	0.0
CARIBOU	156	PLOT	3	JAN	76	626	368.2681	195	7.0	-7.7	73.14761	-143.72163	0.1	0.0	0.0	0.1
CARIBOU	157	PLOT	3	JAN	76	2143	368.9048	193	13.7	-9.5	73.19987	-143.83435	0.0	0.0	0.0	0.0
CARIBOU	158	PLOT	4	JAN	76	634	369.2736	196	15.2	-8.3	73.24603	-143.90964	1.0	1.9	0.0	0.1
CARIBOU	159	TSER	4	JAN	76	1216	369.5111		17.7	-11.6	73.27660	-143.96968	0.9	1.8	0.1	0.1
CARIBOU	160	PLOT	4	JAN	76	2029	369.8535	193	14.0	-2.2	73.32492	-144.06740	0.6	1.0	0.1	0.1
CARIBOU	161	PLOT	5	JAN	76	824	370.3500	198	6.9	-3.0	73.36376	-144.16257	1.0	1.8	0.0	0.1
CARIBOU	162		5	JAN	76	1926	370.8097		-1.3	0.2	73.37575	-144.18480	0.3	0.3	0.0	0.1
CARIBOU	163		6	JAN	76	701	371.2924		0.2	1.2	73.37734	-144.17969	0.2	0.3	0.0	0.0
CARIBOU	164		6	JAN	76	2039	371.8604		1.6	3.7	73.38154	-144.14134	1.0	1.9	0.0	0.1
CARIBOU	165		7	JAN	76	2017	372.8452		1.0	3.3	73.39896	-144.14748	0.0	0.0	0.0	0.0
CARIBOU	166	PLOT	9	JAN	76	115	374.0521	195	-7.0	-1.7	73.38062	-144.18600	0.0	0.0	0.0	0.1
CARIBOU	167	PLOT	9	JAN	76	653	374.2868	192	-8.6	0.7	73.36584	-144.20085	0.5	0.8	0.0	0.1
CARIBOU	168	PLOT	10	JAN	76	243	375.1132	197	-4.0	7.9	73.31344	-144.11911	0.1	0.1	0.0	0.1
CARIBOU	169	PLOT	10	JAN	76	2208	375.9222	177	2.6	21.2	73.28963	-143.87672	1.0	2.0	0.0	0.1
CARIBOU	170	PLOT	11	JAN	76	732	376.3139	192	-13.0	11.5	73.27765	-143.71803	1.1	2.1	0.0	0.1
CARIBOU	171	PLOT	12	JAN	76	15	377.0104	192	-12.9	9.0	73.18044	-143.55101	0.1	0.0	0.0	0.1
CARIBOU	172		13	JAN	76	854	378.3708		-0.2	0.6	73.14274	-143.44054	0.2	0.2	0.0	0.1
CARIBOU	173		13	JAN	76	1942	378.8208		-0.2	-1.6	73.14297	-143.44014	0.0	0.0	0.0	0.1
CARIBOU	174		14	JAN	76	627	379.2687		-0.2	0.1	73.14315	-143.44157	0.5	0.8	0.1	0.1
CARIBOU	175		14	JAN	76	1924	379.8083		5.1	1.7	73.15372	-143.45383	0.2	0.3	0.0	0.1
CARIBOU	176		15	JAN	76	755	380.3299		2.2	-1.9	73.17406	-143.47749	0.0	0.0	0.0	0.0
CARIBOU	177		15	JAN	76	911	380.3826		2.2	-1.1	73.17498	-143.47955	1.1	2.0	0.0	0.1
CARIBOU	178	PLOT	15	JAN	76	2026	380.8514	196	-4.0	1.5	73.17506	-143.48438	0.8	1.5	0.1	0.1
CARIBOU	179		26	JAN	76	215	391.0938		0.6	1.1	73.04775	-143.41049	0.9	1.7	0.1	0.1
CARIBOU	180		26	JAN	76	2225	391.9340		0.1	-7.3	73.04753	-143.40395	0.9	1.6	0.0	0.1
CARIBOU	181		28	JAN	76	819	393.3465		0.5	-3.7	73.04740	-143.41173	1.1	2.2	0.0	0.1
CARIBOU	182		28	JAN	76	2007	393.8382		0.5	1.3	73.04751	-143.41103	0.7	1.2	0.0	0.1
CARIBOU	183		29	JAN	76	841	394.3618		-0.3	-0.6	73.04758	-143.41121	1.1	2.2	0.0	0.1
CARIBOU	184	PLOT	30	JAN	76	310	395.1320	187	-0.2	-14.2	73.05319	-143.54651	1.0	1.8	0.0	0.1
CARIBOU	185	PLOT	31	JAN	76	532	396.2306	191	2.3	-14.4	73.06023	-144.02850	0.1	0.1	0.0	0.1
CARIBOU	186	TSER	31	JAN	76	2015	396.8438		6.6	-3.0	73.07703	-144.19566	0.7	1.2	0.0	0.1
CARIBOU	187	PLOT	1	FEB	76	1050	397.4514	190	3.7	-2.1	73.09998	-144.22891	0.0	0.0	0.0	0.0
CARIBOU	188	PLOT	1	FEB	76	2340	397.9861	187	2.4	2.6	73.11255	-144.22665	1.1	2.1	0.0	0.1
CARIBOU	189	PLOT	2	FEB	76	448	398.2000	192	-0.7	4.9	73.11362	-144.20490	0.6	1.0	0.1	0.1
CARIBOU	190	PLOT	2	FEB	76	1126	398.4764	190	0.0	6.8	73.11395	-144.16318	0.6	1.1	0.1	0.1
CARIBOU	191	PLOT	2	FEB	76	1743	398.7382	191	0.1	6.5	73.11372	-144.12280	1.1	2.1	0.0	0.1
CARIBOU	192	PLOT	2	FEB	76	2245	398.9479	192	0.3	9.8	73.11422	-144.08435	0.0	0.0	0.0	0.0
CARIBOU	193	PLOT	3	FEB	76	538	399.2347	190	0.6	6.2	73.11363	-144.03151	0.6	1.1	0.1	0.1
CARIBOU	194	PLOT	3	FEB	76	1040	399.4445	190	-1.1	3.0	73.11321	-144.00108	1.1	2.1	0.0	0.1
CARIBOU	195		3	FEB	76	1636	399.6917		-0.5	-0.6	73.11271	-143.99139	0.2	0.3	0.0	0.1
CARIBOU	196	PLOT	3	FEB	76	2301	399.9590	191	-0.9	-6.1	73.11166	-144.00557	0.0	0.0	0.0	0.1
CARIBOU	197		4	FEB	76	444	400.1972		-4.6	-1.6	73.10664	-144.03088	0.7	1.3	0.0	0.1
CARIBOU	198		4	FEB	76	1040	400.4445		-2.3	4.2	73.09920	-144.02789	0.6	1.0	0.1	0.1
CARIBOU	199		4	FEB	76	1653	400.7035		-0.9	-1.7	73.09737	-144.02098	0.7	1.2	0.1	0.1
CARIBOU	200		4	FEB	76	2241	400.9451		-1.6	-3.4	73.09520	-144.02132	0.5	0.9	0.1	0.1
CARIBOU	201		5	FEB	76	451	401.2021		-1.3	2.0	73.09261	-144.04346	1.1	2.2	0.0	0.1
CARIBOU	202		5	FEB	76	1042	401.4458		-1.3	-1.6	73.09020	-144.04510	0.7	1.2	0.0	0.1
CARIBOU	203		5	FEB	76	1648	401.7000		-4.4	0.0	73.08673	-144.04840	0.4	0.5	0.1	0.1
CARIBOU	204	PLOT	5	FEB	76	2305	401.9618	192	-5.2	-0.1	73.07882	-144.05605	0.0	0.0	0.0	0.0
CARIBOU	205	PLOT	6	FEB	76	449	402.2007	192	-6.2	0.8	73.06857	-144.06183	0.6	1.1	0.0	0.1
CARIBOU	206	PLOT	6	FEB	76	1040	402.4445	191	-8.1	6.1	73.05467	-144.03421	0.2	0.3	0.0	0.1
CARIBOU	207	PLOT	6	FEB	76	1653	402.7035	191	-2.7	8.1	73.04433	-143.98642	0.3	0.5	0.0	0.1
CARIBOU	208	PLOT	6	FEB	76	2248	402.9500	190	-3.1	7.4	73.03928	-143.91914	0.0	0.0	0.0	0.0
CARIBOU	209	PLOT	7	FEB	76	447	403.1993	191	-4.9	11.7	73.03100	-143.85226	0.5	0.9	0.0	0.1
CARIBOU	210	PLOT	7	FEB	76	1058	403.4569	188	-4.2	11.4	73.01947	-143.76874	0.7	1.2	0.1	0.1

CARP	STAT	CODE	DY	MON	YR	TIME	AJXDAY	DEPTH	N.VEL	E.VEL	LATITUDE	LONGITUDE	LAT.ERR	LNG.ERR	NV.ERR	EV.ERR
CARIBOU	211	PLOT	7	FEB	76	1717	403.7202	189	-5.2	10.6	73.00497	-143.67336	0.5	0.8	0.0	0.1
CARIBOU	212	PLOT	7	FEB	76	2248	403.9500	190	-6.8	6.9	72.99217	-143.61765	1.1	2.2	0.0	0.1
CARIBOU	213	PLOT	8	FEB	76	607	404.2549	194	-4.7	5.4	72.97945	-143.57222	0.0	0.0	0.0	0.0
CARIBOU	214	PLOT	8	FEB	76	1051	404.4521	190	-6.0	5.7	72.97089	-143.54082	0.4	0.7	0.1	0.1
CARIBOU	215	PLOT	8	FEB	76	1654	404.7042	192	-7.1	8.7	72.95972	-143.49817	1.1	2.2	0.0	0.1
CARIBOU	216	PLOT	8	FEB	76	2239	404.9438	192	-4.1	5.1	72.94990	-143.45448	0.9	1.7	0.0	0.1
CARIBOU	217	PLOT	9	FEB	76	447	405.1993	190	-4.8	7.4	72.93968	-143.40089	0.4	0.6	0.0	0.1
CARIBOU	218	PLOT	9	FEB	76	1045	405.4479	190	-2.0	4.9	72.93317	-143.36076	0.0	0.0	0.0	0.0
CARIBOU	219		9	FEB	76	2301	405.9590		0.3	-2.1	72.92845	-143.32135	0.0	0.0	0.0	0.1
CARIBOU	220		10	FEB	76	450	406.2014		-0.4	2.9	72.92799	-143.31963	1.0	1.9	0.0	0.1
CARIBOU	221		10	FEB	76	1047	406.4493		-0.2	-0.8	72.92849	-143.32024	1.1	2.2	0.0	0.1
CARIBOU	222		10	FEB	76	1912	406.8000		0.0	1.6	72.92802	-143.32185	1.1	2.2	0.0	0.1
CARIBOU	223		10	FEB	76	2240	406.9445		0.3	-1.3	72.92809	-143.32172	1.0	1.8	0.0	0.1
CARIBOU	224		11	FEB	76	454	407.2042		-0.9	0.5	72.92810	-143.32364	0.5	0.8	0.1	0.1
CARIBOU	225		11	FEB	76	1043	407.4465		-0.4	-0.1	72.92805	-143.32191	1.0	1.9	0.0	0.1
CARIBOU	226		11	FEB	76	1653	407.7035		0.2	0.2	72.92783	-143.32195	0.5	0.8	0.0	0.1
CARIBOU	227	PLOT	11	FEB	76	2244	407.9472	190	-0.2	3.5	72.92738	-143.31728	1.1	2.2	0.0	0.1
CARIBOU	228	PLOT	12	FEB	76	522	408.2236	192	-1.4	4.4	72.92588	-143.30652	1.1	2.2	0.0	0.1
CARIBOU	229	PLOT	12	FEB	76	1111	408.4660	190	-2.0	3.6	72.92021	-143.28596	0.0	0.0	0.0	0.1
CARIBOU	230	PLOT	12	FEB	76	1623	408.6826	192	-1.5	2.3	72.91840	-143.28055	0.7	1.2	0.1	0.1
CARIBOU	231		12	FEB	76	2301	408.9590		0.1	0.3	72.91515	-143.26869	0.3	0.5	0.0	0.1
CARIBOU	232		13	FEB	76	502	409.2097		0.4	-2.4	72.91529	-143.26895	1.0	1.9	0.0	0.1
CARIBOU	233		13	FEB	76	1105	409.4618		0.4	0.3	72.91541	-143.26961	8.9	27.4	0.2	0.6
CARIBOU	234		13	FEB	76	1644	409.6972		-0.1	0.3	72.91509	-143.26750	0.2	0.2	0.0	0.1
CARIBOU	235		13	FEB	76	2311	409.9660		-0.1	-0.5	72.91498	-143.26889	0.2	0.2	0.0	0.1
CARIBOU	236		14	FEB	76	514	410.2180		0.1	-0.5	72.91486	-143.27100	0.4	0.6	0.0	0.1
CARIBOU	237		14	FEB	76	1047	410.4493		0.0	0.3	72.91492	-143.26759	0.4	0.6	0.0	0.1
CARIBOU	238		14	FEB	76	1645	410.6979		-0.7	-2.7	72.91482	-143.26898	1.1	2.2	0.0	0.1
CARIBOU	239		14	FEB	76	2249	410.9507		0.6	-2.7	72.91502	-143.26895	1.0	1.9	0.0	0.1
CARIBOU	240		16	FEB	76	446	412.1986		-0.1	2.5	72.91547	-143.26707	0.0	0.0	0.0	0.1
CARIBOU	241		16	FEB	76	1112	412.4667		0.5	-0.5	72.91454	-143.27094	0.3	0.4	0.0	0.1
CARIBOU	242		16	FEB	76	1647	412.6993		-0.4	0.2	72.91512	-143.27055	1.1	2.1	0.0	0.1
CARIBOU	243		16	FEB	76	2250	412.9514		-0.8	-0.7	72.91513	-143.26930	1.1	2.2	0.0	0.1
CARIBOU	244		17	FEB	76	516	413.2195		-0.6	-1.7	72.91479	-143.26704	1.0	1.8	0.0	0.1
CARIBOU	245		17	FEB	76	1056	413.4556		-0.1	-1.6	72.91497	-143.26959	0.0	0.0	0.0	0.1
CARIBOU	246		17	FEB	76	1646	413.6986		-0.3	1.1	72.91496	-143.26930	0.4	0.5	0.0	0.1
CARIBOU	247		18	FEB	76	513	414.2173		-0.2	0.3	72.91490	-143.27055	0.2	0.3	0.0	0.1
CARIBOU	248		18	FEB	76	1044	414.4472		0.7	-0.6	72.91483	-143.26891	1.1	2.1	0.0	0.1
CARIBOU	249		18	FEB	76	1641	414.6951		0.0	-0.4	72.91482	-143.27014	1.0	1.9	0.0	0.1
CARIBOU	250		18	FEB	76	2258	414.9569		0.4	-0.7	72.91489	-143.26941	0.9	1.6	0.1	0.1
CARIBOU	251		19	FEB	76	518	415.2208		-0.2	-1.4	72.91482	-143.26807	0.4	0.5	0.1	0.1
CARIBOU	252		19	FEB	76	1050	415.4514		-0.4	-0.7	72.91493	-143.27066	1.0	1.8	0.0	0.1
CARIBOU	253		19	FEB	76	1633	415.6896		-0.6	1.3	72.91477	-143.27121	1.0	1.9	0.0	0.1
CARIBOU	254		19	FEB	76	2309	415.9646		0.0	-1.6	72.91499	-143.26765	11.5	35.0	0.2	0.5
CARIBOU	255		20	FEB	76	454	416.2042		0.2	3.0	72.91476	-143.27400	0.1	0.0	0.0	0.1
CARIBOU	256		20	FEB	76	1043	416.4465		0.1	-0.2	72.91470	-143.26888	0.2	0.3	0.0	0.1
CARIBOU	257		20	FEB	76	1630	416.6875		-0.1	0.1	72.91499	-143.26688	0.0	0.0	0.0	0.1
CARIBOU	258		20	FEB	76	2243	416.9465		0.0	1.7	72.91505	-143.26920	0.4	0.6	0.1	0.1
CARIBOU	259		21	FEB	76	513	417.2173		-0.6	0.8	72.91489	-143.26886	0.5	0.8	0.0	0.1
CARIBOU	260		21	FEB	76	1053	417.4535		-0.4	0.3	72.91514	-143.26961	1.1	2.1	0.0	0.1
CARIBOU	261		21	FEB	76	1633	417.6896		0.0	1.6	72.91499	-143.27188	0.2	0.3	0.0	0.1
CARIBOU	262		21	FEB	76	2304	417.9611		-0.4	-1.0	72.91485	-143.26921	0.1	0.0	0.0	0.1
CARIBOU	263		22	FEB	76	506	418.2125		0.3	-2.2	72.91480	-143.26608	0.6	1.0	0.1	0.1
CARIBOU	264		22	FEB	76	1201	418.5007		0.1	-0.3	72.91499	-143.27005	0.8	1.5	0.0	0.1
CARIBOU	265		22	FEB	76	1643	418.6965		-0.3	1.3	72.91491	-143.26900	0.3	0.5	0.0	0.1
CARIBOU	266		22	FEB	76	2256	418.9556		0.2	-1.2	72.91476	-143.26819	1.1	2.1	0.0	0.1
CARIBOU	267		23	FEB	76	507	419.2132		0.0	0.4	72.91489	-143.27055	1.1	2.2	0.0	0.1
CARIBOU	268		23	FEB	76	1045	419.4479		0.2	-0.6	72.91472	-143.27017	0.0	0.0	0.0	0.0
CARIBOU	269		23	FEB	76	1631	419.6682		0.2	0.9	72.91465	-143.26964	0.4	0.5	0.0	0.1
CARIBOU	270		23	FEB	76	2259	419.9576		-0.1	-1.1	72.91502	-143.27061	0.8	1.6	0.0	0.1
CARIBOU	271		24	FEB	76	527	420.2271		0.1	-2.0	72.91478	-143.26984	0.5	0.9	0.0	0.1
CARIBOU	272		24	FEB	76	1051	420.4521		0.5	-1.1	72.91472	-143.27049	1.1	2.1	0.0	0.1
CARIBOU	273		24	FEB	76	1642	420.6958		0.2	0.1	72.91506	-143.27068	1.0	2.0	0.0	0.1
CARIBOU	274		24	FEB	76	2252	420.9528		0.1	-0.3	72.91481	-143.27132	0.4	0.6	0.0	0.1
CARIBOU	275		25	FEB	76	455	421.2049		0.1	-0.7	72.91477	-143.27145	0.4	0.6	0.1	0.1
CARIBOU	276		25	FEB	76	1040	421.4445		-0.5	-3.3	72.91457	-143.27293	0.6	1.0	0.0	0.1
CARIBOU	277		25	FEB	76	1953	421.8285		0.3	1.9	72.91521	-143.27254	0.3	0.4	0.0	0.1
CARIBOU	278		26	FEB	76	844	422.3619		0.4	1.6	72.91467	-143.27055	1.0	1.9	0.0	0.1
CARIBOU	279		26	FEB	76	1952	422.8278		0.1	3.2	72.91518	-143.26875	1.0	1.9	0.0	0.1
CARIBOU	280		27	FEB	76	749	423.3257		9.7	3.5	72.94147	-143.27296	0.6	1.0	0.1	0.1

CAMP	STAT	CODE	DY	MON	YR	TIME	AJXDAY	DEPTH	N.VEL	E.VEL	LATITUDE	LONGITUDE	LAT.ERR	LNG.ERR	NV.ERR	EV.ERR
CARIBOU	281		27	FEB	76	2009	423.8396		-3.3	3.9	72.94577	-143.23517	0.0	0.0	0.0	0.0
CARIBOU	282		28	FEB	76	800	424.3333		3.2	0.1	72.93981	-143.22354	1.1	2.2	0.0	0.1
CARIBOU	283		28	FEB	76	1926	424.8097		-0.5	1.0	72.94015	-143.22870	9.2	28.3	0.2	0.6
CARIBOU	284		29	FEB	76	815	425.3438		5.2	-1.5	72.94978	-143.24753	0.8	1.5	0.1	0.1
CARIBOU	285		1	MAR	76	741	426.3201		0.9	-0.9	72.98910	-143.33565	7.3	22.7	0.2	0.7
CARIBOU	286		1	MAR	76	1642	426.6958		-6.8	-6.3	72.98909	-143.35004	0.2	0.3	0.0	0.1
CARIBOU	287		2	MAR	76	723	427.3076		-3.6	3.9	72.98449	-144.35103	1.1	2.2	0.0	0.1
CARIBOU	288		2	MAR	76	2007	427.8382		-4.1	2.5	72.96976	-143.32344	8.8	25.2	0.2	0.7
CARIBOU	289		3	MAR	76	735	428.3160		-2.0	1.8	72.96148	-143.32068	0.9	1.7	0.0	0.1
CARIBOU	290		3	MAR	76	2120	428.8889		3.8	-11.1	72.96719	-143.36533	0.9	1.7	0.1	0.1
CARIBOU	291	PLOT	4	MAR	76	445	429.1979	189	1.0	-11.2	72.97616	-143.47128	1.1	2.1	0.0	0.1
CARIBOU	292	PLOT	4	MAR	76	1049	429.4507	190	-1.4	-10.3	72.97408	-143.54758	0.4	0.6	0.1	0.1
CARIBOU	293	PLOT	4	MAR	76	2102	429.8764	189	-6.8	-12.0	72.96307	-143.68530	0.4	0.7	0.0	0.1
CARIBOU	294		5	MAR	76	738	430.3181		-3.2	3.9	72.94647	-143.71405	0.2	0.2	0.0	0.1
CARIBOU	295		5	MAR	76	2000	430.8333		-1.9	4.8	72.93950	-143.68411	1.1	2.2	0.0	0.1
CARIBOU	296		6	MAR	76	745	431.3229		-0.9	1.9	72.93573	-143.66130	7.8	22.1	0.3	0.7
CARIBOU	297		6	MAR	76	2002	431.8347		0.0	-1.1	72.93559	-143.64793	0.3	0.3	0.0	0.1
CARIBOU	298	PLOT	7	MAR	76	757	432.3312	190	4.6	-8.3	72.94334	-143.71101	0.4	0.5	0.0	0.1
CARIBOU	299	PLOT	7	MAR	76	1954	432.8292	188	6.5	-10.7	72.96456	-143.85951	1.1	2.2	0.0	0.1
CARIBOU	300		8	MAR	76	722	433.3069		-1.4	-8.0	72.97161	-144.02873	1.0	1.8	0.0	0.1
CARIBOU	301	PLOT	8	MAR	76	2003	433.8354	190	2.0	-11.9	72.97490	-144.18271	0.6	1.1	0.1	0.1
CARIBOU	302	PLOT	9	MAR	76	748	434.3250	191	-0.1	-3.5	72.98018	-144.30350	1.1	2.2	0.0	0.1
CARIBOU	303	PLOT	9	MAR	76	1637	434.6924	171	0.1	-2.5	72.98130	-144.34827	1.1	2.2	0.0	0.1
CARIBOU	304	PLOT	9	MAR	76	2309	434.9646	180	-0.3	-4.4	72.98079	-144.37029	1.1	2.2	0.0	0.1
CARIBOU	305	PLOT	10	MAR	76	456	435.2056	191	-3.3	-7.4	72.97974	-144.40099	0.8	1.4	0.1	0.1
CARIBOU	306	PLOT	10	MAR	76	1033	435.4396	190	-2.2	-5.7	72.97857	-144.43123	0.9	1.8	0.0	0.1
CARIBOU	307	PLOT	10	MAR	76	1943	435.8215	190	-1.4	-1.5	72.97623	-144.46396	0.2	0.3	0.0	0.1
CARIBOU	308	PLOT	11	MAR	76	830	436.3542	190	-0.5	1.0	72.97182	-144.48270	1.1	2.2	0.0	0.1
CARIBOU	309	PLOT	11	MAR	76	2022	436.8486	190	-0.5	-8.3	72.97175	-144.47705	1.1	2.1	0.0	0.1
CARIBOU	310	PLOT	12	MAR	76	833	437.3563	191	-0.6	-1.6	72.96821	-144.48898	0.4	0.7	0.0	0.1
CARIBOU	311	PLOT	12	MAR	76	2038	437.8597	190	0.0	-0.6	72.96780	-144.48747	0.2	0.3	0.0	0.1
CARIBOU	312	PLOT	13	MAR	76	821	438.3479	190	0.0	-3.1	72.96782	-144.48863	0.2	0.3	0.0	0.1
CARIBOU	313	PLOT	13	MAR	76	1920	438.8055	190	-3.6	1.6	72.96201	-144.48618	0.0	0.0	0.0	0.0
CARIBOU	314	PLOT	14	MAR	76	446	439.1986	190	-5.3	3.9	72.95025	-144.45868	0.0	0.0	0.0	0.1
CARIBOU	315	PLOT	14	MAR	76	1039	439.4438	189	-7.5	3.4	72.93657	-144.43140	0.3	0.4	0.1	0.1
CARIBOU	316	PLOT	14	MAR	76	1640	439.6945	190	-7.8	4.3	72.92104	-144.40593	0.2	0.2	0.0	0.1
CARIBOU	317	PLOT	14	MAR	76	2301	439.9590	190	-14.0	2.2	72.89969	-144.37675	0.1	0.0	0.0	0.1
CARIBOU	318	PLOT	15	MAR	76	503	440.2104	190	-8.5	10.1	72.87798	-144.35451	1.1	2.1	0.0	0.1
CARIBOU	319	PLOT	15	MAR	76	1037	440.4424	189	-13.3	9.7	72.85898	-144.31755	0.1	0.0	0.0	0.1
CARIBOU	320	PLOT	15	MAR	76	1642	440.6958	188	-12.3	5.0	72.83378	-144.28445	0.8	1.5	0.0	0.1
CARIBOU	321	PLOT	15	MAR	76	2305	440.9618	190	-4.1	-2.0	72.81229	-144.25323	0.0	0.0	0.0	0.0
CARIBOU	322		16	MAR	76	503	441.2104		-0.8	0.3	72.80450	-144.24361	1.0	2.0	0.0	0.1
CARIBOU	323	PLOT	16	MAR	76	1042	441.4458	191	-5.1	-2.7	72.80334	-144.24640	0.6	1.1	0.1	0.1
CARIBOU	324	PLOT	16	MAR	76	1644	441.6972	190	-5.4	2.5	72.79674	-144.25177	0.1	0.0	0.0	0.1
CARIBOU	325	PLOT	16	MAR	76	2320	441.9722	190	-8.4	-0.1	72.77965	-144.24332	0.0	0.0	0.0	0.0
CARIBOU	326	PLOT	17	MAR	76	515	442.2188	190	-15.1	0.5	72.75195	-144.23582	1.1	2.2	0.0	0.1
CARIBOU	327	PLOT	17	MAR	76	1030	442.4375	190	-7.9	6.7	72.73352	-144.20676	1.0	1.9	0.0	0.1
CARIBOU	328	PLOT	17	MAR	76	1642	442.6958	190	-2.6	3.0	72.72446	-144.17784	0.9	1.7	0.0	0.1
CARIBOU	329		17	MAR	76	2316	442.9695		-0.6	-0.1	72.72253	-144.16528	0.0	0.0	0.0	0.0
CARIBOU	330		18	MAR	76	454	443.2042		0.0	0.5	72.72227	-144.16470	0.0	0.0	0.0	0.1
CARIBOU	331		18	MAR	76	1949	443.8257		0.1	0.4	72.72251	-144.16431	9.2	26.6	0.2	0.7
CARIBOU	332		19	MAR	76	806	444.3375		0.3	0.0	72.72129	-144.16402	0.2	0.3	0.0	0.1
CARIBOU	333		19	MAR	76	1942	444.8208		-0.1	-0.1	72.72237	-144.16525	0.1	0.0	0.0	0.1
CARIBOU	334		20	MAR	76	850	445.3680		-0.6	-1.2	72.72260	-144.16568	0.7	1.2	0.0	0.1
CARIBOU	335		20	MAR	76	2052	445.8694		0.0	-1.2	72.72234	-144.16501	0.7	1.2	0.1	0.1
CARIBOU	336		21	MAR	76	836	446.3583		2.1	-0.9	72.72126	-144.16971	0.7	1.2	0.1	0.1
CARIBOU	337		21	MAR	76	2030	446.8542		0.2	0.6	72.72229	-144.16624	0.9	1.7	0.1	0.1
CARIBOU	338		22	MAR	76	741	447.3201		0.0	-1.1	72.72234	-144.16513	0.6	1.1	0.0	0.1
CARIBOU	339		22	MAR	76	2011	447.8410		0.1	-0.5	72.72227	-144.16536	0.0	0.0	0.0	0.1
CARIBOU	340		23	MAR	76	731	448.3132		-1.3	-1.4	72.72189	-144.16623	0.4	0.6	0.0	0.1
CARIBOU	341		23	MAR	76	2021	448.8479		0.5	-0.9	72.72218	-144.16628	0.2	0.3	0.0	0.1
CARIBOU	342		24	MAR	76	726	449.3097		0.4	-0.1	72.72162	-144.16370	1.1	2.2	0.0	0.1
CARIBOU	343		24	MAR	76	2010	449.8403		-0.1	-3.2	72.72211	-144.16360	0.0	0.0	0.0	0.0
CARIBOU	344		25	MAR	76	739	450.3188		0.6	-0.8	72.72278	-144.15744	0.4	0.5	0.0	0.1
CARIBOU	345		25	MAR	76	1949	450.8257		-0.2	2.0	72.72280	-144.15700	0.9	1.8	0.0	0.1
CARIBOU	346		26	MAR	76	827	451.3521		1.4	0.6	72.72340	-144.15611	1.1	2.2	0.0	0.1
CARIBOU	347		26	MAR	76	2032	451.8556		-0.4	0.0	72.72261	-144.15790	0.0	0.0	0.0	0.0
CARIBOU	348		27	MAR	76	726	452.3097		0.4	-0.6	72.72295	-144.15836	0.3	0.5	0.1	0.1
CARIBOU	349		27	MAR	76	1948	452.8250		0.4	0.7	72.72227	-144.16057	0.2	0.3	0.0	0.1
CARIBOU	350		28	MAR	76	802	453.3347		-0.1	-0.8	72.72297	-144.15878	1.0	1.8	0.0	0.1

CAMP	STAT	CODE	DY	MON	YR	TIME	AJXDAY	DEPTH	N.VEL	E.VEL	LATITUDE	LONGITUDE	LAT.ERR	LNG.ERR	FV.ERR	FV.ERR
CARIBOU	351		28	MAR	76	1940	453.8195		0.2	0.4	72.72272	-144.15909	0.2	0.3	0.0	0.1
CARIBOU	352		29	MAR	76	740	454.3195		0.1	-1.0	72.72276	-144.15849	1.0	2.0	0.0	0.1
CARIBOU	353		29	MAR	76	1941	454.8201		0.3	-1.4	72.72280	-144.15883	0.2	0.2	0.0	0.1
CARIBOU	354		30	MAR	76	813	455.3423		0.4	-0.8	72.72285	-144.15973	1.1	2.2	0.0	0.1
CARIBOU	355		30	MAR	76	1929	455.8118		-0.4	0.8	72.72259	-144.16022	1.1	2.2	0.0	0.1
CARIBOU	356		31	MAR	76	712	456.3139		0.1	-1.4	72.72260	-144.15823	1.1	2.1	0.0	0.1
CARIBOU	357		31	MAR	76	1932	456.8139		0.3	0.0	72.72276	-144.15662	1.0	2.0	0.0	0.1
CARIBOU	358		1	APR	76	823	457.3493		0.8	-0.1	72.72258	-144.16057	1.1	2.1	0.0	0.1
CARIBOU	359		1	APR	76	1936	457.8167		0.0	-1.2	72.72279	-144.15881	0.4	0.6	0.1	0.1
CARIBOU	360		2	APR	76	732	458.3139		0.4	-0.3	72.72282	-144.15939	1.1	2.2	0.0	0.1
CARIBOU	361		3	APR	76	810	459.3403		0.3	-0.3	72.72268	-144.15919	0.8	1.4	0.1	0.1
CARIBOU	362		3	APR	76	1954	459.8292		0.8	-0.4	72.72272	-144.15839	0.9	1.7	0.0	0.1
CARIBOU	363		4	APR	76	803	460.3354		-1.9	-1.7	72.72098	-144.15878	0.1	0.1	0.0	0.1
CARIBOU	364		4	APR	76	1955	460.8299		0.1	-1.8	72.72282	-144.15804	0.8	1.4	0.0	0.1
CARIBOU	365		5	APR	76	905	461.3785		-1.3	-4.4	72.71542	-144.24443	1.0	1.8	0.0	0.1
CARIBOU	366		5	APR	76	1940	461.8195		0.0	-0.4	72.71425	-144.25739	1.1	2.2	0.0	0.1
CARIBOU	367		6	APR	76	921	462.3896		0.3	-1.8	72.71355	-144.29138	0.4	0.7	0.0	0.1
CARIBOU	368		6	APR	76	1958	462.8319		0.3	0.2	72.71497	-144.29671	1.1	2.1	0.0	0.1
CARIBOU	369		7	APR	76	745	463.3229		-0.1	-1.5	72.71417	-144.29227	1.1	2.2	0.0	0.1
CARIBOU	370		7	APR	76	1947	463.8243		-0.9	1.3	72.71409	-144.29471	1.1	2.2	0.0	0.1
CARIBOU	371		8	APR	76	736	464.3167		-0.6	-4.7	72.71368	-144.29770	0.9	1.7	0.1	0.1
CARIBOU	372	PLOT	8	APR	76	2126	464.8931	190	10.1	-5.9	72.73176	-144.34308	1.0	2.0	0.0	0.1
CARIBOU	373	PLOT	9	APR	76	724	465.3083	190	6.7	-0.8	72.75840	-144.38937	1.0	1.9	0.0	0.1
CARIBOU	374		9	APR	76	1318	465.5542		-0.1	0.3	72.76370	-144.38727	0.3	0.4	0.0	0.1
CARIBOU	375		10	APR	76	756	466.3306		-0.9	-6.1	72.73560	-144.44666	0.0	0.0	0.0	0.0
CARIBOU	376		10	APR	76	1650	466.7014		-3.3	-3.0	72.72530	-144.48322	0.8	1.5	0.1	0.1
CARIBOU	377	PLOT	11	APR	76	818	467.3458	190	-0.5	-10.3	72.71843	-144.58197	0.6	1.1	0.0	0.1
CARIBOU	378	TSER	11	APR	76	947	467.4077		0.1	-13.5	72.71825	-144.60139	1.0	2.0	0.0	0.1
CARIBOU	379	PLOT	11	APR	76	1712	467.7167	191	1.7	-9.3	72.72385	-144.71176	1.1	2.2	0.0	0.1
CARIBOU	380		11	APR	76	2333	467.9813		4.7	-15.8	72.72955	-144.80936	0.6	1.1	0.0	0.1
CARIBOU	381		12	APR	76	756	468.3306		1.9	-5.1	72.74100	-144.90005	0.9	1.7	0.0	0.1
CARIBOU	382		12	APR	76	1625	468.6840		-0.1	-0.7	72.74294	-144.92502	257.3	325.9	1.5	2.0
CARIBOU	383		13	APR	76	729	469.3118		-1.0	2.9	72.73908	-144.90016	43.3	61.7	0.9	1.4
CARIBOU	384		13	APR	76	1611	469.6743		-0.4	3.3	72.73653	-144.87651	0.6	1.1	0.1	0.1
CARIBOU	385		14	APR	76	747	470.3243		0.2	3.5	72.73296	-144.83586	1.1	2.1	0.0	0.1
CARIBOU	386	PLOT	14	APR	76	1628	470.6861	190	-0.7	8.6	72.73077	-144.79305	3.1	7.1	0.3	0.7
CARIBOU	387	PLOT	15	APR	76	140	471.0695	190	3.5	6.8	72.73259	-144.67255	1.1	2.2	0.0	0.1
CARIBOU	388	PLOT	15	APR	76	806	471.3375	186	3.0	4.6	72.73949	-144.62469	0.5	0.8	0.0	0.1
CARIBOU	389	PLOT	15	APR	76	1654	471.7042	190	3.0	10.1	72.74864	-144.56534	9.8	23.0	0.6	1.0
CARIBOU	390	PLOT	16	APR	76	309	472.1313	190	1.9	5.1	72.76051	-144.45781	0.3	0.3	0.0	0.1
CARIBOU	391		16	APR	76	806	472.3375		2.1	-1.3	72.76299	-144.44394	0.7	1.3	0.1	0.1
CARIBOU	392		16	APR	76	1716	472.7195		-3.6	4.7	72.76537	-144.43893	0.0	0.0	0.0	0.1
CARIBOU	393		17	APR	76	731	473.3132		-0.6	-2.6	72.75869	-144.43878	0.7	1.3	0.0	0.1
CARIBOU	394		17	APR	76	1654	473.7042		0.6	2.8	72.75861	-144.43903	0.2	0.3	0.0	0.0
CARIBOU	395		18	APR	76	816	474.3445		0.5	-3.8	72.75880	-144.46216	1.0	1.8	0.0	0.1
CARIBOU	396	PLOT	18	APR	76	1647	474.6993	190	-0.8	-3.9	72.75684	-144.47263	0.3	0.5	0.0	0.1
CARIBOU	397		19	APR	76	827	475.3521		-2.8	-5.0	72.75146	-144.58853	0.9	1.7	0.1	0.1
CARIBOU	398	PLOT	19	APR	76	1620	475.6805	190	-3.3	-1.8	72.74714	-144.62245	12.3	36.6	0.2	0.4
CARIBOU	399		20	APR	76	734	476.3153		0.1	-2.4	72.73379	-144.71669	0.0	0.0	0.0	0.0
CARIBOU	400		20	APR	76	1624	476.6833		-1.5	1.3	72.73288	-144.71631	1.1	2.0	0.0	0.1
CARIBOU	401		21	APR	76	836	477.3583		-0.4	0.9	72.72617	-144.80983	1.1	2.2	0.0	0.1
CARIBOU	402		21	APR	76	1620	477.6805		-0.1	3.7	72.72647	-144.81905	0.7	1.2	0.0	0.1
CARIBOU	403		22	APR	76	753	478.3285		-0.3	0.0	72.72523	-144.88647	1.1	2.2	0.0	0.1
CARIBOU	404		22	APR	76	1642	478.6958		0.2	3.3	72.72504	-144.88370	1.1	2.2	0.0	0.1


CAMP CARIBOU STATION 3
DATE 8/ 8/75 TIME 2330(GMT)
TRUE DIRECTION
SPEED CM/SEC
DEPTH (M)
0
90
180
270
360
0
10
20
30
40
50
0
50
100
150
200


CAMP CARIBOU STATION 1
TIME 701(GMT)
DIRECTION
SPEED CM/SEC
(M)
0
90
180
270
360
0
5
10
15
20
25
0
50
100
150
200

CARIBOU STATION 1 (190M.) 5/AUG/75 701 GMT
LAT= 74.5910N LONG= 134.1095W LTER= 2. LGER= 4.
NIVEL= 2.7 FIVEL= 11.7 NVER= 0. FVER= 6.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	10.1	30.4	134	12.9	354.0
1	0.0	999.9	68	10.7	30.4	135	13.0	353.9
2	0.0	999.9	69	11.4	30.6	136	13.2	354.2
3	0.0	999.9	70	12.1	31.1	137	13.4	354.6
4	0.0	999.9	71	12.6	31.2	138	13.5	355.2
5	6.0	157.0	72	13.1	31.5	139	13.7	355.8
6	5.7	149.0	73	13.4	32.1	140	13.8	356.4
7	5.5	141.1	74	13.4	32.3	141	13.8	356.3
8	5.4	134.6	75	13.3	32.3	142	13.7	356.2
9	5.2	126.8	76	13.2	32.2	143	13.6	355.8
10	5.1	119.1	77	13.0	31.8	144	13.4	355.3
11	5.0	113.2	78	12.9	31.1	145	13.2	354.5
12	5.0	109.0	79	12.6	30.4	146	12.9	353.8
13	4.8	106.0	80	12.5	29.5	147	12.7	353.5
14	4.6	103.2	81	12.3	28.5	148	12.4	353.1
15	4.6	101.3	82	12.3	27.2	149	12.1	352.7
16	4.5	98.7	83	12.3	26.1	150	11.8	352.2
17	4.8	98.3	84	12.4	25.2	151	11.4	350.9
18	5.2	97.7	85	12.4	24.6	152	11.3	349.6
19	5.6	97.7	86	12.5	23.9	153	11.3	347.5
20	5.8	98.3	87	12.6	23.3	154	11.3	345.7
21	5.8	99.5	88	12.7	22.7	155	11.6	344.0
22	5.7	100.6	89	12.8	22.0	156	11.8	342.2
23	5.5	102.7	90	12.9	21.7	157	11.9	340.8
24	5.3	105.1	91	13.0	21.3	158	11.9	339.2
25	5.1	107.6	92	13.2	21.0	159	11.9	337.5
26	4.9	110.2	93	13.4	20.9	160	11.8	335.9
27	4.7	112.8	94	13.6	21.1	161	11.9	335.3
28	4.5	115.3	95	13.9	21.5	162	12.0	334.6
29	4.2	118.0	96	14.2	21.9	163	12.1	333.2
30	3.9	120.3	97	14.4	22.1	164	12.4	331.8
31	3.7	120.5	98	14.7	22.2	165	12.6	330.5
32	3.4	116.7	99	14.8	22.0	166	12.8	329.9
33	3.2	111.8	100	14.8	21.5	167	12.7	329.7
34	3.0	104.0	101	14.7	20.5	168	12.6	330.4
35	2.9	94.1	102	14.6	19.4	169	12.5	[illegible]
36	2.9	84.0	103	14.4	18.1	170	12.6	331.3
37	3.1	74.6	104	14.2	16.9	171	12.9	331.3
38	3.4	67.0	105	14.0	15.7	172	13.3	331.0
39	3.7	62.0	106	13.6	14.4	173	13.7	330.9
40	3.9	58.9	107	13.2	13.3	174	13.9	330.7
41	4.1	56.6	108	12.9	12.3	175	14.0	330.9
42	4.2	55.2	109	12.7	11.8	176	13.9	330.8
43	4.2	54.0	110	12.8	12.0	177	13.3	327.4
44	4.1	53.0	111	12.9	12.6	178	12.9	327.1
45	3.8	50.7	112	13.1	13.2	179	12.7	327.5
46	3.7	47.7	113	13.5	13.9	180	12.4	328.1
47	3.8	41.8	114	14.0	14.7	181	12.3	328.7
48	4.0	36.4	115	14.3	15.2	182	12.3	328.8
49	4.5	32.7	116	14.4	14.7	183	12.3	329.0
50	3.9	30.5	117	14.1	13.4	184	12.3	328.8
51	5.3	32.9	118	13.6	12.2	185	12.2	329.0
52	5.7	35.5	119	13.2	11.1	186	12.0	329.8
53	5.7	37.4	120	12.7	10.0	187	11.9	332.1
54	5.5	36.2	121	12.3	8.0	188	11.9	334.8
55	5.2	35.1	122	12.1	6.0	189	12.5	333.6
56	4.9	34.1	123	12.1	4.6	190	12.5	333.6
57	4.9	34.3	124	12.1	3.2			
58	5.1	35.7	125	12.2	1.8			
59	5.4	35.2	126	12.3	1.9			
60	6.0	34.3	127	12.4	2.0			
61	6.6	35.3	128	12.6	1.5			
62	7.1	34.4	129	12.8	359.7			
63	7.6	33.1	130	12.8	357.4			
64	8.2	32.0	131	12.7	355.1			
65	8.8	31.2	132	12.8	354.5			
66	9.4	30.4	133	12.8	354.1			

CARIBOU STATION 3 (130M.) 8/AUG/75 2330 GMT
LAT= 74.5057N LONG= 143.4908W LTER= 85. LGER= 6.
NIVEL= 3.7 FIVEL= 18.7 NVER= 3. FVER= 3.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	22.9	33.3			
1	0.0	999.9	68	21.2	36.8			
2	0.0	999.9	69	20.3	36.9			
3	0.0	999.9	70	20.2	35.8			
4	0.0	999.9	71	20.4	37.8			
5	16.1	83.5	72	20.3	37.5			
6	15.3	79.5	73	20.2	35.9			
7	14.7	73.2	74	20.1	33.4			
8	14.5	67.6	75	20.0	30.5			
9	14.5	63.8	76	19.9	29.6			
10	14.6	60.1	77	21.7	27.2			
11	16.6	51.2	78	24.4	25.9			
12	21.0	43.7	79	25.8	25.7			
13	22.8	42.4	80	25.4	27.4			
14	22.9	43.7	81	23.4	28.6			
15	23.2	45.9	82	22.6	28.2			
16	23.3	46.9	83	22.6	28.3			
17	23.3	46.5	84	20.2	29.9			
18	21.1	44.9	85	20.5	28.3			
19	23.0	43.1	86	24.8	27.3			
20	22.8	41.2	87	26.1	26.9			
21	22.8	40.4	88	25.9	26.9			
22	22.8	39.4	89	27.0	27.9			
23	23.3	37.2	90	22.9	26.4			
24	23.5	35.3	91	22.8	26.4			
25	21.5	34.1	92	23.7	27.3			
26	22.7	34.7	93	22.5	25.9			
27	21.3	35.5	94	19.9	24.2			
28	19.5	34.7	95	19.9	23.2			
29	17.7	33.8	96	19.9	24.4			
30	15.9	33.1	97	19.9	26.3			
31	14.3	32.1	98	20.0	27.9			
32	14.5	29.5	99	20.0	27.9			
33	16.7	26.0	100	20.1	29.6			
34	19.9	24.6	101	20.1	31.3			
35	21.5	26.3	102	20.2	32.7			
36	22.2	28.9	103	20.1	31.5			
37	22.5	31.1	104	20.1	30.2			
38	24.2	33.2	105	20.1	29.4			
39	25.4	35.4	106	20.1	28.3			
40	25.4	33.8	107	20.1	28.9			
41	24.7	31.2	108	20.1	29.3			
42	24.5	29.0	109	20.2	28.1			
43	24.5	29.4	110	20.2	27.3			
44	24.1	30.5	111	20.2	27.3			
45	22.3	31.2	112	20.2	27.9			
46	21.1	30.5	113	20.2	27.7			
47	22.3	28.8	114	20.2	28.0			
48	24.1	28.4	115	20.2	28.3			
49	25.7	29.3	116	20.2	28.3			
50	27.4	29.7	117	20.2	26.7			
51	27.6	29.5	118	21.3	28.1			
52	25.0	29.4	119	23.9	26.5			
53	22.9	28.0	120	23.7	27.4			
54	22.9	26.2	121	23.6	27.2			
55	22.9	26.7	122	23.6	25.8			
56	22.8	28.4	123	23.6	26.3			
57	22.8	29.9	124	26.7	26.2			
58	22.8	30.1	125	24.5	24.1			
59	22.8	32.7	126	20.3	23.0			
60	22.8	32.0	127	20.4	23.2			
61	22.8	31.5	128	20.5	22.6			
62	22.9	33.0	129	20.5	21.6			
63	20.2	36.0	130	20.6	21.7			
64	19.7	33.4						
65	20.7	30.0						
66	23.0	30.2						


CAMP CARIBOU STATION 7
DATE 10/ 8/75 TIME 2309(GMT)
TRUE DIRECTION
0 90 180 270 360
0 5 10 15 20 25
SPEED CM/SEC
DEPTH (M)
0 50 100 150 200


CAMP CARIBOU STATION 5
DATE 9/ 18/75 TIME 2244(GMT)
TRUE DIRECTION
0 90 180 270 360
0 5 10 15 20 25
SPEED CM/SEC
DEPTH (M)
0 50 100 150 200

CARIBOU STATION 5 (194M.) 9/AUG/75 2244 GMT
LAT= 74.4085N LONG= 142.8687W LTFR= 2. LGFR= 4.
NIVEL= -6.6 FIVEL= 8.9 NVFR= 0. EVFR= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	7.1	90.2	134	6.5	88.1
1	0.0	999.9	68	6.8	97.0	135	6.1	89.7
2	0.0	999.9	69	6.3	88.1	136	6.0	90.6
3	0.0	999.9	70	5.9	84.3	137	6.2	93.0
4	0.0	999.9	71	5.8	81.5	138	6.7	92.9
5	2.3	339.3	72	5.9	77.7	139	6.9	93.0
6	4.2	338.6	73	6.2	75.9	140	6.9	92.7
7	5.3	333.8	74	6.9	75.8	141	6.8	92.0
8	4.6	330.2	75	7.8	78.9	142	6.6	91.1
9	3.6	327.6	76	8.3	82.6	143	6.3	92.3
10	3.8	323.2	77	8.2	86.4	144	6.1	93.1
11	3.8	321.7	78	7.9	88.4	145	6.2	92.4
12	4.7	333.2	79	7.6	87.3	146	6.8	94.1
13	6.3	337.3	80	7.1	83.6	147	7.3	95.4
14	8.0	339.9	81	6.7	81.0	148	7.7	96.4
15	9.5	336.2	82	6.7	83.4	149	8.0	96.8
16	10.5	334.3	83	6.8	86.8	150	7.9	95.5
17	10.8	333.0	84	6.9	89.2	151	7.4	94.0
18	10.7	335.6	85	6.9	90.4	152	6.5	94.2
19	10.6	342.1	86	6.8	89.4	153	5.5	99.7
20	10.4	348.0	87	6.7	85.8	154	5.1	107.7
21	9.6	353.6	88	6.8	81.7	155	5.2	111.1
22	8.2	1.1	89	7.1	79.8	156	5.4	111.7
23	6.7	13.6	90	7.5	80.0	157	5.6	110.3
24	6.0	20.0	91	8.1	81.1	158	5.6	106.6
25	6.3	26.1	92	8.1	82.7	159	5.6	101.2
26	7.6	34.8	93	7.8	83.5	160	5.7	96.6
27	8.4	36.9	94	7.2	84.2	161	5.6	93.0
28	8.8	37.8	95	6.9	83.5	162	5.5	92.7
29	8.6	36.7	96	7.1	84.8	163	5.5	94.5
30	8.5	36.1	97	7.3	84.8	164	5.4	97.3
31	8.3	37.5	98	7.2	84.2	165	5.3	99.7
32	8.4	40.5	99	7.3	84.4	166	5.1	99.1
33	8.8	43.2	100	7.4	83.7	167	5.3	95.9
34	9.2	44.5	101	7.5	83.4	168	5.5	96.9
35	9.0	44.5	102	7.3	82.3	169	5.9	97.7
36	8.7	44.4	103	7.0	80.9	170	6.2	99.2
37	8.9	43.6	104	6.8	80.1	171	6.6	100.9
38	9.3	43.0	105	7.0	79.8	172	6.6	98.3
39	9.8	42.6	106	7.1	80.3	173	6.5	95.5
40	9.8	41.9	107	7.3	80.6	174	6.7	94.4
41	9.6	41.8	108	7.3	84.5	175	6.8	93.3
42	9.6	40.4	109	7.2	87.9	176	6.9	91.9
43	9.5	39.1	110	7.1	88.6	177	6.9	90.5
44	9.6	37.9	111	6.8	88.0	178	7.0	90.7
45	9.7	37.5	112	6.4	87.5	179	6.9	92.2
46	9.8	37.0	113	6.2	89.3	180	6.8	93.7
47	9.9	37.2	114	6.3	91.0	181	7.2	94.4
48	9.9	37.1	115	6.7	92.4	182	7.8	97.0
49	9.8	37.3	116	7.2	92.1	183	8.1	99.0
50	9.7	37.4	117	7.3	87.3	184	8.2	99.9
51	9.5	37.8	118	7.2	86.3	185	8.5	100.7
52	9.1	38.4	119	7.1	86.9	186	8.9	100.2
53	8.7	38.8	120	7.0	88.0	187	9.4	100.5
54	8.2	40.9	121	7.1	87.8	188	9.3	101.0
55	7.9	45.1	122	7.1	87.6	189	8.7	97.7
56	7.6	47.4	123	7.3	88.1	190	7.6	94.1
57	7.1	48.6	124	7.6	90.9	191	7.5	92.3
58	7.0	49.4	125	7.6	95.4	192	8.0	91.7
59	8.1	53.0	126	7.5	95.3	193	9.0	93.5
60	8.7	59.1	127	7.2	93.7	194	9.2	94.6
61	8.7	66.1	128	7.1	92.9			
62	8.4	72.3	129	7.2	94.6			
63	8.3	78.4	130	7.3	96.7			
64	8.4	85.1	131	7.3	97.9			
65	8.3	91.4	132	7.4	98.3			
66	7.7	96.0	133	7.2	100.1			

CARIBOU STATION 7 (1909.) 10/AUG/75 2309 GMT
LAT= 74.2712N LONG= 142.5565W LTFR= 2. LGFR= 3.
NIVEL= -7.1 EIVEL= 1.3 NVFR= 0. EVFR= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	9.9	188.9	134	18.1	228.2
1	0.0	999.9	68	9.3	186.9	135	18.5	230.4
2	0.0	999.9	69	8.9	184.2	136	19.0	230.7
3	0.0	999.9	70	8.6	182.7	137	19.0	230.8
4	0.0	999.9	71	9.3	181.7	138	18.7	230.8
5	2.8	229.4	72	10.1	180.8	139	18.6	230.5
6	2.7	232.1	73	11.0	179.6	140	18.9	229.9
7	2.9	230.1	74	11.6	179.4	141	19.1	230.3
8	3.2	233.1	75	12.2	180.4	142	19.0	230.6
9	3.7	236.8	76	12.5	181.5	143	18.6	230.8
10	4.2	239.0	77	12.4	183.2	144	18.0	230.9
11	4.6	239.0	78	12.0	185.1	145	17.4	230.9
12	4.5	238.6	79	11.6	187.0	146	16.9	231.4
13	4.3	237.8	80	11.5	189.8	147	16.6	232.1
14	3.8	237.9	81	12.4	191.4	148	16.4	232.6
15	3.3	238.5	82	13.5	192.8	149	16.5	232.7
16	2.9	238.4	83	14.4	194.4	150	16.5	233.2
17	2.6	236.9	84	15.6	195.9	151	16.3	234.3
18	2.4	234.4	85	16.8	196.9	152	16.3	235.4
19	1.9	230.6	86	18.0	197.3	153	16.2	236.6
20	1.3	220.3	87	19.0	197.7	154	16.1	236.9
21	1.1	199.2	88	20.0	198.1	155	16.1	236.1
22	1.1	177.0	89	20.8	199.2	156	16.5	235.4
23	1.3	154.4	90	21.1	200.3	157	17.1	234.4
24	1.7	142.4	91	21.1	201.5	158	17.4	232.3
25	2.0	133.2	92	21.2	202.0	159	17.6	227.7
26	2.3	125.1	93	21.6	202.1	160	16.7	238.8
27	2.5	115.1	94	22.0	203.4	161	16.8	234.8
28	2.6	108.0	95	21.8	204.6	162	16.4	231.4
29	2.5	102.0	96	21.9	205.1	163	15.9	226.8
30	2.4	99.0	97	22.0	205.9	164	14.6	224.8
31	2.4	99.0	98	22.0	206.8	165	12.4	226.5
32	2.5	100.9	99	22.4	208.2	166	10.9	226.0
33	2.9	103.9	100	23.0	209.9	167	10.6	226.0
34	3.0	102.3	101	23.0	210.8	168	10.6	226.3
35	3.2	101.8	102	22.7	211.8	169	10.9	227.2
36	3.5	101.0	103	22.5	213.0	170	11.2	227.2
37	3.7	100.3	104	21.8	214.1	171	10.9	225.5
38	3.8	101.1	105	21.2	215.0	172	10.2	223.9
39	4.1	105.3	106	21.1	215.6	173	9.4	222.6
40	4.3	111.6	107	20.8	215.8	174	9.4	223.9
41	4.5	120.9	108	19.8	215.4	175	10.0	224.6
42	4.5	128.1	109	19.4	215.5	176	10.7	224.3
43	4.6	131.5	110	19.7	217.3	177	11.2	224.3
44	5.0	129.4	111	20.4	219.3	178	11.6	222.5
45	5.3	127.5	112	20.8	221.2	179	11.6	220.3
46	5.7	126.6	113	21.5	219.1	180	11.4	218.6
47	6.1	125.7	114	21.7	217.7	181	11.0	216.5
48	6.7	128.9	115	21.9	217.0	182	10.5	213.6
49	7.0	138.2	116	23.0	214.9	183	10.0	210.8
50	7.2	145.5	117	23.9	214.0	184	9.4	209.0
51	7.2	152.1	118	24.2	214.5	185	8.9	208.4
52	6.9	156.4	119	23.7	216.9	186	8.6	208.2
53	6.0	150.4	120	23.3	219.5	187	8.4	207.7
54	4.6	139.4	121	22.7	221.8	188	8.3	206.9
55	3.5	137.7	122	21.5	224.3	189	8.4	205.6
56	3.9	154.5	123	20.4	225.4	190	8.4	204.3
57	6.8	168.9	124	19.5	225.3			
58	9.8	176.5	125	18.3	226.6			
59	11.3	184.3	126	17.8	227.9			
60	12.2	189.3	127	17.8	227.3			
61	12.8	191.1	128	17.6	226.7			
62	13.0	192.7	129	17.4	226.5			
63	12.2	192.4	130	16.6	228.4			
64	11.1	192.1	131	16.3	228.1			
65	10.1	191.3	132	17.0	227.1			
66	9.7	190.4	133	17.7	226.5			


CAMP CARIBOU STATION 9
DATE 11/ 8/75 TIME 2351(GMT)
TRUE DIRECTION
0 90 180 270 360
DEPTH (M)
0 50 100 150 200
SPEED CM/SEC
0 5 10 15 20 25


CAMP CARIBOU STATION 12
DATE 16/ 8/75 TIME 2344(GMT)
TRUE DIRECTION
0 90 180 270 360
DEPTH (M)
0 50 100 150 200
SPEED CM/SEC
0 5 10 15 20 25

CARIBOU STATION 9 (190M.) 11/AUG/75 2351 GMT
LAT= 74.1799N LONG= 142.2818W LTER= 1. LGER= 1.
NIVEL= -5.3 EIVEL= 2.6 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	3.0	69.4	134	3.6	68.6
1	0.0	999.9	68	2.9	54.6	135	3.7	65.0
2	0.0	999.9	69	2.7	53.1	136	3.8	63.5
3	0.0	999.9	70	2.0	66.4	137	3.8	64.9
4	0.0	999.9	71	2.3	86.0	138	3.8	68.0
5	3.9	13.4	72	3.4	74.9	139	3.7	71.0
6	3.8	4.5	73	4.6	69.1	140	3.7	72.7
7	3.4	351.7	74	5.7	63.6	141	3.8	74.8
8	2.6	339.1	75	6.6	60.8	142	3.9	76.7
9	2.0	320.6	76	7.0	60.3	143	4.0	78.2
10	1.7	312.6	77	6.9	64.8	144	4.1	79.8
11	1.4	322.1	78	6.4	69.0	145	4.3	80.3
12	1.3	343.8	79	6.2	73.0	146	4.5	80.1
13	1.8	14.4	80	6.0	78.8	147	4.7	78.3
14	2.8	24.4	81	5.8	85.3	148	4.8	77.2
15	3.5	30.9	82	5.1	91.1	149	4.9	76.7
16	4.0	42.6	83	4.5	101.2	150	5.0	76.2
17	3.9	59.5	84	4.3	105.8	151	5.1	72.8
18	3.9	69.1	85	4.3	106.5	152	5.2	70.3
19	4.1	67.3	86	4.2	103.4	153	5.2	69.3
20	4.3	56.5	87	4.2	97.8	154	5.3	68.3
21	4.7	47.8	88	4.5	92.8	155	5.3	67.0
22	4.9	42.3	89	4.4	88.8	156	5.4	66.1
23	5.1	42.3	90	2.8	99.0	157	5.5	65.5
24	5.4	43.3	91	1.9	94.0	158	5.6	64.9
25	6.0	44.9	92	0.9	78.0	159	5.7	64.2
26	7.0	46.2	93	0.5	31.2	160	5.8	63.5
27	8.2	45.0	94	0.8	0.9	161	5.9	62.9
28	8.9	43.5	95	1.3	8.2	162	6.0	62.2
29	9.2	41.0	96	1.6	16.4	163	6.1	61.7
30	8.8	34.9	97	1.9	26.4	164	5.8	63.6
31	8.2	27.5	98	2.1	36.0	165	5.5	66.1
32	7.9	20.7	99	2.3	37.9	166	5.0	69.2
33	7.8	20.3	100	3.1	34.3	167	4.6	73.3
34	7.5	25.6	101	3.7	35.5	168	4.2	75.9
35	6.3	31.8	102	4.4	38.6	169	4.0	72.6
36	5.2	40.4	103	4.5	46.0	170	4.0	69.1
37	4.6	54.2	104	4.4	54.6	171	4.0	69.7
38	4.9	59.6	105	4.4	62.2	172	4.1	74.5
39	5.5	64.4	106	4.4	68.9	173	4.0	77.9
40	5.7	73.3	107	4.4	74.5	174	4.0	76.9
41	5.9	78.1	108	4.4	78.8	175	4.1	73.5
42	6.1	74.8	109	4.6	76.4	176	4.0	72.2
43	6.5	69.9	110	4.8	70.1	177	4.0	68.0
44	7.0	68.5	111	4.9	65.5	178	3.9	63.7
45	7.0	70.1	112	4.7	65.6	179	4.2	61.7
46	6.8	68.2	113	4.4	68.0	180	4.5	59.2
47	6.6	63.8	114	4.0	72.6	181	4.4	55.0
48	6.7	59.6	115	3.6	78.3	182	4.1	51.0
49	6.3	56.7	116	3.4	86.0	183	3.8	49.4
50	5.8	50.8	117	3.4	82.6	184	3.9	55.1
51	4.7	33.3	118	3.7	73.3	185	3.6	55.3
52	3.5	8.0	119	4.1	64.6	186	4.1	61.5
53	2.8	359.6	120	4.1	64.8	187	4.9	70.5
54	2.0	13.9	121	4.1	65.0	188	5.3	73.1
55	2.3	77.9	122	4.3	60.5	189	5.2	72.3
56	3.3	109.0	123	4.4	57.7	190	5.0	72.1
57	3.9	119.9	124	4.2	61.1			
58	4.6	128.4	125	4.0	62.7			
59	5.0	130.9	126	4.0	62.7			
60	5.1	128.1	127	4.1	60.4			
61	4.9	124.2	128	4.0	60.4			
62	4.8	117.9	129	3.9	62.6			
63	4.5	111.6	130	3.7	64.5			
64	4.2	103.0	131	3.6	67.1			
65	3.9	95.4	132	3.5	69.1			
66	3.5	87.9	133	3.5	70.4			

CARIBOU STATION 12 (195M.) 16/AUG/75 2344 GMT
LAT= 74.1689N LONG= 141.5745W LTER= 0. LGER= 0.
NIVEL= -13.5 EIVEL= -2.2 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	10.0	202.2	134	7.3	244.5
1	0.0	999.9	68	9.5	207.8	135	8.5	243.9
2	0.0	999.9	69	9.4	217.1	136	9.5	236.9
3	0.0	999.9	70	9.3	222.7	137	9.7	231.2
4	0.0	999.9	71	8.7	225.0	138	9.4	226.4
5	5.9	234.1	72	7.9	226.7	139	9.0	224.6
6	4.7	233.7	73	7.0	225.5	140	8.2	225.7
7	3.3	231.1	74	6.6	225.7	141	8.4	230.5
8	2.5	227.2	75	6.7	226.3	142	8.9	234.6
9	2.2	222.2	76	7.2	222.1	143	9.6	233.9
10	2.5	223.5	77	7.9	213.4	144	9.7	230.4
11	2.8	236.2	78	7.7	208.1	145	9.9	225.8
12	3.4	239.3	79	7.4	205.0	146	10.3	223.0
13	3.7	237.4	80	7.1	203.4	147	10.8	222.5
14	3.7	231.2	81	7.0	199.5	148	11.2	222.3
15	3.5	228.0	82	7.2	201.9	149	11.2	222.4
16	3.1	231.8	83	8.0	209.5	150	11.2	223.4
17	2.7	244.5	84	9.8	214.5	151	11.1	226.5
18	2.9	249.9	85	10.7	214.0	152	11.2	228.9
19	3.5	253.6	86	10.8	212.2	153	11.3	230.3
20	4.4	254.8	87	10.3	202.6	154	11.4	230.9
21	5.3	253.9	88	10.2	198.1	155	11.2	231.4
22	6.1	251.2	89	10.1	198.1	156	11.1	230.8
23	6.3	247.8	90	10.2	200.1	157	10.9	229.3
24	5.8	240.9	91	10.2	205.2	158	10.6	228.6
25	5.2	224.9	92	10.2	212.4	159	10.2	229.7
26	5.6	207.5	93	10.4	223.9	160	9.7	230.5
27	6.6	200.0	94	10.8	231.6	161	9.8	231.1
28	7.3	196.9	95	10.6	236.0	162	9.9	229.8
29	8.6	192.0	96	10.4	238.0	163	9.5	227.8
30	9.0	189.9	97	10.2	239.5	164	9.1	225.5
31	8.3	191.2	98	9.8	241.1	165	8.6	222.5
32	7.6	192.7	99	9.2	241.1	166	8.2	218.5
33	7.0	193.8	100	9.1	238.7	167	7.7	212.0
34	6.4	194.8	101	8.9	236.8	168	7.2	203.3
35	6.4	195.2	102	8.7	236.3	169	6.7	196.1
36	6.4	194.4	103	8.2	238.3	170	6.3	194.2
37	6.1	196.0	104	7.8	238.1	171	6.2	196.8
38	5.8	197.7	105	7.5	235.4	172	6.2	206.1
39	5.6	198.6	106	7.4	232.9	173	6.4	212.8
40	6.0	204.1	107	7.5	230.7	174	6.5	216.7
41	9.5	207.9	108	7.6	229.9	175	6.2	217.7
42	9.9	203.1	109	7.8	230.4	176	5.7	219.1
43	9.1	201.7	110	8.1	232.4	177	5.2	220.7
44	8.2	201.4	111	8.6	235.5	178	4.6	221.0
45	7.1	201.5	112	9.7	236.0	179	4.5	221.7
46	6.0	200.1	113	10.5	236.5	180	5.4	234.9
47	5.2	197.8	114	11.2	234.7	181	7.5	244.1
48	4.7	196.0	115	11.3	232.7	182	7.9	246.1
49	4.3	200.9	116	11.2	231.0	183	8.0	245.6
50	4.3	205.7	117	10.9	229.6	184	8.5	247.1
51	4.5	208.2	118	11.1	230.1	185	8.3	247.9
52	5.6	206.4	119	11.2	231.8	186	7.3	242.0
53	7.5	206.2	120	11.3	233.5	187	6.8	237.2
54	8.4	205.4	121	11.2	235.6	188	6.7	233.3
55	8.8	205.1	122	10.9	237.5	189	6.5	236.8
56	9.4	203.0	123	10.6	238.4	190	6.6	241.0
57	9.0	202.2	124	10.3	237.4	191	7.2	239.4
58	8.9	204.3	125	9.8	235.5	192	7.7	239.8
59	8.8	205.1	126	9.1	234.3	193	7.7	233.0
60	8.6	202.7	127	8.6	234.8	194	7.2	225.7
61	8.5	202.2	128	8.0	236.4	195	7.2	225.7
62	8.6	203.9	129	7.8	238.5			
63	9.1	205.4	130	7.8	242.3			
64	10.0	205.6	131	7.9	243.9			
65	10.6	203.6	132	7.8	242.9			
66	10.5	202.1	133	7.4	243.6			



CAMP CARIBOU STATION 13
DATE 1/ 8/75 TIME 2225(GMT)
TRUE DIRECTION
0 90 180 270 360
0 50 100 150 200
DEPTH (M)
0 5 10 15 20 25
SPEED CM/SEC



CAMP CARIBOU STATION 19
DATE 25/ 8/75 TIME 2310(GMT)
TRUE DIRECTION
0 90 180 270 360
0 50 100 150 200
DEPTH (M)
0 5 10 15 20 25
SPEED CM/SEC

CARIBOU STATION 13 (195M.) 17/AUG/75 2225 GMT
LAT= 74.1085N LONG= 141.8420W LTER= 2. LGER= 3.
NIVEL= 2.9 EIVEL= -6.4 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	1.8	307.2	134	3.7	344.5
1	0.0	999.9	68	1.8	311.0	135	4.0	351.7
2	0.0	999.9	69	1.8	315.3	136	4.9	356.8
3	0.0	999.9	70	1.8	320.0	137	5.9	358.3
4	0.0	999.9	71	1.8	325.2	138	6.7	357.7
5	5.9	335.9	72	1.8	330.7	139	7.1	357.1
6	5.7	338.9	73	1.9	336.3	140	7.0	353.0
7	5.5	341.7	74	2.0	341.7	141	7.1	348.5
8	5.3	344.4	75	2.1	346.7	142	7.7	343.5
9	5.1	346.9	76	2.2	351.1	143	7.8	340.5
10	4.8	348.3	77	2.4	354.7	144	7.1	342.3
11	4.6	350.6	78	2.5	357.6	145	5.8	343.3
12	4.4	352.8	79	2.7	359.6	146	5.1	341.5
13	4.1	355.0	80	3.0	1.0	147	4.9	343.4
14	3.9	357.4	81	3.2	1.6	148	5.3	342.9
15	3.6	359.8	82	3.4	1.7	149	5.8	336.4
16	3.4	2.4	83	3.7	1.2	150	6.0	331.8
17	3.2	5.1	84	3.9	359.2	151	5.8	333.7
18	3.0	7.9	85	4.1	359.2	152	5.2	335.8
19	2.7	10.9	86	4.4	357.5	153	4.5	338.8
20	2.5	14.1	87	4.6	355.8	154	3.9	341.6
21	2.3	17.4	88	4.9	355.1	155	3.2	349.7
22	2.1	21.0	89	5.1	354.4	156	2.6	1.2
23	1.9	24.8	90	5.5	354.8	157	2.2	16.1
24	1.7	28.9	91	5.9	357.0	158	2.6	21.9
25	1.6	33.3	92	6.3	358.6	159	3.9	16.2
26	1.4	38.0	93	6.4	354.7	160	5.6	3.2
27	1.3	43.0	94	6.6	351.0	161	6.5	355.5
28	1.1	48.4	95	6.8	348.6	162	7.1	351.8
29	1.0	54.3	96	7.0	346.7	163	7.4	350.0
30	0.8	60.7	97	7.5	346.5	164	7.8	349.3
31	0.7	67.7	98	7.8	346.4	165	7.9	349.3
32	0.6	75.8	99	7.6	349.2	166	7.9	348.2
33	0.5	85.7	100	6.4	356.1	167	7.7	345.9
34	0.4	98.2	101	5.0	2.7	168	7.5	343.5
35	0.3	118.6	102	4.0	6.0	169	7.2	341.0
36	0.3	136.3	103	3.9	5.3	170	7.2	337.4
37	0.5	141.5	104	4.6	2.9	171	7.7	332.2
38	0.7	143.9	105	5.1	3.7	172	8.7	325.9
39	0.7	152.8	106	5.4	5.1	173	9.0	326.0
40	0.7	163.5	107	6.3	3.5	174	8.8	329.4
41	0.6	178.1	108	7.0	2.5	175	8.7	332.7
42	0.6	192.3	109	7.6	2.0	176	9.0	334.9
43	0.7	187.9	110	7.3	5.1	177	8.5	339.8
44	0.8	182.1	111	6.4	9.1	178	8.3	342.7
45	0.9	176.7	112	6.5	5.6	179	7.8	343.8
46	0.9	171.5	113	6.8	0.9	180	7.3	344.8
47	1.0	167.0	114	7.1	355.7	181	7.1	349.5
48	1.1	163.3	115	7.2	351.9	182	6.9	355.3
49	1.1	166.3	116	7.1	349.4	183	6.2	0.6
50	0.9	177.4	117	6.6	347.6	184	5.8	1.0
51	0.7	204.1	118	5.9	347.6	185	5.5	358.0
52	0.8	216.8	119	5.2	347.6	186	5.4	355.7
53	0.8	242.1	120	4.5	347.0	187	5.8	354.2
54	0.8	245.3	121	3.8	348.0	188	5.9	349.7
55	0.7	242.1	122	3.3	354.1	189	5.6	345.0
56	0.6	239.3	123	3.4	3.7	190	4.8	339.0
57	0.7	252.6	124	3.6	2.1	191	4.1	328.1
58	1.0	272.3	125	3.4	354.1	192	3.5	322.0
59	1.2	280.4	126	3.3	346.6	193	2.7	318.1
60	1.4	285.6	127	3.5	340.6	194	2.3	316.2
61	1.5	289.4	128	4.2	338.4	195	2.3	316.2
62	1.7	292.6	129	4.4	336.3			
63	1.7	295.4	130	4.2	339.5			
64	1.8	298.1	131	4.0	343.2			
65	1.8	300.9	132	3.7	340.8			
66	1.8	303.9	133	3.6	340.1			

CARIBOU STATION 19 (195M.) 25/AUG/75 2310 GMT
LAT= 74.0159N LONG= 142.3493W LTER= 0. LGER= 0.
NIVEL= 3.5 EIVEL= 4.3 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	4.0	326.0	134	2.1	14.0
1	0.0	999.9	68	4.6	327.4	135	2.1	12.0
2	0.0	999.9	69	5.1	330.6	136	2.4	7.2
3	0.0	999.9	70	5.2	336.0	137	2.8	4.9
4	0.0	999.9	71	5.3	341.9	138	3.3	4.5
5	0.9	62.2	72	5.1	347.3	139	3.7	5.0
6	1.4	11.1	73	4.4	348.9	140	3.8	2.9
7	2.4	1.0	74	3.2	345.4	141	3.6	0.5
8	3.3	0.1	75	1.3	352.9	142	2.7	360.0
9	4.0	359.7	76	1.2	90.2	143	1.6	11.8
10	4.3	358.9	77	2.0	99.5	144	1.4	83.7
11	3.3	355.7	78	1.7	98.7	145	2.4	93.2
12	1.8	2.3	79	1.2	13.7	146	2.4	75.3
13	1.2	46.4	80	2.1	357.9	147	2.8	30.3
14	2.0	75.4	81	2.2	358.0	148	4.3	17.1
15	3.0	75.6	82	2.2	8.5	149	5.4	18.1
16	3.1	77.1	83	2.4	26.7	150	5.6	18.5
17	2.9	75.1	84	2.6	36.2	151	5.2	17.6
18	2.7	67.6	85	2.5	39.1	152	4.2	17.3
19	2.5	62.5	86	2.6	36.8	153	3.3	20.3
20	2.5	58.8	87	2.7	31.2	154	2.8	16.1
21	2.5	57.0	88	3.2	22.8	155	3.6	4.0
22	2.4	51.4	89	4.4	17.0	156	5.3	4.7
23	2.5	43.7	90	4.8	16.9	157	6.7	9.5
24	2.6	34.7	91	5.0	17.1	158	7.8	16.6
25	2.7	33.5	92	5.1	17.3	159	7.7	16.9
26	2.4	36.0	93	5.5	18.2	160	7.0	13.0
27	1.4	31.5	94	6.3	14.8	161	5.8	7.1
28	0.8	0.7	95	7.0	13.1	162	4.5	2.9
29	1.6	322.1	96	7.2	12.4	163	3.7	2.2
30	3.0	318.1	97	7.2	11.1	164	3.0	3.2
31	4.1	326.1	98	6.6	9.4	165	2.5	8.9
32	4.5	332.8	99	6.0	8.2	166	2.3	14.8
33	4.8	329.0	100	5.8	6.4	167	2.3	16.3
34	4.7	324.7	101	5.6	4.9	168	2.3	13.4
35	4.3	326.6	102	5.4	6.3	169	2.5	9.9
36	4.1	331.5	103	5.1	17.6	170	2.6	5.9
37	4.0	340.5	104	5.0	16.3	171	2.7	2.1
38	4.0	348.6	105	5.0	16.3	172	2.6	358.8
39	3.8	348.6	106	4.8	16.3	173	2.5	359.3
40	3.6	345.1	107	4.3	16.5	174	2.6	14.3
41	3.5	339.6	108	3.7	18.2	175	3.0	24.0
42	3.8	334.4	109	3.3	21.6	176	3.1	22.5
43	4.0	329.1	110	3.3	21.9	177	3.3	20.0
44	4.0	325.1	111	3.7	11.4	178	3.6	18.1
45	4.2	329.3	112	4.5	3.4	179	3.9	17.0
46	4.8	340.0	113	5.0	2.7	180	4.2	16.4
47	5.5	349.6	114	5.4	3.5	181	4.5	16.1
48	5.7	349.0	115	5.4	2.0	182	4.6	16.2
49	5.8	347.6	116	5.2	358.1	183	4.6	16.2
50	6.1	348.9	117	4.8	354.6	184	4.5	16.4
51	6.6	352.3	118	4.5	353.2	185	4.3	16.5
52	7.1	358.3	119	4.4	358.9	186	4.3	16.5
53	7.5	4.3	120	4.6	2.2	187	4.3	16.7
54	7.5	8.6	121	4.9	3.1	188	4.3	16.6
55	7.0	9.9	122	5.1	3.8	189	4.4	16.7
56	5.8	4.9	123	4.8	8.6	190	4.6	16.6
57	4.0	356.0	124	4.3	16.0	191	4.9	16.9
58	3.0	348.9	125	3.8	17.6	192	5.0	17.0
59	3.4	345.9	126	3.2	22.6	193	5.1	17.3
60	3.9	345.7	127	2.9	27.6	194	5.2	17.5
61	4.2	345.1	128	2.8	20.8	195	5.3	17.8
62	4.3	345.6	129	2.7	4.2			
63	4.3	345.4	130	2.8	359.9			
64	4.2	340.5	131	2.8	358.8			
65	3.7	332.6	132	2.6	2.6			
66	3.5	326.0	133	2.3	7.5			


CAMP CARIBOU
DATE 28/ 8/75
STATION 22
TIME 2255(GMT)
TRUE DIRECTION
SPEED CM/SEC
DEPTH (M)
0
90
180
270
360
0
5
10
15
20
25
0
50
100
150
200


CAMP CARIBOU
DATE 27/ 8/75
STATION 21
TIME 2247(GMT)
TRUE DIRECTION
SPEED CM/SEC
DEPTH (M)
0
90
180
270
360
0
5
10
15
20
25
0
50
100
150
200

CARIBOU STATION 21 (171M.) 27/AUG/75 2247 GMT
LAT= 73.9615N LONG= 141.7655W LTER= 2. LGER= 4.
NIVEL= -24.2 EIVEL= 24.2 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	10.0	73.0	134	7.9	190.3
1	0.0	999.9	68	11.7	74.0	135	7.8	191.5
2	0.0	999.9	69	10.5	74.4	136	8.2	191.7
3	0.0	999.9	70	6.4	81.1	137	8.1	191.5
4	0.0	999.9	71	3.7	107.0	138	7.0	190.3
5	15.3	141.1	72	3.6	124.8	139	6.0	187.8
6	14.6	137.9	73	4.1	127.3	140	4.6	172.4
7	13.9	128.6	74	4.6	132.7	141	4.5	169.7
8	13.8	118.3	75	5.5	155.7	142	4.4	169.1
9	13.2	113.3	76	6.8	165.2	143	4.6	170.2
10	11.7	114.7	77	8.6	172.9	144	4.9	169.5
11	10.6	118.5	78	11.3	176.9	145	4.9	164.4
12	10.6	128.9	79	14.4	175.2	146	4.2	145.0
13	11.3	133.0	80	14.9	168.3	147	4.4	125.5
14	10.9	126.1	81	15.8	167.4	148	5.0	110.5
15	10.4	110.2	82	16.0	165.5	149	5.2	104.2
16	10.2	98.5	83	16.1	163.4	150	5.1	103.2
17	9.4	92.8	84	16.0	161.7	151	5.0	102.5
18	8.8	84.2	85	15.6	162.1	152	4.9	101.8
19	8.7	65.9	86	14.9	164.1	153	4.9	101.8
20	9.3	49.2	87	14.6	165.7	154	5.3	105.2
21	10.6	42.5	88	14.4	166.9	155	5.5	106.7
22	11.7	39.4	89	14.0	168.3	156	6.3	93.9
23	12.6	38.2	90	13.2	169.7	157	5.5	86.7
24	12.0	35.9	91	12.5	173.2	158	5.4	84.5
25	10.9	37.6	92	12.2	179.8	159	5.6	85.4
26	10.3	46.0	93	12.7	185.4	160	5.4	82.8
27	9.9	61.1	94	12.3	185.8	161	5.3	79.2
28	10.1	71.1	95	11.5	184.7	162	5.3	78.2
29	10.3	74.8	96	10.3	183.1	163	5.6	82.8
30	10.4	75.6	97	8.8	182.6	164	4.7	99.2
31	10.3	75.5	98	7.2	183.0	165	5.0	101.5
32	10.3	77.3	99	6.1	182.8	166	4.7	99.5
33	10.6	81.4	100	6.1	179.0	167	4.5	97.3
34	10.7	85.2	101	6.2	178.2	168	4.5	97.0
35	10.1	85.7	102	5.5	180.7	169	4.6	97.1
36	9.0	84.4	103	4.6	181.4	170	4.7	98.0
37	7.7	83.3	104	4.5	188.1	171	4.9	98.7
38	7.0	87.1	105	5.4	187.7			
39	6.5	91.5	106	5.8	180.2			
40	6.2	96.8	107	6.1	175.8			
41	6.3	102.7	108	6.5	172.2			
42	7.0	101.1	109	6.5	172.6			
43	8.5	95.8	110	6.2	175.1			
44	10.1	95.0	111	6.2	174.8			
45	12.9	91.8	112	6.2	174.5			
46	15.1	92.8	113	6.0	176.2			
47	15.3	94.0	114	6.1	175.8			
48	13.9	98.9	115	6.2	174.5			
49	12.1	109.6	116	6.2	175.5			
50	12.1	125.0	117	6.3	175.5			
51	12.5	131.0	118	6.4	174.4			
52	13.0	131.2	119	6.3	176.2			
53	13.0	125.4	120	5.7	171.7			
54	13.3	116.2	121	5.6	164.3			
55	14.4	107.6	122	6.0	169.1			
56	15.7	103.2	123	6.9	180.4			
57	16.4	101.6	124	6.8	183.3			
58	16.2	102.2	125	6.7	184.6			
59	14.2	106.7	126	6.9	183.2			
60	11.3	106.3	127	7.0	182.1			
61	7.6	105.6	128	6.8	185.6			
62	5.0	110.7	129	6.6	189.2			
63	4.4	100.0	130	6.4	192.5			
64	4.9	88.5	131	7.2	199.6			
65	5.9	80.0	132	9.4	199.9			
66	7.5	74.9	133	9.4	195.5			

CARIBOU STATION 22 (195M.) 28/AUG/75 2255 GMT
LAT= 73.8716N LONG= 141.3430W LTER= 117. LGER= -7.
NIVEL= 8.1 EIVEL= 4.3 NVER= 3. EVER= 3.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	8.9	347.3	134	8.5	13.0
1	0.0	999.9	68	9.9	347.9	135	8.5	13.8
2	0.0	999.9	69	10.3	350.0	136	8.7	13.8
3	0.0	999.9	70	10.3	352.2	137	8.9	13.5
4	0.0	999.9	71	10.0	354.7	138	9.2	12.9
5	2.8	280.3	72	9.2	357.4	139	9.3	12.2
6	4.3	292.0	73	8.1	0.5	140	9.2	11.9
7	5.4	299.0	74	7.6	4.4	141	9.2	11.2
8	6.3	300.8	75	7.4	8.4	142	9.2	11.2
9	7.3	299.7	76	7.3	9.5	143	9.2	9.8
10	7.9	300.4	77	7.2	8.1	144	9.1	7.3
11	7.8	302.1	78	6.8	4.5	145	8.7	3.0
12	7.4	302.5	79	6.4	0.6	146	8.3	359.6
13	6.6	302.2	80	5.9	358.4	147	8.1	357.1
14	6.0	301.7	81	5.8	1.2	148	8.0	353.7
15	5.4	301.7	82	6.0	4.4	149	7.9	350.7
16	5.3	306.3	83	6.2	5.8	150	7.8	349.7
17	5.5	312.7	84	6.4	6.5	151	7.5	353.1
18	5.9	319.7	85	6.5	7.6	152	7.3	358.1
19	5.9	323.4	86	6.4	8.2	153	7.5	359.6
20	5.8	324.7	87	6.3	9.1	154	7.6	359.0
21	5.5	324.0	88	6.2	9.7	155	7.4	358.1
22	5.0	319.8	89	6.2	9.8	156	7.4	355.9
23	4.2	322.8	90	6.2	9.9	157	7.5	353.5
24	3.5	328.4	91	6.3	10.5	158	7.6	351.9
25	3.2	334.2	92	6.5	11.4	159	7.7	351.3
26	3.2	327.9	93	6.6	12.6	160	7.9	351.7
27	3.6	329.1	94	6.6	13.6	161	8.1	352.2
28	4.6	319.9	95	6.5	13.7	162	8.2	353.1
29	6.3	315.4	96	6.4	12.3	163	8.2	353.7
30	8.0	315.4	97	6.2	9.5	164	7.9	354.5
31	9.5	315.4	98	6.2	6.4	165	7.7	355.8
32	10.6	315.6	99	6.2	3.5	166	7.6	357.2
33	11.2	318.6	100	6.1	2.6	167	7.6	359.0
34	10.8	320.2	101	6.0	4.5	168	7.7	0.7
35	10.7	321.5	102	6.0	6.7	169	7.8	2.0
36	10.5	322.6	103	6.0	8.7	170	8.0	1.8
37	10.3	322.1	104	6.2	10.7	171	8.1	1.1
38	10.2	321.0	105	6.2	11.3	172	8.0	0.2
39	10.3	315.2	106	6.1	10.6	173	7.8	358.1
40	11.1	311.9	107	6.4	4.2	174	7.5	355.3
41	11.9	311.8	108	6.6	359.1	175	7.3	353.3
42	12.6	315.7	109	6.9	354.9	176	7.7	355.3
43	13.3	322.2	110	7.2	352.3	177	7.9	357.9
44	13.5	327.5	111	7.6	350.6	178	8.1	0.5
45	13.4	331.0	112	7.9	350.8	179	8.3	2.0
46	13.1	332.0	113	8.2	351.8	180	8.3	1.4
47	12.7	331.7	114	8.3	353.0	181	8.3	1.6
48	12.1	329.1	115	8.5	353.3	182	8.3	358.2
49	11.3	327.5	116	8.5	353.1	183	8.7	0.7
50	10.4	326.9	117	8.2	352.0	184	9.1	6.7
51	9.4	327.0	118	7.6	352.3	185	9.1	4.4
52	8.1	329.5	119	7.0	353.5	186	8.9	358.7
53	7.3	335.0	120	6.8	355.3	187	8.8	351.4
54	7.4	339.5	121	7.0	356.1	188	8.6	347.3
55	8.3	342.1	122	7.6	357.3	189	8.6	346.7
56	9.1	344.7	123	8.1	358.6	190	8.9	349.6
57	9.8	346.6	124	8.8	0.0	191	9.4	352.9
58	10.2	347.2	125	9.6	0.4	192	9.6	353.1
59	10.0	346.5	126	10.0	0.6	193	9.1	350.4
60	9.0	348.8	127	10.1	0.7	194	8.6	351.3
61	7.2	357.3	128	10.4	359.8	195	7.9	350.9
62	6.1	3.8	129	10.4	359.0			
63	5.3	6.5	130	9.9	359.8			
64	5.6	1.6	131	9.3	1.8			
65	6.6	352.7	132	8.8	4.7			
66	7.9	348.4	133	8.6	8.7			


CAMP CARIBOU STATION 55
DATE 29/10/75 TIME 828(GMT)
TRUE DIRECTION
0 90 180 270 360
SPEED CM/SEC
0 5 10 15 20 25
DEPTH (M)
0 50 100 150 200


CAMP CARIBOU STATION 54
DATE 27/10/75 TIME 2046(GMT)
TRUE DIRECTION
0 90 180 270 360
SPEED CM/SEC
0 5 10 15 20 25
DEPTH (M)
0 50 100 150 200

CARIBOU STATION 54 (199M.) 27/OCT/75 2046 GMT
LAT= 73.2325N LONG= 141.1502W LTER= 0. LGER= 0.
NIVEL= -10.1 EIVEL= 0.3 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	12.8	205.2	134	11.8	212.8
1	0.0	999.9	68	12.2	204.6	135	10.1	218.0
2	0.0	999.9	69	11.2	206.8	136	9.4	220.4
3	0.0	999.9	70	9.5	209.2	137	8.6	222.6
4	0.0	999.9	71	7.9	209.6	138	8.1	223.3
5	13.2	209.3	72	6.8	208.4	139	8.0	223.7
6	13.0	212.4	73	5.6	205.6	140	8.6	222.9
7	12.5	215.7	74	4.4	196.8	141	10.1	219.7
8	11.8	219.7	75	4.0	195.4	142	11.1	216.8
9	11.2	223.3	76	3.8	199.9	143	11.2	216.1
10	11.0	225.4	77	4.3	213.7	144	10.3	217.6
11	11.1	224.5	78	4.5	219.5	145	9.2	219.0
12	11.6	221.0	79	4.1	221.7	146	8.5	219.4
13	12.2	217.0	80	3.0	212.8	147	8.3	220.8
14	11.8	217.3	81	2.3	195.2	148	8.3	221.8
15	11.2	219.4	82	2.0	182.3	149	8.3	223.4
16	10.1	223.9	83	1.9	194.1	150	8.3	225.4
17	9.1	228.1	84	1.8	212.1	151	8.4	227.4
18	8.4	231.3	85	1.9	228.0	152	8.4	229.2
19	7.8	232.4	86	1.9	232.7	153	8.0	231.2
20	7.5	231.2	87	2.4	234.6	154	7.2	233.8
21	7.3	232.7	88	4.7	241.4	155	6.3	236.4
22	7.3	234.9	89	5.8	243.1	156	6.0	237.6
23	7.6	236.5	90	7.0	242.7	157	5.8	238.9
24	8.1	236.9	91	8.1	238.4	158	5.3	239.3
25	8.6	236.8	92	9.1	232.5	159	4.7	235.8
26	9.1	235.9	93	9.0	228.3	160	4.2	229.3
27	9.7	234.3	94	8.0	227.2	161	3.9	221.5
28	11.3	227.4	95	7.1	231.5	162	4.1	215.4
29	13.2	218.5	96	6.6	235.7	163	4.8	215.8
30	14.2	211.9	97	6.5	238.1	164	6.0	217.1
31	13.9	212.4	98	6.8	234.7	165	7.1	216.2
32	12.8	219.1	99	7.1	232.0	166	8.2	214.0
33	11.5	225.7	100	7.1	231.6	167	8.5	215.2
34	10.2	232.5	101	7.1	231.5	168	8.4	216.6
35	9.2	236.5	102	7.1	231.9	169	8.0	218.0
36	8.4	232.7	103	7.5	231.7	170	7.5	217.8
37	8.1	227.1	104	7.6	233.8	171	7.2	217.0
38	8.5	220.8	105	7.7	236.0	172	7.0	216.3
39	9.4	219.4	106	7.7	235.5	173	7.3	219.0
40	9.6	220.4	107	7.6	232.7	174	7.4	221.1
41	9.8	221.4	108	7.5	230.0	175	7.4	223.2
42	10.4	221.5	109	7.2	227.7	176	7.5	225.0
43	11.8	216.1	110	7.0	225.9	177	7.8	226.1
44	12.9	210.4	111	6.9	226.1	178	8.9	226.0
45	13.5	206.2	112	6.9	228.0	179	9.8	225.2
46	13.9	205.1	113	6.8	229.7	180	10.0	225.4
47	13.9	205.8	114	6.9	231.5	181	10.2	225.4
48	13.5	208.8	115	7.0	233.6	182	10.5	224.7
49	12.4	213.4	116	7.3	235.4	183	11.5	221.5
50	10.6	219.5	117	7.6	236.9	184	12.7	217.0
51	9.6	222.6	118	7.9	237.5	185	13.0	214.8
52	9.9	222.8	119	8.0	238.4	186	13.1	215.6
53	11.2	219.5	120	7.8	239.9	187	12.7	218.5
54	12.5	215.6	121	7.1	240.4	188	11.5	222.9
55	13.0	213.4	122	6.2	241.0	189	10.0	226.3
56	13.0	212.3	123	5.3	239.6	190	8.7	228.5
57	13.2	210.8	124	4.6	236.1	191	8.1	229.6
58	13.7	208.1	125	4.0	230.8	192	9.4	227.8
59	14.6	203.9	126	3.8	225.0	193	11.1	224.7
60	15.3	199.4	127	4.1	221.7	194	11.3	225.7
61	15.5	197.9	128	5.0	221.9	195	9.7	231.6
62	15.3	199.7	129	6.5	222.1	196	8.3	236.9
63	14.3	205.0	130	8.8	219.4	197	7.1	241.4
64	13.8	207.3	131	10.8	214.3	198	5.9	243.7
65	13.6	207.3	132	12.3	208.8	199	5.9	243.7
66	13.3	206.2	133	12.5	209.6			

CARIBOU STATION 55 (197M.) 29/OCT/75 828 GMT
LAT= 73.0494N LONG= 141.2798W LTER= 1. LGER= 1.
NIVEL= -19.7 EIVEL= -7.9 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	21.9	200.5	134	20.2	184.6
1	0.0	999.9	68	22.1	199.5	135	20.0	183.3
2	0.0	999.9	69	21.9	199.4	136	19.8	181.6
3	0.0	999.9	70	21.6	199.3	137	19.7	179.1
4	0.0	999.9	71	21.4	199.2	138	19.5	176.9
5	15.5	196.7	72	21.1	199.0	139	18.8	173.7
6	15.4	198.8	73	20.9	198.9	140	18.0	169.8
7	14.4	202.4	74	20.7	198.9	141	17.7	167.6
8	13.1	205.8	75	20.5	199.3	142	17.4	166.8
9	11.6	207.4	76	20.3	198.7	143	17.4	166.8
10	9.7	210.6	77	20.2	197.8	144	17.3	165.9
11	8.5	219.6	78	19.9	198.5	145	17.2	164.8
12	8.1	227.6	79	19.9	199.1	146	17.4	164.2
13	7.2	240.4	80	20.2	199.9	147	17.6	163.6
14	8.0	260.4	81	20.5	200.6	148	17.8	163.5
15	7.4	265.4	82	20.8	200.9	149	18.1	163.6
16	7.2	271.2	83	20.9	200.9	150	19.4	162.4
17	7.1	286.5	84	20.6	200.8	151	18.8	158.9
18	5.1	283.6	85	20.2	199.2	152	16.6	156.5
19	4.2	284.2	86	19.6	198.9	153	16.1	158.9
20	3.2	293.9	87	19.1	198.5	154	16.0	159.5
21	3.0	298.7	88	18.9	198.5	155	16.0	158.9
22	3.1	295.7	89	19.1	198.7	156	14.9	156.7
23	1.4	277.6	90	19.7	199.2	157	13.6	155.2
24	1.5	276.8	91	19.9	199.5	158	13.4	154.8
25	2.4	290.0	92	19.8	199.4	159	13.4	154.7
26	2.4	305.3	93	19.9	199.5	160	13.4	154.8
27	2.4	310.4	94	20.1	199.5	161	13.4	155.0
28	2.5	298.7	95	20.1	199.5	162	13.3	154.8
29	2.7	308.3	96	19.5	198.9	163	13.2	153.2
30	3.4	294.8	97	19.1	198.4	164	13.2	151.6
31	2.4	273.0	98	19.1	198.2	165	13.2	150.7
32	6.2	301.4	99	19.1	198.2	166	13.2	151.2
33	7.2	302.5	100	19.4	198.4	167	13.2	152.7
34	5.7	291.9	101	19.5	198.6	168	13.3	155.4
35	7.0	266.8	102	19.7	198.7	169	12.7	158.9
36	7.8	245.3	103	19.7	198.8	170	12.0	162.8
37	9.7	224.7	104	19.7	198.7	171	11.8	165.8
38	9.5	215.4	105	19.6	198.7	172	11.5	167.5
39	9.3	216.4	106	19.6	198.6	173	11.0	168.5
40	8.7	216.9	107	19.5	198.6	174	9.8	171.4
41	9.0	217.3	108	19.5	198.6	175	8.7	176.6
42	9.9	219.6	109	19.5	199.5	176	8.2	180.0
43	9.6	221.1	110	20.3	197.7	177	8.0	179.6
44	9.4	223.9	111	20.7	190.9	178	7.9	178.0
45	9.9	227.9	112	20.7	188.6	179	7.9	177.3
46	9.9	228.6	113	20.7	188.1	180	7.9	177.3
47	9.3	225.5	114	20.7	188.4	181	7.9	176.9
48	8.7	219.5	115	20.7	188.6	182	7.8	176.6
49	8.4	208.7	116	20.5	188.6	183	7.7	176.9
50	8.7	196.6	117	20.1	188.2	184	7.7	177.2
51	9.1	194.6	118	20.0	187.9	185	7.7	178.0
52	9.5	200.3	119	20.0	187.1	186	7.8	179.1
53	10.7	207.6	120	20.2	186.5	187	7.9	180.3
54	14.3	203.7	121	20.4	186.5	188	8.1	181.4
55	16.3	203.2	122	20.5	186.6	189	8.2	182.5
56	16.9	207.4	123	20.6	186.8	190	8.1	182.7
57	17.5	207.9	124	20.7	187.0	191	7.3	188.9
58	17.6	207.2	125	20.8	187.2	192	6.8	194.0
59	17.6	206.3	126	20.7	187.2	193	7.1	199.2
60	17.5	205.6	127	20.5	187.1	194	7.4	199.2
61	17.8	204.3	128	20.3	186.9	195	7.8	199.2
62	18.2	202.3	129	20.2	186.9	196	8.1	199.3
63	18.8	200.4	130	20.3	187.0	197	9.1	186.8
64	19.9	200.0	131	20.4	187.0			
65	20.9	200.2	132	20.3	186.8			
66	21.6	200.4	133	20.1	186.4			


CAMP CARIBOU STATION 61
DATE 6/11/75 TIME 903(GMT)
TRUE DIRECTION
0 90 180 270 360
SPEED CM/SEC
0 5 10 15 20 25
DEPTH (M)
0 50 100 150 200


CAMP CARIBOU STATION 57
TIME 300(GMT)
DIRECTION
0 90 180 270 360
SPEED CM/SEC
0 5 10 15 20 25
DEPTH (M)
0 50 100 150

CARIBOU STATION 57 (190M.) 1/NOV/75 300 GMT
LAT= 72.7902N LONG= 141.1557W LTER= 0. LGER= 0.
NIVEL= -1.5 EIVEL= 5.7 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	2.6	263.8	134	3.5	2.6
1	0.0	999.9	68	2.6	282.7	135	3.4	358.3
2	0.0	999.9	69	2.5	301.1	136	3.4	1.1
3	0.0	999.9	70	2.3	304.2	137	3.0	10.9
4	0.0	999.9	71	2.0	303.9	138	2.4	21.4
5	1.9	113.1	72	1.6	300.0	139	2.4	26.9
6	1.1	146.4	73	1.3	295.3	140	2.7	20.5
7	1.0	159.2	74	[illegible]	274.1	141	2.9	12.1
8	1.0	157.4	75	1.1	242.6	142	2.6	12.0
9	1.0	161.8	76	1.4	220.9	143	2.6	10.8
10	1.0	165.1	77	2.1	212.0	144	2.6	7.6
11	1.1	152.1	78	3.0	208.2	145	2.5	3.8
12	1.2	148.5	79	3.8	207.8	146	2.3	5.0
13	1.2	150.3	80	4.0	210.1	147	2.1	9.2
14	1.1	149.6	81	3.8	213.4	148	2.1	6.3
15	1.2	146.6	82	3.3	217.6	149	2.0	356.1
16	1.3	137.7	83	2.6	222.9	150	1.7	331.6
17	1.4	129.9	84	2.4	233.2	151	1.5	295.6
18	1.4	127.0	85	2.2	252.6	152	2.1	291.8
19	1.5	127.7	86	2.2	271.5	153	2.9	308.5
20	1.7	130.2	87	2.2	285.7	154	3.5	326.4
21	1.7	128.4	88	2.2	296.3	155	3.6	332.9
22	1.7	124.1	89	2.3	303.1	156	3.1	326.0
23	1.5	117.8	90	2.4	307.5	157	2.7	319.4
24	1.4	109.1	91	2.5	304.6	158	2.8	334.5
25	1.3	100.0	92	2.5	294.3	159	2.8	345.1
26	1.2	98.8	93	2.4	281.6	160	2.8	346.4
27	1.2	105.1	94	2.4	269.8	161	2.6	342.2
28	1.4	120.6	95	2.6	265.1	162	2.3	337.0
29	1.7	132.0	96	2.9	258.9	163	1.8	329.8
30	1.9	140.3	97	2.8	261.1	164	1.3	317.5
31	2.0	144.4	98	2.5	258.6	165	0.9	303.6
32	1.8	147.5	99	2.2	246.2	166	0.7	291.7
33	1.6	151.2	100	2.3	249.3	167	0.7	285.9
34	1.6	156.1	101	2.7	273.9	168	0.8	291.7
35	1.8	162.0	102	3.2	298.3	169	0.9	305.5
36	2.0	166.3	103	3.5	308.0	170	1.4	321.1
37	2.1	169.4	104	3.4	307.9	171	2.0	328.9
38	1.9	172.7	105	2.8	294.4	172	2.5	332.4
39	1.4	182.8	106	2.2	271.5	173	2.7	332.3
40	0.9	212.7	107	1.9	272.1	174	2.7	322.4
41	1.1	264.1	108	1.8	292.2	175	2.7	306.5
42	1.6	273.6	109	1.8	316.2	176	2.3	291.5
43	2.3	270.6	110	1.8	323.5	177	2.0	274.0
44	3.0	265.6	111	1.8	323.0	178	1.7	263.7
45	3.5	258.0	112	1.9	322.4	179	1.2	268.8
46	3.6	251.5	113	2.1	324.4	180	0.7	293.6
47	3.5	246.3	114	2.0	320.0	181	0.7	334.1
48	3.2	241.7	115	1.7	310.9	182	1.1	350.4
49	3.0	237.1	116	1.5	329.8	183	1.5	359.9
50	3.0	233.2	117	1.6	345.5	184	1.7	7.6
51	3.0	230.0	118	1.5	358.9	185	2.0	15.9
52	3.2	228.6	119	1.1	26.7	186	2.1	24.5
53	3.1	230.3	120	1.0	34.6	187	2.1	39.2
54	3.0	235.6	121	0.8	41.6	188	2.0	64.4
55	2.5	248.0	122	0.7	58.5	189	2.1	78.6
56	1.9	266.1	123	0.8	37.6	190	2.7	60.3
57	1.6	267.7	124	1.4	17.4			
58	1.7	247.5	125	1.9	20.6			
59	2.5	222.2	126	1.5	35.0			
60	3.5	204.6	127	1.2	74.3			
61	3.8	198.1	128	2.4	41.5			
62	3.9	195.9	129	3.6	30.5			
63	3.7	199.7	130	3.9	29.4			
64	3.4	212.1	131	3.7	26.6			
65	3.1	224.3	132	3.4	21.7			
66	2.9	241.9	133	3.4	13.4			

CARIBOU STATION 61 (198M.) 6/NOV/75 903 GMT
LAT= 72.8473N LONG= 141.1401W LTER= 1. LGER= 2.
NIVEL= 1.8 EIVEL= 6.9 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	1.8	10.8	134	2.2	10.9
1	0.0	999.9	68	2.1	352.9	135	1.8	13.2
2	0.0	999.9	69	2.3	338.2	136	1.4	18.2
3	0.0	999.9	70	2.4	332.0	137	1.1	23.2
4	0.0	999.9	71	2.4	328.2	138	1.1	21.9
5	13.4	64.2	72	2.4	329.6	139	0.9	24.2
6	13.7	64.0	73	2.3	336.6	140	0.6	58.4
7	13.9	63.9	74	2.2	346.3	141	0.8	105.5
8	14.0	63.9	75	2.5	341.5	142	1.0	115.2
9	14.1	63.8	76	3.2	343.4	143	1.2	116.5
10	13.9	64.1	77	3.7	342.7	144	1.5	119.3
11	13.8	64.3	78	3.8	345.4	145	1.8	122.6
12	13.5	63.5	79	3.7	348.7	146	2.2	123.0
13	13.3	62.3	80	3.6	346.5	147	2.4	122.6
14	13.2	61.7	81	3.4	343.4	148	2.4	121.4
15	13.4	68.3	82	3.0	338.4	149	2.3	117.6
16	4.2	136.4	83	2.6	332.9	150	2.1	113.1
17	3.2	133.5	84	1.9	320.5	151	2.2	112.0
18	2.8	127.8	85	1.4	302.0	152	2.3	111.7
19	2.6	120.6	86	0.9	270.6	153	2.3	108.6
20	2.4	112.2	87	0.6	231.4	154	2.0	96.0
21	2.4	101.4	88	0.7	181.7	155	2.0	79.2
22	2.3	93.2	89	0.8	169.6	156	2.4	67.5
23	2.4	88.5	90	0.8	170.3	157	2.8	63.4
24	2.3	87.0	91	0.9	183.5	158	3.0	61.4
25	2.1	87.9	92	1.0	194.5	159	3.0	58.0
26	2.1	93.6	93	1.0	196.7	160	3.0	56.9
27	2.1	101.2	94	1.0	193.5	161	2.9	58.0
28	2.2	110.1	95	0.9	185.2	162	3.1	62.2
29	2.2	116.4	96	0.8	173.8	163	4.0	67.9
30	2.1	121.0	97	0.7	160.0	164	4.1	67.7
31	1.8	122.0	98	0.5	136.0	165	4.1	66.3
32	1.4	120.9	99	0.4	91.0	166	4.1	61.6
33	1.1	118.4	100	0.6	57.7	167	3.6	45.7
34	0.8	107.0	101	0.9	40.3	168	3.8	34.5
35	0.7	54.7	102	0.9	22.8	169	4.0	28.9
36	1.5	16.1	103	1.0	12.6	170	4.0	28.4
37	1.9	7.5	104	1.0	3.5	171	3.6	30.1
38	1.6	14.5	105	1.0	0.6	172	3.3	32.8
39	1.2	30.1	106	1.0	1.2	173	3.0	35.7
40	1.0	59.7	107	1.0	14.5	174	3.0	35.7
41	1.2	93.8	108	1.1	25.4	175	2.7	29.4
42	1.4	120.0	109	1.3	32.7	176	2.4	29.6
43	1.4	131.6	110	1.4	32.2	177	2.2	37.4
44	1.4	139.3	111	1.3	21.4	178	1.8	40.4
45	1.4	148.1	112	1.4	9.7	179	1.5	36.9
46	1.4	137.2	113	1.5	2.2	180	1.4	31.9
47	1.6	124.5	114	1.6	10.3	181	1.2	24.4
48	1.8	113.9	115	1.8	22.9	182	1.3	30.7
49	1.8	114.8	116	2.0	31.0	183	1.5	42.8
50	1.7	118.9	117	2.2	35.2	184	1.9	49.1
51	1.4	117.2	118	2.2	42.3	185	2.2	51.3
52	0.9	107.2	119	2.2	45.9	186	1.8	50.7
53	0.6	75.2	120	2.1	51.0	187	1.3	49.1
54	0.5	61.0	121	1.9	58.1	188	0.9	35.8
55	0.6	53.3	122	1.6	60.9	189	0.6	359.5
56	0.7	55.3	123	1.1	65.1	190	0.7	311.7
57	0.8	55.3	124	0.6	70.7	191	1.0	297.7
58	1.0	48.0	125	0.3	86.5	192	0.8	319.9
59	1.3	38.2	126	1.0	75.2	193	1.2	[illegible]
60	1.5	33.5	127	2.1	68.0	194	1.4	313.6
61	1.7	25.2	128	2.2	58.6	195	1.4	331.8
62	1.8	20.7	129	1.9	39.4	196	1.5	7.6
63	1.8	17.8	130	1.8	16.9	197	1.8	24.5
64	1.8	14.9	131	2.1	11.3	198	2.0	22.4
65	1.8	16.2	132	2.3	10.6			
66	1.9	20.6	133	2.3	10.6			


CAMP CARIBOU STATION 62
DATE 6/11/75 TIME 2231 (GMT)
TRUE DIRECTION
0 90 180 270 360
DEPTH (M)
0 50 100 150 200
0 5 10 15 20 25
SPEED CM/SEC


CAMP CARIBOU STATION 63
DATE 7/11/75 TIME 2145 (GMT)
TRUE DIRECTION
0 90 180 270 360
DEPTH (M)
0 50 100 150 200
0 5 10 15 20 25
SPEED CM/SEC

AD-A082 212 LAMONT-DOHERTY GEOLOGICAL OBSERVATORY PALISADES N Y F/G 8/3
ARCTIC ICE DYNAMICS JOINT EXPERIMENT (AIDJEX) 1975-1976, PHYSIC--ETC(U)
FEB 80 T O MANLEY, K HUNKINS, W TIEMANN N00014-76-C-0004
UNCLASSIFIED LDGO-CU-4-80-VOL-1 NL

2 OF 3
AD
A082212

CARIBOU STATION 62 (198M.) 6/NOV/75 2231 GMT
LAT= 72.8623N LONG= 141.0080W LTER= 1. LGER= 2.
NIVEL= -6.1 EIVEL= 1.0 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	11.8	235.1	134	11.5	216.9
1	0.0	999.9	68	11.6	234.3	135	11.7	217.7
2	0.0	999.9	69	11.3	233.5	136	12.0	221.8
3	0.0	999.9	70	11.1	232.5	137	12.5	223.2
4	0.0	999.9	71	10.8	231.2	138	12.3	222.8
5	12.8	203.0	72	10.5	230.1	139	10.9	218.5
6	13.0	200.8	73	10.2	228.8	140	10.7	214.5
7	13.2	198.7	74	10.1	226.0	141	11.2	210.7
8	13.2	198.1	75	11.0	227.9	142	11.2	210.4
9	13.4	199.5	76	12.2	230.9	143	11.3	210.6
10	13.7	201.6	77	11.8	231.4	144	11.6	211.4
11	14.0	204.4	78	11.0	230.2	145	11.9	212.4
12	14.4	206.9	79	10.7	229.7	146	12.3	211.5
13	14.3	206.3	80	10.8	230.2	147	12.6	211.1
14	14.2	204.3	81	11.0	231.0	148	12.6	212.1
15	14.1	204.2	82	11.2	231.3	149	12.2	213.3
16	14.0	204.1	83	11.2	230.7	150	12.0	213.1
17	14.0	204.2	84	11.5	227.1	151	12.5	213.5
18	14.1	204.4	85	11.7	222.2	152	13.0	213.4
19	14.4	205.1	86	11.5	218.2	153	13.4	214.3
20	14.7	207.6	87	11.3	216.3	154	12.6	217.2
21	14.9	209.9	88	11.2	215.8	155	11.3	223.7
22	14.8	211.4	89	11.4	216.3	156	10.6	230.8
23	14.6	211.4	90	11.7	216.9	157	10.5	234.4
24	14.6	209.6	91	12.1	217.5	158	10.4	235.2
25	14.7	207.2	92	12.4	217.4	159	10.5	231.8
26	15.2	205.5	93	12.8	215.6	160	10.7	229.8
27	15.7	204.4	94	12.9	214.9	161	10.0	226.8
28	16.1	205.0	95	12.9	214.6	162	9.4	225.3
29	16.2	207.4	96	12.8	214.4	163	9.3	224.9
30	16.4	209.8	97	12.6	213.8	164	9.5	225.6
31	16.5	211.9	98	12.5	213.3	165	9.8	226.5
32	16.5	212.5	99	13.1	212.0	166	9.8	229.4
33	16.0	212.9	100	13.1	212.0	167	9.6	232.4
34	15.5	213.9	101	13.1	212.0	168	9.3	235.6
35	15.0	218.0	102	13.0	211.9	169	9.2	237.9
36	14.5	222.3	103	12.9	211.7	170	9.5	236.3
37	14.5	225.0	104	12.9	211.5	171	10.1	231.6
38	14.5	226.8	105	13.0	211.9	172	11.1	224.2
39	14.6	227.8	106	13.3	212.4	173	11.7	219.2
40	14.9	227.4	107	13.5	213.1	174	12.2	214.7
41	15.4	225.6	108	13.8	213.8	175	12.2	212.0
42	15.8	223.5	109	14.0	214.3	176	12.1	210.6
43	16.2	221.2	110	14.3	214.6	177	12.2	209.1
44	16.0	220.4	111	14.5	214.8	178	12.5	207.6
45	15.1	219.4	112	14.8	215.1	179	12.9	207.8
46	13.8	220.0	113	15.1	214.0	180	13.0	210.2
47	13.2	222.2	114	15.4	211.7	181	13.0	213.3
48	13.4	224.8	115	15.7	209.9	182	13.2	214.5
49	13.8	226.5	116	15.8	209.5	183	13.4	215.4
50	14.2	229.9	117	15.5	213.1	184	12.9	218.4
51	14.4	233.8	118	14.9	216.1	185	12.5	219.5
52	14.0	235.4	119	14.7	215.5	186	12.3	219.1
53	13.5	234.7	120	14.4	215.1	187	11.8	220.1
54	13.4	230.1	121	14.1	214.4	188	11.5	220.0
55	13.7	224.4	122	13.7	213.7	189	11.4	217.4
56	14.3	219.1	123	13.3	213.9	190	11.4	214.5
57	15.2	217.2	124	12.8	216.0	191	11.4	211.6
58	15.5	220.6	125	13.1	212.6	192	11.4	210.2
59	15.5	221.9	126	14.1	203.8	193	11.2	210.9
60	15.0	222.2	127	13.7	208.1	194	10.8	215.0
61	14.0	227.2	128	13.3	212.4	195	10.4	220.6
62	13.1	231.9	129	13.0	212.0	196	9.7	227.8
63	12.7	232.7	130	12.6	212.2	197	9.0	236.5
64	12.5	233.0	131	12.0	213.4	198	9.0	236.5
65	12.3	233.8	132	11.3	216.3			
66	12.0	235.7	133	11.3	216.5			

CARIBOU STATION 63 (198M.) 7/NOV/75 2145 GMT
LAT= 72.8787N LONG= 140.9234W LTER= 1. LGER= 1.
NIVEL= 2.1 EIVEL= 1.2 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	17.5	301.7	134	6.3	325.2
1	0.0	999.9	68	17.5	301.4	135	6.5	322.8
2	0.0	999.9	69	17.5	301.3	136	6.8	321.9
3	0.0	999.9	70	17.4	301.2	137	7.1	321.8
4	0.0	999.9	71	17.2	301.1	138	7.5	321.9
5	7.3	338.8	72	17.1	301.0	139	7.7	321.7
6	7.4	341.7	73	16.9	301.1	140	8.0	321.1
7	7.6	344.4	74	16.8	301.0	141	8.0	318.0
8	7.6	344.8	75	16.7	300.9	142	7.8	312.3
9	7.6	345.2	76	16.6	301.1	143	7.7	307.2
10	7.6	345.5	77	16.5	301.2	144	7.4	301.7
11	7.8	345.6	78	16.4	301.3	145	7.2	297.2
12	7.9	345.8	79	16.2	301.4	146	6.9	295.0
13	8.1	346.5	80	16.1	301.5	147	6.8	295.0
14	8.3	347.1	81	15.9	301.7	148	6.6	295.0
15	8.5	347.7	82	15.7	301.9	149	6.5	295.1
16	8.6	348.2	83	15.4	302.3	150	6.4	295.0
17	8.8	348.8	84	15.1	302.2	151	6.4	295.0
18	9.0	349.2	85	14.9	302.3	152	6.4	294.1
19	9.1	349.6	86	14.7	302.4	153	6.4	293.2
20	9.4	350.9	87	14.5	302.4	154	6.6	292.1
21	9.6	352.4	88	14.4	302.5	155	6.7	289.2
22	9.5	353.7	89	14.3	302.6	156	6.9	286.5
23	9.2	353.5	90	14.1	302.6	157	6.9	282.1
24	9.0	350.5	91	14.0	302.7	158	7.0	277.7
25	8.8	344.6	92	13.8	302.6	159	7.1	273.2
26	8.6	339.1	93	13.5	302.9	160	7.2	268.6
27	8.6	336.2	94	13.2	303.1	161	7.3	265.4
28	8.8	335.4	95	12.6	303.6	162	7.4	263.0
29	9.1	336.6	96	11.6	304.5	163	7.2	261.3
30	9.2	338.9	97	10.7	306.1	164	6.9	261.2
31	8.7	345.5	98	10.0	309.8	165	6.6	261.0
32	9.9	349.5	99	9.4	313.3	166	6.1	261.0
33	11.0	354.3	100	9.1	315.0	167	5.7	261.5
34	12.1	359.0	101	8.8	316.9	168	5.0	262.9
35	12.3	3.5	102	8.9	319.4	169	4.3	265.5
36	12.0	6.6	103	8.8	319.9	170	3.7	268.4
37	13.0	7.2	104	8.9	322.3	171	3.6	269.6
38	12.6	3.9	105	9.1	325.9	172	3.9	268.1
39	11.8	357.1	106	9.2	326.6	173	4.3	267.6
40	11.3	349.5	107	9.2	326.5	174	4.7	2[illegible]7.9
41	11.4	342.6	108	9.3	326.4	175	5.0	267.9
42	11.7	337.1	109	9.3	326.3	176	5.0	267.7
43	12.0	333.3	110	9.2	327.6	177	5.2	266.5
44	11.7	330.8	111	9.0	329.6	178	5.7	265.6
45	11.0	329.4	112	8.8	331.5	179	6.2	266.2
46	11.0	328.9	113	8.5	332.3	180	6.3	270.6
47	11.5	328.1	114	8.2	331.0	181	6.7	283.3
48	11.9	327.3	115	8.3	328.0	182	7.4	294.0
49	12.4	326.8	116	8.2	324.9	183	8.0	302.6
50	12.9	326.0	117	8.3	322.8	184	8.5	306.3
51	13.3	325.5	118	8.3	320.9	185	8.5	305.2
52	13.1	324.8	119	8.2	322.5	186	8.4	302.0
53	13.1	323.0	120	8.1	326.8	187	8.0	296.7
54	13.5	319.3	121	7.8	332.0	188	7.6	295.2
55	14.2	315.1	122	7.3	334.3	189	7.4	294.2
56	14.7	310.4	123	7.4	333.4	190	7.1	293.2
57	15.2	308.6	124	7.9	331.8	191	7.0	286.4
58	15.8	308.3	125	8.3	330.9	192	7.2	277.8
59	16.4	308.0	126	8.7	331.9	193	7.4	269.5
60	16.9	307.7	127	8.8	333.1	194	7.7	264.0
61	17.3	307.5	128	8.6	335.6	195	8.0	262.6
62	17.6	307.4	129	8.3	338.1	196	8.2	261.5
63	17.6	307.4	130	7.7	339.7	197	8.4	259.7
64	17.5	307.4	131	7.1	339.7	198	8.4	259.7
65	17.5	307.4	132	6.5	336.7			
66	17.5	304.3	133	6.2	331.6			


CAMP CARIBOU STATION 67
DATE 12/11/75 TIME 1820(GMT)
TRUE DIRECTION
0 90 180 270 360
DEPTH (M)
0 50 100 150 200
0 5 10 15 20 25
SPEED CM/SEC


CAMP CARIBOU STATION 68
DATE 13/11/75 TIME 503(GMT)
TRUE DIRECTION
0 90 180 270 360
DEPTH (M)
0 50 100 150 200
0 5 10 15 20 25
SPEED CM/SEC

CARIBOU STATION 67 (200M.) 12/NOV/75 1820 GMT
LAT= 72.8630N LONG= 140.8665W LTER= 1. LGER= 1.
NIVEL= -2.1 EIVEL= -12.6 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	9.9	247.3	134	8.0	248.5
1	0.0	999.9	68	9.8	247.1	135	8.0	248.4
2	0.0	999.9	69	9.7	246.5	136	8.0	247.9
3	0.0	999.9	70	9.4	246.2	137	8.0	247.2
4	0.0	999.9	71	9.3	247.0	138	8.0	246.7
5	8.3	263.2	72	9.2	247.9	139	8.0	246.4
6	7.8	267.4	73	8.9	248.7	140	8.0	246.2
7	7.7	267.5	74	8.7	249.3	141	8.0	246.3
8	7.8	266.3	75	8.6	249.6	142	8.0	246.7
9	8.2	263.9	76	8.5	250.2	143	8.2	247.3
10	8.8	261.5	77	8.5	250.5	144	8.4	248.0
11	9.2	260.1	78	8.3	249.8	145	8.6	248.1
12	9.3	259.0	79	7.8	248.2	146	8.5	245.8
13	9.3	258.7	80	7.5	247.3	147	8.4	244.1
14	9.4	258.7	81	7.4	247.1	148	8.3	242.6
15	9.4	259.1	82	7.4	247.5	149	8.2	243.4
16	9.6	259.5	83	7.4	248.0	150	8.1	244.5
17	9.6	260.2	84	7.4	248.8	151	7.8	244.7
18	9.2	260.3	85	7.2	250.7	152	7.5	245.7
19	9.1	259.7	86	6.9	252.9	153	7.4	248.6
20	9.2	258.9	87	6.8	255.3	154	7.2	250.2
21	9.4	257.8	88	6.7	258.4	155	6.9	251.3
22	9.6	256.9	89	6.8	259.3	156	6.5	249.5
23	9.8	256.2	90	7.0	259.4	157	6.0	247.2
24	10.0	255.7	91	7.1	258.8	158	6.2	248.0
25	10.2	255.3	92	7.1	257.5	159	6.3	249.3
26	10.3	255.0	93	7.1	256.1	160	6.4	249.4
27	10.4	255.4	94	7.1	255.4	161	6.5	249.2
28	10.4	255.9	95	7.0	255.9	162	6.7	248.4
29	10.5	256.4	96	7.0	256.5	163	7.1	248.5
30	10.4	257.3	97	7.2	256.9	164	7.4	250.1
31	10.4	258.4	98	7.4	256.3	165	7.7	253.1
32	10.5	259.2	99	7.5	256.1	166	7.8	254.7
33	10.6	259.6	100	7.7	255.7	167	7.7	253.2
34	10.5	259.1	101	8.1	255.2	168	7.5	248.1
35	10.2	259.4	102	8.4	254.5	169	7.6	244.3
36	10.0	260.7	103	8.4	253.9	170	7.6	244.9
37	9.7	262.0	104	8.4	253.2	171	7.9	246.7
38	9.4	263.0	105	8.3	252.2	172	8.2	249.1
39	9.5	241.3	106	8.3	251.4	173	8.4	251.1
40	10.0	235.8	107	8.3	251.8	174	8.5	251.8
41	10.6	233.3	108	8.3	252.8	175	8.7	252.6
42	10.8	232.4	109	8.2	253.8	176	8.9	253.4
43	10.7	231.6	110	8.2	254.2	177	9.0	254.5
44	10.6	231.4	111	8.2	254.2	178	9.1	255.3
45	10.4	231.1	112	8.3	253.9	179	9.1	256.4
46	10.3	231.1	113	8.2	253.3	180	9.2	256.6
47	10.2	231.4	114	8.1	253.5	181	8.9	258.3
48	10.2	231.6	115	8.0	253.8	182	8.9	258.3
49	10.4	231.9	116	7.9	254.1	183	8.8	259.1
50	10.6	232.1	117	7.9	254.8	184	8.7	259.9
51	10.8	232.4	118	8.0	254.8	185	8.6	260.2
52	11.0	232.6	119	8.1	254.4	186	8.6	259.9
53	11.2	232.9	120	8.2	253.9	187	8.5	259.0
54	11.2	233.3	121	8.3	253.2	188	8.3	258.4
55	11.0	233.7	122	8.3	252.5	189	7.7	258.1
56	10.7	234.6	123	8.3	252.2	190	6.9	259.8
57	10.5	235.4	124	8.4	250.9	191	6.2	263.9
58	10.2	236.0	125	8.5	250.1	192	6.1	269.0
59	10.1	235.7	126	8.5	249.8	193	6.5	269.4
60	9.8	235.2	127	8.4	249.5	194	7.0	267.6
61	9.6	234.9	128	8.2	249.1	195	7.1	267.3
62	9.4	235.0	129	8.0	248.2	196	7.0	267.8
63	9.0	235.8	130	8.0	247.2	197	6.7	264.9
64	8.8	237.4	131	7.9	247.1	198	6.8	259.3
65	9.0	240.5	132	7.9	247.8	199	6.8	254.4
66	9.4	244.2	133	8.0	248.2	200	6.8	254.4

CARIBOU STATION 68 (200M.) 13/NOV/75 503 GMT
LAT= 72.8516N LONG= 140.9752W LTER= 1. LGER= 2.
NIVEL= -5.2 EIVEL= -8.4 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	9.5	216.1	134	3.6	190.5
1	0.0	999.9	68	9.5	216.4	135	3.8	186.8
2	0.0	999.9	69	9.5	214.5	136	4.2	185.7
3	0.0	999.9	70	9.3	213.5	137	4.1	185.9
4	0.0	999.9	71	9.1	213.0	138	3.7	188.7
5	9.0	269.8	72	8.9	212.7	139	3.8	189.2
6	8.9	272.0	73	8.6	213.3	140	4.5	186.1
7	9.1	273.3	74	8.4	214.1	141	5.2	185.6
8	7.5	285.8	75	8.2	214.8	142	5.1	185.1
9	2.6	295.1	76	7.9	215.0	143	4.5	184.3
10	1.8	273.9	77	7.7	214.8	144	4.1	184.7
11	1.7	242.4	78	7.4	214.6	145	3.9	186.6
12	2.1	220.7	79	7.1	214.5	146	3.2	185.4
13	2.5	214.1	80	6.7	215.2	147	2.8	178.8
14	2.9	212.0	81	6.4	216.6	148	2.4	170.8
15	3.1	212.7	82	5.9	219.1	149	0.9	160.4
16	3.2	212.9	83	5.5	221.5	150	1.6	135.3
17	3.2	213.7	84	5.2	223.5	151	2.1	134.8
18	3.1	214.9	85	5.0	224.1	152	2.7	147.4
19	3.0	218.6	86	4.9	224.6	153	3.8	158.3
20	2.8	221.1	87	4.9	224.4	154	4.5	172.7
21	2.7	222.6	88	4.9	224.1	155	5.0	181.7
22	2.6	221.2	89	4.9	223.0	156	5.4	192.9
23	2.7	220.0	90	4.6	218.1	157	5.7	193.7
24	2.7	220.2	91	4.2	213.5	158	5.5	190.3
25	2.7	223.5	92	3.8	210.1	159	4.8	188.4
26	2.7	227.4	93	3.7	210.0	160	3.8	192.8
27	2.9	231.5	94	3.6	212.5	161	3.2	203.4
28	3.0	234.9	95	3.6	217.0	162	2.7	209.7
29	3.2	237.7	96	3.7	223.2	163	2.1	217.1
30	3.4	240.9	97	3.7	228.6	164	1.9	213.7
31	3.3	241.2	98	3.7	231.1	165	1.8	202.7
32	3.3	240.7	99	3.7	228.9	166	2.2	184.6
33	3.3	240.7	100	3.7	225.0	167	2.7	181.5
34	3.3	237.9	101	3.6	222.4	168	3.2	182.5
35	3.5	228.4	102	3.6	220.1	169	3.4	190.3
36	4.0	221.7	103	3.6	218.6	170	3.3	197.9
37	4.5	220.3	104	3.5	218.3	171	3.3	205.5
38	5.0	219.8	105	3.4	218.1	172	2.9	206.9
39	5.5	219.6	106	3.1	219.6	173	2.7	208.6
40	5.9	219.8	107	2.9	220.8	174	2.6	212.7
41	6.4	220.8	108	2.8	222.4	175	2.8	213.3
42	6.6	221.3	109	2.7	221.6	176	3.2	217.8
43	6.9	223.1	110	2.7	218.1	177	3.4	222.9
44	6.9	222.4	111	2.7	216.1	178	3.5	225.0
45	6.8	222.4	112	2.6	214.3	179	3.6	225.9
46	6.9	223.0	113	2.5	213.0	180	3.5	224.9
47	6.9	223.6	114	2.4	213.7	181	3.6	222.2
48	6.9	224.0	115	2.2	214.4	182	4.2	217.0
49	7.0	224.0	116	2.2	216.4	183	4.0	222.0
50	7.2	223.7	117	2.3	213.9	184	3.8	228.2
51	7.3	223.0	118	2.4	206.6	185	3.4	233.9
52	7.3	221.9	119	2.7	197.9	186	3.1	240.9
53	7.4	219.8	120	3.1	191.7	187	2.8	244.9
54	7.5	217.8	121	2.6	193.1	188	2.5	244.8
55	7.5	217.6	122	2.0	207.3	189	2.2	234.5
56	7.5	217.4	123	1.9	223.6	190	2.5	221.1
57	7.5	218.6	124	2.0	238.0	191	2.8	219.1
58	7.5	220.0	125	2.3	253.4	192	2.9	226.1
59	7.6	221.0	126	2.8	266.1	193	3.1	235.5
60	7.8	221.1	127	2.9	266.4	194	3.0	234.8
61	8.3	219.6	128	2.7	261.5	195	2.9	237.2
62	8.9	217.8	129	2.4	253.7	196	2.4	242.6
63	9.5	216.8	130	2.2	243.8	197	1.8	240.9
64	9.6	216.1	131	2.2	220.6	198	1.3	228.1
65	9.7	215.5	132	3.5	194.9	199	1.5	175.9
66	9.7	215.8	133	3.6	194.3	200	1.9	163.2


CAMP CARIBOU STATION 71
DATE 14/11/75 TIME 546(GMT)
TRUE DIRECTION
0 90 180 270 360
DEPTH (M)
0 50 100 150 200
0 5 10 15 20 25
SPEED CM/SEC


CAMP CARIBOU STATION 72
DATE 14/11/75 TIME 1856(GMT)
TRUE DIRECTION
0 90 180 270 360
DEPTH (M)
0 50 100 150 200
0 5 10 15 20 25
SPEED CM/SEC

CARIBOU STATION 71 (198M.) 14/NOV/75 546 GMT
LAT= 72.7844N LONG= 141.2862W LTER= 1. LGER= 2.
NIVEL= -11.2 EIVEL= -10.6 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	4.2	272.6	134	5.0	255.7
1	0.0	999.9	68	4.2	273.3	135	5.0	255.0
2	0.0	999.9	69	4.4	274.2	136	4.9	255.9
3	0.0	999.9	70	4.5	273.6	137	4.6	255.4
4	0.0	999.9	71	4.1	270.5	138	4.3	255.0
5	8.5	257.8	72	3.9	266.0	139	4.1	257.2
6	7.7	262.3	73	3.7	260.1	140	3.9	259.9
7	6.6	266.5	74	3.6	255.2	141	3.7	262.4
8	6.1	264.2	75	3.6	250.9	142	3.6	262.4
9	5.7	259.0	76	3.6	249.1	143	3.6	260.2
10	5.5	254.6	77	3.7	250.2	144	3.6	257.6
11	5.5	253.5	78	3.8	250.2	145	3.6	255.4
12	5.6	254.7	79	4.1	251.0	146	3.7	254.6
13	5.5	257.2	80	4.1	254.3	147	3.6	254.9
14	5.5	261.7	81	4.2	256.8	148	3.6	255.2
15	5.5	263.0	82	4.3	261.5	149	3.6	255.6
16	5.7	264.3	83	4.3	266.6	150	3.5	253.2
17	5.9	266.2	84	4.0	269.6	151	3.7	246.7
18	6.1	268.1	85	3.8	272.3	152	4.0	243.9
19	6.2	268.0	86	3.6	273.6	153	4.3	241.6
20	6.2	266.7	87	3.3	275.0	154	4.5	240.4
21	6.2	265.4	88	3.2	275.5	155	4.8	239.2
22	6.4	262.0	89	3.2	277.6	156	5.0	238.3
23	6.7	258.8	90	3.4	280.9	157	5.0	235.6
24	7.1	257.5	91	3.7	281.7	158	5.0	232.6
25	7.5	256.7	92	3.8	281.5	159	5.0	232.4
26	7.8	257.1	93	3.9	280.9	160	4.9	232.6
27	7.9	257.3	94	4.0	280.3	161	4.9	232.3
28	7.4	256.7	95	4.2	279.3	162	4.8	231.8
29	6.8	255.2	96	4.5	279.3	163	4.7	231.5
30	6.5	252.9	97	4.7	279.1	164	4.3	232.1
31	6.3	253.4	98	4.9	279.3	165	4.0	230.6
32	5.9	254.7	99	5.0	278.6	166	3.6	227.0
33	5.3	253.0	100	5.1	275.2	167	3.0	226.9
34	4.5	247.6	101	5.2	271.7	168	4.9	229.8
35	4.0	243.1	102	5.4	268.5	169	4.6	232.6
36	3.7	242.9	103	5.6	265.7	170	4.4	233.8
37	3.6	243.2	104	5.5	266.0	171	4.2	234.5
38	3.6	247.6	105	5.5	266.5	172	4.2	233.9
39	3.7	253.2	106	5.4	268.2	173	3.5	234.7
40	3.8	256.7	107	5.1	269.9	174	4.0	233.0
41	3.9	259.1	108	4.8	271.8	175	4.4	229.3
42	4.2	260.8	109	4.6	271.2	176	4.9	229.3
43	4.5	262.1	110	4.6	271.8	177	5.3	230.9
44	4.9	264.0	111	4.5	272.0	178	5.6	232.6
45	5.0	264.2	112	4.5	271.2	179	5.4	234.6
46	4.9	264.3	113	4.5	270.6	180	5.2	235.3
47	4.8	263.7	114	4.3	271.5	181	5.1	236.1
48	4.6	264.7	115	4.1	272.3	182	4.8	237.2
49	4.4	266.1	116	3.9	276.2	183	4.5	238.5
50	4.5	265.5	117	3.8	278.5	184	4.3	240.1
51	4.7	263.3	118	3.8	274.9	185	4.1	244.0
52	5.0	261.9	119	3.9	271.6	186	4.0	248.9
53	5.5	260.8	120	4.0	268.5	187	4.1	249.3
54	5.7	262.9	121	3.9	263.8	188	4.2	248.9
55	5.7	266.3	122	3.8	260.7	189	4.4	243.2
56	5.7	269.5	123	3.8	263.7	190	4.6	238.1
57	5.7	272.1	124	3.9	267.7	191	5.0	234.1
58	5.5	272.8	125	4.0	270.5	192	5.5	233.0
59	5.4	269.8	126	4.0	271.0	193	5.6	232.3
60	5.2	267.9	127	4.1	269.3	194	6.0	233.4
61	5.0	267.8	128	4.2	267.2	195	6.4	235.4
62	4.5	270.3	129	4.4	263.9	196	6.5	231.8
63	4.1	273.2	130	4.5	261.6	197	6.7	235.8
64	4.1	273.1	131	4.7	259.4	198	6.5	241.8
65	4.2	272.7	132	4.8	257.3			
66	4.3	273.2	133	4.9	256.4			

CARIBOU STATION 72 (197M.) 14/NOV/75 1856 GMT
LAT= 72.7376N LONG= 141.3842W LTER= 1. LGER= 2.
NIVEL= -11.6 EIVEL= -1.7 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	4.8	91.0	134	5.5	148.4
1	0.0	999.9	68	5.1	94.8	135	5.4	148.4
2	0.0	999.9	69	5.1	99.2	136	5.3	[illegible]
3	0.0	999.9	70	5.2	103.5	137	5.1	148.4
4	0.0	999.9	71	5.1	105.4	138	4.8	150.2
5	6.1	222.9	72	5.0	103.7	139	4.6	152.4
6	5.6	221.8	73	5.0	101.1	140	4.5	154.1
7	5.1	219.7	74	5.0	98.7	141	4.4	154.4
8	4.6	219.2	75	4.8	95.3	142	4.4	154.6
9	4.2	219.7	76	4.5	90.8	143	4.4	154.7
10	4.0	220.6	77	4.4	88.5	144	4.5	155.9
11	3.8	219.9	78	4.2	88.9	145	4.7	157.8
12	3.7	217.7	79	3.8	93.0	146	4.9	159.8
13	3.5	214.9	80	3.3	96.9	147	5.0	162.1
14	3.3	212.3	81	3.0	101.3	148	5.1	163.9
15	2.9	211.4	82	2.7	103.4	149	5.1	165.6
16	2.5	208.3	83	2.5	102.3	150	5.1	167.0
17	2.4	206.1	84	2.5	100.2	151	5.0	166.6
18	2.7	204.4	85	2.4	99.6	152	4.9	165.1
19	2.9	202.0	86	2.8	103.0	153	4.6	163.3
20	3.1	197.7	87	3.3	104.2	154	4.4	161.6
21	3.3	193.3	88	3.7	104.4	155	4.2	160.6
22	3.4	187.3	89	4.1	103.8	156	4.1	159.7
23	3.4	188.6	90	4.2	102.1	157	4.0	160.1
24	3.4	189.5	91	4.2	101.3	158	4.4	161.3
25	3.2	193.2	92	4.2	100.5	159	4.8	161.5
26	2.9	195.1	93	4.2	100.1	160	5.2	163.3
27	3.1	188.8	94	4.3	101.5	161	5.5	163.9
28	3.5	178.8	95	4.3	102.3	162	5.5	165.6
29	4.0	169.4	96	4.3	103.2	163	5.3	165.6
30	4.7	164.1	97	4.2	107.2	164	4.8	163.3
31	5.1	162.0	98	4.1	111.2	165	4.5	159.4
32	5.5	160.1	99	4.0	116.0	166	4.4	153.1
33	6.0	159.7	100	4.0	120.3	167	4.6	149.2
34	6.0	158.3	101	4.1	123.4	168	4.7	146.2
35	5.7	155.3	102	4.1	126.5	169	4.9	142.3
36	5.9	149.3	103	4.1	130.1	170	5.2	138.8
37	5.4	146.2	104	4.4	132.9	171	5.5	136.4
38	4.5	145.8	105	4.7	135.6	172	5.3	134.4
39	3.6	147.0	106	4.6	133.0	173	4.8	133.1
40	3.3	145.6	107	4.6	130.8	174	4.4	133.6
41	3.3	141.2	108	4.5	128.8	175	4.0	135.4
42	3.7	135.6	109	4.5	127.0	176	4.1	139.4
43	3.8	132.6	110	4.5	130.0	177	4.3	142.9
44	4.0	129.9	111	4.5	128.7	178	4.6	145.2
45	4.3	127.0	112	4.5	125.6	179	4.8	146.9
46	4.3	124.4	113	4.4	122.3	180	4.8	143.9
47	4.4	121.2	114	4.2	120.4	181	4.8	136.7
48	4.5	117.1	115	4.1	121.6	182	5.0	133.3
49	4.4	112.7	116	4.1	125.3	183	5.3	132.1
50	4.2	107.6	117	4.2	129.1	184	5.6	132.0
51	4.2	102.4	118	4.2	131.7	185	5.8	131.6
52	4.2	98.1	119	4.3	133.1	186	6.1	132.3
53	4.7	96.7	120	4.4	134.3	187	6.2	131.8
54	5.0	96.9	121	4.6	137.4	188	5.9	130.7
55	4.8	96.9	122	4.8	141.1	189	5.4	131.2
56	4.6	97.1	123	5.0	143.4	190	4.8	135.4
57	4.5	96.5	124	5.2	144.5	191	4.2	142.7
58	4.4	93.2	125	5.4	145.7	192	4.0	146.5
59	4.4	89.2	126	5.5	145.4	193	3.8	154.4
60	4.3	87.8	127	5.5	146.4	194	3.9	161.1
61	4.2	86.6	128	5.6	147.3	195	4.1	165.3
62	4.0	85.7	129	5.6	147.7	196	4.3	171.1
63	3.9	85.9	130	5.7	148.2	197	4.3	171.1
64	3.9	85.5	131	5.7	148.8			
65	4.1	85.6	132	5.7	148.8			
66	4.5	88.2	133	5.6	148.5			


CAMP CARIHOU STATION 74
DATE 16/11/75 TIME 623(GMT)
TRUE DIRECTION
0 90 180 270 360
0 50 100 150 200
DEPTH (M)
0 5 10 15 20 25
SPEED CM/SEC


CAMP CARIBOU STATION 75
DATE 16/11/75 TIME 1931(GMT)
TRUE DIRECTION
0 90 180 270 360
0 50 100 150 200
DEPTH (M)
0 5 10 15 20 25
SPEED CM/SEC

CARIBOU STATION 74 (196M.) 16/NOV/75 623 GMT
LAT= 72.7184N LONG= 141.3622W LTER= 0. LGER= 0.
NIVEL= -0.5 EIVEL= -0.9 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	10.6	73.5	134	1.5	56.5
1	0.0	999.9	68	10.6	73.6	135	1.5	69.4
2	0.0	999.9	69	10.5	73.5	136	1.5	76.7
3	0.0	999.9	70	10.1	73.6	137	1.6	83.9
4	0.0	999.9	71	9.6	73.5	138	1.6	90.8
5	3.5	255.8	72	9.0	73.5	139	1.6	98.4
6	3.4	259.5	73	8.6	73.5	140	1.7	105.2
7	3.4	260.8	74	8.1	73.5	141	1.7	110.6
8	3.4	260.7	75	7.6	73.5	142	1.7	111.8
9	3.4	260.5	76	7.2	73.6	143	2.2	106.9
10	3.4	260.5	77	6.8	71.4	144	3.0	101.3
11	3.5	258.7	78	6.7	69.7	145	3.5	98.0
12	3.5	258.0	79	7.3	69.6	146	3.6	96.7
13	3.5	258.1	80	7.2	69.6	147	3.5	98.9
14	3.5	258.2	81	6.8	69.6	148	3.3	103.9
15	3.5	258.3	82	6.3	69.6	149	3.1	108.5
16	3.5	258.3	83	5.8	69.6	150	2.5	113.8
17	3.5	258.3	84	5.9	69.6	151	1.9	120.7
18	3.5	258.7	85	6.2	69.3	152	1.6	125.9
19	3.4	259.7	86	5.9	69.2	153	1.8	128.0
20	3.4	261.9	87	5.6	69.3	154	1.8	127.5
21	3.4	266.0	88	5.2	69.3	155	1.7	124.1
22	3.3	271.6	89	4.8	69.1	156	1.7	118.9
23	3.2	279.5	90	4.3	68.9	157	1.6	112.7
24	3.1	288.0	91	3.9	68.7	158	1.5	102.4
25	2.9	299.2	92	3.8	68.4	159	1.5	92.7
26	2.7	310.7	93	3.8	68.0	160	1.4	84.0
27	2.5	320.0	94	3.8	67.8	161	1.4	76.6
28	2.2	334.1	95	3.8	66.2	162	1.4	70.7
29	1.9	350.6	96	3.7	61.5	163	1.4	65.2
30	1.7	7.0	97	3.6	60.2	164	1.4	62.6
31	1.6	25.4	98	3.4	60.4	165	1.4	61.0
32	1.8	42.5	99	3.2	60.4	166	1.4	59.3
33	2.7	54.4	100	3.0	60.3	167	1.4	57.6
34	3.9	63.8	101	2.4	60.6	168	1.4	55.0
35	4.5	70.6	102	1.8	60.7	169	1.4	51.1
36	5.2	75.8	103	1.5	60.7	170	1.5	44.5
37	5.7	79.4	104	1.5	60.9	171	1.5	36.9
38	6.1	82.7	105	1.5	63.1	172	1.6	25.0
39	6.5	84.8	106	1.5	67.8	173	1.7	11.5
40	6.9	85.2	107	1.5	77.3	174	1.8	358.8
41	7.3	83.8	108	1.6	85.9	175	2.0	348.4
42	7.6	81.6	109	1.6	88.3	176	2.1	340.4
43	7.9	79.3	110	1.6	90.6	177	2.3	330.0
44	8.2	76.2	111	1.6	92.3	178	2.5	320.7
45	8.1	73.3	112	1.6	94.3	179	2.6	313.4
46	8.0	70.5	113	1.7	99.7	180	2.7	308.3
47	7.8	67.5	114	1.8	114.4	181	2.8	302.9
48	7.5	67.5	115	2.1	133.7	182	2.9	299.1
49	7.3	67.5	116	2.1	135.3	183	3.0	295.6
50	7.2	67.5	117	2.0	130.2	184	3.0	292.4
51	7.2	67.5	118	2.1	116.0	185	3.1	289.0
52	7.4	67.5	119	2.4	95.3	186	3.2	285.9
53	7.7	67.5	120	2.8	38.9	187	3.2	283.2
54	8.1	69.9	121	3.1	20.3	188	3.3	280.7
55	8.5	72.1	122	3.1	20.7	189	3.3	278.6
56	8.9	72.2	123	3.1	26.1	190	3.3	276.5
57	9.0	72.4	124	3.1	38.1	191	3.4	274.7
58	8.7	72.6	125	3.4	58.4	192	3.4	273.3
59	8.5	72.8	126	3.6	59.7	193	3.4	271.8
60	8.2	72.9	127	3.4	55.6	194	3.4	270.6
61	8.3	73.0	128	3.1	44.8	195	3.4	269.5
62	8.9	73.0	129	2.2	26.9	196	3.4	269.5
63	9.5	73.1	130	1.8	9.8			
64	9.8	73.3	131	1.8	14.2			
65	10.1	73.3	132	1.7	25.3			
66	10.4	73.4	133	1.6	46.1			

CARIBOU STATION 75 (196M.) 16/NOV/75 1931 GMT
LAT= 72.7181N LONG= 141.3624W LTER= 0. LGER= 0.
NIVEL= -0.7 EIVEL= -1.0 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	13.4	69.5	134	1.6	110.8
1	0.0	999.9	68	12.8	69.5	135	1.6	112.8
2	0.0	999.9	69	12.1	69.4	136	1.7	114.6
3	0.0	999.9	70	11.4	69.4	137	1.7	116.5
4	0.0	999.9	71	10.8	69.4	138	1.8	123.2
5	3.3	202.5	72	10.1	67.8	139	1.9	129.3
6	3.1	191.5	73	9.6	65.7	140	2.1	136.2
7	3.0	188.2	74	9.4	65.6	141	2.3	144.8
8	3.0	187.7	75	9.3	65.6	142	2.4	149.3
9	3.5	217.1	76	9.2	65.5	143	2.5	152.5
10	3.5	229.0	77	8.8	65.6	144	2.6	151.0
11	3.5	233.3	78	8.5	65.5	145	2.6	149.8
12	3.5	233.1	79	7.9	65.6	146	2.7	148.9
13	3.5	233.4	80	7.4	65.6	147	2.7	149.3
14	3.5	235.4	81	6.8	65.6	148	2.6	150.1
15	3.5	237.0	82	6.3	65.7	149	2.4	151.0
16	3.5	236.2	83	5.7	65.8	150	2.4	154.5
17	3.5	233.0	84	5.3	65.8	151	2.5	159.2
18	3.5	229.2	85	5.2	67.8	152	2.6	165.2
19	3.0	193.7	86	5.4	69.7	153	2.6	165.7
20	2.1	152.7	87	5.6	69.8	154	2.5	161.7
21	1.3	107.7	88	5.5	67.8	155	2.4	155.9
22	1.3	97.5	89	5.2	66.0	156	2.2	148.4
23	1.3	101.9	90	4.9	64.0	157	2.1	142.1
24	1.5	112.0	91	4.4	62.0	158	2.0	138.1
25	1.6	121.3	92	3.8	60.6	159	1.9	130.2
26	1.8	130.9	93	3.5	60.7	160	1.7	121.5
27	1.8	131.3	94	3.8	64.5	161	1.5	106.8
28	1.8	128.1	95	4.1	68.1	162	1.4	94.6
29	1.7	122.7	96	3.7	72.1	163	1.3	82.2
30	1.6	115.6	97	3.3	73.1	164	1.3	69.9
31	1.5	105.8	98	2.8	74.3	165	1.3	58.3
32	2.2	88.5	99	2.5	73.8	166	1.3	47.8
33	3.1	75.8	100	2.5	72.8	167	1.3	38.5
34	4.1	68.1	101	2.5	68.8	168	1.3	30.7
35	4.7	64.2	102	2.3	64.5	169	1.4	24.2
36	5.4	61.7	103	2.1	60.0	170	1.4	19.0
37	6.0	63.2	104	1.9	56.1	171	1.4	14.9
38	6.3	64.5	105	1.6	55.5	172	1.5	12.0
39	6.7	66.0	106	1.3	54.8	173	1.5	4.2
40	7.0	63.8	107	1.0	53.9	174	1.5	7.2
41	7.3	61.4	108	1.1	52.8	175	1.4	16.0
42	7.6	59.1	109	1.1	53.9	176	1.5	11.8
43	7.9	56.7	110	1.1	55.0	177	1.5	3.4
44	8.2	54.4	111	1.1	56.4	178	1.6	358.7
45	8.5	53.5	112	1.2	60.1	179	1.5	7.2
46	8.9	55.6	113	1.2	65.0	180	1.4	18.2
47	9.4	59.9	114	1.2	71.1	181	1.4	22.9
48	9.9	64.0	115	1.3	82.4	182	1.4	14.2
49	10.4	65.0	116	1.4	97.6	183	1.6	357.6
50	11.1	65.2	117	1.4	103.0	184	1.9	337.8
51	11.7	66.3	118	1.5	106.4	185	2.2	322.0
52	12.4	68.5	119	1.5	105.2	186	2.5	310.2
53	12.6	69.8	120	1.5	104.0	187	2.6	304.2
54	12.7	69.9	121	1.6	101.5	188	2.8	298.3
55	12.9	69.9	122	1.8	98.3	189	2.9	293.7
56	13.2	70.0	123	2.0	96.5	190	3.0	290.9
57	13.6	70.0	124	2.1	96.1	191	3.0	289.1
58	13.9	70.1	125	2.1	96.4	192	3.0	287.6
59	13.9	70.2	126	1.9	97.9	193	3.1	285.3
60	13.9	70.2	127	1.7	103.0	194	3.2	280.6
61	13.9	70.1	128	1.7	109.1	195	3.3	276.1
62	13.9	70.0	129	1.8	108.8	196	3.4	271.5
63	14.2	69.9	130	1.9	107.8			
64	14.6	69.7	131	1.9	107.7			
65	14.3	69.6	132	1.7	109.0			
66	13.8	69.6	133	1.6	110.3			


CAMP CARIBOU STATION 83
DATE 20/11/75 TIME 650(GMT)
TRUE DIRECTION
0 90 180 270 360
DEPTH (M)
0 50 100 150 200
0 5 10 15 20 25
SPEED CM/SEC


CAMP CARIBOU STATION 84
DATE 20/11/75 TIME 2109(GMT)
TRUE DIRECTION
0 90 180 270 360
DEPTH (M)
0 50 100 150 200
0 5 10 15 20 25
SPEED CM/SEC

CARIBOU STATION 81 (196M.) 20/NOV/75 650 GMT
LAT= 72.7406N LONG= 141.4579W LTER= 1. LGER= 2.
NIVEL= 11.1 EIVEL= -9.4 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	6.2	351.6	134	5.6	347.0
1	0.0	999.9	68	6.4	351.6	135	5.4	351.5
2	0.0	999.9	69	6.5	351.8	136	5.7	355.9
3	0.0	999.9	70	6.6	352.4	137	6.0	357.9
4	0.0	999.9	71	6.5	355.6	138	6.0	357.1
5	6.8	349.3	72	6.8	357.9	139	6.0	356.1
6	6.2	352.1	73	7.1	356.2	140	5.8	354.4
7	5.6	356.3	74	7.3	353.3	141	5.4	350.2
8	5.0	2.4	75	7.1	352.9	142	5.4	347.9
9	4.8	358.8	76	6.7	353.1	143	5.4	346.0
10	4.4	358.8	77	6.4	351.0	144	5.5	347.1
11	4.0	1.2	78	6.4	348.9	145	5.8	352.0
12	4.1	2.4	79	6.3	348.7	146	6.2	358.8
13	4.3	1.8	80	6.3	348.7	147	6.4	3.4
14	4.2	4.4	81	6.4	347.3	148	6.1	6.1
15	4.2	8.7	82	6.3	347.3	149	6.1	8.7
16	4.1	16.6	83	6.0	349.5	150	6.2	10.1
17	4.5	17.0	84	5.8	352.1	151	6.3	10.1
18	5.0	15.2	85	5.4	354.8	152	6.3	8.9
19	5.5	11.0	86	5.1	355.2	153	6.4	7.8
20	5.3	4.9	87	4.9	355.7	154	6.3	9.3
21	4.9	1.8	88	4.9	356.1	155	6.1	10.4
22	4.5	359.7	89	5.0	355.5	156	5.8	9.7
23	4.3	355.0	90	5.2	354.9	157	5.5	8.7
24	4.6	351.3	91	5.3	352.7	158	5.5	8.6
25	4.9	354.7	92	5.3	352.5	159	6.1	8.9
26	4.8	2.2	93	5.3	352.4	160	7.6	5.1
27	4.7	3.9	94	5.5	349.8	161	7.8	1.1
28	4.7	4.1	95	5.6	347.9	162	7.2	0.9
29	4.5	6.7	96	5.7	348.2	163	6.6	358.6
30	4.5	9.6	97	5.7	347.4	164	6.2	355.6
31	4.7	10.3	98	6.2	345.0	165	6.4	348.5
32	5.2	7.2	99	6.4	344.1	166	6.9	343.4
33	5.4	2.9	100	6.6	343.3	167	6.3	346.5
34	5.7	356.9	101	6.7	342.6	168	5.5	348.4
35	6.3	353.5	102	6.4	343.0	169	4.9	350.6
36	6.8	351.1	103	5.9	344.6	170	4.4	349.2
37	6.9	354.0	104	6.0	343.9	171	4.5	345.1
38	6.8	357.0	105	6.1	342.8	172	4.6	341.1
39	6.7	359.9	106	6.3	341.6	173	4.3	341.8
40	6.6	2.0	107	6.7	339.5	174	4.0	337.4
41	6.5	3.1	108	6.8	336.6	175	3.9	333.9
42	6.5	3.9	109	7.0	334.0	176	3.7	331.0
43	6.3	2.2	110	7.0	333.5	177	3.5	334.4
44	6.4	1.9	111	6.9	333.5	178	3.3	341.0
45	6.6	1.9	112	6.8	333.4	179	3.3	348.5
46	6.7	2.9	113	6.6	334.3	180	3.2	346.0
47	6.6	3.7	114	6.4	335.4	181	3.3	342.2
48	6.4	4.2	115	6.2	336.5	182	3.4	346.2
49	6.2	5.2	116	6.0	337.7	183	3.4	349.8
50	6.0	4.0	117	6.1	338.1	184	3.2	352.2
51	5.8	1.9	118	6.3	340.6	185	3.1	353.5
52	5.8	0.4	119	6.7	342.1	186	3.1	354.1
53	6.0	359.7	120	6.8	343.8	187	3.3	351.2
54	6.4	359.6	121	6.6	345.2	188	3.4	349.5
55	6.7	0.4	122	6.4	347.7	189	3.3	350.8
56	6.8	0.4	123	6.1	350.2	190	3.2	351.9
57	6.9	359.1	124	5.9	352.3	191	3.5	341.0
58	7.0	358.9	125	5.8	352.8	192	3.9	329.2
59	6.6	357.3	126	6.1	349.2	193	4.1	334.7
60	6.0	356.8	127	6.5	345.3	194	4.3	343.6
61	6.2	354.3	128	6.4	346.4	195	4.7	346.4
62	6.4	353.9	129	6.3	346.9	196	4.7	346.4
63	6.2	356.2	130	6.2	348.1			
64	6.0	356.5	131	6.1	347.5			
65	6.0	355.1	132	6.0	345.4			
66	6.1	353.4	133	5.8	343.6			

CARIBOU STATION 84 (200M.) 20/NOV/75 2109 GMT
LAT= 72.8058N LONG= 141.6550W LTER= 1. LGER= 2.
NIVEL= 14.2 EIVEL= -15.6 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	8.8	283.9	134	7.6	336.5
1	0.0	999.9	68	8.5	282.4	135	7.4	336.9
2	0.0	999.9	69	8.3	281.3	136	7.4	336.5
3	0.0	999.9	70	8.5	282.4	137	7.4	337.4
4	0.0	999.9	71	8.2	282.8	138	7.5	341.0
5	10.9	346.2	72	7.4	285.3	139	7.4	342.0
6	10.5	347.8	73	6.8	289.4	140	7.2	343.5
7	9.3	349.8	74	6.7	292.6	141	6.9	346.2
8	8.7	349.2	75	6.5	297.9	142	6.7	348.9
9	8.4	353.9	76	6.2	301.0	143	6.5	352.2
10	7.9	2.1	77	6.0	300.1	144	6.3	356.1
11	6.8	10.0	78	6.1	300.2	145	5.9	359.3
12	6.9	2.7	79	6.5	300.8	146	5.2	1.4
13	6.5	8.2	80	7.0	303.5	147	5.1	5.0
14	6.2	17.4	81	7.4	306.9	148	4.9	9.4
15	6.1	16.9	82	7.2	306.7	149	4.8	11.9
16	6.2	10.4	83	6.7	306.1	150	4.3	12.5
17	7.1	5.0	84	6.4	305.6	151	3.6	10.4
18	8.0	1.6	85	6.3	305.5	152	3.2	10.4
19	8.3	5.6	[illegible]	6.4	305.8	153	2.4	9.9
20	7.4	10.5	[illegible]	6.4	305.8	154	2.2	17.2
21	5.8	8.9	88	6.5	306.1	155	2.5	30.1
22	4.3	0.8	89	6.7	306.3	156	2.6	34.6
23	3.5	359.1	90	6.7	306.5	157	2.2	41.0
24	3.4	357.2	91	6.8	306.7	158	2.1	45.4
25	3.6	351.0	92	6.8	306.8	159	2.5	43.5
26	3.9	346.4	93	6.6	306.5	160	2.4	35.8
27	3.8	345.9	94	6.4	306.3	161	2.3	31.8
28	3.4	351.8	95	6.1	310.6	162	2.3	30.5
29	3.2	354.3	96	5.9	310.8	163	2.2	32.8
30	3.1	354.2	97	5.9	310.6	164	2.2	41.4
31	3.0	354.2	98	5.8	310.3	165	2.1	40.8
32	2.7	349.6	99	5.8	310.0	166	2.1	36.3
33	2.3	335.9	100	5.7	309.7	167	2.1	31.1
34	2.2	318.1	101	5.6	309.3	168	2.2	23.1
35	2.1	288.9	102	5.7	308.9	169	2.4	16.2
36	3.1	273.7	103	5.7	308.5	170	2.6	9.3
37	4.2	273.2	104	5.6	311.0	171	2.9	359.4
38	5.3	274.5	105	5.5	318.4	172	3.3	351.9
39	6.5	277.2	106	5.9	320.6	173	3.2	334.4
40	6.9	282.8	107	6.5	321.7	174	3.4	313.1
41	7.2	284.4	108	6.8	320.7	175	3.9	302.5
42	7.5	281.4	109	7.4	324.4	176	4.3	297.8
43	7.5	281.2	110	8.0	327.1	177	4.3	299.8
44	7.6	282.7	111	8.6	328.1	178	4.3	298.0
45	7.7	284.1	112	9.0	326.8	179	4.2	292.5
46	8.1	282.1	113	9.1	326.3	180	4.4	301.3
47	8.3	281.8	114	8.9	326.7	181	5.0	297.9
48	8.6	282.6	115	8.7	328.4	182	5.4	306.8
49	8.8	283.7	116	8.5	331.9	183	5.8	321.1
50	9.0	285.0	117	8.4	335.2	184	6.2	331.0
51	8.9	285.2	118	8.7	337.9	185	6.6	338.5
52	8.7	284.1	119	8.5	339.1	186	6.5	342.1
53	8.4	282.0	120	8.7	342.0	187	6.2	343.3
54	8.2	280.4	121	8.7	341.7	188	6.2	344.4
55	8.2	280.7	122	8.7	341.5	189	6.3	345.5
56	8.5	282.6	123	8.7	341.7	190	6.3	338.4
57	8.2	285.4	124	8.7	341.8	191	5.8	329.0
58	8.2	286.2	125	8.4	340.5	192	5.3	323.3
59	8.1	286.6	126	8.3	339.9	193	5.4	333.6
60	8.2	287.6	127	8.1	339.5	194	5.3	337.6
61	8.4	288.5	128	7.8	339.4	195	4.9	339.2
62	8.3	288.4	129	8.0	340.6	196	5.1	339.4
63	8.5	288.7	130	8.2	341.7	197	5.3	339.5
64	8.4	285.2	131	8.0	341.4	198	5.1	335.9
65	8.6	283.3	132	8.0	340.1	199	4.5	[illegible]
66	8.9	284.4	133	8.0	338.3	200	4.1	[illegible]


CAMP CARIBOU STATION 85
DATE 21/11/75 TIME 1955(GMT)
TRUE DIRECTION
0 90 180 270 360
DEPTH (M)
0 50 100 150 200
0 5 10 15 20 25
SPEED CM/SEC


CAMP CARIBOU STATION 86
DATE 21/11/75 TIME 2026(GMT)
TRUE DIRECTION
0 90 180 270 360
DEPTH (M)
0 50 100 150 200
0 5 10 15 20 25
SPEED CM/SEC

CARIBOU STATION 85 (194M.) 21/NOV/75 1955 GMT
LAT= 72.9472N LONG= 142.0352W LTER= 1. LGER= 2.
NIVEL= 22.9 EIVEL= -13.8 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	13.7	6.4	134	14.2	10.3
1	0.0	999.9	68	14.0	4.6	135	14.6	12.0
2	0.0	999.9	69	14.0	3.9	136	14.4	12.6
3	0.0	999.9	70	14.0	4.3	137	13.9	12.7
4	0.0	999.9	71	14.2	3.3	138	13.1	12.3
5	17.6	5.0	72	14.5	1.2	139	13.1	12.8
6	17.4	6.8	73	14.8	358.9	140	13.0	12.8
7	16.4	7.5	74	14.5	0.6	141	11.5	10.9
8	15.5	8.7	75	13.8	3.0	142	11.5	11.2
9	15.0	14.5	76	13.6	0.6	143	11.5	11.2
10	14.9	17.8	77	13.8	356.9	144	11.4	11.8
11	14.3	16.2	78	14.4	353.7	145	11.8	12.8
12	13.8	14.3	79	14.5	356.4	146	13.2	14.9
13	13.5	12.5	80	14.4	0.4	147	13.9	15.8
14	12.9	11.2	81	14.3	3.0	148	13.9	15.9
15	12.2	14.2	82	14.6	4.3	149	14.0	16.2
16	12.7	18.0	83	14.6	3.7	150	13.2	15.6
17	13.4	21.4	84	14.6	3.9	151	12.6	15.2
18	13.9	23.5	85	14.4	5.3	152	12.0	14.8
19	13.7	23.6	86	14.2	7.1	153	11.6	13.8
20	13.4	23.8	87	14.1	8.2	154	12.2	14.2
21	12.8	24.4	88	14.1	8.4	155	12.4	14.1
22	12.8	25.1	89	14.5	8.8	156	12.2	16.1
23	12.8	25.6	90	15.3	10.9	157	12.0	17.9
24	11.7	25.2	91	15.0	9.1	158	11.9	17.8
25	10.5	25.4	92	14.4	7.1	159	12.0	17.7
26	10.7	25.8	93	14.5	6.5	160	11.9	18.7
27	10.7	26.2	94	14.5	6.1	161	11.8	19.0
28	10.6	26.5	95	14.5	6.3	162	11.6	19.4
29	10.6	27.7	96	14.4	6.8	163	10.9	19.1
30	10.6	27.3	97	14.5	7.6	164	10.9	19.4
31	10.6	25.6	98	14.9	8.3	165	11.7	21.1
32	10.7	24.0	99	15.0	7.9	166	11.8	21.0
33	10.7	22.3	100	15.0	7.8	167	11.6	20.6
34	10.0	21.4	101	15.0	8.4	168	10.4	22.4
35	9.3	21.7	102	14.8	8.4	169	9.2	24.7
36	9.1	25.3	103	14.4	7.4	170	9.2	25.5
37	9.0	26.6	104	14.2	6.3	171	9.3	25.0
38	9.5	16.2	105	14.0	5.4	172	9.4	24.7
39	10.6	12.6	106	14.0	5.1	173	9.2	24.6
40	11.4	13.0	107	14.0	5.3	174	8.6	24.7
41	11.7	14.1	108	13.8	6.1	175	8.1	22.4
42	11.7	15.5	109	13.6	7.7	176	7.7	18.9
43	11.6	16.3	110	13.7	9.8	177	7.9	16.4
44	11.6	15.6	111	13.9	10.8	178	8.6	14.9
45	11.6	13.6	112	13.9	10.6	179	9.0	15.7
46	11.8	11.4	113	14.0	9.5	180	8.9	17.2
47	12.3	11.8	114	14.1	8.6	181	8.8	19.6
48	12.9	12.6	115	14.1	8.6	182	8.7	21.5
49	13.0	12.6	116	13.4	9.4	183	8.7	22.9
50	13.1	11.7	117	13.4	9.7	184	8.7	23.4
51	13.2	10.7	118	13.3	10.6	185	8.6	23.8
52	13.3	9.6	119	13.2	11.3	186	8.5	24.8
53	13.3	9.9	120	13.1	11.8	187	8.4	27.2
54	13.3	10.4	121	13.1	12.0	188	9.7	31.1
55	13.2	11.7	122	13.0	12.1	189	9.9	32.2
56	13.1	13.0	123	13.0	12.2	190	9.9	31.0
57	13.0	13.3	124	13.0	12.4	191	10.0	29.9
58	13.1	11.4	125	13.0	12.6	192	10.0	27.2
59	13.3	8.7	126	13.0	12.5	193	10.3	21.3
60	13.5	6.8	127	13.0	11.8	194	10.4	19.1
61	13.6	6.7	128	13.1	10.8			
62	13.6	7.3	129	13.2	9.8			
63	13.6	7.2	130	13.3	9.0			
64	13.6	7.1	131	13.8	9.3			
65	13.5	7.7	132	13.9	9.5			
66	13.5	7.7	133	14.1	9.9			

CARIBOU STATION 86 (192M.) 21/NOV/75 2026 GMT
LAT= 72.9511N LONG= 142.0427W LTER= 1. LGER= 2.
NIVEL= 23.7 EIVEL= -12.4 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	3.4	301.3	134	6.6	2.2
1	0.0	999.9	68	3.6	305.6	135	6.7	6.1
2	0.0	999.9	69	3.8	320.9	136	6.8	6.8
3	0.0	999.9	70	4.4	324.6	137	6.8	5.9
4	0.0	999.9	71	5.3	326.8	138	6.9	4.2
5	13.9	12.3	72	5.8	327.9	139	7.0	2.8
6	14.8	11.9	73	5.3	327.3	140	7.3	6.6
7	14.7	12.5	74	4.5	326.1	141	7.8	11.1
8	13.1	15.0	75	4.0	325.5	142	7.7	11.3
9	10.9	18.3	76	3.6	324.9	143	7.9	9.7
10	10.2	22.3	77	3.1	324.3	144	8.2	8.9
11	10.5	26.6	78	3.2	324.2	145	8.8	12.4
12	10.7	23.1	79	3.2	324.1	146	9.0	11.7
13	10.2	18.6	80	3.3	324.1	147	8.3	13.1
14	9.6	20.1	81	3.5	324.2	148	7.8	9.5
15	9.2	27.1	82	3.9	325.1	149	8.5	10.3
16	9.0	29.7	83	4.5	326.2	150	7.8	9.2
17	8.9	32.6	84	5.2	338.3	151	7.8	12.7
18	8.9	33.5	85	5.1	346.2	152	8.1	12.9
19	9.0	32.6	86	4.8	347.6	153	8.2	13.4
20	9.0	31.7	87	4.8	348.1	154	7.7	15.7
21	8.4	33.8	88	5.1	346.8	155	7.3	18.1
22	7.4	35.5	89	5.6	359.2	156	6.7	13.9
23	7.0	37.7	90	5.6	3.8	157	6.4	16.3
24	6.2	36.5	91	5.6	3.6	158	5.0	7.0
25	5.6	34.7	92	5.9	1.2	159	4.3	353.4
26	5.4	34.0	93	6.3	358.5	160	4.0	336.1
27	5.1	34.0	94	6.8	2.8	161	4.2	324.4
28	4.9	34.8	95	6.8	2.5	162	4.5	318.8
29	4.9	33.5	96	6.9	2.3	163	4.5	323.9
30	4.8	32.8	97	7.6	6.3	164	4.4	333.1
31	4.8	33.1	98	7.9	5.4	165	4.1	340.9
32	3.9	29.9	99	8.1	4.0	166	3.8	341.5
33	3.7	31.0	100	8.2	2.8	167	3.8	342.7
34	3.0	26.9	101	8.3	2.3	168	3.7	343.5
35	2.1	4.5	102	8.3	1.9	169	3.6	344.3
36	2.3	313.1	103	8.1	3.4	170	3.3	346.5
37	3.2	313.0	104	7.8	5.3	171	3.0	5.7
38	4.2	314.5	105	7.6	6.1	172	3.5	13.1
39	4.4	310.0	106	7.4	6.9	173	3.7	11.1
40	5.0	306.6	107	7.1	9.2	174	3.7	12.1
41	5.7	306.8	108	7.5	14.1	175	3.6	15.0
42	5.6	318.7	109	7.1	9.8	176	3.7	15.7
43	5.0	326.9	110	6.5	6.0	177	3.8	11.5
44	4.5	323.5	111	5.8	2.4	178	3.7	1.2
45	3.7	335.8	112	5.2	350.9	179	4.2	2.0
46	3.3	337.6	113	4.9	341.1	180	4.5	2.2
47	3.0	337.9	114	4.6	340.5	181	4.5	.7
48	2.6	338.8	115	4.3	341.5	182	4.7	8.6
49	2.1	339.7	116	4.4	341.8	183	4.2	15.7
50	1.8	340.4	117	4.5	341.7	184	3.9	21.0
51	2.3	343.8	118	4.6	341.8	185	4.1	13.3
52	2.8	358.6	119	4.6	342.1	186	3.8	0.3
53	3.1	357.2	120	4.5	341.9	187	3.2	359.2
54	3.4	355.0	121	4.5	341.4	188	3.1	4.3
55	3.1	357.4	122	4.4	341.1	189	3.1	3.3
56	3.5	354.5	123	4.3	340.8	190	3.0	358.7
57	3.9	351.1	124	3.9	341.3	191	2.8	341.2
58	3.7	352.2	125	4.0	340.4	192	2.8	341.2
59	3.2	356.3	126	4.6	338.8			
60	3.5	353.7	127	5.3	344.8			
61	4.0	350.5	128	5.4	347.5			
62	5.0	346.1	129	5.9	352.3			
63	5.5	344.1	130	6.1	351.4			
64	4.9	333.8	131	5.9	352.7			
65	4.4	333.4	132	5.9	352.6			
66	3.6	326.7	133	6.5	358.0			


CAMP CARIBOU STATION 88
DATE 22/11/75 TIME 2125(GMT)
TRUE DIRECTION
0
90
180
270
360
SPEED CM/SEC
0
5
10
15
20
25
DEPTH (M)
0
50
100
150
200


CAMP CARIBOU STATION 87
DATE 22/11/75 TIME 558(GMT)
TRUE DIRECTION
0
90
180
270
360
SPEED CM/SEC
0
5
10
15
20
25
DEPTH (M)
0
50
100
150
200

CARIBOU STATION 87 (190M.) 22/NOV/75 558 GMT
LAT= 73.0243N LONG= 142.1651W LTER= 1. LGER= 2.
NIVEL= 22.6 EIVEL= -10.4 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	9.2	296.6	134	7.5	313.3
1	0.0	999.9	68	9.8	301.6	135	7.7	314.5
2	0.0	999.9	69	10.5	306.3	136	7.7	314.6
3	0.0	999.9	70	11.2	309.9	137	7.3	312.5
4	0.0	999.9	71	11.3	310.5	138	7.1	311.4
5	15.4	359.1	72	11.1	309.5	139	6.9	313.3
6	15.2	0.3	73	10.6	307.0	140	6.4	321.5
7	15.0	1.1	74	10.4	305.6	141	6.5	321.7
8	14.5	4.3	75	10.0	303.6	142	6.6	322.0
9	14.0	8.3	76	9.7	301.7	143	6.5	327.3
10	13.2	15.5	77	9.2	297.6	144	6.5	336.4
11	11.8	18.0	78	8.7	293.3	145	6.6	336.4
12	10.4	21.2	79	8.3	288.5	146	6.7	336.1
13	8.8	26.3	80	5.7	293.4	147	6.6	335.8
14	9.6	32.8	81	4.8	296.8	148	6.5	335.8
15	10.6	38.0	82	4.8	297.9	149	6.4	335.5
16	10.7	40.9	83	4.3	292.6	150	6.2	335.3
17	9.7	37.5	84	4.2	289.6	151	5.9	334.9
18	8.2	32.3	85	4.3	291.8	152	5.5	334.6
19	8.2	28.4	86	4.8	298.1	153	5.2	334.1
20	8.1	26.3	87	5.3	303.1	154	5.8	333.6
21	7.0	21.2	88	5.9	307.5	155	6.5	333.6
22	4.7	3.1	89	6.5	310.9	156	7.0	333.2
23	4.0	4.1	90	6.3	309.5	157	7.6	333.2
24	3.1	0.5	91	6.1	308.3	158	8.1	324.2
25	2.6	6.5	92	6.2	308.8	159	8.3	322.8
26	2.1	16.2	93	6.0	307.1	160	7.8	320.7
27	2.0	18.0	94	6.1	308.0	161	7.1	325.0
28	2.1	15.3	95	6.2	308.8	162	6.5	327.8
29	2.1	16.4	96	6.2	308.5	163	5.9	335.6
30	2.1	15.7	97	6.2	308.4	164	5.4	325.8
31	2.3	12.7	98	6.0	307.5	165	6.3	305.6
32	2.4	10.0	99	5.8	306.0	166	7.7	297.8
33	2.1	347.4	100	5.6	304.4	167	7.7	299.3
34	2.3	318.1	101	5.7	304.5	168	7.8	300.0
35	2.8	318.1	102	5.8	305.8	169	8.1	303.5
36	2.8	322.7	103	5.9	306.4	170	6.6	320.3
37	3.5	309.8	104	5.7	304.7	171	6.3	320.7
38	6.0	293.5	105	5.4	302.7	172	6.6	322.1
39	8.6	289.3	106	5.8	305.7	173	7.0	330.4
40	9.6	290.5	107	6.2	308.4	174	7.0	333.0
41	9.0	289.9	108	5.9	306.3	175	7.0	328.0
42	9.0	288.1	109	6.0	307.3	176	6.8	329.9
43	9.9	288.6	110	6.4	310.0	177	6.6	330.2
44	9.9	291.2	111	6.6	310.7	178	6.5	328.4
45	9.7	289.4	112	6.3	308.9	179	6.6	327.4
46	8.3	291.6	113	5.9	306.8	180	6.1	327.8
47	8.0	290.1	114	5.9	306.5	181	5.6	327.7
48	7.9	288.0	115	6.3	308.9	182	5.5	317.3
49	8.4	284.0	116	5.9	311.2	183	5.7	304.5
50	9.2	281.7	117	5.2	318.8	184	6.7	298.0
51	9.6	286.7	118	4.9	317.5	185	6.0	311.3
52	9.9	291.3	119	4.9	317.4	186	5.9	312.0
53	10.3	295.2	120	4.7	316.0	187	5.5	310.3
54	10.7	298.3	121	5.0	317.2	188	4.8	322.0
55	10.1	302.4	122	5.0	316.9	189	5.4	322.3
56	9.4	300.3	123	4.8	315.8	190	6.0	322.3
57	10.2	295.6	124	5.1	316.8			
58	10.3	296.2	125	4.7	314.6			
59	10.4	296.8	126	4.9	315.3			
60	10.2	294.7	127	5.0	315.3			
61	10.0	292.3	128	5.1	315.7			
62	9.9	289.9	129	5.2	315.4			
63	9.9	290.1	130	5.1	314.8			
64	10.0	290.7	131	5.5	316.3			
65	9.9	289.4	132	6.0	318.4			
66	8.7	291.2	133	6.8	313.7			

CARIBOU STATION 88 (197M.) 22/NOV/75 2125 GMT
LAT= 73.0930N LONG= 142.2195W LTER= 0. LGER= 0.
NIVEL= 5.5 EIVEL= -0.9 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	2.0	336.1	134	1.2	337.4
1	0.0	999.9	68	1.9	344.5	135	1.4	316.8
2	0.0	999.9	69	2.1	355.4	136	1.6	307.2
3	0.0	999.9	70	2.5	6.2	137	1.5	300.8
4	0.0	999.9	71	2.7	10.0	138	1.7	312.8
5	3.1	11.1	72	2.6	15.6	139	1.7	314.9
6	2.6	8.1	73	2.6	11.1	140	1.6	311.2
7	2.2	9.0	74	2.7	4.0	141	1.2	322.1
8	2.2	5.1	75	2.8	355.6	142	1.3	337.1
9	2.2	3.0	76	2.9	351.5	143	1.7	349.6
10	2.3	4.9	77	2.9	352.5	144	1.9	359.4
11	2.3	7.4	78	2.7	349.6	145	2.1	4.0
12	2.4	9.2	79	2.5	345.8	146	2.1	7.4
13	2.5	6.7	80	2.3	344.1	147	2.1	10.6
14	2.6	4.1	81	2.3	347.7	148	2.4	19.9
15	2.6	2.4	82	2.3	348.2	149	2.5	22.7
16	2.6	4.6	83	2.3	346.5	150	2.5	23.1
17	2.5	7.6	84	2.3	344.8	151	2.5	24.1
18	2.6	10.1	85	2.3	343.0	152	2.4	26.1
19	2.7	4.6	86	2.2	345.0	153	2.4	28.0
20	2.8	358.7	87	2.1	348.1	154	2.3	27.9
21	2.7	354.5	88	2.0	352.5	155	2.4	24.7
22	2.5	349.9	89	2.1	354.2	156	2.2	19.4
23	2.4	343.9	90	2.2	344.5	157	1.6	15.6
24	2.5	338.5	91	2.4	336.9	158	1.9	302.2
25	2.5	341.7	92	2.6	331.1	159	1.6	300.4
26	2.5	346.1	93	2.6	331.6	160	1.2	338.3
27	2.4	347.9	94	2.5	332.6	161	1.2	355.7
28	2.3	349.0	95	2.5	334.6	162	1.5	.3
29	2.4	350.4	96	2.5	334.0	163	1.7	9.5
30	2.5	349.3	97	2.5	332.9	164	1.9	25.2
31	2.3	348.0	98	2.5	334.3	165	1.6	22.5
32	2.1	346.3	99	2.5	334.2	166	1.6	359.2
33	2.2	345.5	100	2.7	329.3	167	1.3	348.5
34	2.2	346.1	101	2.9	326.1	168	1.6	331.1
35	2.3	347.6	102	2.9	326.8	169	1.9	314.8
36	2.5	349.5	103	3.0	327.6	170	1.8	311.6
37	2.5	348.9	104	3.1	326.9	171	2.0	304.5
38	2.5	344.1	105	3.2	327.2	172	2.1	311.0
39	2.7	335.5	106	3.3	328.9	173	1.8	317.6
40	2.9	328.3	107	3.3	330.4	174	1.8	309.2
41	3.3	318.6	108	3.4	331.1	175	1.5	325.9
42	3.7	319.5	109	3.1	331.2	176	1.6	344.3
43	4.1	324.1	110	2.8	332.1	177	1.4	351.6
44	4.6	326.8	111	2.7	332.7	178	1.3	351.7
45	5.0	328.8	112	2.7	332.1	179	1.4	342.6
46	5.2	333.0	113	2.4	333.9	180	1.5	337.1
47	5.3	333.5	114	2.2	331.0	181	1.6	338.3
48	5.2	333.6	115	2.0	327.5	182	1.5	337.4
49	5.0	333.9	116	2.2	331.0	183	1.5	338.1
50	4.9	334.4	117	2.2	332.1	184	1.7	340.4
51	4.5	334.5	118	2.2	331.8	185	1.6	338.9
52	4.0	330.3	119	2.1	341.5	186	1.4	337.4
53	3.9	329.9	120	2.1	350.7	187	1.4	336.6
54	3.9	329.0	121	2.2	352.4	188	1.4	336.7
55	3.8	327.8	122	2.2	351.5	189	1.4	340.5
56	3.6	328.0	123	2.1	348.9	190	1.5	347.8
57	3.6	327.2	124	2.0	347.7	191	1.5	337.4
58	3.4	322.2	125	1.8	352.6	192	1.6	324.7
59	3.2	316.9	126	1.7	340.6	193	2.0	321.7
60	3.0	311.5	127	1.7	327.6	194	2.2	326.2
61	2.9	316.5	128	1.7	327.2	195	2.0	320.0
62	2.8	322.3	129	1.5	348.0	196	2.6	317.5
63	2.7	323.0	130	1.7	353.2	197	3.2	311.3
64	2.6	322.8	131	1.9	353.3			
65	2.5	322.8	132	1.6	349.5			
66	2.3	325.7	133	1.4	342.1			


CAMP CARIBOU STATION 89
DATE 23/11/75 TIME 611 (GMT)
TRUE DIRECTION
0 90 180 270 360
SPEED CM/SEC
0 5 10 15 20 25
DEPTH (M)
0 50 100 150 200


CAMP CARIBOU STATION 90
DATE 23/11/75 TIME 1931 (GMT)
TRUE DIRECTION
0 90 180 270 360
SPEED CM/SEC
0 5 10 15 20 25
DEPTH (M)
0 50 100 150 200

CARIBOU STATION 89 (198M.) 23/NOV/75 611 GMT
LAT= 73.1026N LONG= 142.2507W LTER= 0. LGER= 0.
NIVEL= 1.3 EIVEL= -4.7 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	6.2	251.4	134	4.7	207.5
1	0.0	999.9	68	5.8	251.6	135	4.4	206.8
2	0.0	999.9	69	5.4	252.2	136	4.1	201.0
3	0.0	999.9	70	5.0	254.1	137	4.0	199.6
4	0.0	999.9	71	4.4	259.4	138	4.2	205.5
5	2.5	310.4	72	4.2	260.9	139	4.8	213.0
6	2.4	305.2	73	4.1	262.2	140	5.3	219.2
7	2.2	295.8	74	4.0	262.3	141	5.5	223.9
8	2.2	290.6	75	3.9	264.8	142	5.8	222.8
9	2.2	289.3	76	3.8	266.2	143	4.9	214.2
10	2.2	289.1	77	3.4	267.9	144	4.4	208.5
11	2.2	288.9	78	3.2	268.0	145	4.2	203.7
12	2.2	289.5	79	3.1	268.4	146	4.2	200.3
13	2.2	289.7	80	2.9	267.0	147	4.3	199.7
14	2.2	289.6	81	2.7	268.0	148	3.9	199.1
15	2.2	291.2	82	2.8	255.5	149	3.4	199.3
16	2.1	297.0	83	2.8	253.7	150	3.1	194.3
17	2.0	302.8	84	3.1	241.9	151	3.0	192.2
18	2.0	300.5	85	3.5	234.1	152	3.4	192.9
19	2.0	294.6	86	3.9	229.2	153	3.8	194.7
20	2.0	289.0	87	4.0	225.3	154	4.0	192.9
21	2.0	289.3	88	4.1	222.9	155	4.2	196.6
22	2.0	291.7	89	4.5	216.1	156	4.5	195.6
23	2.0	284.6	90	4.5	209.9	157	4.5	191.0
24	2.1	278.9	91	4.4	207.7	158	3.8	191.7
25	2.1	272.1	92	4.2	205.7	159	3.4	197.8
26	2.4	265.5	93	3.9	204.0	160	3.6	197.0
27	2.7	266.5	94	3.9	203.7	161	4.3	197.8
28	2.5	270.9	95	3.8	206.0	162	5.5	199.1
29	2.5	274.0	96	3.8	207.9	163	5.0	195.8
30	2.4	277.0	97	3.7	206.4	164	4.8	190.0
31	2.4	278.8	98	3.6	204.4	165	5.2	195.1
32	2.4	276.4	99	3.8	203.0	166	5.6	195.3
33	2.5	273.9	100	4.8	202.9	167	5.8	193.6
34	2.6	272.8	101	5.6	204.1	168	5.6	193.1
35	2.5	273.1	102	6.0	205.0	169	4.6	188.9
36	2.4	273.7	103	6.3	205.0	170	3.6	182.9
37	2.3	272.8	104	6.3	205.7	171	2.9	177.2
38	2.3	271.6	105	6.4	206.8	172	3.7	185.1
39	2.8	263.9	106	6.4	206.8	173	4.4	188.7
40	5.4	244.0	107	6.2	207.7	174	4.6	194.5
41	6.8	237.7	108	6.1	208.6	175	4.6	199.5
42	7.7	239.3	109	6.0	209.7	176	4.7	195.7
43	7.7	244.8	110	6.0	212.5	177	5.0	196.0
44	7.3	245.7	111	6.4	217.9	178	5.1	198.7
45	7.4	248.8	112	6.2	218.6	179	5.0	198.8
46	7.4	250.9	113	6.3	219.6	180	4.8	203.1
47	7.4	253.0	114	6.3	221.1	181	4.8	207.9
48	7.6	254.7	115	6.2	222.2	182	4.9	213.9
49	7.8	255.8	116	6.0	220.5	183	5.2	217.1
50	8.2	255.5	117	5.9	219.1	184	5.7	213.6
51	7.9	255.7	118	5.8	218.3	185	5.9	214.0
52	7.5	255.6	119	5.8	217.2	186	5.7	214.5
53	7.7	254.9	120	5.6	215.6	187	5.3	215.7
54	7.7	257.5	121	5.7	215.2	188	5.2	219.8
55	7.8	261.0	122	5.8	215.0	189	5.4	224.1
56	8.0	260.6	123	5.7	213.8	190	5.3	217.4
57	8.1	257.3	124	5.4	211.0	191	5.3	213.0
58	8.1	253.6	125	5.2	209.6	192	4.8	212.8
59	7.9	251.9	126	5.2	209.1	193	4.4	211.9
60	8.0	250.0	127	5.0	207.3	194	3.8	213.0
61	7.7	251.1	128	4.7	202.8	195	3.2	216.6
62	7.3	256.5	129	4.8	202.2	196	2.8	214.5
63	7.3	257.5	130	4.7	203.7	197	2.3	218.1
64	7.2	255.3	131	4.1	201.7	198	1.8	228.1
65	7.2	253.4	132	4.3	205.0			
66	6.9	251.9	133	4.6	207.7			

CARIBOU STATION 90 (196M.) 23/NOV/75 1931 GMT
LAT= 73.1129N LONG= 142.3644W LTER= 1. LGER= 2.
NIVEL= 2.3 EIVEL= -5.9 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	1.6	221.5	134	20.1	178.1
1	0.0	999.9	68	1.2	248.7	135	20.4	177.1
2	0.0	999.9	69	1.3	266.6	136	20.5	176.8
3	0.0	999.9	70	1.5	256.0	137	20.9	177.8
4	0.0	999.9	71	2.2	247.2	138	21.5	178.7
5	2.6	309.3	72	2.9	245.9	139	21.9	178.7
6	2.3	320.8	73	3.7	244.2	140	22.2	178.6
7	2.6	333.9	74	4.3	244.8	141	22.8	182.9
8	2.4	336.5	75	4.8	240.4	142	22.7	183.7
9	2.4	334.8	76	5.1	228.9	143	22.5	18[illegible].8
10	2.3	334.1	77	5.3	219.1	144	22.3	18[illegible].2
11	2.2	335.8	78	5.3	223.9	145	22.1	183.0
12	2.1	340.6	79	5.6	225.0	146	22.2	182.6
13	1.9	338.7	80	6.0	222.5	147	22.2	182.2
14	1.9	335.2	81	6.0	221.8	148	22.0	180.4
15	1.9	329.6	82	5.7	221.6	149	21.9	179.1
16	2.1	325.8	83	5.5	222.8	150	21.9	178.7
17	2.2	323.4	84	5.5	221.4	151	21.9	181.5
18	2.4	321.3	85	6.0	218.5	152	21.5	180.6
19	2.3	316.3	86	6.5	219.5	153	21.6	180.7
20	2.2	313.3	87	6.0	216.8	154	21.9	180.6
21	2.2	311.7	88	5.7	213.7	155	21.7	180.8
22	2.3	309.4	89	5.6	208.5	156	21.8	181.3
23	2.4	306.8	90	5.8	204.8	157	21.8	181.3
24	2.5	303.6	91	5.7	200.7	158	21.8	183.7
25	2.4	303.6	92	5.3	200.9	159	21.4	185.6
26	2.3	303.7	93	5.1	192.8	160	21.1	188.0
27	2.3	301.0	94	4.7	195.6	161	20.8	189.5
28	2.2	298.0	95	4.5	195.9	162	20.4	189.6
29	2.3	292.6	96	4.9	190.0	163	20.3	189.7
30	2.6	292.2	97	5.9	190.4	164	20.6	189.2
31	2.6	295.9	98	6.8	199.0	165	20.6	189.0
32	2.5	299.9	99	7.1	207.4	166	20.3	186.6
33	2.6	302.8	100	7.6	207.7	167	20.0	181.3
34	2.8	303.8	101	8.0	211.0	168	19.3	178.2
35	3.1	303.0	102	8.3	208.9	169	19.1	177.8
36	2.9	305.4	103	9.0	204.9	170	19.1	177.8
37	2.4	310.7	104	9.5	202.1	171	19.0	177.7
38	2.3	306.6	105	10.0	200.0	172	18.6	175.1
39	2.7	268.9	106	10.3	198.8	173	18.4	171.7
40	4.6	256.7	107	10.6	197.8	174	17.7	168.5
41	5.1	256.8	108	10.7	195.4	175	17.3	168.4
42	4.1	252.3	109	10.8	191.7	176	17.8	171.3
43	3.4	240.9	110	11.4	190.2	177	18.4	176.2
44	3.0	229.6	111	11.8	189.2	178	18.4	177.8
45	2.9	228.2	112	11.9	190.5	179	18.5	178.9
46	2.8	222.6	113	12.3	191.7	180	18.4	178.6
47	3.0	214.1	114	12.6	189.8	181	18.1	176.3
48	3.3	210.7	115	13.0	187.7	182	18.1	176.8
49	3.3	217.4	116	13.4	186.9	183	18.4	179.3
50	3.9	223.9	117	13.7	186.6	184	18.4	180.7
51	4.5	226.7	118	13.7	186.6	185	18.0	181.3
52	4.7	231.4	119	14.1	185.9	186	16.9	177.4
53	4.9	231.4	120	14.7	185.2	187	16.3	174.1
54	5.4	227.7	121	15.3	184.3	188	16.6	178.7
55	5.6	232.8	122	15.9	183.7	189	16.8	184.1
56	5.6	241.2	123	16.2	183.5	190	16.7	186.7
57	5.7	244.0	124	16.3	183.4	191	16.5	183.7
58	5.6	242.7	125	16.7	182.9	192	16.7	180.7
59	5.3	236.4	126	17.2	182.5	193	16.9	179.4
60	4.7	232.5	127	17.6	181.0	194	17.0	177.4
61	4.0	229.2	128	18.1	178.9	195	17.0	175.7
62	3.8	227.5	129	18.7	178.0	196	16.8	174.7
63	3.5	231.0	130	19.1	178.0			
64	2.9	234.1	131	19.7	178.5			
65	2.5	229.1	132	19.9	178.4			
66	2.1	225.3	133	19.9	178.4			


CAMP CARIBOU STATION 91
DATE 24/11/75 TIME 645(GMT)
TRUE DIRECTION
0 90 180 270 360
DEPTH (M)
0 50 100 150 200
SPEED CM/SEC
0 10 20 30 40 50


CAMP CARIBOU STATION 92
DATE 24/11/75 TIME 1956(GMT)
TRUE DIRECTION
0 90 180 270 360
DEPTH (M)
0 50 100 150 200
SPEED CM/SEC
0 5 10 15 20 25

CARIBOU STATION 91 (195M.) 24/NOV/75 645 GMT
LAT= 73.1213N LONG= 142.3920W LTER= 1. LGER= 2.
NIVEL= 1.0 EIVEL= 0.6 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	4.5	181.0	134	22.0	153.7
1	0.0	999.9	68	5.2	176.4	135	22.2	152.0
2	0.0	999.9	69	5.9	170.4	136	22.7	151.9
3	0.0	999.9	70	6.2	160.8	137	23.0	150.4
4	0.0	999.9	71	6.3	153.2	138	22.6	146.2
5	2.0	149.2	72	6.6	151.1	139	22.9	143.5
6	1.8	166.5	73	6.2	151.8	140	23.7	143.5
7	1.7	172.2	74	5.8	152.7	141	24.4	143.5
8	1.7	176.6	75	5.4	153.1	142	24.4	143.8
9	1.7	186.4	76	5.7	155.3	143	24.5	144.0
10	1.7	192.3	77	6.1	158.5	144	24.8	144.5
11	1.6	206.3	78	6.6	161.2	145	25.3	144.9
12	1.5	225.8	79	6.8	162.4	146	25.9	144.0
13	1.4	262.9	80	7.2	155.3	147	26.2	143.0
14	1.3	278.5	81	7.0	147.3	148	26.0	143.3
15	1.2	282.8	82	6.6	142.2	149	25.8	144.5
16	1.2	283.3	83	6.3	141.9	150	25.7	149.6
17	1.1	284.4	84	6.7	141.4	151	26.2	149.2
18	1.2	291.6	85	6.5	137.5	152	25.9	149.2
19	1.2	303.5	86	6.5	135.8	153	25.1	149.1
20	1.3	305.6	87	6.8	138.1	154	24.7	146.2
21	1.3	298.8	88	7.4	132.4	155	24.8	146.3
22	1.3	293.1	89	7.4	126.6	156	25.2	144.5
23	1.4	287.2	90	7.7	123.3	157	25.7	142.7
24	1.5	281.6	91	7.8	129.1	158	25.7	138.7
25	1.4	273.8	92	7.5	132.5	159	24.9	138.8
26	1.3	263.5	93	7.5	134.3	160	24.6	138.7
27	1.2	255.1	94	7.1	135.7	161	24.5	138.6
28	1.1	247.0	95	6.8	138.6	162	24.0	139.0
29	1.1	237.6	96	6.9	140.1	163	23.7	139.3
30	1.2	236.6	97	7.3	139.6	164	23.9	140.3
31	1.6	249.0	98	7.9	140.3	165	24.4	142.6
32	1.9	260.2	99	8.2	143.0	166	24.4	143.4
33	3.6	262.9	100	8.0	148.3	167	23.8	142.1
34	4.6	263.9	101	8.2	149.7	168	22.8	141.6
35	4.5	259.4	102	8.7	150.2	169	22.1	142.1
36	5.5	253.4	103	9.2	150.7	170	22.2	142.3
37	5.9	247.4	104	9.5	151.2	171	22.4	143.1
38	5.0	239.9	105	9.3	151.3	172	22.3	143.2
39	4.5	235.2	106	9.6	153.5	173	22.1	142.8
40	4.5	231.9	107	10.0	155.6	174	21.9	142.6
41	4.6	225.6	108	10.4	154.0	175	21.7	142.5
42	4.7	217.3	109	10.7	153.6	176	21.5	142.7
43	4.8	211.3	110	11.4	154.0	177	21.2	143.3
44	4.8	209.8	111	12.1	154.3	178	21.5	147.9
45	4.9	206.8	112	12.8	154.5	179	21.9	149.8
46	5.0	202.1	113	12.9	154.4	180	22.4	151.5
47	5.0	198.3	114	13.0	154.4	181	22.6	153.2
48	4.9	196.4	115	13.6	157.3	182	22.4	154.8
49	4.9	192.4	116	14.3	157.4	183	22.1	156.2
50	4.9	188.3	117	15.0	157.5	184	21.9	157.3
51	4.7	183.6	118	15.4	157.6	185	21.6	158.1
52	4.4	180.3	119	15.8	153.7	186	21.3	158.8
53	3.9	182.4	120	16.3	153.4	187	20.6	159.5
54	3.7	186.0	121	16.8	153.5	188	20.5	159.6
55	4.0	178.9	122	17.3	153.6	189	20.4	159.9
56	4.2	169.1	123	17.8	153.7	190	20.0	160.2
57	4.1	164.8	124	18.3	153.9	191	19.8	164.0
58	3.7	161.8	125	18.9	154.0	192	19.9	166.3
59	3.4	160.8	126	19.0	154.0	193	20.3	166.5
60	3.5	161.8	127	19.1	154.1	194	21.0	166.6
61	3.9	166.3	128	19.4	154.0	195	21.0	166.6
62	4.2	169.8	129	19.9	154.1			
63	3.4	172.6	130	20.6	154.2			
64	2.9	179.7	131	20.9	154.2			
65	3.3	189.1	132	21.2	154.2			
66	4.1	186.8	133	21.7	154.3			

CARIBOU STATION 92 (200M.) 24/NOV/75 1956 GMT
LAT= 73.1230N LONG= 142.3919W LTER= 0. LGER= 0.
NIVEL= 0.7 EIVEL= -3.4 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	2.5	212.7	134	10.2	157.8
1	0.0	999.9	68	2.9	216.5	135	10.5	157.3
2	0.0	999.9	69	3.4	220.5	136	11.0	156.8
3	0.0	999.9	70	3.8	224.6	137	11.3	156.8
4	0.0	999.9	71	4.0	226.3	138	11.0	157.4
5	3.3	338.8	72	4.1	228.1	139	11.1	152.5
6	3.9	333.5	73	4.4	230.4	140	11.3	146.5
7	4.4	328.9	74	4.9	235.8	141	11.5	146.4
8	4.7	326.4	75	5.3	241.2	142	11.2	146.6
9	4.7	326.2	76	5.4	242.7	143	10.9	146.9
10	4.7	326.3	77	5.1	239.0	144	11.3	146.5
11	4.6	328.3	78	4.6	233.3	145	11.8	146.1
12	4.3	331.8	79	4.6	224.8	146	12.2	145.7
13	4.2	332.4	80	4.7	216.2	147	12.7	145.4
14	4.2	332.2	81	4.5	202.9	148	12.4	147.6
15	4.2	332.3	82	3.9	185.8	149	11.8	153.0
16	4.1	333.1	83	3.2	189.7	150	12.5	157.2
17	4.1	334.0	84	2.8	199.1	151	12.8	157.2
18	4.1	333.3	85	2.7	203.3	152	12.2	157.7
19	4.2	332.6	86	3.0	192.9	153	12.8	157.2
20	4.5	328.6	87	3.3	183.6	154	12.5	160.6
21	4.9	324.8	88	3.4	170.2	155	12.8	163.6
22	5.1	321.8	89	3.6	164.8	156	13.5	161.8
23	5.1	321.9	90	3.9	161.9	157	14.0	162.1
24	5.1	321.5	91	4.5	157.7	158	14.5	162.3
25	5.2	321.0	92	5.4	159.9	159	14.7	162.6
26	5.0	322.2	93	5.3	169.3	160	14.5	162.9
27	4.7	325.7	94	5.1	171.2	161	14.6	162.8
28	4.4	329.4	95	5.0	166.9	162	14.9	161.7
29	4.0	333.1	96	4.6	161.0	163	15.3	161.6
30	3.7	336.2	97	4.3	160.1	164	15.3	161.8
31	3.4	339.6	98	4.0	162.0	165	15.1	162.1
32	3.4	339.5	99	4.2	160.7	166	15.2	165.4
33	3.9	334.7	100	4.7	158.0	167	15.3	166.3
34	4.4	330.0	101	5.2	155.9	168	15.3	166.0
35	5.0	323.4	102	5.5	155.8	169	15.7	173.9
36	5.6	316.2	103	5.8	160.8	170	16.2	176.6
37	6.5	300.6	104	6.4	164.0	171	16.5	178.9
38	6.1	254.2	105	7.1	167.1	172	16.8	186.6
39	5.9	246.1	106	7.1	172.4	173	16.9	189.6
40	6.2	237.1	107	6.5	166.6	174	15.9	175.6
41	6.1	230.2	108	6.4	165.4	175	15.3	161.3
42	5.7	226.3	109	6.7	164.2	176	15.1	154.6
43	5.8	225.9	110	7.1	163.2	177	15.2	151.3
44	5.9	225.2	111	7.4	162.2	178	15.4	151.2
45	5.5	228.6	112	7.8	161.3	179	15.5	151.1
46	5.1	232.6	113	7.2	162.8	180	14.9	151.5
47	5.6	227.9	114	7.5	162.1	181	14.1	152.0
48	5.9	222.1	115	8.1	165.1	182	13.3	152.6
49	5.7	220.1	116	8.6	171.3	183	12.4	153.3
50	5.2	223.9	117	7.7	162.3	184	13.4	156.4
51	4.9	229.4	118	8.1	160.7	185	14.4	161.7
52	4.7	232.5	119	8.4	160.0	186	15.3	164.6
53	4.6	231.8	120	8.7	159.5	187	15.9	164.1
54	4.8	233.6	121	8.7	159.5	188	16.1	163.8
55	5.0	236.6	122	8.7	159.5	189	16.1	163.7
56	5.3	240.4	123	8.9	159.0	190	15.8	163.8
57	5.6	244.0	124	9.3	158.5	191	14.8	164.3
58	5.1	237.2	125	8.7	161.6	192	15.8	198.1
59	2.6	212.6	126	9.3	164.3	193	16.0	206.5
60	2.5	210.9	127	9.4	160.5	194	15.9	210.2
61	2.5	211.1	128	9.1	159.4	195	15.9	209.3
62	2.4	211.3	129	8.8	159.9	196	14.0	171.7
63	2.4	211.3	130	9.2	159.2	197	15.5	192.0
64	2.4	211.5	131	10.0	158.0	198	16.8	205.1
65	2.4	211.8	132	10.7	157.2	199	17.8	212.5
66	2.4	211.8	133	10.4	157.5	200	17.1	999.9


CAMP CARIBOU STATION 93
DATE 25/11/75 TIME 638(GMT)
TRUE DIRECTION
0 90 180 270 360
DEPTH (M)
0 50 100 150 200
SPEED CM/SEC
0 10 20 30 40 50


CAMP CARIBOU STATION 94
DATE 25/11/75 TIME 1044(GMT)
TRUE DIRECTION
0 90 180 270 360
DEPTH (M)
0 50 100 150 200
SPEED CM/SEC
0 5 10 15 20 25

CARIBOU STATION 93 (194M.) 25/NOV/75 638 GMT
LAT= 73.1264N LONG= 142.4566W LTER= 0. LGER= 0.
NIVEL= 1.3 EIVEL= -7.9 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	2.2	215.8	134	17.9	145.7
1	0.0	999.9	68	2.5	202.8	135	18.4	146.2
2	0.0	999.9	69	3.0	183.4	136	19.0	146.9
3	0.0	999.9	70	2.8	173.5	137	19.6	147.6
4	0.0	999.9	71	2.0	180.5	138	20.0	146.4
5	4.5	300.3	72	2.0	177.5	139	20.6	148.6
6	4.4	301.4	73	2.1	173.7	140	21.1	148.2
7	4.5	302.4	74	2.1	174.6	141	21.2	148.1
8	4.7	303.4	75	2.6	158.0	142	21.4	151.0
9	4.6	301.8	76	2.3	144.1	143	21.6	155.1
10	4.5	299.9	77	1.8	148.0	144	21.6	155.1
11	4.5	298.5	78	2.0	163.5	145	22.2	154.7
12	4.5	297.4	79	2.6	180.2	146	22.7	154.3
13	4.5	295.8	80	3.2	181.1	147	23.3	154.0
14	4.5	295.3	81	3.3	179.9	148	23.8	153.6
15	4.6	294.9	82	2.8	174.8	149	24.3	153.3
16	4.7	295.1	83	2.0	182.8	150	24.3	153.4
17	4.9	295.4	84	1.9	188.2	151	24.3	155.0
18	5.0	295.3	85	2.8	203.9	152	24.4	156.3
19	5.0	295.4	86	3.2	200.2	153	24.4	156.2
20	5.1	296.0	87	3.4	191.8	154	25.0	157.1
21	5.2	296.3	88	3.7	184.5	155	25.6	159.5
22	5.2	296.5	89	4.0	181.1	156	25.5	159.5
23	5.2	296.6	90	4.1	178.2	157	25.7	159.3
24	5.3	296.4	91	3.9	168.7	158	26.3	158.9
25	5.3	296.9	92	4.1	161.9	159	26.4	160.2
26	5.2	298.1	93	4.5	158.1	160	26.2	160.9
27	5.3	299.9	94	4.7	148.9	161	26.0	161.0
28	5.4	301.8	95	5.0	148.8	162	25.7	161.1
29	5.5	303.4	96	4.9	154.7	163	25.9	160.9
30	5.5	304.7	97	4.8	160.1	164	25.9	160.9
31	5.4	305.5	98	5.1	158.1	165	25.9	160.9
32	5.3	306.2	99	5.6	155.2	166	26.5	160.5
33	5.3	307.3	100	6.1	154.6	167	27.3	162.1
34	5.2	304.4	101	6.5	153.2	168	27.9	161.9
35	5.1	300.3	102	6.9	151.8	169	28.0	161.8
36	4.7	299.6	103	7.3	150.7	170	28.2	161.8
37	4.3	298.5	104	7.6	153.4	171	28.6	161.0
38	4.1	293.0	105	8.1	153.3	172	28.5	160.8
39	4.2	286.6	106	8.9	153.1	173	28.5	160.4
40	4.3	281.2	107	9.5	151.5	174	28.5	160.1
41	4.4	276.4	108	9.7	150.8	175	28.1	159.7
42	4.6	272.8	109	9.7	150.5	176	27.9	159.8
43	4.9	270.7	110	9.9	150.1	177	27.7	159.7
44	5.1	269.4	111	10.1	149.3	178	28.4	159.3
45	5.2	268.0	112	10.6	148.9	179	29.1	159.4
46	5.3	268.0	113	11.5	150.9	180	29.4	159.5
47	5.6	272.0	114	12.0	150.6	181	29.4	161.7
48	5.5	272.7	115	12.3	150.6	182	29.2	161.7
49	5.4	272.1	116	12.5	150.6	183	29.6	161.6
50	4.8	268.6	117	12.7	150.6	184	29.5	161.6
51	4.3	263.3	118	12.9	150.7	185	29.0	162.0
52	4.0	255.7	119	13.3	150.4	186	28.2	162.3
53	4.2	256.9	120	13.7	149.7	187	28.3	162.6
54	4.3	261.2	121	13.8	149.5	188	28.6	162.6
55	4.5	265.3	122	14.0	149.2	189	29.4	162.5
56	4.5	266.8	123	14.1	149.0	190	29.4	160.3
57	4.7	267.5	124	14.3	148.7	191	28.9	160.5
58	4.9	267.5	125	14.9	147.9	192	28.7	160.9
59	5.0	268.3	126	15.5	147.2	193	28.4	161.3
60	4.4	268.8	127	15.6	147.0	194	28.1	161.8
61	3.3	267.9	128	16.1	146.4			
62	2.7	269.8	129	16.6	145.9			
63	2.2	263.4	130	16.9	145.5			
64	1.8	246.9	131	16.9	145.4			
65	1.8	227.6	132	17.2	145.4			
66	1.9	222.4	133	17.5	145.5			

CARIBOU STATION 94 (192M.) 25/NOV/75 1044 GMT
LAT= 73.1273N LONG= 142.4951W LTER= 0. LGER= 0.
NIVEL= 0.4 EIVEL= -9.1 NVER= 0. FVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	6.5	260.6	134	16.3	147.0
1	0.0	999.9	68	6.4	260.9	135	16.4	146.8
2	0.0	999.9	69	5.8	256.5	136	15.6	148.0
3	0.0	999.9	70	5.1	251.0	137	15.9	147.6
4	0.0	999.9	71	4.5	244.3	138	17.1	146.3
5	3.6	314.3	72	4.3	243.4	139	17.1	146.4
6	3.3	311.8	73	4.2	242.9	140	17.0	147.6
7	3.5	313.4	74	4.1	242.2	141	17.3	152.6
8	3.7	314.5	75	4.0	241.4	142	17.5	155.0
9	3.9	315.5	76	3.9	239.5	143	17.6	154.8
10	4.1	316.0	77	3.7	233.3	144	17.9	154.4
11	4.0	313.7	78	3.4	226.1	145	18.2	153.9
12	4.0	311.0	79	3.3	217.8	146	16.5	153.6
13	3.9	308.5	80	3.1	203.6	147	18.8	153.1
14	3.9	305.7	81	3.2	190.0	148	18.5	153.4
15	4.0	308.1	82	3.5	182.5	149	18.1	153.7
16	4.1	310.8	83	3.9	181.7	150	17.8	154.0
17	4.1	313.4	84	4.0	175.5	151	17.9	153.9
18	4.0	313.4	85	2.9	182.1	152	18.2	155.0
19	3.9	307.4	86	2.1	191.0	153	18.8	158.4
20	3.8	302.6	87	2.3	175.3	154	18.8	158.1
21	3.4	302.0	88	2.6	162.4	155	18.1	158.8
22	3.1	299.7	89	3.9	165.8	156	17.4	159.5
23	3.1	294.4	90	5.9	174.7	157	17.1	159.6
24	3.4	294.7	91	6.1	172.9	158	16.9	154.3
25	3.7	298.2	92	6.0	178.7	159	17.3	153.9
26	3.9	301.4	93	5.8	177.2	160	16.9	154.8
27	4.0	302.4	94	6.2	171.9	161	16.4	155.7
28	4.0	303.3	95	6.3	164.2	162	17.2	157.1
29	4.2	304.8	96	5.5	158.1	163	17.8	157.8
30	4.6	308.4	97	5.8	156.3	164	18.1	158.9
31	4.9	320.6	98	6.4	157.8	165	18.6	159.8
32	5.5	331.6	99	6.5	170.4	166	18.4	161.7
33	5.6	336.5	100	6.0	174.7	167	19.1	163.0
34	6.4	356.8	101	6.2	173.0	168	19.9	164.1
35	8.1	13.6	102	6.2	173.0	169	20.5	163.5
36	8.4	16.0	103	6.2	173.0	170	21.2	163.0
37	6.7	3.4	104	6.4	171.0	171	21.3	162.9
38	5.8	343.9	105	6.7	168.0	172	21.6	162.8
39	5.7	320.8	106	7.1	165.2	173	22.1	162.4
40	6.1	301.6	107	7.5	162.7	174	22.4	162.3
41	6.1	299.0	108	7.8	160.9	175	21.6	163.3
42	5.8	299.1	109	7.8	160.7	176	21.1	164.0
43	5.5	298.9	110	7.9	159.9	177	20.7	164.6
44	5.5	294.7	111	8.3	158.2	178	20.1	165.5
45	5.4	294.3	112	8.6	156.7	179	19.5	166.5
46	4.8	297.4	113	8.7	156.3	180	20.2	165.9
47	4.6	288.4	114	8.9	155.6	181	21.5	169.7
48	4.7	279.5	115	9.5	156.2	182	22.8	173.4
49	4.5	271.9	116	10.5	159.9	183	22.2	174.7
50	4.4	267.1	117	10.8	157.6	184	22.4	174.6
51	5.7	269.6	118	11.2	156.4	185	22.8	174.2
52	6.1	265.6	119	11.5	155.7	186	23.2	173.8
53	6.2	264.8	120	11.7	155.0	187	22.4	174.6
54	6.2	263.4	121	12.1	153.9	188	21.3	173.8
55	6.3	262.4	122	12.5	152.9	189	21.1	172.3
56	6.4	261.5	123	13.0	151.9	190	21.3	172.2
57	6.1	258.5	124	13.4	151.0	191	21.9	175.0
58	5.6	253.3	125	13.9	150.1	192	22.2	176.2
59	5.6	252.0	126	14.4	149.3			
60	5.6	251.0	127	14.8	148.4			
61	5.9	254.3	128	15.3	147.8			
62	6.3	258.2	129	15.8	147.3			
63	6.5	259.7	130	16.3	146.7			
64	6.5	259.9	131	16.5	146.4			
65	6.5	260.1	132	16.6	146.4			
66	6.5	260.3	133	16.2	146.9			


CAMP CARIBOU STATION 95
DATE 26/11/75 TIME 51(GMT)
TRUE DIRECTION
0 90 180 270 360
DEPTH (M)
0 50 100 150 200
SPEED CM/SEC
0 5 10 15 20 25


CAMP CARIBOU STATION 96
DATE 26/11/75 TIME 643(GMT)
TRUE DIRECTION
0 90 180 270 360
DEPTH (M)
0 50 100 150 200
SPEED CM/SEC
0 10 20 30 40 50

CARIBOU STATION 95 (183M.) 26/NOV/75 51 GMT
LAT= 73.1386N LONG= 142.6540W LTER= 0. LGEN= 0.
NIVEL= 5.8 EIVEL= -11.4 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	3.6	339.2	134	24.7	77.1
1	0.0	999.9	68	4.1	345.3	135	24.4	76.9
2	0.0	999.9	69	4.0	351.8	136	23.9	76.7
3	0.0	999.9	70	3.5	2.4	137	24.1	75.1
4	0.0	999.9	71	3.5	2.7	138	24.2	75.0
5	5.5	323.1	72	3.9	4.3	139	24.3	75.0
6	4.3	320.9	73	4.4	8.0	140	23.6	74.7
7	3.8	326.8	74	4.8	12.6	141	23.4	74.6
8	4.2	324.4	75	5.0	15.4	142	23.3	74.6
9	4.5	323.9	76	5.3	17.5	143	22.7	74.3
10	4.3	326.2	77	5.3	18.3	144	22.7	74.2
11	4.5	326.3	78	5.8	14.4	145	22.3	73.9
12	4.8	326.1	79	5.8	12.9	146	22.1	73.8
13	4.8	326.0	80	5.7	15.7	147	22.2	73.9
14	4.5	323.7	81	5.8	18.0	148	21.9	73.7
15	4.2	321.5	82	6.0	17.7	149	22.3	73.8
16	4.3	322.1	83	5.8	18.5	150	22.3	73.8
17	4.6	321.6	84	5.1	21.5	151	21.8	74.0
18	4.8	319.0	85	4.4	26.0	152	21.4	75.6
19	4.7	317.3	86	4.2	31.0	153	21.6	75.9
20	4.8	317.9	87	4.8	40.7	154	21.9	73.5
21	5.0	321.4	88	5.7	45.4	155	22.4	72.6
22	5.3	324.6	89	6.1	44.5	156	21.9	73.3
23	5.1	321.8	90	6.3	45.2	157	21.0	75.2
24	5.0	317.2	91	6.4	49.3	158	20.7	75.0
25	4.9	312.4	92	6.5	52.4	159	20.4	76.5
26	4.9	307.7	93	6.9	52.4	160	20.3	77.7
27	5.1	311.2	94	7.1	51.4	161	21.0	78.2
28	5.3	312.4	95	7.3	51.6	162	21.6	75.0
29	5.3	311.4	96	8.0	51.0	163	21.3	75.5
30	5.5	311.7	97	8.9	52.2	164	21.1	75.4
31	4.7	313.7	98	9.3	57.5	165	21.4	73.2
32	4.1	318.4	99	10.0	60.1	166	21.9	69.9
33	2.9	352.2	100	10.7	62.3	167	22.2	64.9
34	4.3	12.3	101	11.4	64.2	168	21.8	65.3
35	6.2	359.6	102	12.2	65.8	169	21.0	69.9
36	7.2	355.0	103	12.8	67.3	170	20.6	71.2
37	7.0	3.7	104	13.4	68.6	171	21.0	66.9
38	6.3	359.9	105	14.0	72.4	172	21.8	64.9
39	5.6	352.0	106	15.0	76.8	173	21.4	64.4
40	6.0	348.6	107	16.0	78.1	174	21.4	64.4
41	6.3	349.3	108	16.7	78.9	175	21.6	64.5
42	6.0	349.4	109	17.6	79.7	176	21.8	64.7
43	5.8	350.7	110	18.5	80.5	177	21.7	64.8
44	5.6	349.6	111	19.0	81.0	178	21.1	64.3
45	5.3	341.4	112	19.4	81.3	179	21.2	64.3
46	5.7	336.2	113	19.8	81.6	180	22.0	59.0
47	6.1	331.8	114	20.0	81.8	181	22.0	57.6
48	6.2	328.5	115	20.1	81.8	182	21.9	59.0
49	6.0	327.7	116	20.6	77.0	183	21.9	59.0
50	6.2	323.3	117	21.0	78.3			
51	5.6	319.8	118	21.4	78.9			
52	4.6	317.0	119	22.1	79.5			
53	3.8	311.7	120	22.6	79.8			
54	3.7	301.8	121	22.7	79.8			
55	3.1	308.6	122	23.2	78.0			
56	2.6	319.5	123	23.4	76.2			
57	2.9	317.4	124	23.1	76.0			
58	2.4	331.2	125	23.4	76.2			
59	2.1	351.7	126	23.7	76.4			
60	1.8	9.1	127	24.4	75.1			
61	1.8	20.1	128	24.5	74.5			
62	3.0	11.9	129	24.6	74.5			
63	4.5	9.5	130	24.5	74.5			
64	4.8	15.9	131	24.1	74.2			
65	4.1	5.5	132	24.0	76.6			
66	3.6	350.0	133	24.4	76.9			

CARIBOU STATION 96 (178M.) 26/NOV/75 643 GMT
LAT= 73.1530N LONG= 142.7251W LTER= 0. LGEN= 1.
NIVEL= 9.0 EIVEL= -10.1 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	3.2	21.8	134	33.5	52.6
1	0.0	999.9	68	3.2	28.0	135	33.9	52.8
2	0.0	999.9	69	3.3	31.4	136	34.3	53.1
3	0.0	999.9	70	3.6	25.3	137	34.3	53.2
4	0.0	999.9	71	4.1	22.8	138	34.2	53.0
5	5.2	351.5	72	5.1	37.6	139	35.0	48.5
6	5.3	348.8	73	6.6	38.5	140	34.9	48.3
7	5.3	347.5	74	6.6	40.0	141	34.7	48.2
8	4.6	354.2	75	6.7	40.3	142	34.6	48.3
9	4.3	0.6	76	7.1	39.0	143	34.8	48.4
10	4.2	0.4	77	7.4	34.9	144	34.6	48.4
11	4.4	356.5	78	7.4	33.8	145	34.3	48.3
12	4.0	347.7	79	8.4	30.4	146	34.0	48.3
13	3.7	346.5	80	8.6	32.2	147	32.8	52.5
14	3.9	345.5	81	8.8	35.4	148	32.5	51.5
15	4.0	344.5	82	8.9	36.3	149	31.9	51.3
16	3.7	348.7	83	6.8	44.7	150	31.6	51.1
17	3.4	352.7	84	7.8	44.8	151	31.7	51.4
18	3.5	359.0	85	7.8	48.3	152	32.5	47.0
19	3.7	353.9	86	8.0	51.2	153	32.3	47.0
20	3.8	350.5	87	8.2	52.2	154	32.0	46.9
21	3.4	351.4	88	8.4	52.0	155	31.3	50.3
22	3.1	348.4	89	9.2	49.0	156	31.2	50.1
23	3.4	339.1	90	9.5	50.6	157	30.7	48.2
24	3.6	332.2	91	9.8	52.1	158	30.1	45.4
25	3.5	337.4	92	10.4	51.6	159	29.0	48.3
26	2.9	353.3	93	10.9	53.6	160	29.3	49.8
27	2.9	4.8	94	11.3	56.1	161	28.9	52.5
28	2.9	5.2	95	11.7	57.5	162	28.1	51.4
29	2.9	5.9	96	11.9	58.3	163	28.3	49.6
30	3.3	8.1	97	12.2	59.3	164	28.2	51.3
31	3.7	5.3	98	12.3	59.8	165	27.4	52.8
32	4.2	353.9	99	12.3	59.7	166	26.1	54.9
33	5.3	327.8	100	12.7	59.2	167	25.5	53.2
34	7.4	315.6	101	13.4	58.2	168	24.8	55.3
35	7.3	312.5	102	13.9	57.5	169	25.3	56.0
36	4.7	306.8	103	14.3	56.9	170	25.5	56.5
37	3.2	291.2	104	14.3	57.0	171	25.3	56.2
38	2.1	274.2	105	14.5	57.5	172	25.3	55.5
39	1.1	257.4	106	14.9	58.5	173	26.8	50.9
40	0.5	298.5	107	15.4	59.7	174	26.8	50.9
41	1.0	12.3	108	16.3	58.5	175	27.1	50.8
42	1.1	354.9	109	17.1	57.9	176	26.6	50.1
43	1.3	328.5	110	17.5	58.7	177	26.6	49.8
44	0.9	321.8	111	17.8	59.4	178	27.0	50.0
45	1.2	297.3	112	17.9	59.7			
46	2.3	303.7	113	18.0	59.9			
47	2.2	302.9	114	18.3	60.6			
48	1.6	299.4	115	18.9	61.6			
49	0.5	339.0	116	19.5	62.6			
50	1.1	23.0	117	19.9	62.4			
51	2.8	11.2	118	20.8	60.5			
52	4.2	9.9	119	21.5	59.9			
53	5.3	18.5	120	22.1	59.5			
54	5.6	13.3	121	22.8	59.7			
55	5.9	4.3	122	25.4	53.4			
56	6.2	355.6	123	26.5	51.8			
57	6.2	355.5	124	27.0	51.2			
58	6.2	2.0	125	28.4	50.1			
59	6.2	1.3	126	30.3	50.3			
60	5.6	358.8	127	30.7	50.6			
61	5.6	356.1	128	31.4	51.1			
62	5.4	354.2	129	32.1	51.6			
63	4.5	357.5	130	32.7	51.9			
64	3.9	4.4	131	33.0	52.2			
65	3.6	12.2	132	33.5	52.5			
66	3.2	20.6	133	33.8	52.7			


CAMP CARIBOU STATION 97
DATE 26/11/75 TIME 2056(GMT)
TRUE DIRECTION
0 90 180 270 360
DEPTH (M)
0 50 100 150 200
0 5 10 15 20 25
SPEED CM/SEC


CAMP CARIBOU STATION 98
DATE 27/11/75 TIME 620(GMT)
TRUE DIRECTION
0 90 180 270 360
DEPTH (M)
0 50 100 150 200
0 5 10 15 20 25
SPEED CM/SEC

CARIBOU STATION 97 (200M.) 26/NOV/75 2056 GMT
LAT= 73.1993N LONG= 142.8556W LTER= 1. LGER= 1.
NIVEL= 9.0 EIVEL= 0.9 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	6.8	68.5	134	9.3	33.6
1	0.0	999.9	68	7.2	70.3	135	9.4	33.5
2	0.0	999.9	69	6.6	72.2	136	9.6	34.7
3	0.0	999.9	70	5.9	69.1	137	9.9	35.3
4	0.0	999.9	71	5.8	63.6	138	9.9	36.3
5	5.6	51.6	72	5.9	66.7	139	9.7	38.1
6	5.4	57.4	73	6.0	68.8	140	9.5	40.8
7	5.2	61.5	74	5.9	67.4	141	9.3	43.1
8	5.0	62.8	75	6.1	65.8	142	9.6	43.9
9	5.0	58.9	76	6.4	63.5	143	9.7	41.2
10	5.0	54.8	77	6.7	60.9	144	9.8	41.9
11	4.9	54.9	78	7.0	58.8	145	10.0	41.7
12	4.7	54.6	79	7.1	55.5	146	10.2	40.5
13	4.3	50.7	80	7.6	50.9	147	10.1	41.0
14	3.8	47.6	81	8.3	46.1	148	10.0	42.0
15	3.4	47.2	82	9.0	43.6	149	10.3	42.0
16	3.4	47.3	83	9.4	43.3	150	10.7	41.5
17	3.3	48.1	84	9.6	43.9	151	11.0	42.0
18	3.2	49.6	85	9.7	45.1	152	10.9	43.4
19	3.2	51.2	86	9.7	46.0	153	10.7	44.3
20	3.4	49.1	87	9.5	42.0	154	10.6	44.5
21	3.5	48.2	88	9.6	37.5	155	10.8	42.6
22	3.3	47.1	89	9.7	34.4	156	11.2	40.4
23	3.2	47.3	90	9.7	30.7	157	11.2	40.0
24	3.4	44.6	91	9.8	31.6	158	10.8	42.2
25	3.5	41.7	92	10.0	34.8	159	10.3	44.5
26	3.4	37.5	93	10.2	33.8	160	10.2	45.3
27	3.3	35.3	94	10.5	32.6	161	10.2	45.5
28	3.6	40.7	95	10.4	35.4	162	10.5	46.2
29	3.9	44.3	96	10.2	37.8	163	10.8	48.8
30	3.8	45.0	97	10.1	39.1	164	11.2	50.3
31	3.3	42.3	98	9.9	38.9	165	11.7	47.4
32	3.3	38.3	99	9.5	38.1	166	11.9	43.2
33	3.4	35.3	100	9.2	37.1	167	11.8	40.2
34	3.5	31.6	101	8.7	35.7	168	11.8	42.1
35	3.2	30.1	102	8.5	36.4	169	11.4	45.8
36	3.3	27.1	103	8.4	38.0	170	10.3	48.5
37	3.4	33.5	104	8.5	39.4	171	8.9	52.7
38	3.5	48.4	105	8.7	39.2	172	9.2	50.7
39	3.2	62.4	106	8.9	36.6	173	10.1	46.5
40	3.0	71.3	107	9.0	36.1	174	10.5	48.2
41	3.0	75.8	108	9.0	40.1	175	11.3	46.2
42	2.6	83.5	109	9.0	41.4	176	11.5	45.4
43	2.3	86.4	110	9.1	40.2	177	11.8	46.2
44	2.4	79.9	111	9.1	42.5	178	12.4	47.5
45	2.9	73.6	112	9.0	38.9	179	12.3	49.7
46	3.2	70.9	113	9.0	37.6	180	11.7	50.6
47	3.4	74.4	114	8.8	39.5	181	11.3	46.0
48	3.2	78.6	115	8.9	41.0	182	10.3	47.2
49	2.7	84.2	115	9.3	41.2	183	9.9	44.9
50	2.1	82.4	117	9.1	39.8	184	9.6	43.1
51	2.1	71.9	118	8.8	41.0	185	9.6	44.1
52	2.6	63.8	119	8.7	42.7	186	9.6	46.1
53	2.9	58.1	120	8.7	42.6	187	9.8	47.9
54	2.6	36.2	121	8.7	41.6	188	10.3	50.8
55	3.1	30.0	122	8.7	40.4	189	11.3	50.8
56	3.3	34.4	123	8.6	39.5	190	11.5	50.1
57	3.7	43.3	124	8.4	39.6	191	11.5	49.6
58	4.2	55.8	125	8.1	39.8	192	11.5	49.6
59	5.9	62.3	126	8.5	39.0	193	11.4	49.2
60	6.3	63.3	127	9.2	37.2	194	11.3	47.4
61	5.9	64.7	128	9.5	36.0	195	11.4	46.1
62	5.5	63.8	129	9.3	35.5	196	11.4	46.4
63	5.7	74.7	130	9.1	35.1	197	11.2	48.1
64	5.8	79.2	131	8.9	35.0	198	11.3	48.4
65	5.5	79.1	132	8.9	34.9	199	11.3	49.4
66	6.1	75.7	133	9.1	34.7	200	11.3	49.4

CARIBOU STATION 98 (170M.) 27/NOV/75 620 GMT
LAT= 73.2167N LONG= 142.8939W LTER= 1. LGER= 2.
NIVEL= 6.8 EIVFL= -2.1 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	5.5	45.5	134	6.4	27.4
1	0.0	999.9	68	6.0	49.9	135	7.0	26.7
2	0.0	999.9	69	6.8	48.7	136	7.2	26.3
3	0.0	999.9	70	6.9	47.9	137	7.4	27.7
4	0.0	999.9	71	6.5	49.2	138	7.1	32.5
5	4.0	2.2	72	5.7	54.6	139	7.0	35.8
6	3.8	359.0	73	4.9	60.4	140	6.5	36.8
7	3.5	354.1	74	4.1	67.2	141	5.8	36.9
8	3.3	351.9	75	3.7	72.0	142	5.0	40.2
9	3.3	352.9	76	3.3	69.1	143	4.5	41.7
10	3.1	353.1	77	2.6	54.6	144	5.2	40.1
11	3.0	352.0	78	2.2	40.4	145	5.9	39.1
12	2.9	349.8	79	2.6	38.8	146	6.3	37.6
13	2.7	347.0	80	3.0	42.1	147	6.7	37.6
14	2.7	344.3	81	3.4	42.9	148	6.7	36.1
15	2.8	344.0	82	4.1	43.1	149	6.9	34.0
16	2.9	345.8	83	4.7	42.8	150	7.3	31.2
17	3.1	347.4	84	5.3	40.1	151	7.5	30.2
18	3.2	348.8	85	5.9	36.1	152	7.9	31.8
19	3.3	347.3	86	6.0	35.5	153	8.0	32.4
20	3.4	345.0	87	5.8	33.8	154	7.9	34.0
21	3.4	342.8	88	5.7	32.8	155	7.3	37.5
22	3.4	340.6	89	5.6	32.0	156	6.6	38.4
23	3.4	341.7	90	5.5	33.0	157	6.3	37.6
24	3.4	343.9	91	5.7	33.1	158	6.5	36.8
25	3.4	347.6	92	5.9	32.9	159	6.7	38.4
26	3.3	351.8	93	5.9	31.8	160	7.1	40.4
27	3.4	355.8	94	5.7	32.0	161	7.0	39.7
28	3.5	359.5	95	5.3	33.5	162	6.7	37.4
29	3.6	1.8	96	5.2	34.7	163	6.9	35.2
30	3.7	1.3	97	5.1	33.4	164	7.1	33.7
31	3.7	1.9	98	4.8	31.2	165	7.6	31.7
32	3.6	4.2	99	4.3	28.0	166	7.9	28.1
33	3.6	8.1	100	4.2	26.6	167	7.7	26.4
34	3.5	16.0	101	4.3	28.4	168	7.2	25.4
35	3.4	23.6	102	4.4	30.5	169	6.7	21.6
36	3.3	31.2	103	4.5	28.8	170	6.7	21.5
37	3.1	39.8	104	4.4	27.1			
38	2.6	48.9	105	4.4	26.0			
39	2.1	49.6	106	4.6	25.6			
40	1.6	38.4	107	4.5	25.5			
41	1.9	34.3	108	4.2	25.1			
42	2.2	38.3	109	4.4	25.2			
43	2.4	53.5	110	4.6	22.8			
44	2.7	59.7	111	4.8	21.7			
45	2.9	65.3	112	5.1	23.1			
46	2.9	66.1	113	5.4	23.6			
47	3.2	65.9	114	5.7	23.7			
48	3.4	68.9	115	6.1	23.6			
49	3.6	71.0	116	6.4	24.6			
50	3.5	72.6	117	6.5	26.6			
51	2.8	66.1	118	6.7	29.2			
52	2.2	56.0	119	6.5	29.6			
53	2.2	47.8	120	6.2	29.6			
54	2.3	54.3	121	6.0	27.8			
55	2.5	60.9	122	5.9	25.6			
56	2.6	51.5	123	6.0	24.9			
57	2.9	43.2	124	6.2	24.4			
58	3.2	35.9	125	6.2	24.4			
59	3.5	32.0	126	6.1	25.6			
60	3.8	31.4	127	6.1	27.3			
61	4.2	34.0	128	6.0	27.9			
62	4.5	38.8	129	6.0	26.6			
63	4.8	42.7	130	5.9	26.0			
64	4.8	47.3	131	5.8	26.7			
65	4.8	46.5	132	5.9	27.3			
66	5.1	43.5	133	6.0	27.7			


CAMP CARIBOU STATION 100
DATE 28/11/75 TIME 715(GMT)
TRUE DIRECTION
0 90 180 270 360
DEPTH (M)
0 50 100 150 200
0 5 10 15 20 25
SPEED CM/SEC


CAMP CARIBOU STATION 101
DATE 28/11/75 TIME 2030(GMT)
TRUE DIRECTION
0 90 180 270 360
DEPTH (M)
0 50 100 150 200
0 5 10 15 20 25
SPEED CM/SEC

CARIBOU STATION 100 (200M.) 28/NOV/75 715 GMT
LAT= 73.2248N LONG= 142.9215W LTER= 1. LGER= 1.
NIVEL= 3.1 EIVEL= -5.5 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	5.3	307.2	134	4.9	297.1
1	0.0	999.9	68	5.6	308.5	135	4.8	297.9
2	0.0	999.9	69	5.9	309.6	136	4.7	298.9
3	0.0	999.9	70	6.0	308.6	137	4.7	299.5
4	0.0	999.9	71	6.0	306.5	138	4.7	298.8
5	5.7	286.9	72	5.6	305.4	139	4.8	297.3
6	5.7	286.6	73	5.1	303.7	140	4.9	297.9
7	5.8	287.0	74	4.7	300.0	141	5.1	297.9
8	5.7	288.4	75	4.7	295.0	142	5.0	298.4
9	5.7	289.4	76	4.7	291.8	143	4.9	299.3
10	5.7	289.7	77	4.7	296.5	144	4.7	300.3
11	5.7	290.3	78	4.8	300.3	145	4.6	301.1
12	5.7	291.4	79	4.9	301.5	146	4.6	299.0
13	5.7	292.6	80	5.2	298.7	147	4.6	300.4
14	5.7	292.8	81	5.2	295.3	148	4.3	301.0
15	5.7	291.6	82	5.1	294.0	149	4.3	298.1
16	5.8	291.1	83	5.0	293.9	150	4.2	296.2
17	5.6	291.7	84	4.8	292.5	151	4.0	298.8
18	5.9	292.3	85	4.8	290.5	152	4.0	299.5
19	5.9	291.3	86	4.9	295.4	153	4.1	298.0
20	6.0	289.8	87	5.1	300.9	154	4.2	296.3
21	6.0	288.7	88	5.3	302.1	155	4.3	294.8
22	6.6	282.9	89	5.3	300.3	156	4.0	293.1
23	7.0	281.7	90	5.4	298.7	157	3.9	293.1
24	6.9	281.4	91	5.4	300.2	158	4.2	293.1
25	6.9	281.4	92	5.1	299.5	159	4.0	293.2
26	6.9	281.3	93	4.9	293.3	160	3.9	292.5
27	6.9	281.2	94	5.0	289.9	161	4.2	287.9
28	6.9	281.1	95	4.8	290.9	162	4.4	287.2
29	7.0	280.9	96	4.7	291.3	163	4.3	286.7
30	6.8	281.2	97	4.8	287.6	164	4.0	285.1
31	6.6	281.5	98	4.9	283.3	165	3.7	284.0
32	6.7	280.6	99	5.0	281.9	166	3.6	284.4
33	6.9	279.6	100	5.0	281.7	167	3.7	284.7
34	6.8	279.1	101	5.0	281.3	168	3.9	285.8
35	6.7	278.9	102	5.0	282.4	169	4.1	291.1
36	6.6	278.8	103	4.9	284.5	170	4.3	296.0
37	6.2	279.7	104	4.8	286.0	171	4.0	296.6
38	5.9	281.9	105	5.3	285.2	172	3.7	295.9
39	5.8	283.4	106	5.6	284.7	173	3.5	295.5
40	5.9	286.0	107	5.6	286.1	174	3.4	296.7
41	6.5	289.5	108	5.6	288.1	175	3.6	298.0
42	6.0	289.6	109	5.7	289.6	176	3.8	299.5
43	5.6	292.1	110	5.9	290.9	177	4.1	300.2
44	5.3	292.4	111	5.9	290.5	178	4.4	300.1
45	5.3	291.0	112	6.0	290.3	179	4.6	296.7
46	5.5	288.6	113	6.0	289.9	180	5.1	295.0
47	5.6	289.4	114	5.4	290.6	181	5.3	295.6
48	5.6	291.0	115	5.4	289.9	182	5.3	296.3
49	5.5	291.3	116	5.4	291.0	183	5.2	298.0
50	5.6	290.7	117	5.5	293.7	184	5.4	297.1
51	5.5	291.1	118	5.7	294.8	185	5.1	299.7
52	5.5	293.5	119	5.7	294.6	186	4.9	302.5
53	5.6	296.6	120	5.6	294.6	187	4.8	303.2
54	5.6	298.1	121	5.6	294.7	188	4.9	301.5
55	5.7	299.4	122	5.3	296.4	189	5.1	300.0
56	5.6	298.5	123	5.0	299.2	190	5.1	299.4
57	5.5	298.3	124	4.9	299.4	191	5.1	298.2
58	5.3	299.4	125	5.0	299.3	192	5.1	299.0
59	5.4	300.7	126	5.1	299.6	193	5.3	303.4
60	5.6	300.7	127	5.1	299.7	194	5.6	305.9
61	5.8	300.5	128	5.1	299.7	195	5.7	305.6
62	5.9	299.7	129	5.1	299.2	196	5.4	303.0
63	5.9	299.3	130	5.1	298.4	197	4.8	300.1
64	5.7	301.4	131	5.0	296.8	198	4.5	297.0
65	5.6	304.4	132	4.9	295.3	199	4.4	294.7
66	5.4	306.1	133	4.9	296.5	200	4.3	294.3

CARIBOU STATION 101 (200M.) 28/NOV/75 2030 GMT
LAT= 73.2327N LONG= 143.0144W LTER= 1. LGER= 1.
NIVEL= 4.6 EIVEL= -4.4 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	10.1	291.6	134	9.1	286.1
1	0.0	999.9	68	9.9	292.0	135	9.3	286.1
2	0.0	999.9	69	10.0	291.8	136	9.4	286.4
3	0.0	999.9	70	10.3	290.8	137	9.3	286.5
4	0.0	999.9	71	10.4	290.5	138	9.2	286.5
5	8.6	289.2	72	10.1	290.0	139	9.2	285.9
6	8.7	289.5	73	9.9	289.6	140	9.3	285.4
7	8.9	289.9	74	9.9	289.8	141	9.2	286.5
8	9.0	289.8	75	10.1	291.2	142	9.1	287.1
9	9.1	289.4	76	10.2	291.7	143	9.2	286.8
10	9.2	289.2	77	10.1	291.7	144	9.3	286.7
11	9.3	289.3	78	10.1	291.2	145	9.0	287.7
12	9.3	289.5	79	10.0	291.7	146	8.8	287.8
13	9.2	289.9	80	9.8	291.5	147	8.9	288.4
14	9.2	289.9	81	9.5	291.0	148	8.9	289.2
15	9.2	289.8	82	9.5	290.4	149	9.0	289.6
16	9.2	289.8	83	9.5	290.0	150	9.2	289.7
17	9.2	290.4	84	9.5	289.7	151	9.3	289.8
18	9.1	290.9	85	9.4	289.3	152	9.4	290.1
19	9.1	291.1	86	9.3	289.2	153	9.2	289.2
20	9.1	290.8	87	9.4	289.1	154	9.0	288.3
21	9.0	291.0	88	9.5	288.8	155	8.9	287.7
22	9.1	291.0	89	9.4	288.7	156	8.9	287.4
23	9.2	291.0	90	9.2	288.5	157	8.9	286.8
24	9.3	290.9	91	9.3	287.6	158	9.1	286.3
25	9.1	290.8	92	9.4	286.6	159	9.3	286.4
26	9.0	290.6	93	9.4	287.2	160	9.5	287.7
27	9.0	290.6	94	9.3	288.1	161	9.5	288.6
28	8.9	290.5	95	9.3	288.8	162	9.7	290.0
29	8.8	290.5	96	9.4	289.4	163	9.8	291.9
30	8.7	290.2	97	9.4	289.8	164	9.7	291.5
31	8.7	290.8	98	9.4	289.8	165	9.3	289.0
32	8.8	291.6	99	9.5	289.6	166	8.8	287.9
33	8.8	291.7	100	9.6	289.7	167	8.9	288.5
34	8.8	291.7	101	9.6	290.0	168	8.9	287.6
35	8.7	291.3	102	9.4	290.1	169	9.0	286.3
36	8.7	290.9	103	9.3	290.1	170	9.0	285.3
37	8.6	290.8	104	9.1	289.3	171	8.9	284.5
38	8.6	290.5	105	9.0	289.0	172	8.7	284.7
39	8.7	288.7	106	9.0	287.7	173	8.6	285.0
40	9.0	287.6	107	9.0	287.0	174	8.5	285.7
41	9.2	287.9	108	8.9	287.0	175	8.4	287.1
42	9.4	289.2	109	8.7	286.8	176	8.4	287.5
43	9.5	290.5	110	8.6	286.6	177	8.4	288.0
44	9.8	290.9	111	8.6	286.0	178	8.2	289.0
45	9.8	290.7	112	8.7	284.9	179	8.2	289.0
46	9.7	291.1	113	8.8	284.3	180	8.3	290.3
47	9.6	291.6	114	8.9	283.7	181	8.5	290.3
48	9.5	291.9	115	9.1	283.3	182	8.8	288.5
49	9.5	291.5	116	9.2	283.7	183	9.2	287.0
50	9.6	290.6	117	9.1	285.1	184	9.5	285.4
51	9.4	290.4	118	9.1	285.3	185	9.2	285.9
52	9.3	290.6	119	9.3	285.0	186	8.9	287.1
53	9.3	290.5	120	9.4	285.2	187	8.9	287.7
54	9.2	290.6	121	9.5	285.2	188	9.1	286.3
55	9.0	290.6	122	9.6	284.9	189	9.3	285.7
56	9.0	290.2	123	9.6	284.9	190	9.3	286.3
57	9.2	290.6	124	9.4	285.6	191	9.2	287.2
58	9.4	291.3	125	9.3	286.4	192	8.9	289.1
59	9.5	291.9	126	9.1	287.3	193	8.9	290.3
60	9.6	291.6	127	8.9	287.8	194	9.0	290.6
61	9.8	291.5	128	8.7	288.2	195	9.3	290.9
62	9.9	291.5	129	8.7	288.3	196	9.6	288.3
63	9.8	292.2	130	8.7	288.2	197	9.6	286.7
64	9.7	292.3	131	8.7	287.8	198	9.5	285.9
65	9.8	292.7	132	8.8	287.4	199	9.7	287.1
66	10.0	291.9	133	9.0	286.8	200	9.7	287.1


CAMP CARIBOU STATION 102
DATE 29/11/75 TIME 624(GMT)
TRUE DIRECTION
0 90 180 270 360
DEPTH (M)
0 50 100 150 200
0 5 10 15 20 25
SPEED CM/SEC


CAMP CARIBOU STATION 104
DATE 1/12/75 TIME 1322(GMT)
TRUE DIRECTION
0 90 180 270 360
DEPTH (M)
0 50 100 150 200
0 10 20 30 40 50
SPEED CM/SEC

CARIBOU STATION 102 (196M.) 29/NOV/75 624 GMT
LAT= 73.2391N LONG= 143.1027W LTER= 4. LGER= 11.
NIVEL= 0.5 EIVEL= -10.1 NVER= 0. EVER= 1.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	10.9	275.2	134	4.0	303.2
1	0.0	999.9	68	11.1	271.3	135	4.3	303.4
2	0.0	999.9	69	11.3	265.6	136	4.9	306.6
3	0.0	999.9	70	11.4	259.9	137	5.0	307.4
4	0.0	999.9	71	11.2	255.4	138	4.9	308.1
5	8.6	293.5	72	10.5	252.6	139	4.7	306.4
6	8.3	293.6	73	9.5	248.0	140	4.6	300.2
7	7.8	293.3	74	6.5	237.6	141	4.6	295.4
8	7.3	291.9	75	2.6	263.9	142	4.7	293.0
9	6.9	289.4	76	2.3	283.2	143	4.7	292.8
10	6.9	287.9	77	2.2	282.5	144	4.4	296.6
11	7.0	287.8	78	2.3	259.9	145	4.5	296.1
12	7.0	288.1	79	3.0	248.8	146	4.2	296.7
13	7.1	288.5	80	3.4	253.0	147	3.9	296.8
14	7.3	287.8	81	3.3	252.4	148	3.4	291.0
15	7.8	286.6	82	3.1	252.5	149	3.7	290.9
16	8.1	285.4	83	2.6	266.3	150	3.8	292.3
17	8.4	283.7	84	2.6	283.6	151	3.9	291.9
18	8.5	282.4	85	2.8	290.1	152	3.9	291.5
19	8.5	281.8	86	2.7	289.6	153	3.9	293.2
20	8.4	280.8	87	2.8	288.7	154	4.0	299.6
21	8.2	280.0	88	3.2	285.7	155	4.2	304.0
22	8.1	278.0	89	3.6	277.2	156	3.9	302.4
23	8.1	276.1	90	3.8	273.5	157	4.1	303.7
24	8.2	273.8	91	3.8	271.3	158	4.2	301.8
25	8.3	272.1	92	3.8	278.1	159	4.1	293.9
26	8.5	271.4	93	3.9	285.5	160	3.9	290.6
27	8.6	271.3	94	3.9	286.1	161	4.2	287.9
28	8.7	271.5	95	3.8	285.9	162	4.3	282.1
29	8.8	271.6	96	3.5	287.7	163	4.6	269.6
30	8.7	271.4	97	3.5	292.0	164	4.1	275.6
31	8.8	271.0	98	4.3	295.6	165	4.1	286.1
32	9.0	270.3	99	4.5	298.1	166	4.8	294.1
33	9.3	269.0	100	3.9	294.2	167	5.2	297.7
34	8.6	255.2	101	3.9	292.2	168	5.1	303.0
35	9.5	266.9	102	3.8	295.0	169	5.4	303.4
36	9.6	266.8	103	3.8	298.0	170	5.5	301.2
37	9.3	268.1	104	3.8	297.0	171	5.1	300.8
38	9.1	269.7	105	3.9	293.5	172	4.9	301.3
39	9.5	269.8	106	4.1	293.4	173	4.9	302.5
40	9.8	270.6	107	4.1	297.8	174	5.2	301.8
41	10.2	270.4	108	4.0	299.3	175	5.1	302.9
42	10.4	269.9	109	4.2	297.6	176	5.0	304.5
43	10.7	268.7	110	4.2	297.4	177	4.9	304.7
44	10.7	267.5	111	4.1	298.4	178	5.0	300.5
45	10.7	268.7	112	4.0	299.0	179	4.9	293.2
46	10.7	271.1	113	4.0	299.3	180	4.5	287.5
47	10.8	273.8	114	4.2	300.6	181	4.1	290.7
48	10.8	275.7	115	4.3	299.7	182	4.8	296.3
49	10.7	277.3	116	4.6	295.9	183	5.6	296.6
50	10.5	279.2	117	5.1	294.8	184	5.6	304.1
51	10.3	280.9	118	5.3	293.3	185	5.2	304.4
52	10.0	280.6	119	5.2	294.0	186	4.3	293.0
53	9.9	280.6	120	5.0	295.2	187	4.1	284.6
54	9.9	280.8	121	5.0	296.8	188	4.1	278.5
55	10.0	279.7	122	4.8	299.3	189	4.0	263.4
56	10.0	278.5	123	4.6	301.7	190	4.0	255.5
57	9.8	278.5	124	4.4	304.5	191	3.9	257.1
58	9.9	278.3	125	4.3	307.8	192	3.9	261.0
59	10.1	277.1	126	4.1	308.4	193	3.8	266.3
60	10.4	275.5	127	3.7	306.8	194	4.3	278.3
61	10.6	275.2	128	3.7	304.6	195	4.9	288.8
62	10.9	274.9	129	3.8	304.1	196	5.1	291.7
63	11.2	275.6	130	3.8	303.3			
64	11.1	276.6	131	4.1	303.4			
65	10.9	277.1	132	3.9	301.1			
66	10.8	277.3	133	3.9	301.3			

CARIBOU STATION 104 (185M.) 1/DEC/75 1322 GMT
LAT= 73.1534N LONG= 143.0046W LTER= 0. LGER= 1.
NIVEL= -15.4 EIVEL= 1.7 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	25.6	180.6	134	29.6	183.3
1	0.0	999.9	68	25.6	180.6	135	29.8	183.9
2	0.0	999.9	69	25.5	180.5	136	30.1	184.0
3	0.0	999.9	70	25.3	180.5	137	30.3	184.1
4	0.0	999.9	71	25.2	181.1	138	30.6	184.2
5	20.8	176.2	72	25.3	181.0	139	30.6	185.2
6	21.1	176.3	73	25.5	181.1	140	30.6	185.7
7	21.5	176.3	74	25.7	181.2	141	30.4	186.6
8	21.8	176.3	75	26.0	181.3	142	30.3	186.3
9	22.1	176.5	76	26.0	181.9	143	30.5	185.9
10	22.6	176.7	77	25.8	182.2	144	30.4	186.4
11	23.2	177.0	78	25.7	182.2	145	30.6	185.9
12	23.0	176.9	79	25.7	182.1	146	30.8	185.8
13	22.8	176.7	80	25.7	182.1	147	31.0	185.9
14	22.5	176.7	81	25.8	182.1	148	31.1	186.0
15	22.6	176.9	82	25.9	182.9	149	31.2	186.0
16	23.2	177.3	83	26.0	183.4	150	31.5	186.1
17	23.5	177.6	84	26.1	183.5	151	31.6	186.1
18	23.4	177.6	85	26.2	183.5	152	31.5	186.1
19	22.8	177.7	86	26.4	183.6	153	31.4	186.4
20	22.2	177.8	87	26.5	183.7	154	31.4	186.8
21	21.8	177.7	88	26.5	183.7	155	31.5	186.4
22	21.8	177.8	89	26.4	183.4	156	31.5	186.1
23	22.1	178.2	90	26.4	182.8	157	31.3	186.4
24	22.5	178.4	91	26.2	182.4	158	31.3	185.9
25	22.4	178.4	92	26.1	182.3	159	31.3	185.9
26	22.1	178.2	93	26.2	182.4	160	31.5	186.0
27	22.3	178.3	94	26.3	182.4	161	31.4	186.0
28	22.6	178.0	95	26.4	182.5	162	31.3	185.9
29	22.4	177.5	96	26.4	182.5	163	31.4	185.9
30	22.4	177.3	97	26.4	182.5	164	31.7	186.0
31	22.4	177.3	98	26.3	182.5	165	31.5	186.2
32	22.9	177.1	99	26.4	182.1	166	31.6	186.7
33	23.3	177.0	100	26.5	181.5	167	31.8	186.7
34	23.6	177.0	101	26.7	181.6	168	31.5	186.4
35	24.1	177.6	102	26.8	181.6	169	31.2	185.9
36	25.1	178.6	103	26.9	181.9	170	31.3	186.0
37	26.5	179.7	104	26.9	182.7	171	31.4	185.5
38	26.7	180.0	105	26.9	182.8	172	31.2	184.6
39	26.5	180.1	106	27.0	182.8	173	30.9	184.6
40	26.2	180.1	107	27.0	182.8	174	30.9	184.5
41	25.9	180.0	108	27.1	182.9	175	30.9	184.7
42	25.8	180.0	109	27.3	183.0	176	30.8	186.1
43	25.7	180.2	110	27.4	183.5	177	30.8	187.3
44	25.8	180.0	111	27.4	183.5	178	30.8	186.9
45	25.8	179.7	112	27.5	183.6	179	30.6	186.4
46	25.8	179.6	113	27.5	183.6	180	30.5	186.0
47	25.8	179.6	114	27.5	183.6	181	30.8	185.8
48	25.9	179.7	115	27.6	183.7	182	31.1	186.3
49	26.2	179.8	116	27.7	183.7	183	30.7	185.5
50	26.4	179.8	117	27.8	183.8	184	30.3	185.8
51	26.5	179.8	118	28.4	184.1	185	30.3	186.1
52	26.2	179.7	119	28.4	183.6			
53	25.9	179.7	120	28.2	183.5			
54	25.6	179.6	121	28.0	183.4			
55	25.3	179.3	122	27.8	183.3			
56	25.4	179.5	123	28.1	183.5			
57	25.3	179.7	124	28.3	183.5			
58	25.1	180.1	125	28.6	183.7			
59	25.0	180.3	126	28.8	183.7			
60	25.0	180.2	127	29.0	183.8			
61	25.0	180.3	128	29.0	183.8			
62	25.0	180.3	129	29.1	183.8			
63	25.1	180.4	130	29.3	183.1			
64	25.2	180.4	131	29.4	182.5			
65	25.4	180.5	132	29.5	182.6			
66	25.7	180.6	133	29.6	182.6			


CAMP CARIBOU STATION 105
DATE 1/12/75 TIME 1948(GMT)
TRUE DIRECTION
0
90
180
270
360
DEPTH (M)
0
50
100
150
200
SPEED CM/SEC
0
5
10
15
20
25


CAMP CARIBOU STATION 106
DATE 2/12/75 TIME 636(GMT)
TRUE DIRECTION
0
90
180
270
360
DEPTH (M)
0
50
100
150
200
SPEED CM/SEC
0
5
10
15
20
25

CARIBOU STATION 105 (195M.) 1/DEC/75 1948 GMT
LAT= 73.1242N LONG= 142.9918W LTER= 1. LGER= 2.
NIVEL= -9.2 EIVEL= -4.1 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	17.5	202.9	134	20.2	200.7
1	0.0	999.9	68	17.4	202.8	135	20.3	200.6
2	0.0	999.9	69	17.3	202.8	136	20.3	200.3
3	0.0	999.9	70	17.5	202.7	137	20.6	200.2
4	0.0	999.9	71	17.5	202.5	138	20.4	200.9
5	13.5	194.0	72	17.7	202.4	139	20.2	200.9
6	13.7	194.5	73	17.8	202.1	140	20.5	201.0
7	14.1	194.1	74	17.7	201.7	141	20.7	201.3
8	14.2	194.2	75	17.9	201.3	142	21.0	201.3
9	14.2	194.3	76	18.0	201.2	143	21.2	201.2
10	14.3	194.0	77	18.0	201.2	144	21.4	201.2
11	14.3	193.6	78	17.7	201.3	145	21.6	201.2
12	14.1	193.7	79	17.4	201.2	146	21.7	201.2
13	14.1	193.6	80	17.2	201.1	147	21.7	201.2
14	14.1	193.3	81	17.5	200.9	148	21.5	202.3
15	14.1	192.2	82	17.9	200.8	149	21.4	203.4
16	14.2	191.5	83	18.4	200.8	150	21.3	202.9
17	14.1	190.8	84	18.8	200.7	151	21.3	202.7
18	14.2	190.7	85	19.1	200.7	152	21.2	202.8
19	14.1	191.0	86	19.4	200.2	153	21.2	202.5
20	14.2	191.8	87	19.6	200.0	154	21.1	201.9
21	14.1	192.6	88	19.9	199.9	155	21.3	201.8
22	13.9	193.1	89	20.1	200.3	156	21.3	201.7
23	13.7	193.0	90	20.2	200.8	157	21.1	201.6
24	13.7	192.7	91	19.8	200.8	158	21.3	201.7
25	14.1	192.9	92	19.6	200.8	159	21.4	201.4
26	14.5	192.6	93	19.6	200.7	160	21.4	200.5
27	14.8	192.8	94	19.7	200.7	161	21.4	199.6
28	14.7	193.1	95	19.6	200.4	162	21.3	199.6
29	14.7	193.0	96	19.5	200.5	163	21.3	200.3
30	14.7	193.5	97	19.3	201.0	164	21.3	200.8
31	14.8	194.6	98	19.1	201.6	165	21.5	201.4
32	15.1	195.4	99	19.4	201.7	166	21.8	202.0
33	15.2	196.6	100	19.4	201.3	167	22.1	202.2
34	15.2	197.8	101	19.3	201.0	168	22.0	202.2
35	15.3	199.0	102	19.4	201.0	169	22.0	202.3
36	15.5	199.2	103	19.4	201.4	170	22.1	202.6
37	15.2	199.6	104	19.3	201.6	171	22.2	202.6
38	14.9	200.4	105	19.4	201.6	172	22.5	202.6
39	14.5	201.8	106	19.4	201.6	173	22.7	202.6
40	14.9	202.8	107	19.3	201.6	174	22.9	202.7
41	15.3	203.5	108	19.4	202.3	175	23.2	203.5
42	15.9	203.2	109	19.4	202.3	176	23.2	203.5
43	16.5	202.7	110	19.5	202.3	177	23.1	203.9
44	16.5	202.0	111	19.6	202.3	178	23.0	204.0
45	16.6	201.8	112	19.5	202.3	179	22.8	204.0
46	16.6	201.8	113	19.5	202.3	180	22.5	203.9
47	16.5	201.9	114	19.5	202.3	181	22.3	203.9
48	16.4	202.1	115	19.4	201.8	182	22.1	203.8
49	16.4	202.4	116	19.4	201.7	183	22.3	203.4
50	16.2	202.6	117	19.6	201.8	184	22.5	203.4
51	15.9	202.5	118	19.7	201.3	185	22.7	203.4
52	15.7	202.6	119	19.9	200.9	186	22.8	203.3
53	15.9	203.0	120	20.0	200.9	187	23.0	203.3
54	16.3	204.1	121	20.1	200.9	188	23.1	204.1
55	16.6	204.4	122	20.2	200.9	189	23.1	204.8
56	16.8	204.0	123	20.2	200.9	190	23.0	204.4
57	17.2	203.5	124	20.2	200.9	191	23.0	203.3
58	17.4	203.2	125	20.1	201.4	192	23.1	203.2
59	17.3	203.6	126	20.1	201.2	193	23.0	203.2
60	17.3	203.8	127	20.1	201.1	194	22.7	203.1
61	17.5	203.3	128	20.1	201.0	195	22.5	203.2
62	17.8	202.9	129	20.2	200.8			
63	17.9	202.8	130	20.4	200.3			
64	17.9	202.9	131	20.5	200.1			
65	17.7	202.9	132	20.4	200.3			
66	17.6	202.9	133	20.3	200.8			

CARIBOU STATION 106 (190M.) 2/DEC/75 636 GMT
LAT= 73.0973N LONG= 143.0291W LTER= 0. LGER= 0.
NIVEL= -7.4 EIVEL= -2.9 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	14.3	198.4	134	16.3	198.6
1	0.0	999.9	68	14.0	198.2	135	16.5	198.6
2	0.0	999.9	69	13.6	198.1	136	16.6	198.6
3	0.0	999.9	70	13.2	198.3	137	16.6	198.7
4	0.0	999.9	71	13.1	198.4	138	16.6	198.7
5	10.3	191.0	72	13.0	197.8	139	16.6	198.7
6	10.6	191.4	73	13.1	197.5	140	16.6	198.7
7	10.8	191.4	74	13.5	197.0	141	16.7	198.9
8	10.7	191.0	75	13.8	196.6	142	16.8	199.2
9	10.6	190.6	76	13.9	197.3	143	16.8	199.4
10	10.4	190.5	77	13.9	198.1	144	16.9	200.0
11	10.4	190.7	78	13.9	198.1	145	16.8	200.7
12	10.4	190.7	79	14.2	198.0	146	17.0	200.7
13	10.4	190.4	80	14.4	197.9	147	17.2	200.9
14	10.1	189.7	81	14.7	197.9	148	17.6	201.2
15	10.0	189.2	82	14.6	197.9	149	17.7	201.4
16	10.0	188.6	83	14.6	197.9	150	17.3	201.5
17	9.9	187.9	84	14.5	197.6	151	17.3	201.6
18	9.8	187.7	85	14.4	197.4	152	17.6	200.8
19	9.8	188.2	86	14.7	197.4	153	17.6	199.6
20	10.0	189.1	87	14.8	197.8	154	17.4	199.1
21	10.3	190.1	88	14.9	198.4	155	17.2	199.1
22	10.3	190.6	89	15.0	198.7	156	17.4	199.1
23	10.3	191.0	90	14.8	198.9	157	17.7	199.1
24	10.3	191.2	91	14.5	199.2	158	17.9	198.4
25	10.1	191.2	92	14.4	199.5	159	17.8	198.3
26	10.0	191.2	93	14.2	199.9	160	17.7	199.0
27	10.1	191.4	94	14.4	199.6	161	17.6	199.6
28	10.2	191.8	95	14.5	199.4	162	17.5	200.1
29	10.6	192.1	96	14.6	199.5	163	17.6	200.2
30	11.0	192.4	97	14.5	199.7	164	17.8	199.7
31	11.2	193.3	98	14.4	199.7	165	17.7	199.2
32	11.4	194.4	99	14.4	199.7	166	17.7	199.4
33	11.4	195.5	100	14.4	199.7	167	17.7	199.4
34	11.5	196.7	101	14.6	199.7	168	17.9	199.4
35	11.9	197.8	102	14.8	199.7	169	18.0	199.6
36	11.9	199.2	103	15.0	199.7	170	18.0	199.7
37	11.9	201.2	104	15.0	199.6	171	17.8	199.9
38	12.2	201.4	105	15.1	199.6	172	17.6	199.6
39	12.6	201.3	106	15.2	199.6	173	17.6	199.2
40	13.0	201.4	107	15.4	199.6	174	17.5	199.2
41	13.4	201.7	108	15.6	199.6	175	17.6	199.2
42	13.8	201.7	109	15.7	199.7	176	17.8	199.2
43	14.1	201.7	110	15.7	199.7	177	18.0	199.2
44	14.2	201.6	111	15.7	200.6	178	17.8	199.5
45	14.3	201.6	112	15.7	200.9	179	17.1	199.8
46	14.5	201.4	113	15.9	201.0	180	17.0	200.0
47	14.9	201.3	114	15.9	200.9	181	17.3	199.7
48	15.2	201.0	115	16.0	200.8	182	17.2	199.5
49	15.3	200.7	116	16.0	200.8	183	17.0	200.0
50	15.3	200.7	117	16.0	200.8	184	17.1	200.7
51	15.0	200.9	118	15.9	200.8	185	17.1	201.4
52	14.9	201.1	119	15.9	200.4	186	17.2	201.7
53	15.0	201.1	120	15.9	200.4	187	17.5	201.7
54	15.2	200.8	121	15.8	200.2	188	17.4	200.9
55	15.3	200.1	122	15.7	199.6	189	17.3	201.0
56	15.4	199.8	123	15.6	199.7	190	17.5	200.9
57	15.3	199.7	124	15.6	199.9			
58	15.1	199.7	125	15.5	199.8			
59	15.0	199.6	126	15.6	199.2			
60	14.9	199.6	127	15.7	199.2			
61	14.8	199.5	128	15.7	199.2			
62	14.8	199.5	129	15.8	198.8			
63	14.7	199.3	130	15.9	198.6			
64	14.6	199.0	131	16.1	198.6			
65	14.6	199.0	132	16.2	198.6			
66	14.6	198.9	133	16.3	198.6			


CAMP CARIBOU STATION 107
DATE 2/12/75 TIME 2026(GMT)
TRUE DIRECTION
0 90 180 270 360
0 50 100 150 200
DEPTH (M)
0 5 10 15 20 25
SPEED CM/SEC


CAMP CARIBOU STATION 108
DATE 3/12/75 TIME 1928(GMT)
TRUE DIRECTION
0 90 180 270 360
0 50 100 150 200
DEPTH (M)
0 5 10 15 20 25
SPEED CM/SEC

CARIBOU STATION 107 (198M.) 2/DEC/75 2026 GMT
LAT= 73.0675N LONG= 143.0128W LTER= 0. LGER= 0.
NIVEL= -3.4 EIVEL= 0.4 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	5.1	220.8	134	6.4	325.5
1	0.0	999.9	68	5.2	226.0	135	6.1	324.8
2	0.0	999.9	69	5.4	231.4	136	5.5	329.3
3	0.0	999.9	70	5.6	238.6	137	5.5	330.5
4	0.0	999.9	71	5.7	243.1	138	5.9	330.0
5	4.8	215.5	72	5.7	241.2	139	6.2	329.1
6	4.5	219.9	73	5.4	238.2	140	6.7	316.4
7	3.8	226.6	74	5.2	240.7	141	6.4	295.9
8	3.6	236.5	75	5.0	245.3	142	6.0	295.7
9	3.2	250.6	76	5.1	248.2	143	5.6	305.9
10	2.8	261.4	77	5.0	254.4	144	6.1	311.8
11	2.3	264.7	78	4.9	265.3	145	6.7	311.7
12	1.8	265.9	79	4.7	278.6	146	7.0	312.9
13	1.7	276.0	80	4.6	297.1	147	7.5	316.7
14	1.6	287.9	81	5.0	305.4	148	8.4	317.2
15	2.0	297.1	82	4.5	313.8	149	8.2	314.3
16	1.9	292.6	83	4.1	321.1	150	7.8	317.5
17	1.9	285.6	84	4.3	328.7	151	7.8	324.8
18	2.2	283.5	85	4.6	331.5	152	8.3	327.7
19	2.4	282.7	86	4.4	330.6	153	8.8	328.1
20	2.3	283.4	87	4.0	327.7	154	9.3	328.5
21	2.0	287.2	88	3.8	331.4	155	9.7	329.6
22	1.5	295.4	89	3.6	339.2	156	9.6	330.7
23	1.3	327.8	90	3.8	345.9	157	9.6	330.7
24	1.5	3.3	91	4.3	349.5	158	9.5	328.9
25	1.7	26.6	92	4.8	347.2	159	9.9	328.4
26	1.7	38.5	93	5.3	346.9	160	9.9	328.7
27	1.7	49.1	94	5.5	342.8	161	10.0	330.1
28	1.8	45.6	95	5.3	338.3	162	10.3	331.7
29	1.9	39.8	96	5.1	332.9	163	10.1	329.0
30	2.0	40.0	97	5.1	327.8	164	9.9	326.4
31	1.9	84.6	98	4.8	321.4	165	10.0	325.1
32	2.1	100.5	99	4.5	317.6	166	10.6	326.3
33	2.5	102.6	100	4.9	318.9	167	11.2	327.9
34	3.0	108.0	101	5.4	320.1	168	11.7	329.7
35	4.1	125.9	102	5.8	320.9	169	11.6	335.0
36	4.2	133.4	103	5.9	321.0	170	11.3	336.7
37	4.2	141.5	104	5.6	320.4	171	10.6	338.0
38	4.1	149.1	105	5.4	319.9	172	9.8	339.0
39	4.1	155.1	106	5.4	320.1	173	9.3	333.6
40	3.9	158.3	107	5.4	324.7	174	9.6	331.5
41	3.8	168.2	108	5.4	328.7	175	10.0	337.0
42	3.8	186.4	109	5.4	329.2	176	10.1	352.3
43	4.1	190.0	110	5.6	329.9	177	10.9	351.0
44	4.5	196.3	111	5.5	330.2	178	11.5	342.0
45	4.6	203.0	112	5.3	330.2	179	11.4	341.2
46	4.8	205.8	113	5.2	333.1	180	10.8	342.3
47	4.9	207.4	114	5.1	330.1	181	10.1	343.5
48	5.0	210.3	115	4.8	330.0	182	9.3	346.9
49	5.2	217.6	116	5.0	330.4	183	9.1	349.4
50	5.1	221.3	117	4.9	330.7	184	9.8	346.1
51	5.0	223.8	118	4.8	330.6	185	10.5	337.2
52	5.2	226.6	119	4.4	331.7	186	11.1	324.7
53	5.3	219.6	120	4.2	335.6	187	11.3	319.8
54	5.3	217.8	121	4.0	336.9	188	11.4	315.7
55	5.0	215.6	122	3.9	336.5	189	11.2	311.8
56	4.9	213.9	123	3.9	338.4	190	10.7	309.9
57	4.9	211.8	124	4.5	339.4	191	10.1	309.4
58	5.0	211.5	125	5.0	337.7	192	10.0	311.6
59	5.0	212.4	126	5.3	333.2	193	10.1	313.4
60	4.8	213.2	127	5.2	328.2	194	9.8	315.3
61	4.3	215.1	128	5.0	326.5	195	10.2	323.4
62	4.3	222.7	129	4.8	327.8	196	10.6	320.2
63	4.5	226.7	130	5.1	330.2	197	10.9	317.5
64	4.7	227.0	131	5.5	331.4	198	11.1	317.0
65	4.7	224.2	132	5.8	331.1			
66	4.8	221.8	133	6.3	330.8			

CARIBOU STATION 108 (200M.) 3/DEC/75 1928 GMT
LAT= 73.0583N LONG= 142.9492W LTER= 0. LGER= 1.
NIVEL= 0.2 EIVEL= 1.2 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	3.1	262.8	134	7.0	169.5
1	0.0	999.9	68	3.0	257.1	135	7.0	163.9
2	0.0	999.9	69	3.2	255.8	136	7.2	159.0
3	0.0	999.9	70	3.4	255.4	137	7.6	156.1
4	0.0	999.9	71	3.3	255.4	138	7.8	155.2
5	0.5	259.3	72	3.1	253.7	139	7.9	154.7
6	0.3	225.7	73	3.1	255.5	140	8.1	158.3
7	0.3	201.2	74	2.9	265.6	141	8.2	162.8
8	0.1	254.7	75	3.1	268.6	142	8.4	164.8
9	0.2	317.5	76	3.3	267.7	143	8.6	165.1
10	0.3	356.5	77	2.9	263.5	144	8.7	161.7
11	0.3	34.8	78	2.3	263.1	145	8.7	158.3
12	0.7	7.4	79	2.2	268.0	146	8.9	154.8
13	0.7	18.7	80	2.8	264.5	147	8.4	155.7
14	0.8	27.7	81	3.2	257.7	148	8.2	156.3
15	0.7	35.6	82	3.5	250.4	149	7.7	157.7
16	0.6	42.6	83	4.1	244.3	150	7.2	158.5
17	0.6	16.8	84	4.3	238.8	151	7.3	155.9
18	0.7	355.1	85	4.0	232.1	152	7.0	151.5
19	0.6	347.4	86	4.2	231.9	153	6.8	151.5
20	0.7	341.6	87	4.1	226.7	154	6.8	151.7
21	0.9	350.9	88	3.3	224.6	155	8.0	144.3
22	1.2	354.3	89	2.5	226.5	156	8.5	137.6
23	1.5	0.5	90	2.2	230.4	157	8.5	131.9
24	1.6	6.7	91	2.3	231.4	158	8.6	125.7
25	1.7	359.3	92	2.5	235.6	159	9.2	123.1
26	1.5	0.6	93	2.6	240.6	160	9.9	118.8
27	1.6	4.2	94	2.6	247.4	161	9.9	114.2
28	1.8	7.0	95	2.4	248.2	162	9.8	109.1
29	1.8	11.5	96	2.2	246.8	163	9.6	104.0
30	1.9	16.0	97	2.1	239.9	164	9.7	99.0
31	2.1	19.9	98	2.1	231.4	165	10.1	94.5
32	2.3	26.3	99	2.1	226.5	166	10.4	88.5
33	2.5	33.5	100	2.5	223.5	167	10.5	84.6
34	2.7	48.1	101	2.6	226.2	168	10.5	81.9
35	2.9	60.8	102	2.4	228.2	169	10.5	80.7
36	3.0	70.3	103	2.4	227.0	170	10.3	79.5
37	3.0	80.7	104	2.4	227.3	171	10.3	78.3
38	3.1	86.1	105	2.4	229.4	172	10.9	77.0
39	2.7	132.6	106	2.5	233.8	173	11.1	75.8
40	2.4	164.1	107	2.4	241.5	174	11.3	74.4
41	2.3	166.5	108	2.6	244.1	175	11.3	72.9
42	2.3	171.4	109	2.6	246.9	176	11.0	71.3
43	2.2	176.6	110	2.6	245.8	177	10.3	69.8
44	2.1	183.5	111	3.0	247.3	178	9.7	68.5
45	2.0	192.1	112	3.4	246.9	179	9.4	67.6
46	2.1	195.5	113	3.6	245.3	180	9.5	65.0
47	2.1	197.6	114	3.5	251.6	181	10.2	60.4
48	2.0	200.4	115	3.5	261.0	182	10.6	58.3
49	1.9	205.9	116	3.7	265.2	183	10.4	56.3
50	1.9	213.0	117	4.3	260.8	184	10.1	55.5
51	2.2	222.4	118	4.5	252.4	185	9.7	54.3
52	2.3	232.5	119	4.3	250.0	186	10.0	53.8
53	2.1	239.9	120	4.0	257.0	187	10.2	54.1
54	2.0	250.0	121	4.2	265.5	188	10.2	53.8
55	2.0	258.4	122	4.2	267.8	189	10.3	53.3
56	2.1	264.7	123	3.7	273.2	190	10.3	53.2
57	2.3	262.1	124	3.4	275.4	191	10.1	54.4
58	2.5	261.0	125	3.1	272.3	192	9.8	55.0
59	2.6	264.2	126	2.8	269.1	193	9.5	55.9
60	2.6	260.0	127	2.9	267.7	194	9.4	57.1
61	2.8	260.6	128	3.2	263.2	195	9.6	5 .9
62	3.0	261.9	129	3.5	257.9	196	9.9	58.7
63	3.0	265.2	130	4.1	248.8	197	9.7	60.1
64	2.9	271.5	131	5.0	233.4	198	9.9	60.2
65	3.3	268.0	132	6.8	200.1	199	9.9	61.2
66	3.2	265.9	133	7.1	181.9	200	9.9	62.5


CAMP CARIBOU STATION 110
DATE 4/12/75 TIME 625(GMT)
TRUE DIRECTION
0 90 180 270 360
DEPTH (M)
0 50 100 150 200
SPEED CM/SEC
0 5 10 15 20 25


CAMP CARIBOU STATION 109
DATE 3/12/75 TIME 2052(GMT)
TRUE DIRECTION
0 90 180 270 360
DEPTH (M)
0 50 100 150 200
SPEED CM/SEC
0 5 10 15 20 25

CARIBOU STATION 109 (200M.) 3/DEC/75 2052 GMT
LAT= 73.0583N LONG= 142.9456W LTER= 1. LGER= 2.
NIVEL= -0.5 EIVEL= 2.7 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	1.6	25.3	134	4.1	340.5
1	0.0	999.9	68	1.6	19.7	135	4.2	339.7
2	0.0	999.9	69	1.6	11.0	136	4.3	339.3
3	0.0	999.9	70	1.6	5.5	137	4.4	338.8
4	0.0	999.9	71	2.0	9.3	138	4.5	338.4
5	1.0	120.8	72	2.1	13.1	139	4.6	340.4
6	1.0	118.4	73	2.5	9.5	140	4.8	342.1
7	1.0	111.0	74	2.9	5.8	141	4.9	341.7
8	1.0	108.4	75	2.7	5.4	142	4.8	338.6
9	1.0	109.8	76	2.6	352.8	143	4.7	332.6
10	1.0	109.0	77	2.1	343.2	144	4.3	322.5
11	1.0	108.1	78	1.8	334.8	145	4.1	318.7
12	1.0	107.1	79	1.9	329.5	146	4.0	317.1
13	1.0	99.7	80	2.6	325.9	147	4.3	324.9
14	1.1	94.3	81	3.4	328.5	148	5.3	354.7
15	1.2	90.2	82	4.0	334.7	149	4.9	59.6
16	1.3	87.3	83	4.3	341.2	150	4.1	67.7
17	1.3	85.4	84	4.1	346.3	151	3.7	66.7
18	1.3	83.3	85	3.4	348.5	152	3.5	61.9
19	1.2	82.1	86	2.8	354.8	153	4.5	33.4
20	1.1	81.2	87	2.6	358.3	154	5.0	1.4
21	1.1	82.8	88	2.4	357.4	155	4.7	338.8
22	1.0	87.4	89	2.3	359.8	156	4.7	328.9
23	1.0	95.1	90	2.3	358.4	157	4.5	331.0
24	1.2	102.2	91	2.8	353.4	158	4.4	335.5
25	1.3	107.2	92	3.0	345.7	159	4.3	331.7
26	1.4	109.6	93	3.2	342.9	160	4.1	322.6
27	1.5	109.1	94	3.3	345.8	161	3.8	321.5
28	1.5	108.6	95	3.6	353.8	162	4.1	319.5
29	1.5	109.0	96	3.6	358.8	163	4.3	324.7
30	1.5	109.6	97	3.4	357.5	164	4.4	342.8
31	1.5	110.0	98	3.4	352.4	165	4.2	333.8
32	1.7	110.8	99	3.3	348.5	166	4.9	330.7
33	1.8	111.2	100	3.3	347.9	167	4.9	333.9
34	2.1	110.8	101	3.2	341.5	168	4.8	336.6
35	2.4	106.0	102	3.3	340.0	169	5.2	340.0
36	3.0	87.9	103	3.5	340.5	170	5.3	350.6
37	3.1	73.4	104	3.6	340.6	171	5.0	0.1
38	3.3	63.3	105	3.7	340.0	172	4.6	0.8
39	3.9	58.6	106	3.7	340.4	173	4.2	355.2
40	4.0	47.5	107	3.5	340.7	174	4.2	352.6
41	3.3	40.4	108	3.4	339.1	175	4.1	355.9
42	3.1	41.7	109	3.4	342.7	176	4.0	346.7
43	2.8	40.8	110	3.7	344.2	177	3.7	337.3
44	2.7	38.1	111	3.9	345.2	178	3.5	330.7
45	2.5	35.7	112	4.0	345.7	179	3.1	330.4
46	2.2	31.2	113	3.9	343.5	180	3.0	331.3
47	1.9	31.3	114	3.9	341.6	181	3.6	333.1
48	1.7	34.4	115	3.9	340.8	182	4.3	334.0
49	1.6	35.0	116	4.0	337.9	183	4.7	336.6
50	1.5	31.0	117	4.1	335.4	184	4.5	338.9
51	1.5	34.4	118	4.0	333.5	185	4.7	337.8
52	1.6	45.8	119	4.1	336.1	186	4.8	336.3
53	1.7	46.7	120	4.4	342.0	187	4.2	335.3
54	2.0	47.9	121	4.6	347.8	188	4.0	334.2
55	2.1	49.3	122	4.6	351.2	189	3.9	334.1
56	2.1	49.9	123	4.6	353.9	190	3.8	335.0
57	2.1	50.7	124	4.5	357.0	191	3.7	336.6
58	2.0	50.5	125	4.4	354.5	192	3.5	339.8
59	1.9	49.4	126	4.4	350.0	193	3.6	345.6
60	1.7	47.6	127	4.1	347.0	194	3.8	348.2
61	1.5	47.0	128	3.9	341.8	195	3.8	348.6
62	1.4	47.2	129	3.8	331.7	196	3.7	350.3
63	1.4	46.9	130	3.7	325.8	197	3.7	355.0
64	1.3	47.7	131	3.7	327.2	198	4.3	13.5
65	1.2	49.4	132	3.8	331.1	199	4.8	11.8
66	1.3	46.1	133	4.0	336.6	200	4.8	11.8

CARIBOU STATION 110 (200M.) 4/DEC/75 625 GMT
LAT= 73.0569N LONG= 142.9449W LTER= 0. LGER= 0.
NIVEL= -0.9 EIVEL= 1.1 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	3.9	304.5	134	6.4	309.6
1	0.0	999.9	68	3.9	303.0	135	6.3	307.5
2	0.0	999.9	69	3.5	300.8	136	6.1	305.6
3	0.0	999.9	70	3.2	293.4	137	6.1	305.4
4	0.0	999.9	71	2.8	289.7	138	6.0	306.0
5	0.6	344.1	72	2.9	293.8	139	6.0	306.5
6	0.4	305.3	73	3.3	300.3	140	5.9	308.6
7	0.3	248.0	74	3.8	308.0	141	5.9	312.7
8	0.3	297.3	75	3.8	312.2	142	6.0	315.1
9	0.5	340.9	76	3.5	311.5	143	6.4	316.7
10	0.8	5.8	77	3.3	309.0	144	6.4	319.1
11	0.8	8.5	78	3.3	303.2	145	5.7	325.5
12	0.8	4.8	79	3.5	300.1	146	5.9	328.7
13	0.8	0.9	80	3.8	298.1	147	5.3	324.0
14	0.8	3.0	81	3.8	301.9	148	5.4	323.7
15	0.8	7.1	82	3.8	303.9	149	6.0	324.6
16	0.8	16.4	83	3.9	305.7	150	6.3	325.9
17	1.0	26.6	84	4.1	307.5	151	6.0	324.7
18	1.0	29.6	85	4.2	306.7	152	5.8	319.9
19	1.1	28.3	86	4.1	304.7	153	6.4	313.6
20	1.1	25.9	87	3.7	302.4	154	5.9	307.3
21	1.0	21.0	88	3.6	300.1	155	5.6	308.5
22	1.0	15.0	89	3.9	300.9	156	5.7	317.5
23	0.9	9.8	90	4.0	305.3	157	6.6	325.4
24	0.9	10.0	91	4.3	305.4	158	7.3	334.0
25	0.9	9.8	92	4.7	309.4	159	7.1	345.5
26	0.9	9.7	93	4.7	316.1	160	7.4	338.4
27	1.0	13.2	94	4.4	317.3	161	7.2	326.6
28	0.9	16.2	95	4.3	317.9	162	7.0	329.4
29	0.9	17.1	96	4.4	315.9	163	6.3	346.7
30	0.8	6.2	97	4.4	309.9	164	6.0	359.1
31	0.6	345.3	98	4.3	305.7	165	6.4	343.6
32	0.5	326.0	99	4.2	309.5	166	6.2	324.7
33	0.5	309.2	100	4.3	312.0	167	5.8	317.0
34	0.5	311.1	101	4.3	310.5	168	5.4	321.3
35	0.5	313.3	102	4.4	311.9	169	5.8	320.5
36	0.5	312.6	103	4.5	313.9	170	6.4	323.4
37	0.6	296.2	104	4.7	314.2	171	6.6	332.0
38	0.6	280.7	105	4.6	310.4	172	7.2	325.3
39	0.8	266.2	106	4.4	305.1	173	7.4	319.8
40	1.3	277.4	107	4.3	302.6	174	7.1	318.6
41	2.4	280.2	108	4.1	303.4	175	7.3	318.9
42	2.2	279.6	109	4.0	307.0	176	7.6	329.3
43	2.2	280.3	110	4.3	307.0	177	7.2	326.6
44	2.3	281.0	111	4.6	306.3	178	6.7	330.0
45	2.6	281.0	112	4.7	306.6	179	7.0	325.8
46	3.2	285.5	113	4.6	310.0	180	7.5	321.7
47	3.4	287.9	114	4.6	310.4	181	7.7	319.0
48	3.4	290.8	115	4.6	310.9	182	7.2	320.1
49	3.2	295.7	116	4.5	311.3	183	7.1	319.3
50	3.0	296.6	117	4.5	310.2	184	7.2	315.2
51	3.0	296.9	118	4.5	306.8	185	6.0	314.8
52	3.3	298.5	119	4.6	306.2	186	6.3	314.9
53	3.5	301.3	120	4.7	305.7	187	6.1	311.9
54	3.7	304.0	121	4.9	302.2	188	6.1	308.6
55	3.5	303.2	122	5.0	304.2	189	6.7	308.6
56	3.3	302.2	123	5.3	308.5	190	7.2	307.9
57	3.3	300.0	124	5.4	312.2	191	7.6	309.4
58	3.4	298.2	125	5.3	310.0	192	7.1	317.9
59	3.4	297.7	126	5.0	307.3	193	6.6	314.8
60	3.2	299.1	127	5.2	304.5	194	5.9	303.1
61	3.2	302.2	128	5.5	303.8	195	4.9	319.6
62	3.3	305.4	129	5.6	306.3	196	3.9	343.6
63	3.5	303.1	130	5.3	309.2	197	4.1	335.3
64	3.7	303.3	131	5.6	310.6	198	3.8	308.1
65	3.9	304.7	132	6.1	310.8	199	3.2	299.5
66	4.0	305.2	133	6.4	310.7	200	3.2	299.5


CAMP CARIBOU
STATION 111
DATE 4/12/75
TIME 2112(GMT)
TRUE DIRECTION
0
90
180
270
360
DEPTH (M)
0
50
100
150
200
SPEED CM/SEC
0
5
10
15
20
25


CAMP CARIBOU
STATION 112
DATE 5/12/75
TIME 638(GMT)
TRUE DIRECTION
0
90
180
270
360
DEPTH (M)
0
50
100
150
200
SPEED CM/SEC
0
5
10
15
20
25

CARIBOU STATION 111 (200M.) 4/DEC/75 2112 GMT
LAT= 73.0563N LONG= 142.9429W LTER= 0. LGER= 0.
NIVEL= 0.0 EIVEL= 1.9 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	4.0	346.7	134	5.9	305.0
1	0.0	999.9	68	3.5	334.4	135	6.5	308.6
2	0.0	999.9	69	3.1	324.0	136	6.8	311.9
3	0.0	999.9	70	3.0	317.8	137	6.8	311.7
4	0.0	999.9	71	2.8	313.3	138	6.7	308.3
5	1.9	102.9	72	2.5	309.7	139	6.6	305.0
6	1.9	109.6	73	2.3	308.0	140	6.5	302.3
7	1.9	112.0	74	2.4	306.6	141	6.5	301.7
8	1.8	115.7	75	2.7	306.3	142	6.7	304.7
9	1.8	116.5	76	3.0	306.4	143	6.9	309.6
10	1.7	120.6	77	3.2	307.3	144	6.6	311.6
11	1.5	129.5	78	3.5	309.2	145	6.2	312.1
12	1.4	129.3	79	3.8	313.8	146	5.4	322.7
13	1.3	127.6	80	4.0	322.4	147	5.1	327.3
14	1.2	125.9	81	4.1	330.2	148	4.2	337.4
15	1.1	126.3	82	4.2	333.0	149	4.9	327.6
16	0.9	127.9	83	4.2	335.6	150	7.8	309.6
17	0.9	126.2	84	4.1	338.6	151	7.8	290.7
18	0.8	125.3	85	4.1	342.0	152	7.3	287.4
19	0.7	128.7	86	4.1	344.0	153	6.7	280.6
20	0.7	131.8	87	4.3	346.7	154	6.3	287.0
21	0.7	133.8	88	4.6	349.3	155	6.8	309.2
22	0.8	132.4	89	4.9	353.7	156	7.1	318.6
23	1.0	128.4	90	5.0	1.0	157	7.1	331.4
24	1.2	123.6	91	4.8	10.1	158	6.9	347.2
25	1.3	118.3	92	4.5	22.6	159	7.1	346.9
26	1.4	115.0	93	4.3	36.0	160	7.3	337.0
27	1.5	112.2	94	3.9	50.3	161	7.3	321.1
28	1.5	110.8	95	3.1	71.8	162	7.1	313.4
29	1.5	111.6	96	3.0	74.2	163	6.9	314.9
30	1.5	112.5	97	3.3	53.9	164	6.8	315.4
31	1.6	111.7	98	3.6	30.0	165	6.6	319.0
32	1.7	110.0	99	3.7	358.8	166	6.2	319.3
33	1.8	104.2	100	3.6	338.0	167	6.3	316.2
34	1.8	97.7	101	3.5	326.8	168	6.8	313.8
35	1.8	73.8	102	3.4	323.8	169	7.0	312.6
36	1.3	46.1	103	3.3	321.1	170	7.3	310.3
37	1.1	30.6	104	3.3	318.1	171	7.3	319.3
38	1.0	21.6	105	3.4	319.1	172	6.9	338.4
39	1.6	12.1	106	3.6	319.2	173	6.6	337.0
40	2.5	24.6	107	4.0	319.8	174	6.7	326.3
41	3.7	22.8	108	4.3	320.6	175	7.4	317.0
42	4.7	18.1	109	4.6	321.5	176	7.2	316.9
43	5.1	13.2	110	5.0	320.6	177	6.6	321.5
44	5.3	9.3	111	5.1	321.8	178	6.0	322.4
45	5.2	6.5	112	5.2	321.9	179	6.0	317.8
46	4.9	5.4	113	5.1	322.2	180	6.9	313.0
47	4.4	5.8	114	4.9	322.8	181	7.3	307.6
48	4.0	6.5	115	4.6	323.6	182	6.7	311.0
49	3.8	5.4	116	4.4	324.5	183	6.2	320.3
50	3.9	4.5	117	4.6	326.1	184	5.7	326.1
51	3.9	3.1	118	4.8	326.5	185	5.0	325.2
52	3.7	0.5	119	4.9	322.4	186	5.0	323.7
53	3.6	358.7	120	5.1	318.1	187	5.2	323.6
54	3.6	355.9	121	5.1	315.2	188	5.7	327.9
55	3.7	354.6	122	5.2	314.9	189	5.9	348.2
56	3.7	356.0	123	5.1	314.9	190	5.7	0.2
57	3.8	357.6	124	5.1	314.8	191	5.0	5.8
58	4.0	358.1	125	5.0	314.9	192	4.5	5.0
59	4.2	358.1	126	5.0	313.6	193	4.1	1.7
60	4.4	356.5	127	5.1	310.8	194	3.9	348.3
61	4.5	354.5	128	5.2	308.9	195	3.6	338.8
62	4.5	353.3	129	5.3	308.6	196	4.1	336.0
63	4.6	352.2	130	5.3	306.8	197	4.7	340.1
64	4.5	352.2	131	5.3	305.9	198	5.4	333.8
65	4.4	350.9	132	5.3	306.5	199	5.2	320.4
66	4.3	349.3	133	5.3	303.7	200	4.5	309.9

CARIBOU STATION 112 (200M.) 5/DEC/75 630 GMT
LAT= 73.0558N LONG= 142.9320W LTER= 1. LGER= 2.
NIVEL= -0.2 EIVEL= -1.0 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	6.0	298.7	134	7.8	278.5
1	0.0	999.9	68	5.9	301.0	135	7.7	273.9
2	0.0	999.9	69	5.8	302.5	136	7.6	272.4
3	0.0	999.9	70	6.0	305.8	137	7.5	278.7
4	0.0	999.9	71	6.2	306.9	138	7.4	285.3
5	2.3	237.2	72	6.4	306.5	139	7.1	286.9
6	2.4	239.3	73	6.6	305.3	140	7.0	287.1
7	2.4	239.7	74	6.6	304.8	141	7.2	287.9
8	2.2	239.3	75	6.3	304.9	142	7.4	290.7
9	1.9	240.1	76	6.0	304.8	143	7.7	293.4
10	2.1	243.8	77	6.0	303.7	144	7.6	296.7
11	2.3	248.4	78	6.0	302.1	145	7.4	300.0
12	2.3	[illegible]	79	5.8	299.3	146	7.1	300.0
13	2.2	251.4	80	5.7	296.5	147	6.9	299.9
14	2.2	253.2	81	5.7	289.9	148	7.0	299.7
15	2.1	255.8	82	5.7	282.4	149	7.1	300.1
16	2.1	257.6	83	5.7	282.2	150	7.1	300.8
17	2.0	259.2	84	5.8	280.9	151	7.1	300.3
18	2.0	260.4	85	5.7	277.9	152	7.1	298.7
19	2.1	260.4	86	5.7	275.8	153	7.2	298.2
20	2.1	258.2	87	5.7	275.2	154	7.6	299.3
21	2.2	257.2	88	5.8	276.8	155	7.6	299.1
22	2.3	255.9	89	5.8	279.3	156	7.5	299.4
23	2.3	256.4	90	5.8	281.3	157	7.6	[illegible]
24	2.3	259.1	91	5.5	282.7	158	7.3	301.0
25	2.1	262.3	92	5.2	284.2	159	6.9	307.2
26	2.2	261.8	93	5.1	287.9	160	6.0	323.3
27	2.4	259.5	94	4.9	288.3	161	6.8	319.1
28	2.6	257.7	95	4.8	288.8	162	7.5	315.2
29	2.6	258.4	96	4.9	290.7	163	7.6	311.8
30	2.7	258.5	97	5.1	294.7	164	7.8	295.8
31	2.7	258.3	98	5.3	296.5	165	7.9	280.6
32	2.8	258.1	99	5.6	297.0	166	7.1	284.3
33	2.8	259.3	100	5.8	296.4	167	6.1	286.1
34	2.8	262.8	101	5.8	293.8	168	6.3	282.4
35	2.8	265.4	102	5.9	293.5	169	6.8	280.5
36	2.8	269.5	103	6.0	294.9	170	6.9	282.9
37	2.8	271.1	104	6.1	295.9	171	6.8	292.4
38	2.9	268.5	105	6.4	297.8	172	6.3	305.9
39	4.0	269.6	106	6.6	301.6	173	6.8	301.9
40	4.5	277.5	107	6.6	302.6	174	7.5	294.9
41	4.5	290.5	108	6.4	301.2	175	8.0	288.5
42	5.2	290.3	109	6.3	298.0	176	7.8	287.6
43	5.5	289.7	110	6.4	295.4	177	7.3	290.1
44	5.9	289.5	111	6.8	293.2	178	7.2	300.6
45	5.7	290.5	112	7.1	291.7	179	6.9	308.9
46	5.7	292.1	113	7.3	291.6	180	7.2	306.0
47	5.2	291.6	114	7.0	289.6	181	7.7	303.0
48	4.8	288.8	115	6.6	287.8	182	7.5	298.6
49	4.5	285.6	116	6.5	288.1	183	7.5	297.1
50	4.0	285.7	117	6.8	288.8	184	7.5	296.5
51	3.7	287.5	118	7.1	289.0	185	7.4	294.6
52	3.8	289.4	119	7.5	289.1	186	7.5	288.5
53	4.0	290.9	120	7.8	290.9	187	7.8	284.0
54	4.1	291.5	121	7.9	292.2	188	7.6	284.0
55	4.3	293.6	122	7.9	292.1	189	7.1	285.5
56	4.4	295.7	123	7.8	292.1	190	7.0	284.6
57	5.1	295.4	124	7.8	292.1	191	7.6	287.2
58	5.5	295.7	125	7.8	292.1	192	7.7	290.7
59	5.7	294.8	126	7.9	292.2	193	7.8	296.1
60	5.7	293.9	127	8.0	290.9	194	7.9	297.4
61	6.0	292.9	128	8.0	290.4	195	7.4	296.7
62	6.3	293.4	129	8.0	290.5	196	6.5	292.7
63	6.6	294.2	130	7.9	288.2	197	6.4	288.0
64	6.8	293.1	131	7.8	287.2	198	6.8	286.5
65	6.5	295.1	132	7.8	285.5	199	6.9	280.4
66	6.2	297.3	133	7.7	282.5	200	6.9	280.4


CAMP CARIBOU STATION 113
DATE 5/12/75 TIME 1953(GMT)
TRUE DIRECTION
0 90 180 270 360
DEPTH (M)
0 50 100 150 200
0 5 10 15 20 25
SPEED CM/SEC


CAMP CARIBOU STATION 114
DATE 6/12/75 TIME 629(GMT)
TRUE DIRECTION
0 90 180 270 360
DEPTH (M)
0 50 100 150 200
0 5 10 15 20 25
SPEED CM/SEC

CARIBOU STATION 113 (200M.) 5/DEC/75 1953 GMT
LAT= 73.0550N LONG= 142.9323W LTER= 1. LGEN= 2.
NIVEL= 0.3 EIVEL= -0.5 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	4.7	318.4	134	5.9	303.0
1	0.0	999.9	68	4.0	315.6	135	5.9	298.0
2	0.0	999.9	69	3.6	312.9	136	5.9	293.8
3	0.0	999.9	70	3.5	317.3	137	5.9	294.7
4	0.0	999.9	71	3.3	323.1	138	5.8	301.1
5	1.7	280.1	72	3.3	320.6	139	5.9	308.1
6	1.7	280.0	73	3.4	310.9	140	5.7	311.2
7	1.8	280.2	74	3.4	311.2	141	5.6	303.0
8	1.9	278.9	75	3.4	313.5	142	6.0	296.7
9	2.0	279.9	76	3.5	317.8	143	5.6	294.9
10	2.0	280.8	77	4.1	320.6	144	5.6	291.0
11	2.1	280.4	78	4.2	324.2	145	5.3	262.2
12	2.2	278.9	79	4.6	319.2	146	4.6	280.2
13	2.3	280.2	80	5.1	313.2	147	4.7	286.1
14	2.3	282.0	81	5.2	309.5	148	5.3	294.5
15	2.4	284.1	82	5.0	306.4	149	5.5	299.5
16	2.5	288.6	83	5.1	304.1	150	5.5	300.7
17	2.5	293.0	84	5.2	303.5	151	5.7	301.7
18	2.5	296.9	85	5.4	308.1	152	6.0	304.2
19	2.6	298.2	86	5.1	311.5	153	6.4	305.9
20	2.6	299.0	87	4.9	316.8	154	6.7	306.6
21	2.6	298.8	88	4.8	316.8	155	6.5	304.0
22	2.6	295.2	89	4.9	312.6	156	5.7	308.1
23	2.6	289.7	90	5.0	308.7	157	5.9	306.8
24	2.6	287.0	91	4.9	306.3	158	6.2	307.7
25	2.6	285.6	92	4.7	302.7	159	4.8	294.6
26	2.6	284.4	93	4.5	301.1	160	4.2	293.5
27	2.6	283.4	94	4.4	303.8	161	4.9	295.4
28	2.5	280.2	95	4.5	308.8	162	5.6	298.3
29	2.5	276.9	96	4.5	309.4	163	5.7	299.8
30	2.4	273.2	97	4.4	307.9	164	5.7	302.2
31	2.4	268.7	98	4.5	305.6	165	5.7	301.4
32	2.5	264.2	99	4.7	301.7	166	6.2	301.4
33	2.5	261.0	100	4.7	299.0	167	6.2	302.0
34	2.5	255.8	101	4.7	298.3	168	6.4	304.9
35	2.4	243.2	102	4.5	301.0	169	6.7	308.1
36	2.3	235.4	103	4.7	305.1	170	6.6	304.9
37	2.2	230.1	104	4.9	308.9	171	5.9	294.7
38	2.2	228.2	105	5.1	309.3	172	5.2	287.4
39	2.4	231.1	106	5.4	307.4	173	5.4	294.0
40	2.8	250.5	107	5.7	304.6	174	6.0	298.1
41	3.7	269.5	108	5.8	303.9	175	6.3	303.4
42	4.8	294.5	109	5.8	307.4	176	6.7	310.9
43	5.4	309.6	110	5.8	310.8	177	6.3	300.7
44	5.3	309.3	111	5.9	309.4	178	6.7	294.6
45	5.3	310.8	112	6.0	308.7	179	6.7	296.2
46	5.2	311.7	113	6.1	309.4	180	6.6	299.5
47	5.1	311.1	114	6.1	311.2	181	6.9	303.1
48	4.7	311.5	115	6.0	311.1	182	7.2	305.2
49	4.2	314.6	116	6.1	311.4	183	7.3	307.0
50	4.0	315.1	117	6.2	309.8	184	7.1	307.7
51	4.0	314.4	118	6.3	309.0	185	6.9	313.0
52	4.0	313.4	119	6.6	308.3	186	6.9	309.9
53	3.9	312.2	120	6.6	306.6	187	6.8	309.2
54	3.8	314.1	121	6.5	306.5	188	6.8	306.0
55	4.1	319.2	122	6.5	307.1	189	6.9	302.4
56	4.7	322.3	123	6.2	308.3	190	6.9	299.3
57	5.1	324.2	124	5.9	308.3	191	6.8	307.0
58	5.0	325.5	125	5.7	308.4	192	6.6	311.0
59	5.0	327.4	126	5.8	309.4	193	6.7	302.3
60	5.1	328.2	127	5.8	309.6	194	6.7	291.5
61	5.1	327.9	128	5.7	309.8	195	6.6	286.8
62	5.1	326.7	129	5.8	307.4	196	6.6	285.2
63	5.1	325.0	130	5.7	301.3	197	6.3	276.7
64	5.0	322.5	131	5.4	298.2	198	5.5	272.2
65	4.9	319.7	132	5.6	300.7	199	5.5	274.0
66	4.9	319.0	133	5.6	303.4	200	5.5	273.7

CARIBOU STATION 114 (200M.) 6/DEC/75 629 GMT
LAT= 73.0539N LONG= 142.9278W LTER= 1. LGEN= 2.
NIVEL= -0.6 EIVEL= -0.8 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	5.0	272.6	134	6.7	290.7
1	0.0	999.9	68	4.7	268.6	135	6.8	289.3
2	0.0	999.9	69	4.4	269.9	136	6.5	292.3
3	0.0	999.9	70	4.3	277.3	137	6.0	295.6
4	0.0	999.9	71	3.7	281.6	138	6.1	296.9
5	2.2	274.2	72	3.6	284.0	139	6.1	299.2
6	2.3	274.3	73	4.6	292.5	140	6.2	302.6
7	2.3	274.7	74	5.0	296.3	141	6.4	304.3
8	2.3	275.6	75	4.9	299.1	142	6.3	308.2
9	2.3	278.7	76	4.4	299.6	143	5.9	306.0
10	2.2	282.5	77	3.9	298.0	144	5.6	302.8
11	2.2	286.7	78	3.6	298.7	145	5.8	303.7
12	2.2	289.6	79	3.3	298.1	146	5.6	305.9
13	2.2	292.7	80	2.7	297.5	147	5.7	305.0
14	2.2	295.7	81	2.3	298.8	148	5.6	302.6
15	2.2	296.7	82	2.6	302.4	149	6.0	301.4
16	2.2	298.8	83	2.8	302.9	150	6.1	300.7
17	2.2	300.9	84	3.0	303.7	151	6.0	301.9
18	2.2	302.9	85	3.1	302.4	152	6.3	307.7
19	2.2	305.5	86	3.1	301.9	153	6.5	311.0
20	2.2	304.8	87	3.0	306.2	154	6.2	308.3
21	2.2	301.8	88	3.2	311.1	155	6.2	300.5
22	2.3	295.9	89	3.7	312.3	156	6.7	295.4
23	2.5	287.0	90	3.9	311.5	157	6.3	285.4
24	2.6	274.6	91	4.0	307.0	158	5.5	280.0
25	2.6	267.8	92	4.0	301.6	159	5.9	283.8
26	2.7	263.9	93	4.0	298.1	160	6.0	294.9
27	2.7	263.6	94	4.0	295.8	161	6.2	303.3
28	2.7	263.5	95	4.0	292.2	162	6.2	305.2
29	2.7	263.2	96	4.3	289.7	163	6.0	306.8
30	2.7	263.4	97	4.6	286.9	164	6.3	306.5
31	2.7	263.7	98	4.8	284.1	165	6.5	302.6
32	2.7	264.2	99	4.9	284.8	166	6.8	305.4
33	2.6	264.5	100	4.8	281.6	167	6.7	306.4
34	2.6	264.9	101	5.0	281.0	168	6.7	302.1
35	2.7	265.0	102	5.1	282.6	169	6.9	297.3
36	2.7	264.8	103	5.4	286.6	170	6.9	294.1
37	2.9	268.2	104	5.4	289.1	171	7.0	296.7
38	3.5	273.0	105	5.4	292.5	172	6.6	304.0
39	3.6	270.1	106	5.4	296.4	173	6.5	301.7
40	3.8	266.1	107	5.6	297.1	174	7.2	297.5
41	3.9	261.9	108	5.7	295.3	175	7.3	295.6
42	4.0	258.8	109	5.8	293.6	176	7.1	296.9
43	4.2	260.7	110	5.9	292.4	177	7.4	296.3
44	4.4	261.2	111	6.0	291.2	178	7.8	299.2
45	4.4	262.1	112	6.0	293.7	179	7.7	309.5
46	4.2	262.1	113	6.1	296.6	180	7.4	319.7
47	3.9	264.2	114	6.2	296.3	181	7.5	323.9
48	3.6	268.3	115	6.3	296.6	182	7.9	323.4
49	3.5	274.2	116	6.4	296.8	183	8.5	320.3
50	3.4	274.6	117	6.6	295.9	184	9.1	317.2
51	3.3	273.8	118	6.7	293.5	185	9.0	314.5
52	3.2	273.1	119	6.7	293.3	186	8.5	312.8
53	3.0	273.3	120	6.8	293.0	187	8.1	308.6
54	3.0	277.1	121	6.7	293.5	188	7.5	305.5
55	3.1	279.5	122	6.4	295.9	189	7.6	304.2
56	3.2	282.9	123	6.4	300.3	190	7.4	299.1
57	3.3	286.6	124	6.5	301.7	191	7.1	300.1
58	3.3	290.2	125	6.4	300.1	192	7.0	304.8
59	3.2	291.9	126	6.3	299.9	193	7.1	308.1
60	3.2	291.1	127	6.1	299.7	194	7.6	303.9
61	3.9	290.0	128	6.0	299.8	195	7.5	302.7
62	4.7	290.3	129	6.0	300.0	196	7.0	300.6
63	4.9	289.8	130	6.0	300.1	197	6.5	296.9
64	5.1	287.4	131	6.0	299.8	198	5.8	285.6
65	5.0	283.0	132	6.1	297.8	199	5.9	275.4
66	5.1	282.5	133	6.4	295.0	200	5.9	275.4


CAMP CARIBOU STATION 115
DATE 6/12/75 TIME 2338(GMT)
TRUE DIRECTION
0 90 180 270 360
DEPTH (M)
0 50 100 150 200
0 5 10 15 20 25
SPEED CM/SEC


CAMP CARIBOU STATION 116
DATE 7/12/75 TIME 559(GMT)
TRUE DIRECTION
0 90 180 270 360
DEPTH (M)
0 50 100 150 200
0 5 10 15 20 25
SPEED CM/SEC

CARIBOU STATION 115 (200M.) 6/DEC/75 2338 GMT
LAT= 73.0530N LONG= 142.9216W LTER= 0. LGER= 1.
NIVEL= -0.7 EIVEL= 2.0 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	1.7	351.7	134	3.1	296.7
1	0.0	999.9	68	1.7	354.9	135	3.2	291.0
2	0.0	999.9	69	1.8	348.0	136	3.2	297.6
3	0.0	999.9	70	2.4	335.2	137	3.2	305.7
4	0.0	999.9	71	2.4	336.5	138	3.2	305.9
5	0.8	159.2	72	2.3	344.7	139	3.2	303.9
6	0.8	162.4	73	2.2	329.5	140	3.4	304.4
7	1.0	164.6	74	2.6	290.5	141	3.8	307.5
8	1.1	162.3	75	2.7	269.0	142	4.1	309.2
9	1.2	161.9	76	2.8	262.8	143	3.8	308.2
10	1.2	161.9	77	2.8	264.9	144	4.0	301.1
11	1.1	160.4	78	2.8	277.5	145	4.1	300.8
12	1.1	158.7	79	2.8	290.1	146	3.9	300.8
13	1.1	158.1	80	2.9	302.3	147	3.9	300.8
14	1.0	152.1	81	2.9	311.9	148	4.1	300.7
15	0.9	148.6	82	2.9	309.8	149	4.2	300.6
16	0.7	149.3	83	2.7	309.7	150	4.4	300.6
17	0.7	146.1	84	2.5	316.2	151	4.5	300.6
18	0.7	144.5	85	2.8	322.5	152	4.8	300.4
19	0.7	142.4	86	3.0	328.4	153	5.0	297.6
20	0.6	139.4	87	3.2	329.7	154	5.2	291.1
21	0.6	134.7	88	3.3	327.5	155	5.1	282.8
22	0.5	126.6	89	3.4	327.9	156	4.9	280.9
23	0.4	112.4	90	3.2	327.6	157	5.5	281.8
24	0.4	91.3	91	3.5	323.2	158	5.5	281.1
25	0.4	69.1	92	3.8	318.6	159	5.4	280.3
26	0.4	47.1	93	3.9	315.6	160	5.5	280.6
27	0.6	26.0	94	3.6	315.1	161	5.9	282.0
28	0.9	6.8	95	3.2	313.3	162	6.2	283.0
29	1.3	359.8	96	3.2	315.1	163	5.8	282.5
30	1.7	357.3	97	3.1	313.8	164	5.8	282.8
31	1.9	358.3	98	3.1	311.3	165	6.1	283.0
32	2.0	358.9	99	3.4	318.3	166	6.5	283.6
33	2.2	358.5	100	3.8	327.1	167	6.8	284.2
34	2.3	356.7	101	4.0	326.6	168	6.9	285.1
35	2.4	353.2	102	3.9	315.6	169	7.0	285.8
36	2.4	350.1	103	3.6	309.7	170	6.9	276.8
37	2.1	347.9	104	3.3	310.2	171	6.8	274.8
38	1.9	346.3	105	3.2	309.7	172	6.8	278.7
39	1.9	351.5	106	3.3	318.1	173	7.2	280.8
40	2.3	358.3	107	3.4	326.8	174	7.6	287.1
41	2.6	4.8	108	3.5	326.7	175	7.5	300.9
42	2.9	10.9	109	3.4	323.8	176	7.6	308.9
43	3.3	17.1	110	3.4	326.8	177	7.5	319.9
44	3.4	17.2	111	3.4	327.6	178	7.4	327.6
45	3.4	17.0	112	3.2	328.5	179	7.4	332.6
46	3.4	12.9	113	3.3	328.9	180	8.0	321.3
47	3.3	8.3	114	3.4	329.7	181	8.5	312.0
48	3.3	5.3	115	3.4	326.2	182	8.1	317.5
49	3.2	4.3	116	3.2	324.0	183	7.6	319.4
50	3.0	4.9	117	3.0	324.4	184	7.2	322.2
51	2.7	2.3	118	2.9	324.4	185	7.5	322.4
52	2.4	357.3	119	3.0	324.0	186	7.9	319.8
53	2.2	355.0	120	3.3	322.6	187	7.3	312.1
54	2.0	351.8	121	3.4	318.5	188	6.8	307.7
55	1.9	346.1	122	3.4	311.4	189	7.0	311.1
56	1.8	347.1	123	3.4	310.3	190	7.2	316.3
57	1.7	350.1	124	3.4	310.0	191	6.9	312.6
58	1.7	352.2	125	3.4	309.0	192	6.5	308.8
59	1.7	352.5	126	3.6	305.5	193	6.2	308.4
60	1.7	357.3	127	3.9	302.1	194	5.6	307.9
61	1.9	5.0	128	4.1	304.6	195	5.9	312.0
62	2.0	6.3	129	4.0	307.8	196	6.2	319.6
63	1.9	3.3	130	3.8	307.9	197	6.6	316.9
64	1.7	354.1	131	3.6	308.2	198	6.8	305.9
65	1.5	345.5	132	3.4	307.2	199	6.7	291.4
66	1.5	344.2	133	3.2	304.0	200	6.7	291.4

CARIBOU STATION 116 (200M.) 7/DEC/75 559 GMT
LAT= 73.0517N LONG= 142.9104W LTER= 1. LGER= 2.
NIVEL= -1.3 EIVEL= 3.4 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	4.6	258.7	134	5.7	281.0
1	0.0	999.9	68	4.6	256.2	135	6.0	281.3
2	0.0	999.9	69	4.5	260.2	136	6.4	286.2
3	0.0	999.9	70	4.1	263.1	137	6.5	292.3
4	0.0	999.9	71	3.6	265.8	138	6.4	297.0
5	1.7	117.9	72	3.5	270.5	139	6.3	297.1
6	1.7	117.9	73	3.6	276.7	140	5.9	297.2
7	1.7	117.9	74	3.0	282.2	141	5.6	290.7
8	1.7	117.9	75	2.4	278.6	142	5.2	287.5
9	1.7	117.9	76	2.1	278.4	143	4.9	287.2
10	1.7	117.9	77	2.8	289.5	144	4.6	286.7
11	1.7	117.9	78	2.8	298.0	145	4.8	286.5
12	1.7	117.9	79	2.2	302.5	146	5.5	286.9
13	1.7	118.0	80	2.8	300.5	147	6.6	287.1
14	1.7	118.1	81	2.6	300.5	148	7.8	287.2
15	1.7	118.2	82	2.1	301.5	149	6.7	287.0
16	1.6	118.3	83	1.7	302.7	150	7.0	287.0
17	1.6	118.7	84	1.6	302.4	151	7.2	287.0
18	1.5	119.3	85	1.8	301.1	152	7.0	287.0
19	1.5	120.0	86	2.0	292.8	153	6.0	286.8
20	1.4	121.1	87	2.2	284.3	154	5.6	286.6
21	1.3	122.5	88	2.5	284.7	155	5.8	286.7
22	1.1	124.4	89	2.7	284.3	156	5.1	286.5
23	1.0	127.1	90	2.9	284.4	157	5.9	286.8
24	0.9	131.0	91	3.1	284.3	158	6.8	287.1
25	0.7	137.0	92	3.1	282.1	159	6.5	287.1
26	0.6	146.9	93	3.1	272.5	160	6.5	287.2
27	0.4	164.0	94	3.2	263.0	161	6.5	287.2
28	0.4	192.0	95	3.3	257.8	162	5.7	287.2
29	0.4	222.6	96	3.4	264.9	163	6.1	287.4
30	0.6	243.4	97	3.4	272.4	164	5.9	287.5
31	0.8	255.3	98	3.6	276.7	165	6.1	287.9
32	1.0	262.4	99	3.3	276.1	166	6.6	287.9
33	1.2	267.0	100	3.0	275.5	167	7.0	288.0
34	1.5	269.1	101	2.8	274.9	168	7.4	281.8
35	1.8	266.9	102	2.5	274.0	169	7.8	282.1
36	2.1	264.9	103	3.1	276.0	170	7.3	281.8
37	2.4	263.3	104	3.6	277.7	171	6.7	281.2
38	2.7	261.4	105	3.8	277.9	172	6.4	280.8
39	3.2	260.5	106	3.7	278.0	173	6.0	280.5
40	3.4	258.2	107	3.8	272.6	174	5.0	277.1
41	3.5	261.3	108	3.8	266.4	175	5.7	266.2
42	3.5	264.9	109	3.8	264.7	176	6.4	257.2
43	3.6	265.9	110	3.8	263.7	177	7.1	249.8
44	3.8	255.5	111	3.9	256.9	178	7.2	247.9
45	4.0	245.4	112	4.0	251.7	179	7.0	247.5
46	4.1	240.5	113	4.0	251.6	180	6.8	247.0
47	4.1	241.0	114	3.4	248.5	181	6.7	246.6
48	4.1	241.2	115	3.6	250.2	182	6.5	246.0
49	4.1	241.7	116	5.3	257.1	183	6.4	245.3
50	4.2	246.3	117	5.0	256.5	184	6.2	244.7
51	3.7	251.9	118	5.0	256.5	185	6.5	245.4
52	3.9	258.4	119	5.2	261.0	186	6.8	246.1
53	3.9	255.6	120	4.8	263.0	187	7.1	246.4
54	3.6	251.7	121	4.5	262.1	188	7.1	246.2
55	3.7	250.4	122	4.4	262.0	189	7.0	245.9
56	3.5	249.1	123	4.7	262.7	190	6.8	245.6
57	3.6	250.2	124	4.6	262.5	191	6.8	245.6
58	3.7	251.2	125	4.4	261.8	192	6.7	253.3
59	3.8	252.0	126	4.1	261.0	193	6.1	262.1
60	4.0	255.4	127	3.9	260.2	194	5.6	263.7
61	4.2	261.2	128	3.9	260.1	195	5.3	259.3
62	4.5	262.2	129	4.2	261.2	196	6.0	247.5
63	4.8	262.9	130	4.5	262.1	197	6.5	247.5
64	4.7	262.8	131	4.7	265.9	198	6.8	250.5
65	4.7	262.6	132	5.0	273.6	199	7.2	252.0
66	4.6	262.5	133	5.3	280.7	200	7.3	246.8



CAMP CARIBOU STATION 119
DATE 8/12/75 TIME 1153(GMT)
TRUE DIRECTION
0 90 180 270 360
SPEED CM/SEC
0 5 10 15 20 25
DEPTH (M)
0 50 100 150 200



CAMP CARIBOU STATION 117
DATE 7/12/75 TIME 2108(GMT)
TRUE DIRECTION
0 90 180 270 360
SPEED CM/SEC
0 5 10 15 20 25
DEPTH (M)
0 50 100 150 200

CARIBOU STATION 117 (195M.) 7/DEC/75 2108 GMT
LAT= 73.0772N LONG= 142.8002W LTER= 1. LGER= 2.
NIVEL= 11.1 EIVEL= 6.7 NVER= 0. EVER= 1.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	5.5	315.6	134	7.0	277.7
1	0.0	999.9	68	6.0	318.5	135	7.7	281.8
2	0.0	999.9	69	6.2	321.1	136	8.8	290.0
3	0.0	999.9	70	5.6	321.2	137	9.1	293.1
4	0.0	999.9	71	4.6	321.7	138	9.1	293.8
5	5.0	69.3	72	4.1	323.1	139	9.3	293.3
6	4.1	58.1	73	3.4	326.2	140	9.4	292.5
7	3.1	49.7	74	2.3	340.1	141	9.6	291.5
8	2.8	39.6	75	2.1	350.6	142	9.7	290.7
9	3.6	30.7	76	3.8	329.6	143	9.8	290.0
10	3.7	38.3	77	5.9	324.9	144	9.7	289.6
11	3.5	44.7	78	6.9	324.5	145	9.5	288.0
12	3.1	53.5	79	6.9	324.0	146	9.1	286.2
13	2.9	60.4	80	6.5	324.4	147	8.7	286.0
14	2.9	63.5	81	5.9	325.7	148	8.7	288.3
15	2.9	63.8	82	5.5	325.9	149	8.8	288.0
16	3.0	61.2	83	5.5	327.1	150	8.6	284.6
17	3.1	57.9	84	5.1	326.6	151	8.6	281.9
18	3.1	62.6	85	4.6	325.8	152	8.6	280.5
19	3.6	67.8	86	4.5	326.4	153	8.7	279.8
20	4.0	63.3	87	4.7	325.5	154	8.8	279.1
21	3.7	54.0	88	4.9	320.9	155	9.0	280.2
22	3.2	27.5	89	5.0	316.4	156	9.7	284.1
23	3.2	8.7	90	5.0	310.9	157	10.3	286.9
24	3.2	358.8	91	5.0	305.0	158	10.3	286.9
25	3.3	359.8	92	5.0	302.3	159	10.3	287.1
26	3.5	6.8	93	5.2	299.3	160	10.3	287.3
27	3.9	15.8	94	5.5	298.0	161	10.3	286.9
28	4.0	22.5	95	5.5	297.6	162	10.5	286.4
29	4.3	24.6	96	4.8	294.1	163	10.6	285.7
30	4.8	23.4	97	5.0	296.8	164	10.6	285.2
31	5.5	14.8	98	5.4	296.9	165	10.9	286.5
32	6.4	10.2	99	5.9	295.6	166	11.2	288.9
33	6.4	6.8	100	6.3	292.3	167	11.1	289.6
34	6.1	3.9	101	6.5	289.0	168	10.6	288.4
35	5.6	1.5	102	6.5	288.7	169	10.5	288.6
36	5.6	359.8	103	6.4	289.4	170	10.5	291.5
37	6.2	357.5	104	7.1	293.2	171	10.3	293.4
38	6.7	352.1	105	6.9	291.8	172	10.2	291.5
39	6.7	349.6	106	7.0	290.1	173	10.1	289.4
40	6.4	346.0	107	7.2	288.3	174	9.7	288.3
41	6.1	344.3	108	7.4	286.3	175	9.8	288.2
42	5.9	346.9	109	7.4	286.0	176	9.9	288.1
43	5.7	351.9	110	7.4	285.8	177	10.0	288.0
44	5.4	0.6	111	7.5	285.7	178	10.0	287.9
45	5.4	4.4	112	7.7	283.8	179	9.9	288.0
46	5.7	5.4	113	7.8	282.6	180	9.8	288.4
47	5.7	1.1	114	7.9	281.9	181	9.8	288.5
48	5.7	356.4	115	7.8	281.3	182	9.7	288.5
49	5.6	353.6	116	7.3	276.6	183	9.5	288.7
50	6.0	357.8	117	7.0	274.7	184	9.3	290.2
51	6.0	357.3	118	7.1	274.0	185	9.3	293.6
52	5.8	349.4	119	7.1	273.9	186	10.1	299.6
53	6.0	348.7	120	7.0	274.6	187	10.4	300.2
54	6.1	349.4	121	6.9	275.8	188	9.9	300.1
55	5.8	346.6	122	6.4	273.9	189	9.4	299.7
56	6.2	342.1	123	6.3	274.5	190	8.9	298.4
57	6.3	340.6	124	6.2	275.1	191	8.2	293.6
58	6.1	335.8	125	6.3	274.9	192	7.1	277.4
59	5.8	333.0	126	6.4	273.8	193	7.3	271.8
60	5.7	331.7	127	6.7	271.6	194	7.3	271.9
61	5.8	331.0	128	7.0	269.3	195	7.3	271.9
62	5.9	329.9	129	7.0	269.2			
63	5.3	326.7	130	6.9	270.5			
64	4.8	322.6	131	6.7	271.9			
65	4.5	318.5	132	6.5	273.0			
66	4.9	315.8	133	6.9	278.3			

CARIBOU STATION 119 (198M.) 8/DEC/75 1153 GMT
LAT= 73.1376N LONG= 142.7970W LTER= 1. LGER= 2.
NIVEL= 10.6 EIVEL= -7.6 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	6.4	343.1	134	12.3	292.7
1	0.0	999.9	68	7.2	348.1	135	12.6	291.0
2	0.0	999.9	69	8.5	349.1	136	13.3	290.5
3	0.0	999.9	70	9.6	347.8	137	13.6	290.1
4	0.0	999.9	71	9.7	348.5	138	13.8	288.6
5	7.6	10.5	72	9.4	349.6	139	13.9	287.0
6	7.2	13.1	73	8.9	347.6	140	14.0	285.8
7	6.5	10.5	74	8.0	343.8	141	14.1	285.8
8	6.2	6.6	75	6.8	336.8	142	14.0	286.3
9	6.2	4.4	76	5.9	325.5	143	13.8	286.3
10	6.0	10.6	77	5.3	323.5	144	13.7	286.1
11	5.7	19.6	78	5.8	340.2	145	13.5	285.3
12	5.1	26.9	79	7.1	341.7	146	13.0	283.3
13	4.7	30.7	80	7.8	343.1	147	13.0	282.1
14	4.8	22.8	81	8.6	342.5	148	13.0	281.7
15	5.2	15.7	82	8.5	340.8	149	13.0	282.0
16	5.6	11.4	83	8.1	340.5	150	12.9	283.5
17	5.8	15.6	84	7.3	340.8	151	12.8	285.4
18	5.8	22.8	85	6.9	333.8	152	12.7	286.2
19	5.8	23.1	86	7.2	332.8	153	12.7	286.3
20	5.6	11.7	87	7.0	332.7	154	12.7	286.2
21	5.2	9.7	88	6.9	332.0	155	12.7	286.1
22	4.8	12.2	89	6.7	330.4	156	13.0	286.8
23	4.6	11.8	90	6.7	329.8	157	12.9	287.6
24	5.0	6.4	91	6.8	331.2	158	13.0	286.7
25	5.5	2.4	92	6.9	331.5	159	13.2	284.7
26	5.9	3.3	93	7.0	329.8	160	13.3	282.6
27	6.6	2.5	94	7.3	328.8	161	13.5	281.0
28	6.9	2.7	95	7.6	329.0	162	13.6	280.6
29	7.1	5.3	96	7.9	328.1	163	13.6	280.3
30	6.7	6.1	97	8.2	326.0	164	13.5	277.7
31	6.6	359.9	98	8.5	324.5	165	13.4	275.6
32	5.9	358.3	99	8.5	321.9	166	13.5	274.2
33	4.0	346.7	100	8.5	318.3	167	14.0	270.5
34	3.3	317.5	101	8.1	316.3	168	14.6	266.7
35	3.4	304.5	102	7.9	314.6	169	14.9	265.3
36	2.9	328.2	103	8.3	314.7	170	14.9	265.3
37	3.8	344.9	104	8.8	313.3	171	15.0	265.8
38	5.0	356.9	105	9.2	311.9	172	15.7	267.0
39	6.2	0.5	106	9.5	310.1	173	16.0	266.0
40	6.5	356.6	107	9.7	308.3	174	16.5	263.9
41	6.7	350.3	108	9.6	306.4	175	17.1	261.6
42	7.1	345.3	109	9.4	306.6	176	17.5	260.1
43	7.5	342.7	110	9.3	308.2	177	17.8	259.2
44	7.1	343.2	111	9.6	308.3	178	18.0	258.6
45	6.9	343.2	112	10.0	307.9	179	18.2	258.0
46	7.0	343.0	113	10.1	307.6	180	18.7	258.6
47	7.6	341.7	114	10.2	306.7	181	18.8	258.4
48	8.4	338.4	115	10.3	306.1	182	19.0	257.6
49	8.7	334.5	116	10.5	305.6	183	19.3	256.8
50	8.8	331.0	117	10.6	305.0	184	19.4	256.4
51	8.5	329.4	118	10.9	304.2	185	19.5	256.3
52	8.0	330.3	119	11.4	303.1	186	19.5	256.3
53	7.3	337.3	120	11.6	302.5	187	19.5	256.3
54	6.7	345.2	121	11.6	302.0	188	19.5	256.7
55	6.5	352.4	122	12.0	301.3	189	19.0	255.7
56	6.8	354.3	123	12.3	300.4	190	19.0	255.2
57	7.4	356.8	124	12.4	299.8	191	19.0	255.1
58	7.8	357.1	125	12.3	299.1	192	19.1	255.0
59	7.8	356.2	126	12.2	298.1	193	18.7	253.2
60	7.6	354.8	127	12.1	297.0	194	18.6	252.5
61	7.3	353.4	128	12.2	296.0	195	18.2	252.0
62	6.5	347.8	129	12.3	295.3	196	18.4	252.8
63	5.9	338.0	130	12.2	294.7	197	19.0	254.9
64	5.8	333.3	131	12.3	295.0	198	19.1	254.8
65	6.0	337.2	132	12.4	295.2			
66	6.3	340.5	133	12.5	295.5			


CAMP CARIBOU STATION 122
DATE 9/12/75 TIME 813(GMT)
TRUE DIRECTION
0 90 180 270 360
SPEED CM/SEC
0 10 20 30 40 50
DEPTH (M)
0 50 100 150 200


CAMP CARIBOU STATION 120
DATE 8/12/75 TIME 2123(GMT)
TRUE DIRECTION
0 90 180 270 360
SPEED CM/SEC
0 5 10 15 20 25
DEPTH (M)
0 50 100 150 200

CARIBOU STATION 120 (197M.) 8/DEC/75 2123 GMT
LAT= 73.1574N LONG= 142.8987W LTER= 1. LGER= 2.
NIVEL= 1.2 EIVEL= -7.9 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	5.5	333.6	134	19.7	358.8
1	0.0	999.9	68	5.5	330.0	135	19.7	358.8
2	0.0	999.9	69	5.6	326.4	136	19.6	356.7
3	0.0	999.9	70	5.8	326.0	137	19.6	358.7
4	0.0	999.9	71	6.0	327.7	138	19.7	358.7
5	4.4	306.6	72	6.2	328.6	139	19.6	358.7
6	4.1	310.6	73	6.3	330.0	140	19.5	358.6
7	3.8	317.0	74	6.3	330.2	141	19.4	358.4
8	3.6	321.2	75	6.3	327.5	142	19.2	358.1
9	3.5	324.3	76	6.2	324.1	143	19.0	357.9
10	3.7	321.1	77	6.4	323.8	144	18.8	357.7
11	3.7	321.7	78	6.8	322.9	145	18.6	357.4
12	3.4	324.9	79	7.3	321.6	146	18.7	355.6
13	3.0	323.2	80	7.4	322.3	147	18.4	355.2
14	2.5	318.4	81	7.0	324.5	148	18.2	353.7
15	2.5	316.7	82	6.8	327.5	149	18.4	348.9
16	2.5	316.5	83	6.7	329.4	150	18.9	343.7
17	2.6	313.7	84	6.4	331.8	151	18.7	342.8
18	2.9	313.0	85	6.0	333.4	152	18.7	342.8
19	3.2	310.7	86	6.0	332.5	153	18.8	343.1
20	3.4	306.2	87	6.2	331.7	154	19.1	343.5
21	3.3	303.2	88	6.3	332.9	155	19.4	344.1
22	3.3	301.4	89	6.6	335.3	156	19.6	344.7
23	3.2	301.4	90	7.0	337.4	157	19.8	345.2
24	3.2	303.3	91	7.4	338.4	158	19.7	345.3
25	3.2	304.6	92	7.6	340.2	159	19.5	345.6
26	3.2	307.1	93	8.2	341.1	160	19.4	345.8
27	3.4	311.7	94	8.6	343.0	161	19.3	345.5
28	3.7	316.9	95	9.1	344.0	162	19.3	343.6
29	3.7	324.0	96	9.5	344.3	163	19.0	342.9
30	3.9	337.7	97	9.5	345.0	164	18.8	341.6
31	4.1	346.1	98	9.6	345.6	165	18.9	338.5
32	4.3	351.3	99	9.9	347.7	166	19.0	336.9
33	5.4	353.4	100	10.1	349.1	167	19.1	335.1
34	6.8	347.1	101	10.5	349.9	168	19.3	333.3
35	7.7	341.5	102	10.9	350.7	169	20.0	331.9
36	8.0	334.9	103	11.6	350.8	170	20.7	329.5
37	7.9	327.8	104	12.3	353.0	171	21.3	326.7
38	7.7	325.1	105	12.9	355.0	172	21.5	325.9
39	7.4	324.1	106	13.8	355.3	173	21.5	325.9
40	7.2	323.4	107	14.0	355.9	174	21.6	324.7
41	7.1	323.5	108	13.9	355.7	175	21.9	322.0
42	7.2	323.5	109	13.9	355.7	176	21.7	321.8
43	7.4	323.5	110	14.5	356.9	177	21.6	321.6
44	7.5	320.5	111	15.0	358.2	178	21.4	321.5
45	7.4	317.1	112	15.6	359.3	179	21.2	371.3
46	7.2	314.9	113	16.1	0.4	180	21.1	321.2
47	6.8	316.2	114	16.6	1.2	181	20.9	321.1
48	6.6	318.6	115	17.3	2.3	182	21.0	320.8
49	6.3	316.5	116	18.1	3.5	183	21.2	320.8
50	6.0	311.7	117	18.6	4.2	184	21.2	318.7
51	5.7	308.6	118	19.1	4.8	185	21.2	318.9
52	5.4	306.3	119	19.2	5.0	186	21.3	319.1
53	5.4	306.5	120	19.2	5.0	187	21.6	319.4
54	5.7	310.5	121	19.2	5.0	188	21.9	319.6
55	6.1	314.1	122	19.1	5.1	189	21.8	319.6
56	6.1	317.2	123	19.7	3.2	190	21.6	319.5
57	5.8	321.8	124	20.1	3.0	191	21.5	319.4
58	5.7	321.0	125	20.2	3.1	192	21.6	317.7
59	5.6	323.8	126	20.1	3.1	193	21.5	317.4
60	5.7	328.3	127	20.1	0.7	194	21.3	317.2
61	5.9	331.6	128	20.0	359.1	195	21.0	317.0
62	5.8	332.6	129	19.8	358.9	196	20.7	316.7
63	5.6	334.3	130	19.5	358.6	197	21.2	317.2
64	5.5	336.5	131	19.3	358.3			
65	5.5	341.0	132	19.4	358.4			
66	5.5	339.2	133	19.6	358.6			

CARIBOU STATION 122 (190M.) 9/DEC/75 813 GMT
LAT= 73.1497N LONG= 142.9614W LTER= 0. LGER= 0.
NIVEL= -5.6 EIVEL= -3.5 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	3.3	304.5	134	25.7	332.4
1	0.0	999.9	68	3.4	301.7	135	25.6	332.4
2	0.0	999.9	69	3.3	298.2	136	25.5	332.5
3	0.0	999.9	70	3.7	292.0	137	25.7	332.7
4	0.0	999.9	71	4.4	287.1	138	26.6	328.7
5	4.0	223.9	72	5.0	289.3	139	26.8	328.2
6	4.0	224.1	73	5.3	287.4	140	27.0	328.2
7	4.2	222.5	74	5.0	286.9	141	27.2	328.3
8	4.3	221.8	75	4.7	288.4	142	27.4	328.3
9	4.2	222.1	76	4.9	293.5	143	27.3	328.2
10	4.2	221.7	77	5.1	297.6	144	27.3	328.1
11	4.7	219.6	78	5.3	300.7	145	27.1	328.1
12	4.6	220.9	79	5.1	299.0	146	27.0	327.9
13	4.6	219.8	80	4.8	302.0	147	27.0	327.9
14	4.6	218.4	81	4.4	312.9	148	26.8	327.8
15	4.6	217.6	82	4.3	313.2	149	26.6	327.4
16	4.6	217.2	83	4.4	316.3	150	26.4	327.3
17	4.6	218.0	84	4.6	318.8	151	26.4	327.2
18	4.6	219.0	85	4.7	319.9	152	26.4	327.2
19	4.6	219.8	86	4.9	322.3	153	26.2	327.1
20	4.7	221.1	87	5.3	323.5	154	26.3	327.1
21	4.7	221.9	88	5.5	323.3	155	26.7	327.3
22	4.8	222.1	89	5.5	323.9	156	26.9	327.3
23	4.8	222.0	90	5.8	321.8	157	26.4	327.1
24	4.7	221.2	91	6.1	321.0	158	25.8	326.9
25	4.7	220.7	92	6.2	321.6	159	25.5	327.5
26	4.7	220.1	93	6.3	321.1	160	24.7	331.3
27	4.7	220.4	94	6.1	322.8	161	24.0	330.8
28	4.7	220.0	95	6.4	328.3	162	23.5	330.5
29	4.7	219.3	96	7.2	330.1	163	23.4	330.3
30	4.6	218.6	97	8.0	332.8	164	23.4	330.3
31	4.6	218.1	98	8.5	334.7	165	23.5	327.8
32	4.6	218.5	99	9.0	334.5	166	23.7	323.9
33	4.7	220.3	100	9.4	334.3	167	23.8	323.9
34	4.9	221.6	101	10.1	333.1	168	24.0	323.9
35	4.7	229.9	102	10.7	331.6	169	24.1	324.0
36	4.8	246.8	103	11.1	332.0	170	24.2	323.9
37	4.8	247.1	104	12.0	333.2	171	24.3	326.7
38	5.0	247.1	105	12.9	334.4	172	24.5	329.0
39	5.1	248.5	106	13.7	338.5	173	25.5	326.1
40	4.7	253.2	107	14.6	339.5	174	26.5	321.9
41	3.7	268.9	108	15.6	340.2	175	27.2	321.7
42	4.0	283.9	109	16.4	340.0	176	27.8	321.8
43	4.4	291.9	110	17.2	336.9	177	28.4	321.9
44	4.7	292.2	111	17.8	337.4	178	29.0	322.1
45	4.7	290.3	112	18.6	334.7	179	29.1	322.0
46	4.7	288.6	113	19.3	331.2	180	28.8	323.4
47	4.6	286.4	114	19.4	332.0	181	28.7	325.6
48	4.8	278.9	115	19.5	333.5	182	28.9	325.8
49	5.0	272.8	116	19.8	333.7	183	29.5	32[illegible].0
50	5.1	270.1	117	20.1	333.9	184	30.1	32[illegible].3
51	5.3	267.5	118	20.6	334.3	185	30.7	326.5
52	5.2	268.7	119	21.1	333.9	186	30.9	326.7
53	4.8	274.5	120	22.0	332.8	187	30.9	323.1
54	4.6	275.8	121	23.2	330.9	188	30.3	323.1
55	4.6	270.3	122	24.0	331.8	189	29.1	326.2
56	4.4	263.4	123	24.5	332.1	190	28.3	327.5
57	4.0	256.1	124	24.5	332.2			
58	3.8	262.5	125	24.3	333.8			
59	3.5	273.7	126	24.5	334.2			
60	3.2	278.2	127	24.6	334.2			
61	2.9	265.6	128	24.9	334.3			
62	2.8	254.2	129	25.1	334.5			
63	2.2	254.9	130	25.2	334.0			
64	1.7	274.9	131	25.3	332.5			
65	2.2	300.1	132	25.2	332.4			
66	2.9	302.2	133	25.4	332.4			


CAMP CARIBOU STATION 123
DATE 9/12/75 TIME 938(GMT)
TRUE DIRECTION
0 90 180 270 360
DEPTH (M)
0 50 100 150 200
SPEED CM/SEC
0 10 20 30 40 50


CAMP CARIBOU STATION 125
DATE 10/12/75 TIME 1929(GMT)
TRUE DIRECTION
0 90 180 270 360
DEPTH (M)
0 50 100 150 200
SPEED CM/SEC
0 5 10 15 20 25

CARIBOU STATION 123 (150M.) 9/DEC/75 938 GMT
LAT= 73.1470N LONG= 142.9638W LTER= 0. LGER= 0.
NIVEL= -5.8 EIVEL= 0.7 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	0.6	193.4	134	23.4	339.2
1	0.0	999.9	68	0.4	206.8	135	23.4	339.2
2	0.0	999.9	69	0.2	250.7	136	23.5	339.3
3	0.0	999.9	70	0.4	311.0	137	23.2	339.2
4	0.0	999.9	71	0.7	330.9	138	23.1	339.3
5	2.5	132.2	72	1.1	338.0	139	23.8	339.7
6	2.3	126.6	73	1.6	342.1	140	24.3	340.0
7	2.1	119.1	74	2.1	344.3	141	24.3	340.1
8	2.2	118.3	75	2.5	333.7	142	24.5	334.4
9	2.2	118.3	76	2.7	313.6	143	24.5	334.4
10	2.3	120.0	77	2.6	312.2	144	24.5	334.4
11	2.3	121.5	78	2.9	315.2	145	24.8	334.5
12	2.4	123.3	79	3.2	318.4	146	25.1	334.5
13	2.3	125.4	80	3.2	318.1	147	24.7	334.5
14	2.2	122.0	81	2.8	317.7	148	24.3	334.4
15	2.1	118.7	82	3.3	334.6	149	24.3	334.4
16	2.0	115.0	83	3.6	345.8	150	24.5	334.4
17	2.0	113.0	84	3.4	345.4			
18	2.1	110.9	85	3.1	345.0			
19	2.3	109.1	86	2.9	344.5			
20	2.4	110.2	87	2.8	344.4			
21	2.5	115.0	88	3.2	345.1			
22	2.5	119.7	89	3.5	345.7			
23	2.5	124.3	90	3.9	346.1			
24	2.3	130.7	91	4.2	346.4			
25	2.2	136.8	92	3.7	345.9			
26	2.1	143.6	93	3.5	345.6			
27	2.2	146.9	94	3.9	346.1			
28	2.2	149.4	95	4.3	346.5			
29	2.3	149.4	96	4.3	346.5			
30	2.5	146.7	97	4.3	346.5			
31	2.7	144.5	98	6.0	347.7			
32	2.8	142.5	99	6.7	348.0			
33	2.9	141.5	100	7.4	348.4			
34	2.7	144.2	101	8.2	348.6			
35	2.5	147.4	102	8.9	348.9			
36	2.2	158.2	103	9.6	349.1			
37	2.0	172.6	104	10.4	349.2			
38	2.1	188.5	105	11.2	349.6			
39	2.1	194.0	106	11.9	349.7			
40	2.1	199.0	107	12.6	349.7			
41	2.0	201.6	108	13.4	342.6			
42	1.9	204.7	109	14.2	335.1			
43	1.6	199.1	110	15.1	329.2			
44	1.4	187.6	111	16.1	322.3			
45	1.3	181.5	112	16.8	322.7			
46	1.2	181.9	113	16.8	322.7			
47	1.2	182.8	114	16.7	322.6			
48	1.2	183.2	115	17.0	324.1			
49	1.2	183.1	116	17.5	330.8			
50	1.2	183.2	117	17.9	331.0			
51	1.3	183.3	118	17.4	331.0			
52	1.3	183.0	119	17.6	331.5			
53	1.5	200.0	120	18.8	331.8			
54	1.8	209.4	121	20.0	332.2			
55	1.8	208.4	122	20.9	332.7			
56	1.9	207.8	123	21.5	333.1			
57	1.9	207.2	124	22.2	333.3			
58	1.9	206.9	125	22.6	333.5			
59	1.9	206.9	126	23.0	334.0			
60	1.8	207.1	127	23.1	334.1			
61	1.6	199.6	128	23.1	335.3			
62	1.3	184.6	129	23.1	339.2			
63	1.2	170.5	130	23.2	339.2			
64	1.1	169.7	131	23.2	339.2			
65	1.0	168.1	132	23.3	339.2			
66	0.8	165.5	133	23.3	339.2			

CARIBOU STATION 125 (196M.) 10/DEC/75 1929 GMT
LAT= 73.0930N LONG= 142.7989W LTER= 1. LGER= 2.
NIVEL= -5.9 EIVEL= 5.2 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	2.0	250.0	134	8.1	258.7
1	0.0	999.9	68	3.0	238.9	135	8.2	254.9
2	0.0	999.9	69	3.3	237.9	136	8.0	253.4
3	0.0	999.9	70	3.4	239.4	137	7.5	252.6
4	0.0	999.9	71	4.0	235.7	138	6.8	251.2
5	3.4	153.1	72	4.2	234.8	139	7.6	253.6
6	2.4	156.8	73	4.3	236.9	140	8.6	256.3
7	1.8	159.5	74	4.4	239.0	141	9.0	259.7
8	1.5	178.2	75	4.5	241.8	142	9.2	265.9
9	1.4	175.4	76	4.7	245.5	143	9.4	268.6
10	1.8	165.0	77	5.0	248.8	144	10.0	265.4
11	1.8	160.5	78	5.0	251.5	145	10.3	265.6
12	1.7	164.8	79	4.7	257.6	146	10.5	266.0
13	2.2	159.8	80	4.4	258.7	147	10.7	266.4
14	2.1	161.6	81	4.2	257.2	148	9.9	270.1
15	1.8	173.1	82	4.3	259.2	149	9.3	270.6
16	1.8	190.2	83	4.6	256.9	150	9.1	273.4
17	1.9	211.3	84	4.7	255.4	151	9.3	276.1
18	1.9	222.7	85	4.5	254.9	152	10.0	268.7
19	1.6	214.5	86	4.3	252.6	153	10.2	265.3
20	1.3	198.9	87	4.1	247.8	154	10.2	265.2
21	1.3	186.2	88	4.1	246.4	155	10.3	265.3
22	1.3	194.1	89	3.8	251.4	156	10.5	265.5
23	1.1	201.5	90	4.0	254.0	157	10.5	265.7
24	0.6	207.0	91	4.3	256.5	158	10.6	265.7
25	0.1	214.4	92	4.8	254.1	159	10.5	265.2
26	0.2	341.8	93	5.7	246.7	160	10.2	263.6
27	0.6	275.5	94	6.0	248.5	161	11.1	260.3
28	1.4	247.4	95	6.3	246.5	162	11.5	259.0
29	2.1	235.8	96	6.4	246.2	163	12.4	249.1
30	2.2	231.8	97	6.3	246.0	164	12.7	24 .2
31	2.4	227.0	98	6.1	244.4	165	12.1	257.4
32	2.4	215.7	99	5.9	242.5	166	10.3	273.3
33	2.4	204.6	100	5.3	244.7	167	9.7	280.1
34	7.2	212.0	101	4.8	246.5	168	10.5	272.7
35	1.6	228.7	102	4.8	246.8	169	11.9	260.3
36	1.3	243.8	103	5.2	251.3	170	11.0	270.5
37	1.8	242.6	104	6.0	252.5	171	7.5	305.5
38	2.2	241.5	105	5.9	250.9	172	7.1	308.4
39	2.0	247.1	106	5.3	252.9	173	7.7	297.4
40	1.7	247.8	107	4.9	253.1	174	10.8	268.4
41	1.7	243.6	108	4.9	252.5	175	10.7	275.1
42	1.9	234.3	109	5.2	254.7	176	8.7	298.1
43	2.6	228.5	110	5.3	259.6	177	7.8	308.3
44	2.7	228.4	111	5.4	260.7	178	9.3	285.3
45	2.8	229.5	112	5.4	260.7	179	11.0	263.8
46	2.8	231.2	113	5.4	260.6	180	10.5	275.9
47	2.8	233.0	114	5.4	260.3	181	8.8	301.7
48	2.9	236.0	115	5.3	260.0	182	9.1	314.6
49	3.0	228.9	116	5.4	260.7	183	9.7	303.1
50	3.0	225.0	117	5.6	262.0	184	10.5	292.2
51	2.9	220.3	118	5.9	263.7	185	8.2	321.9
52	2.6	218.0	119	6.1	265.1	186	7.4	336.1
53	2.4	215.1	120	5.9	269.8	187	9.1	308.0
54	2.0	210.7	121	5.9	269.7	188	12.9	267.8
55	2.0	213.6	122	5.9	269.4	189	12.7	273.0
56	1.7	220.5	123	5.8	269.0	190	12.8	276.5
57	1.5	223.4	124	5.8	268.8	191	12.6	278.7
58	1.5	222.4	125	5.8	268.6	192	13.1	270.5
59	1.3	234.1	126	5.8	268.3	193	13.2	264.5
60	1.3	245.7	127	5.7	267.9	194	12.8	271.9
61	1.3	259.6	128	6.3	262.3	195	12.4	275.5
62	1.1	267.6	129	6.6	262.0	196	11.9	274.8
63	1.1	272.5	130	7.2	264.7			
64	1.1	271.1	131	7.6	266.3			
65	1.3	264.3	132	7.7	266.9			
66	1.6	259.1	133	7.7	264.9			



CAMP CARIBOU STATION 126
DATE 11/12/75 TIME 738(GMT)
TRUE DIRECTION
0 90 180 270 360
DEPTH (M)
0 50 100 150 200
0 5 10 15 20 25
SPEED CM/SEC



CAMP CARIBOU STATION 128
DATE 15/12/75 TIME 744(GMT)
TRUE DIRECTION
0 90 180 270 360
DEPTH (M)
0 50 100 150 200
0 5 10 15 20 25
SPEED CM/SEC

CARIBOU STATION 126 (200M.) 11/DEC/75 738 GMT
LAT= 73.0687N LONG= 142.7475W LTER= 0. LGER= 1.
NIVEL= -5.2 EIVEL= 1.2 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	4.1	201.7	134	5.3	238.3
1	0.0	999.9	68	3.9	203.7	135	5.3	239.4
2	0.0	999.9	69	3.5	207.8	136	5.0	236.0
3	0.0	999.9	70	3.2	209.5	137	4.8	233.1
4	0.0	999.9	71	3.3	207.3	138	5.0	235.3
5	3.8	189.4	72	3.4	209.4	139	5.3	237.2
6	4.0	190.3	73	3.3	213.2	140	5.2	235.8
7	4.1	186.9	74	3.2	212.1	141	5.0	234.0
8	4.1	188.6	75	3.0	210.7	142	5.2	238.8
9	3.8	192.4	76	3.3	212.6	143	5.6	244.7
10	3.7	197.1	77	4.1	214.6	144	5.3	244.7
11	3.8	194.9	78	4.8	215.4	145	5.1	241.4
12	3.5	195.1	79	5.1	218.0	146	5.1	243.4
13	3.4	196.3	80	4.8	220.3	147	5.3	246.7
14	3.4	194.0	81	4.7	223.5	148	5.1	249.4
15	3.4	191.4	82	4.4	227.5	149	4.9	247.6
16	3.1	194.9	83	4.6	227.5	150	4.7	243.0
17	2.9	199.1	84	4.4	225.7	151	4.5	239.4
18	3.0	200.1	85	3.9	225.2	152	4.1	235.8
19	2.7	204.8	86	3.9	221.1	153	3.9	237.4
20	2.6	210.7	87	3.9	217.3	154	4.3	234.3
21	2.6	214.5	88	3.9	216.4	155	4.7	231.5
22	2.6	215.0	89	3.8	220.1	156	5.2	226.8
23	2.5	211.7	90	3.6	221.5	157	5.2	225.8
24	2.5	212.4	91	3.5	223.0	158	4.9	228.7
25	2.7	207.1	92	3.8	226.6	159	4.7	232.3
26	2.8	203.9	93	4.2	227.1	160	4.8	235.5
27	2.7	202.5	94	4.5	223.3	161	4.9	231.3
28	2.7	203.9	95	4.4	222.8	162	4.9	225.1
29	2.7	207.8	96	4.3	222.4	163	4.8	218.5
30	2.8	212.0	97	4.3	221.9	164	4.8	212.6
31	2.8	213.7	98	4.2	222.4	165	4.9	213.7
32	2.5	212.6	99	4.4	221.9	166	5.2	220.1
33	2.4	207.7	100	4.5	222.6	167	6.0	223.6
34	2.4	202.2	101	4.8	225.0	168	6.3	223.7
35	2.0	208.5	102	5.0	227.6	169	6.1	224.8
36	2.2	203.5	103	5.1	230.3	170	5.6	224.3
37	2.5	191.7	104	5.2	232.8	171	5.2	222.5
38	3.0	182.3	105	5.3	234.7	172	5.2	225.8
39	3.5	175.1	106	5.4	235.1	173	5.1	220.6
40	3.4	171.3	107	5.4	234.5	174	5.3	224.4
41	3.5	173.3	108	5.4	233.0	175	5.3	226.1
42	3.7	177.6	109	4.6	234.1	176	5.1	222.5
43	3.7	179.6	110	4.5	233.0	177	5.4	223.6
44	3.6	178.4	111	4.9	230.4	178	5.7	225.7
45	3.6	180.8	112	5.0	229.3	179	6.0	228.0
46	3.7	182.4	113	4.9	226.8	180	5.8	227.0
47	3.8	183.4	114	4.8	224.1	181	6.0	226.6
48	3.8	183.9	115	4.6	224.6	182	6.4	225.0
49	3.9	185.1	116	4.7	228.4	183	6.2	225.3
50	3.9	188.9	117	4.7	227.4	184	6.5	227.7
51	4.0	193.7	118	4.7	227.6	185	6.7	229.7
52	4.2	194.4	119	4.4	231.1	186	6.7	230.8
53	4.3	193.2	120	4.3	231.4	187	6.8	232.1
54	4.4	192.6	121	4.3	230.1	188	6.5	230.0
55	4.4	194.6	122	4.1	232.1	189	6.4	227.6
56	4.3	196.4	123	4.4	233.7	190	6.3	237.6
57	4.2	195.8	124	4.9	235.4	191	5.9	243.9
58	4.1	196.4	125	5.0	238.4	192	5.7	238.6
59	4.3	198.7	126	4.9	237.2	193	5.6	233.5
60	4.5	206.5	127	4.9	235.5	194	6.2	226.9
61	4.5	209.2	128	5.1	236.0	195	6.5	224.4
62	4.5	210.2	129	5.2	236.5	196	6.9	226.1
63	4.5	209.0	130	5.2	237.2	197	7.0	222.1
64	4.5	207.6	131	5.3	237.5	198	7.1	222.6
65	4.4	205.7	132	5.2	236.5	199	7.1	227.2
66	4.3	203.2	133	5.2	237.1	200	7.0	225.3

CARIBOU STATION 128 (199M.) 15/DEC/75 744 GMT
LAT= 73.1199N LONG= 143.0402W LTER= 1. LGER= 1.
NIVEL= 3.0 EIVEL= 3.8 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	2.3	334.0	134	3.9	304.9
1	0.0	999.9	68	2.4	339.4	135	4.0	306.9
2	0.0	999.9	69	2.5	337.8	136	3.8	309.5
3	0.0	999.9	70	2.6	332.4	137	3.6	310.5
4	0.0	999.9	71	2.7	331.6	138	3.7	306.3
5	0.8	196.1	72	2.6	342.7	139	3.7	305.4
6	0.5	214.1	73	2.7	344.3	140	3.6	307.5
7	0.6	261.7	74	2.9	336.1	141	3.6	308.1
8	1.0	296.0	75	3.1	329.0	142	3.8	304.0
9	1.3	302.8	76	3.4	323.2	143	4.5	304.4
10	1.3	306.0	77	3.5	324.2	144	4.7	309.6
11	1.2	314.7	78	3.4	328.4	145	4.7	309.7
12	1.2	325.3	79	3.4	330.8	146	4.8	308.6
13	1.4	324.5	80	3.5	330.4	147	4.7	309.3
14	1.4	322.7	81	3.8	327.0	148	4.7	310.3
15	1.3	321.0	82	4.1	323.0	149	4.7	309.9
16	1.4	318.9	83	4.3	321.1	150	4.8	308.7
17	1.4	321.4	84	4.3	322.0	151	4.9	307.9
18	1.7	327.1	85	4.1	325.5	152	4.9	308.4
19	1.7	332.9	86	4.1	327.6	153	4.8	309.4
20	1.8	333.1	87	4.3	324.6	154	4.7	308.9
21	2.4	335.9	88	4.7	323.1	155	5.1	313.0
22	2.8	338.2	89	5.2	322.2	156	5.5	312.2
23	2.8	343.2	90	5.3	321.5	157	5.6	311.7
24	2.7	349.6	91	4.9	319.5	158	5.6	310.4
25	2.7	356.4	92	4.8	313.4	159	6.1	307.8
26	2.6	0.6	93	4.7	310.1	160	6.3	306.2
27	2.7	4.9	94	4.7	305.5	161	6.1	317.3
28	2.8	8.4	95	4.9	301.4	162	6.3	317.1
29	2.9	9.8	96	5.3	299.7	163	6.2	316.4
30	2.8	9.3	97	5.1	302.0	164	6.7	314.6
31	2.7	7.7	98	4.7	306.0	165	7.0	314.4
32	2.8	6.3	99	4.5	308.8	166	6.6	313.2
33	2.8	5.3	100	4.8	305.5	167	6.6	310.0
34	2.8	10.2	101	4.8	302.3	168	7.3	309.8
35	2.7	5.5	102	4.3	300.4	169	8.0	314.0
36	2.7	357.8	103	4.3	298.0	170	7.7	316.6
37	2.5	347.5	104	4.4	299.2	171	7.4	317.7
38	2.2	334.8	105	4.5	302.8	172	7.8	316.8
39	2.1	320.4	106	4.5	306.6	173	7.5	317.2
40	2.3	309.7	107	4.4	309.4	174	7.9	317.7
41	2.5	301.9	108	4.3	311.2	175	7.8	319.2
42	2.6	297.4	109	4.1	311.3	176	7.3	320.0
43	2.4	298.4	110	4.0	312.7	177	6.8	322.2
44	2.1	289.8	111	4.2	312.3	178	6.9	321.3
45	2.0	283.0	112	4.4	314.3	179	7.3	319.0
46	1.7	271.5	113	4.5	317.9	180	7.7	317.7
47	1.5	260.3	114	4.7	321.4	181	7.7	319.0
48	1.4	247.4	115	4.7	323.2	182	8.0	317.6
49	1.4	241.4	116	4.7	324.7	183	8.2	316.7
50	1.4	249.7	117	4.8	325.8	184	8.3	316.8
51	1.5	267.8	118	4.9	324.2	185	8.4	316.8
52	1.5	272.4	119	5.0	320.9	186	8.3	316.3
53	1.4	278.2	120	5.1	319.9	187	8.2	314.4
54	1.5	287.6	121	5.3	319.9	188	8.1	309.3
55	1.6	286.5	122	5.4	319.9	189	8.5	308.5
56	1.6	291.1	123	5.4	319.9	190	8.8	310.1
57	1.6	301.7	124	5.4	319.7	191	8.9	312.7
58	1.5	309.3	125	5.4	319.6	192	9.0	313.6
59	1.5	317.7	126	5.5	319.3	193	9.2	312.4
60	1.5	317.1	127	5.4	318.8	194	9.1	311.5
61	1.7	312.2	128	5.2	318.5	195	8.9	311.7
62	2.0	312.2	129	4.9	318.6	196	9.0	311.8
63	2.3	312.1	130	4.8	317.4	197	9.5	311.6
64	2.4	313.6	131	4.6	316.2	198	9.0	306.4
65	2.4	319.6	132	4.5	314.3	199	8.7	305.7
66	2.4	326.4	133	4.2	309.3			


CAMP CARIBOU STATION 130
DATE 16/12/75 TIME 2233(GMT)
TRUE DIRECTION
0 90 180 270 360
0 50 100 150 200
DEPTH (M)
0 5 10 15 20 25
SPEED CM/SEC


CAMP CARIBOU STATION 131
DATE 17/12/75 TIME 719(GMT)
TRUE DIRECTION
0 90 180 270 360
0 50 100 150 200
DEPTH (M)
0 5 10 15 20 25
SPEED CM/SEC

CARIBOU STATION 130 (200M.) 16/DEC/75 2233 GMT
LAT= 73.1356N LONG= 143.0958W LTER= 0. LGER= 0.
NIVEL= 6.8 EIVEL= -11.8 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	18.6	286.1	134	8.9	296.9
1	0.0	999.9	68	17.8	284.7	135	9.0	303.9
2	0.0	999.9	69	19.3	285.5	136	8.6	309.6
3	0.0	999.9	70	19.1	283.4	137	8.3	315.7
4	0.0	999.9	71	18.6	280.8	138	8.4	316.8
5	6.5	326.4	72	17.2	279.8	139	8.7	318.6
6	5.6	329.9	73	15.8	280.0	140	9.1	320.6
7	4.8	330.5	74	13.7	279.3	141	9.9	321.5
8	3.8	331.9	75	11.3	291.1	142	11.8	320.3
9	3.4	327.5	76	13.6	297.6	143	11.9	319.1
10	3.4	335.0	77	14.5	293.0	144	11.9	318.5
11	3.2	351.1	78	14.9	287.2	145	11.9	318.3
12	3.3	7.1	79	14.1	290.6	146	12.1	316.8
13	3.6	0.3	80	13.6	293.6	147	12.0	317.4
14	4.5	347.2	81	13.2	297.5	148	12.1	317.5
15	4.9	348.8	82	12.3	298.7	149	12.4	316.8
16	5.2	349.5	83	10.8	299.2	150	12.3	317.0
17	5.2	348.5	84	9.8	299.2	151	12.3	315.5
18	5.2	346.2	85	9.1	295.6	152	12.7	316.3
19	5.8	337.0	86	9.5	288.5	153	13.7	317.7
20	6.1	333.6	87	9.9	285.9	154	14.1	317.9
21	5.4	335.3	88	9.9	283.5	155	14.1	317.1
22	4.5	326.6	89	10.3	282.1	156	14.2	317.7
23	4.4	318.7	90	10.5	280.3	157	14.2	318.3
24	4.7	307.8	91	10.9	278.5	158	14.1	316.7
25	4.4	298.8	92	11.3	277.6	159	14.1	315.8
26	4.1	287.4	93	11.6	277.0	160	14.2	317.0
27	3.7	282.1	94	12.0	276.0	161	14.2	317.5
28	3.8	279.9	95	12.3	275.9	162	14.2	317.8
29	3.9	266.4	96	12.5	277.2	163	14.3	318.7
30	4.8	248.0	97	12.7	278.7	164	14.1	316.3
31	7.8	240.6	98	12.9	278.7	165	14.0	315.0
32	10.3	249.7	99	13.2	278.0	166	14.1	315.4
33	12.5	257.2	100	13.3	278.1	167	14.1	315.8
34	14.6	257.5	101	13.4	279.0	168	14.1	316.1
35	16.1	262.2	102	13.6	280.2	169	14.1	315.9
36	18.1	266.6	103	13.8	281.3	170	14.1	315.7
37	20.0	273.1	104	13.6	280.6	171	14.2	317.5
38	21.6	279.8	105	13.5	279.9	172	14.2	317.3
39	21.2	283.2	106	13.5	280.4	173	14.1	315.6
40	20.3	294.1	107	13.5	281.1	174	14.1	315.2
41	20.5	295.3	108	13.4	279.3	175	14.1	315.1
42	20.7	295.3	109	12.9	276.6	176	14.1	315.1
43	20.2	293.6	110	12.0	275.3	177	14.0	314.2
44	19.7	292.0	111	11.5	278.7	178	14.0	314.0
45	20.0	291.9	112	11.5	278.9	179	14.0	314.8
46	20.4	292.2	113	11.3	279.2	180	14.0	314.8
47	20.0	292.6	114	10.7	279.9	181	14.0	313.7
48	19.5	293.1	115	10.2	280.4	182	13.9	313.0
49	19.6	292.9	116	10.0	278.9	183	13.9	312.9
50	19.9	292.8	117	10.1	278.1	184	13.9	312.9
51	19.9	293.9	118	10.4	278.2	185	13.9	312.9
52	19.6	295.1	119	10.7	278.9	186	13.9	312.9
53	19.1	295.5	120	10.7	279.0	187	13.9	312.6
54	18.8	295.0	121	10.7	279.2	188	13.9	311.4
55	19.5	295.9	122	10.7	280.5	189	13.8	310.0
56	19.4	296.9	123	10.8	281.4	190	13.8	310.0
57	18.5	296.2	124	10.8	281.7	191	13.8	310.0
58	18.6	293.8	125	11.1	280.5	192	13.8	309.9
59	18.4	291.4	126	11.5	279.7	193	13.8	309.9
60	18.4	290.3	127	11.9	279.8	194	13.8	309.9
61	18.1	289.1	128	11.9	280.9	195	13.8	309.8
62	18.3	288.8	129	11.5	282.0	196	13.8	309.8
63	18.4	288.6	130	11.5	282.7	197	13.8	309.7
64	18.5	288.3	131	11.4	284.2	198	13.8	309.7
65	18.7	288.6	132	10.6	287.1	199	13.7	309.8
66	19.1	288.2	133	9.8	292.8	200	13.7	309.8

CARIBOU STATION 131 (200M.) 17/DEC/75 719 GMT
LAT= 73.1511N LONG= 143.2184W LTER= 1. LGER= 2.
NIVEL= 2.7 EIVEL= -15.1 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	15.9	280.1	134	11.0	298.5
1	0.0	999.9	68	15.7	279.1	135	10.8	296.6
2	0.0	999.9	69	15.5	277.2	136	10.4	298.9
3	0.0	999.9	70	15.5	274.6	137	10.3	299.7
4	0.0	999.9	71	15.7	273.0	138	10.6	299.0
5	7.5	277.9	72	14.9	273.7	139	10.8	297.6
6	7.2	272.0	73	14.2	275.1	140	11.0	296.4
7	6.8	267.1	74	14.3	274.7	141	11.1	296.1
8	6.8	262.9	75	12.6	270.9	142	11.2	295.3
9	7.3	262.0	76	10.0	268.6	143	11.0	296.9
10	7.5	264.4	77	7.5	288.2	144	10.8	299.0
11	7.1	265.2	78	8.4	298.3	145	10.6	298.8
12	6.7	266.2	79	9.4	302.3	146	10.5	298.7
13	5.8	269.0	80	10.0	302.4	147	10.6	297.8
14	5.4	278.9	81	10.8	303.9	148	10.3	296.8
15	5.4	280.2	82	10.9	304.7	149	11.0	295.5
16	5.2	281.4	83	10.9	305.5	150	11.2	295.3
17	5.3	288.1	84	11.5	306.1	151	11.4	295.0
18	5.7	289.6	85	11.7	305.8	152	11.4	294.1
19	6.0	289.2	86	11.2	306.5	153	11.3	293.6
20	6.2	289.1	87	12.3	303.4	154	10.6	295.2
21	6.2	288.7	88	12.0	303.3	155	10.7	293.7
22	6.1	288.7	89	11.6	303.8	156	10.8	294.1
23	6.1	285.9	90	11.1	302.9	157	11.1	294.6
24	6.9	284.2	91	11.0	299.5	158	11.3	294.5
25	7.3	279.5	92	11.0	296.8	159	11.2	295.1
26	6.9	278.6	93	10.9	293.8	160	11.4	294.5
27	6.6	278.7	94	10.5	291.4	161	11.6	293.1
28	6.7	281.C	95	10.3	290.8	162	11.5	292.8
29	6.6	281.4	96	10.2	289.8	163	11.4	292.7
30	6.5	280.6	97	10.3	287.4	164	11.5	292.0
31	6.7	275.4	98	10.4	288.3	165	11.5	292.2
32	8.3	266.8	99	10.7	287.9	166	11.4	292.8
33	10.3	266.2	100	11.0	286.8	167	11.2	294.0
34	11.6	269.2	101	11.0	287.7	168	11.0	295.3
35	11.6	268.3	102	10.8	289.1	169	11.2	294.3
36	12.1	268.6	103	10.4	289.4	170	11.6	292.8
37	12.6	269.5	104	10.1	291.7	171	11.7	293.3
38	13.3	272.5	105	10.0	292.0	172	11.8	295.0
39	13.8	272.9	106	9.9	290.1	173	11.9	294.8
40	14.3	272.9	107	9.9	288.6	174	11.9	293.1
41	14.1	275.3	108	9.9	287.7	175	11.7	294.8
42	14.3	277.7	109	10.0	289.3	176	11.7	295.8
43	14.2	278.1	110	10.2	291.7	177	11.6	296.4
44	14.1	278.5	111	10.7	296.5	178	11.5	296.8
45	14.6	277.6	112	11.2	297.8	179	11.7	297.1
46	15.0	275.5	113	11.4	296.7	180	12.4	298.0
47	14.8	275.5	114	11.7	295.9	181	13.0	297.2
48	14.5	276.4	115	11.9	295.7	182	12.9	296.6
49	14.3	276.6	116	11.8	294.6	183	13.1	295.5
50	14.3	276.9	117	11.9	292.8	184	13.2	295.6
51	14.4	277.8	118	11.9	291.9	185	13.5	295.1
52	14.5	278.3	119	11.7	291.7	186	13.7	293.1
53	14.6	279.7	120	11.5	291.5	187	13.7	293.2
54	14.7	280.5	121	11.6	291.7	188	13.8	293.3
55	14.5	280.9	122	11.8	291.6	189	13.5	295.7
56	14.5	281.7	123	12.0	291.5	190	13.5	297.0
57	14.3	283.0	124	12.0	291.9	191	12.9	297.6
58	14.3	283.6	125	11.9	293.0	192	12.7	297.6
59	14.3	284.4	126	11.7	293.6	193	13.2	297.6
60	14.5	284.4	127	11.4	294.4	194	13.5	296.9
61	14.8	282.8	128	11.3	295.7	195	13.5	296.5
62	14.7	281.3	129	11.3	296.9	196	13.5	295.3
63	14.7	280.7	130	11.5	296.6	197	13.9	294.6
64	15.0	281.7	131	11.6	296.1	198	13.6	295.7
65	15.6	282.9	132	11.3	297.2	199	13.5	296.4
66	15.9	281.5	133	11.1	298.4	200	13.4	297.0


CAMP CARIBOU
STATION 132
DATE 17/12/75
TIME 2222(GMT)
TRUE DIRECTION
0
90
180
270
360
SPEED CM/SEC
0
5
10
15
20
25
DEPTH (M)
0
50
100
150
200


CAMP CARIBOU
STATION 133
DATE 18/12/75
TIME 718(GMT)
TRUE DIRECTION
0
90
180
270
360
SPEED CM/SEC
0
5
10
15
20
25
DEPTH (M)
0
50
100
150
200

CARIBOU STATION 132 (198M.) 17/DEC/75 2222 GMT
LAT= 73.1412N LONG= 143.3875W LTER= 1. LGER= 2.
NIVEL= -10.3 EIVEL= -1.9 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	2.1	273.5	134	1.7	232.5
1	0.0	999.9	68	2.0	261.4	135	1.2	224.1
2	0.0	999.9	69	2.0	245.9	136	0.8	214.3
3	0.0	999.9	70	2.2	232.7	137	0.3	258.8
4	0.0	999.9	71	2.6	227.1	138	0.3	283.5
5	4.3	200.3	72	2.6	229.8	139	0.4	299.1
6	4.0	201.2	73	2.6	238.1	140	0.7	327.5
7	3.8	196.9	74	2.5	246.6	141	1.1	304.0
8	3.5	190.4	75	2.4	254.3	142	0.9	267.3
9	3.3	183.4	76	1.8	265.0	143	0.9	218.4
10	3.2	175.0	77	1.3	283.8	144	0.8	221.6
11	2.9	172.0	78	0.6	258.7	145	0.6	244.1
12	2.8	170.8	79	0.7	196.9	146	0.5	279.2
13	2.7	170.3	80	0.8	195.7	147	0.6	260.7
14	2.7	172.0	81	1.2	198.7	148	1.0	228.7
15	2.7	173.3	82	1.4	202.4	149	1.5	227.5
16	2.6	174.8	83	1.8	203.4	150	1.4	232.7
17	2.9	178.2	84	2.4	201.8	151	1.4	237.4
18	3.0	182.2	85	2.7	211.2	152	1.3	249.4
19	3.3	189.2	86	2.8	214.8	153	1.3	251.6
20	3.5	192.2	87	2.5	220.7	154	1.4	248.0
21	3.7	191.8	88	2.2	228.9	155	1.6	237.6
22	4.0	187.7	89	2.1	241.8	156	1.8	231.0
23	4.1	184.9	90	2.2	249.8	157	1.8	234.1
24	4.3	182.7	91	2.1	263.0	158	1.6	240.1
25	4.5	181.1	92	2.1	274.3	159	2.0	247.8
26	4.3	183.2	93	2.1	272.0	160	1.9	253.4
27	4.2	191.7	94	2.1	277.5	161	1.9	259.1
28	4.6	192.8	95	2.2	287.6	162	1.6	263.4
29	5.0	194.2	96	2.3	275.5	163	1.8	259.2
30	5.0	198.3	97	2.3	273.4	164	1.9	250.6
31	5.1	201.0	98	2.3	263.5	165	1.8	254.8
32	4.8	201.1	99	2.4	253.5	166	1.7	262.0
33	5.0	204.0	100	2.3	256.8	167	1.7	261.9
34	5.3	212.1	101	2.3	263.4	168	1.6	265.4
35	5.4	220.5	102	2.0	255.0	169	1.3	275.0
36	5.3	225.0	103	2.7	253.5	170	1.6	274.8
37	5.0	226.6	104	2.7	256.8	171	1.5	272.8
38	4.6	226.7	105	2.7	260.2	172	1.4	262.3
39	3.7	232.0	106	2.7	263.6	173	1.4	282.5
40	3.0	239.4	107	2.7	262.8	174	1.9	316.9
41	3.1	245.7	108	2.8	250.6	175	2.5	329.5
42	3.3	246.8	109	2.9	244.4	176	3.0	340.2
43	3.8	241.7	110	2.6	246.6	177	2.8	341.9
44	4.0	242.1	111	2.3	256.6	178	2.9	342.2
45	3.8	246.4	112	2.3	267.4	179	2.1	333.0
46	3.7	253.6	113	2.4	275.0	180	1.4	314.4
47	3.7	263.1	114	2.4	273.0	181	1.1	288.4
48	3.8	272.1	115	2.4	268.3	182	1.1	287.1
49	3.6	278.0	116	2.4	265.9	183	1.1	263.5
50	2.7	280.0	117	2.2	264.9	184	2.2	240.8
51	2.4	277.6	118	1.7	273.0	185	3.0	230.6
52	2.4	277.0	119	1.8	280.2	186	3.0	228.4
53	2.4	277.1	120	1.7	280.2	187	3.1	226.1
54	2.5	284.2	121	1.4	282.2	188	3.1	225.6
55	2.5	285.7	122	1.4	277.6	189	3.1	224.1
56	2.4	269.7	123	1.4	271.4	190	3.2	221.6
57	2.4	262.6	124	1.4	265.3	191	2.9	226.3
58	2.4	264.5	125	1.3	268.6	192	3.0	228.4
59	2.4	277.0	126	1.6	285.4	193	2.7	227.7
60	2.6	288.7	127	2.1	285.1	194	2.8	238.4
61	2.5	299.0	128	2.0	281.7	195	3.2	247.9
62	2.5	298.4	129	1.9	273.4	196	2.9	252.7
63	2.4	294.4	130	2.0	261.2	197	2.4	253.3
64	2.2	285.6	131	2.0	253.8	198	1.8	259.4
65	2.1	274.5	132	2.1	246.6			
66	2.1	271.2	133	2.1	243.3			

CARIBOU STATION 133 (184M.) 18/DEC/75 718 GMT
LAT= 73.1094N LONG= 143.3800W LTER= 0. LGER= 0.
NIVEL= -11.9 EIVEL= 2.2 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	2.1	112.6	134	1.4	56.6
1	0.0	999.9	68	2.0	98.6	135	1.8	39.5
2	0.0	999.9	69	2.1	88.9	136	2.1	32.6
3	0.0	999.9	70	2.1	99.6	137	2.2	30.6
4	0.0	999.9	71	2.2	111.0	138	2.4	29.7
5	5.1	200.0	72	2.4	120.7	139	2.0	36.4
6	5.2	198.7	73	2.6	129.5	140	1.7	45.0
7	5.3	197.2	74	2.2	116.3	141	1.6	50.5
8	5.3	196.9	75	2.0	103.3	142	2.4	30.6
9	4.7	192.1	76	2.0	107.4	143	2.8	25.1
10	4.4	187.7	77	2.0	111.0	144	2.5	329.1
11	4.3	188.3	78	1.9	90.4	145	2.7	330.3
12	4.2	187.9	79	0.4	18.9	146	2.1	325.5
13	4.8	184.2	80	1.5	257.8	147	1.5	316.6
14	5.3	181.4	81	1.7	247.4	148	1.4	315.2
15	5.9	179.1	82	1.8	237.8	149	1.6	318.8
16	5.5	180.4	83	2.2	286.5	150	1.3	312.8
17	5.0	182.2	84	3.0	298.6	151	1.1	304.3
18	5.2	181.1	85	3.6	284.3	152	0.9	291.3
19	5.4	179.8	86	2.8	286.2	153	0.7	264.0
20	5.7	178.8	87	1.4	303.4	154	1.8	106.1
21	5.8	183.5	88	1.1	287.9	155	1.7	97.5
22	5.5	191.5	89	0.9	259.2	156	1.7	66.9
23	4.9	196.4	90	1.0	227.5	157	1.9	55.4
24	5.1	194.3	91	0.8	259.5	158	1.8	55.5
25	5.2	193.0	92	1.2	303.8	159	1.8	55.9
26	5.0	194.7	93	1.5	316.6	160	1.7	55.6
27	5.7	192.7	94	1.6	318.8	161	1.9	45.0
28	5.7	195.3	95	2.1	292.1	162	2.2	34.8
29	5.7	206.7	96	2.0	290.8	163	1.9	42.0
30	6.6	219.8	97	2.0	290.1	164	1.5	61.4
31	6.8	208.3	98	2.0	291.0	165	1.3	64.9
32	6.9	205.8	99	2.1	292.1	166	0.7	338.3
33	6.5	218.0	100	1.6	312.3	167	1.0	288.3
34	5.1	220.0	101	1.6	313.1	168	0.9	269.9
35	4.1	205.5	102	1.6	313.5	169	1.0	283.7
36	3.7	200.4	103	1.7	308.7	170	0.9	269.2
37	4.1	206.4	104	2.2	293.6	171	1.0	231.2
38	5.5	197.0	105	2.3	297.4	172	1.0	229.6
39	5.3	198.6	106	2.1	301.5	173	0.9	258.6
40	5.9	191.9	107	2.4	305.0	174	1.5	305.4
41	6.6	186.6	108	2.0	345.0	175	2.4	322.0
42	7.4	182.4	109	2.5	25.7	176	2.8	325.1
43	7.6	181.1	110	2.6	24.6	177	2.1	331.9
44	7.2	182.8	111	2.6	25.1	178	1.8	34.3
45	6.9	184.6	112	2.5	26.3	179	1.9	31.0
46	6.3	183.0	113	2.3	29.8	180	2.5	22.2
47	6.2	178.4	114	2.1	35.2	181	2.7	25.2
48	6.3	178.0	115	1.9	40.6	182	1.4	46.4
49	6.0	178.9	116	1.7	47.1	183	1.1	91.4
50	5.6	179.8	117	1.5	55.2	184	1.1	91.4
51	5.6	179.7	118	1.5	57.9			
52	5.8	178.9	119	1.6	52.3			
53	5.9	178.5	120	1.7	47.3			
54	5.6	179.4	121	1.6	53.0			
55	5.4	179.7	122	1.5	59.3			
56	5.5	175.2	123	1.9	42.3			
57	5.5	174.8	124	2.5	28.7			
58	4.7	176.1	125	2.2	34.0			
59	4.0	178.3	126	1.9	40.5			
60	3.4	180.4	127	1.9	41.3			
61	3.4	179.8	128	2.0	37.4			
62	3.7	152.7	129	1.7	45.8			
63	3.0	147.6	130	1.5	61.0			
64	2.3	134.8	131	1.3	80.9			
65	2.2	127.4	132	1.3	81.7			
66	2.2	122.6	133	1.3	81.7			


CAMP CARIBOU STATION 134
DATE 18/12/75 TIME 2053(GMT)
TRUE DIRECTION
0
90
180
270
360
DEPTH (M)
0
50
100
150
200
SPEED CM/SEC
0
5
10
15
20
25


CAMP CARIBOU STATION 136
DATE 20/12/75 TIME 2106(GMT)
TRUE DIRECTION
0
90
180
270
360
DEPTH (M)
0
50
100
150
200
SPEED CM/SEC
0
5
10
15
20
25

CARIBOU STATION 134 (200M.) 18/DEC/75 2053 GMT
LAT= 73.0670N LONG= 143.3133W LTER= 11. LGER= 33.
NIVEL= -7.2 EIVEL= 3.8 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	1.8	182.2	134	1.8	128.5
1	0.0	999.9	68	1.8	183.2	135	1.8	129.3
2	0.0	999.9	69	2.0	182.2	136	1.7	124.3
3	0.0	999.9	70	2.2	178.7	137	1.6	117.5
4	0.0	999.9	71	2.6	172.6	138	1.4	119.1
5	4.3	175.2	72	3.2	165.5	139	1.2	116.0
6	4.0	176.4	73	3.3	156.1	140	1.2	113.7
7	3.4	180.5	74	3.2	143.3	141	1.1	110.0
8	2.8	187.5	75	3.3	137.0	142	1.1	108.2
9	2.4	194.8	76	3.3	137.1	143	1.1	108.5
10	2.2	194.8	77	2.5	145.0	144	1.1	112.3
11	2.1	191.1	78	1.5	108.6	145	1.2	115.3
12	2.1	193.7	79	1.2	77.1	146	1.3	118.3
13	2.1	196.5	80	1.0	61.9	147	1.7	122.6
14	2.0	190.8	81	0.6	50.6	148	2.1	128.1
15	2.0	181.6	82	0.3	134.7	149	2.5	125.0
16	2.0	178.1	83	0.8	169.2	150	2.5	128.0
17	2.1	187.0	84	1.2	167.3	151	2.2	125.7
18	2.1	192.9	85	1.2	166.7	152	1.9	119.4
19	2.2	189.2	86	1.3	161.3	153	1.9	118.6
20	2.0	180.6	87	1.4	149.3	154	2.1	123.0
21	1.9	173.2	88	1.8	134.4	155	2.4	128.9
22	1.9	170.3	89	2.0	127.7	156	2.8	134.3
23	1.8	170.5	90	2.5	133.9	157	3.2	137.4
24	1.8	170.3	91	2.4	132.3	158	3.0	137.4
25	1.9	171.7	92	1.7	123.5	159	2.8	133.4
26	2.0	176.4	93	1.1	106.6	160	2.9	126.5
27	2.0	176.3	94	0.4	44.6	161	2.9	122.4
28	2.2	174.8	95	0.4	85.3	162	2.9	121.4
29	2.4	173.4	96	0.6	69.0	163	3.2	126.7
30	2.3	175.2	97	0.7	33.0	164	3.1	129.2
31	2.2	174.8	98	0.7	31.1	165	2.8	130.6
32	2.3	170.9	99	0.5	68.0	166	2.7	132.5
33	2.4	167.8	100	0.8	134.1	167	2.7	134.0
34	2.5	164.8	101	1.6	175.0	168	2.6	133.2
35	2.5	163.5	102	2.0	175.3	169	2.5	130.6
36	2.1	168.4	103	2.3	173.5	170	2.4	123.6
37	1.8	171.6	104	2.6	171.2	171	2.9	123.4
38	1.6	174.3	105	2.7	167.4	172	2.8	113.3
39	1.5	169.0	106	2.7	161.4	173	2.6	97.5
40	1.3	171.3	107	2.5	147.1	174	2.5	91.7
41	1.5	203.3	108	2.3	133.8	175	2.4	89.5
42	1.8	211.2	109	1.8	125.9	176	2.5	94.3
43	1.5	207.3	110	1.2	113.1	177	2.5	96.2
44	1.5	190.1	111	0.6	67.6	178	2.4	91.9
45	1.7	184.9	112	0.8	358.2	179	2.4	83.5
46	1.9	186.7	113	0.9	349.1	180	2.5	88.0
47	2.1	191.0	114	1.0	350.2	181	2.9	95.0
48	2.4	195.5	115	0.8	354.6	182	3.5	91.6
49	2.4	194.0	116	0.3	36.5	183	3.5	84.6
50	2.5	193.1	117	0.4	108.9	184	3.5	86.0
51	2.5	192.2	118	0.8	137.0	185	3.7	96.9
52	2.5	189.5	119	0.6	126.7	186	4.2	106.8
53	2.1	180.9	120	0.7	131.3	187	4.0	104.5
54	1.9	183.7	121	1.1	140.3	188	3.9	99.9
55	1.9	185.0	122	1.5	139.1	189	4.0	100.6
56	1.9	187.1	123	1.6	136.2	190	3.4	106.3
57	2.0	185.8	124	1.4	134.3	191	2.9	108.4
58	2.0	185.3	125	1.3	131.1	192	2.4	110.6
59	1.8	190.9	126	1.1	123.2	193	2.7	119.1
60	1.9	183.6	127	1.2	117.0	194	3.3	127.4
61	2.1	175.3	128	1.1	121.6	195	3.4	127.4
62	2.1	175.2	129	1.6	118.9	196	3.2	122.9
63	1.9	177.6	130	1.7	115.4	197	2.8	106.5
64	1.8	178.7	131	1.6	113.3	198	2.9	117.0
65	1.7	181.9	132	1.4	118.4	199	2.8	114.5
66	1.6	183.5	133	1.4	122.3	200	2.8	114.5

CARIBOU STATION 136 (200M.) 20/DEC/75 2106 GMT
LAT= 73.0280N LONG= 143.1526W LTER= 1. LGER= 2.
NIVEL= 4.4 EIVEL= -7.2 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	9.9	307.7	134	9.9	309.4
1	0.0	999.9	68	9.8	309.5	135	9.8	309.7
2	0.0	999.9	69	9.8	309.6	136	10.0	308.8
3	0.0	999.9	70	9.8	309.7	137	10.1	308.4
4	0.0	999.9	71	9.7	310.2	138	9.8	309.7
5	10.3	298.0	72	9.5	310.6	139	9.5	310.7
6	10.3	298.3	73	9.5	310.5	140	9.2	310.9
7	10.4	298.6	74	10.0	308.8	141	8.7	310.0
8	10.4	298.6	75	10.2	305.5	142	8.4	307.7
9	10.4	299.3	76	10.0	305.7	143	8.4	307.3
10	10.4	300.6	77	9.9	306.5	144	8.4	307.3
11	10.4	302.0	78	9.9	307.6	145	8.3	308.0
12	10.4	302.8	79	10.0	306.4	146	8.2	309.0
13	10.4	303.1	80	10.0	308.5	147	8.0	310.1
14	10.4	303.0	81	10.0	308.3	148	7.8	310.9
15	10.4	302.7	82	10.1	308.0	149	7.6	311.3
16	10.4	302.3	83	10.1	307.5	150	7.5	311.4
17	10.4	302.2	84	10.2	307.1	151	7.6	311.4
18	10.4	302.5	85	10.2	306.9	152	7.7	311.1
19	10.4	303.1	86	10.2	306.6	153	7.4	311.4
20	10.4	303.4	87	10.2	306.5	154	7.0	310.4
21	10.4	303.5	88	10.3	306.2	155	6.7	308.8
22	10.4	303.3	89	10.3	305.8	156	6.6	307.2
23	10.4	302.8	90	10.3	305.2	157	6.7	298.7
24	10.4	302.3	91	10.3	304.5	158	8.4	300.4
25	10.4	302.0	92	10.4	303.7	159	8.2	309.1
26	10.4	301.9	93	10.4	303.5	160	8.0	310.4
27	10.4	301.5	94	10.4	304.4	161	7.9	310.5
28	10.4	301.0	95	10.3	305.7	162	8.0	310.0
29	10.4	300.4	96	10.2	307.3	163	8.1	309.8
30	10.4	299.8	97	10.0	308.3	164	7.9	310.7
31	10.4	299.2	98	10.0	308.8	165	7.3	311.3
32	10.3	298.5	99	10.0	309.2	166	6.7	308.8
33	10.4	298.3	100	10.0	309.2	167	6.6	306.2
34	10.3	298.6	101	10.0	308.7	168	6.5	305.4
35	10.1	297.3	102	10.1	308.1	169	6.6	306.0
36	10.0	296.5	103	10.1	307.9	170	6.6	307.6
37	9.8	296.2	104	9.8	308.5	171	7.0	310.4
38	9.7	296.0	105	9.6	308.2	172	7.2	311.1
39	9.5	296.0	106	9.6	308.7	173	7.0	310.6
40	9.3	296.0	107	9.6	309.9	174	6.8	309.4
41	9.0	296.6	108	9.7	310.7	175	6.7	308.6
42	8.1	303.0	109	9.7	311.0	176	6.6	307.8
43	7.3	305.2	110	9.7	311.2	177	6.6	306.6
44	7.1	307.6	111	9.7	311.0	178	6.5	303.9
45	7.4	313.0	112	9.8	310.4	179	6.5	300.4
46	8.0	314.5	113	10.0	309.4	180	6.5	294.2
47	8.5	314.1	114	10.1	308.5	181	6.6	289.0
48	8.8	313.1	115	10.2	307.1	182	6.7	287.5
49	9.0	312.2	116	10.3	304.6	183	6.6	287.6
50	9.1	311.1	117	10.4	302.8	184	6.5	287.1
51	9.3	310.1	118	10.4	303.3	185	6.2	288.5
52	9.5	309.1	119	10.3	305.1	186	5.8	288.7
53	9.6	308.4	120	10.1	307.8	187	5.3	288.6
54	9.8	308.0	121	9.8	309.6	188	5.1	288.0
55	9.9	307.8	122	9.7	310.0	189	4.8	286.6
56	9.9	307.7	123	9.7	310.2	190	4.4	284.0
57	9.9	307.7	124	9.7	310.2	191	4.2	278.8
58	9.9	307.6	125	9.7	310.3	192	4.4	275.3
59	9.9	307.2	126	9.7	310.2	193	4.6	275.6
60	9.9	306.5	127	9.7	310.0	194	4.3	276.4
61	9.9	305.8	128	9.8	309.8	195	3.9	274.8
62	9.9	305.3	129	9.9	309.4	196	3.7	272.7
63	9.9	305.5	130	10.0	308.7	197	3.7	273.7
64	9.9	306.0	131	10.2	307.4	198	3.9	275.6
65	9.9	306.5	132	10.3	305.0	199	3.9	276.6
66	9.9	306.9	133	10.3	304.7	200	3.8	275.3


CAMP CARIBOU STATION 137
DATE 21/12/75 TIME 1936(GMT)
TRUE DIRECTION
0 90 180 270 360
0 50 100 150 200
DEPTH (M)
0 5 10 15 20 25
SPEED CM/SEC


CAMP CARIBOU STATION 138
DATE 22/12/75 TIME 641(GMT)
TRUE DIRECTION
0 90 180 270 360
0 50 100 150 200
DEPTH (M)
0 5 10 15 20 25
SPEED CM/SEC

CARIBOU STATION 137 (199M.) 21/DEC/75 1936 GMT
LAT= 73.0271N LONG= 143,1228W LTER= 1. LGER= 2.
NIVEL= -0.4 EIVEL= 1.1 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	2.0	182.8	134	1.8	188.6
1	0.0	999.9	68	1.9	183.9	135	2.1	178.0
2	0.0	999.9	69	1.9	187.5	136	2.1	178.0
3	0.0	999.9	70	1.8	189.6	137	2.1	178.0
4	0.0	999.9	71	1.8	188.8	138	2.1	178.0
5	3.1	127.2	72	1.9	184.1	139	2.1	178.0
6	2.9	137.5	73	2.1	178.0	140	2.1	178.0
7	2.8	144.6	74	2.2	172.0	141	2.1	178.0
8	2.7	149.4	75	2.3	168.8	142	2.1	178.0
9	2.6	153.9	75	2.2	174.5	143	2.1	178.0
10	2.6	157.8	77	1.8	188.8	144	2.1	178.0
11	2.5	162.1	78	1.4	210.1	145	2.1	178.0
12	2.3	168.1	79	1.0	237.8	146	2.1	178.0
13	2.1	176.8	80	0.9	260.5	147	2.1	178.0
14	1.7	192.3	81	0.8	271.4	148	2.1	178.0
15	1.4	207.6	82	0.8	274.0	149	2.1	178.0
16	1.4	210.7	83	0.8	282.2	150	2.1	178.0
17	1.4	210.7	84	0.8	310.8	151	2.1	178.0
18	1.4	210.6	85	0.9	317.4	152	2.1	178.0
19	1.4	210.4	86	0.8	303.0	153	2.1	178.0
20	1.4	210.4	87	0.8	280.0	154	2.1	178.0
21	1.4	210.3	88	0.9	254.8	155	2.1	178.0
22	1.4	210.1	89	1.1	230.5	156	2.1	178.0
23	1.4	208.4	90	1.3	214.6	157	2.1	178.0
24	1.5	202.5	91	1.5	202.2	158	2.1	178.0
25	1.6	199.9	92	1.7	196.0	159	2.1	178.0
26	1.6	199.9	93	1.7	194.6	160	2.1	178.0
27	1.6	199.8	94	1.6	201.7	161	2.1	178.0
28	1.6	199.7	95	1.3	213.9	162	2.1	178.0
29	1.6	199.6	96	1.1	229.3	163	2.0	181.5
30	1.6	199.4	97	1.0	242.4	164	1.7	195.6
31	1.7	195.0	98	0.9	251.9	165	1.0	241.7
32	1.9	186.8	99	0.9	262.9	166	0.9	262.5
33	2.1	179.2	100	0.8	271.6	167	1.3	214.0
34	2.3	169.4	101	0.8	275.2	168	1.6	199.7
35	2.4	162.7	102	0.8	270.4	169	2.0	179.5
36	2.5	158.8	103	0.9	259.4	170	2.3	167.0
37	2.5	158.3	104	0.9	248.0	171	2.8	145.4
38	2.5	161.9	105	1.1	234.2	172	3.0	132.0
39	2.1	176.6	106	1.2	221.8	173	3.0	130.6
40	1.7	195.6	107	1.4	211.8	174	3.0	130.4
41	1.3	215.1	108	1.4	207.6	175	3.0	130.3
42	1.3	217.6	109	1.5	203.2	176	3.2	130.0
43	1.5	205.1	110	1.6	200.4	177	3.8	128.2
44	1.8	192.1	111	1.6	197.0	178	4.4	119.6
45	2.0	180.4	112	1.8	190.5	179	4.5	117.6
46	2.1	177.7	113	1.9	185.1	180	4.7	120.8
47	2.0	180.2	114	2.0	183.2	181	5.1	124.3
48	2.0	182.8	115	1.9	185.1	182	5.6	126.8
49	1.9	185.5	116	1.8	189.1	183	5.8	126.4
50	1.9	187.5	117	1.7	196.4	184	6.0	122.0
51	1.8	189.9	118	1.3	213.0	185	6.2	116.8
52	1.8	188.3	119	1.2	224.6	186	6.4	113.1
53	1.9	184.9	120	1.1	227.7	187	6.7	112.6
54	2.0	181.8	121	1.1	227.7	188	6.6	114.2
55	2.0	181.8	122	1.1	227.9	189	6.8	119.4
56	2.0	181.8	123	1.1	228.2	190	7.0	127.9
57	2.0	181.8	124	1.1	226.8	191	6.9	132.9
58	2.0	181.8	125	1.2	220.9	192	7.6	133.4
59	2.0	181.8	126	1.3	217.1	193	8.5	133.8
60	2.0	181.8	127	1.3	215.7	194	9.6	134.2
61	2.0	181.8	128	1.3	217.0	195	10.3	134.4
62	2.0	181.9	129	1.2	223.3	196	10.6	134.5
63	2.0	182.0	130	1.1	228.2	197	10.5	134.4
64	2.0	182.0	131	1.1	232.1	198	9.7	134.2
65	2.0	182.2	132	1.1	226.2	199	9.7	134.2
66	2.0	182.2	133	1.4	210.7			

CARIBOU STATION 138 (200M.) 22/DEC/75 641 GMT
LAT= 73.0277N LONG= 143,1221W LTER= 1. LGER= 2.
NIVEL= 1.1 EIVEL= -3.3 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	3.4	266.2	134	2.9	269.2
1	0.0	999.9	68	3.3	264.9	135	2.9	270.7
2	0.0	999.9	69	3.3	265.2	136	2.9	274.1
3	0.0	999.9	70	3.4	267.2	137	2.9	275.6
4	0.0	999.9	71	3.5	270.4	138	2.9	275.1
5	2.3	256.1	72	3.6	274.3	139	2.9	270.1
6	2.5	256.2	73	3.7	280.0	140	3.1	265.0
7	2.9	256.3	74	3.5	287.7	141	3.0	265.1
8	3.2	256.8	75	2.3	286.2	142	3.0	265.4
9	3.4	258.0	76	2.0	263.9	143	3.0	265.5
10	3.5	259.2	77	2.6	255.8	144	3.0	265.6
11	3.6	260.0	78	2.9	260.1	145	3.0	265.4
12	3.6	260.9	79	3.0	264.5	146	3.1	264.0
13	3.7	261.7	80	3.0	267.9	147	3.1	264.0
14	3.7	262.4	81	2.9	269.8	148	3.1	263.7
15	3.7	263.5	82	2.7	270.5	149	3.1	263.3
16	3.9	264.1	83	2.5	273.4	150	3.0	262.2
17	4.1	265.2	84	2.4	276.4	151	2.8	260.8
18	4.5	267.2	85	2.1	279.0	152	2.7	259.6
19	5.0	272.5	86	1.7	306.0	153	2.5	258.5
20	5.2	275.0	87	1.8	310.7	154	2.4	257.3
21	5.2	275.0	88	1.8	311.2	155	2.4	256.3
22	5.1	273.0	89	1.8	308.6	156	2.4	256.6
23	4.9	269.9	90	1.7	297.6	157	2.5	255.8
24	4.8	267.4	91	1.8	276.1	158	2.6	245.4
25	4.6	265.8	92	2.0	266.5	159	3.3	210.9
26	4.6	264.9	93	2.1	266.8	160	3.6	202.5
27	4.5	264.0	94	2.0	272.2	161	3.5	202.5
28	4.4	263.0	95	1.9	278.2	162	3.3	204.7
29	4.2	261.0	96	1.9	283.1	163	3.3	204.3
30	3.9	258.3	97	1.9	287.7	164	3.4	201.5
31	3.5	256.5	98	2.0	290.3	165	3.1	195.5
32	3.0	256.6	99	2.2	289.7	166	2.8	185.9
33	2.6	258.8	100	2.6	287.9	167	3.2	177.5
34	2.1	262.4	101	2.9	288.6	168	4.0	177.2
35	1.9	267.0	102	3.1	289.8	169	5.0	191.6
36	1.8	272.8	103	3.9	279.1	170	5.3	2 0.2
37	1.7	280.1	104	3.8	273.2	171	4.2	185.5
38	1.6	290.2	105	3.6	270.9	172	4.3	169.8
39	1.7	300.0	106	3.5	268.4	173	4.4	151.5
40	2.0	307.5	107	3.5	267.0	174	4.2	115.8
41	2.3	310.8	108	3.4	266.5	175	3.9	100.2
42	2.3	312.1	109	3.4	267.5	176	4.9	115.8
43	2.3	312.6	110	3.4	270.8	177	5.9	127.4
44	2.3	312.2	111	3.3	274.6	178	6.7	135.0
45	2.3	311.3	112	3.3	277.9	179	7.7	141.4
46	2.3	310.5	113	3.2	280.2	180	8.3	140.5
47	2.3	309.3	114	3.2	280.9	181	9.0	139.5
48	2.3	308.3	115	3.2	280.9	182	9.8	138.5
49	2.3	307.7	116	3.2	279.6	183	9.9	133.9
50	2.3	307.2	117	3.2	277.5	184	9.5	134.5
51	2.4	307.1	118	3.2	274.1	185	9.5	130.1
52	2.6	306.5	119	3.2	272.7	186	10.2	136.2
53	2.7	305.6	120	3.2	274.1	187	11.5	147.3
54	3.0	303.2	121	3.1	276.7	188	12.2	154.1
55	3.3	297.0	122	3.1	277.4	189	12.6	154.1
56	3.4	291.5	123	3.0	274.6	190	12.6	154.1
57	3.4	283.8	124	2.9	272.9	191	12.5	154.2
58	3.4	279.1	125	2.9	271.9	192	12.6	154.2
59	3.4	278.0	126	2.9	270.0	193	12.6	154.2
60	3.4	277.1	127	2.9	268.1	194	12.2	154.5
61	3.5	276.3	128	3.0	267.0	195	11.9	154.8
62	3.5	275.5	129	3.0	267.1	196	11.6	157.4
63	3.5	275.0	130	3.0	267.6	197	11.2	157.9
64	3.6	274.3	131	2.9	268.4	198	10.5	158.9
65	3.6	273.9	132	2.9	269.4	199	10.2	159.4
66	3.5	269.6	133	2.9	269.0	200	10.2	159.4


CAMP CARIBOU
STATION 141
DATE 23/12/75
TIME 2022(GMT)
TRUE DIRECTION
0 90 180 270 360
DEPTH (M)
0 50 100 150 200
SPEED CM/SEC
0 5 10 15 20 25


CAMP CARIBOU
STATION 139
DATE 22/12/75
TIME 2016(GMT)
TRUE DIRECTION
0 90 180 270 360
DEPTH (M)
0 50 100 150 200
SPEED CM/SEC
0 5 10 15 20 25

CARIBOU STATION 139 (200M.) 22/DEC/75 2016 GMT
LAT= 73.0355N LONG= 143.1851W LTER= 3. LGER= 7.
NIVEL= 2.0 EIVEL= -3.8 NVER= 0. EVER= 1.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	2.3	301.8	134	3.3	323.8
1	0.0	999.9	68	2.4	308.1	135	3.0	321.4
2	0.0	999.9	69	2.5	313.6	136	2.7	317.5
3	0.0	999.9	70	2.7	318.1	137	2.7	317.4
4	0.0	999.9	71	2.9	320.2	138	2.5	313.4
5	3.1	275.6	72	3.0	321.7	139	2.4	307.7
6	2.4	293.6	73	2.8	319.2	140	2.3	301.0
7	2.5	305.8	74	2.6	315.6	141	2.4	304.1
8	2.5	308.0	75	2.5	311.0	142	2.5	311.2
9	2.5	309.2	76	2.4	308.0	143	2.5	311.8
10	2.6	313.1	77	2.5	311.9	144	1.7	327.3
11	2.8	317.5	78	2.7	317.8	145	1.2	353.4
12	3.0	319.8	79	3.0	321.9	146	1.1	341.8
13	2.9	319.3	80	3.2	323.5	147	1.2	347.0
14	2.8	317.3	81	3.3	324.1	148	1.2	2.4
15	2.7	315.9	82	3.2	323.2	149	1.2	16.5
16	2.7	315.7	83	3.0	321.9	150	1.1	32.4
17	2.7	315.4	84	2.9	320.1	151	1.0	46.0
18	2.6	313.0	85	2.7	317.8	152	0.8	61.1
19	2.5	310.2	86	2.7	317.7	153	0.7	81.1
20	2.4	307.2	87	2.7	318.0	154	1.2	54.8
21	2.4	303.8	88	2.8	319.2	155	2.0	38.3
22	2.4	300.2	89	2.8	318.4	156	2.5	33.5
23	2.4	297.7	90	2.6	316.1	157	1.7	54.7
24	2.4	299.2	91	2.5	313.5	158	1.2	116.2
25	2.4	300.7	92	2.5	311.9	159	1.7	127.6
26	2.4	302.1	93	2.5	311.0	160	2.1	126.2
27	2.4	303.1	94	2.4	305.5	161	2.4	117.0
28	2.4	304.1	95	2.3	298.1	162	2.9	109.6
29	2.4	305.0	96	2.3	293.6	163	3.3	125.3
30	2.4	306.0	97	2.3	294.1	164	3.8	138.2
31	2.4	306.9	98	2.3	299.8	165	4.4	149.2
32	2.4	307.7	99	2.4	305.3	166	4.8	151.2
33	1.7	325.3	100	2.4	307.4	167	5.1	153.2
34	1.5	8.7	101	2.4	309.5	168	5.0	152.3
35	1.9	19.6	102	2.5	313.3	169	6.1	148.5
36	2.2	16.8	103	2.7	316.5	170	7.0	129.3
37	2.5	16.5	104	2.6	315.4	171	8.2	120.7
38	3.0	20.4	105	2.5	313.3	172	8.3	122.2
39	3.2	26.5	106	2.5	311.8	173	8.3	132.7
40	3.2	26.8	107	2.5	311.3	174	9.0	142.2
41	2.9	20.5	108	2.6	315.0	175	9.1	150.8
42	2.7	24.8	109	2.8	318.8	176	9.2	159.7
43	2.6	29.4	110	3.0	321.5	177	10.5	166.5
44	2.6	31.4	111	2.6	314.4	178	11.2	170.7
45	2.4	28.4	112	2.3	302.7	179	9.9	164.5
46	2.2	25.4	113	2.3	298.1	180	10.3	160.6
47	1.8	23.4	114	2.3	294.3	181	11.0	162.9
48	1.5	20.9	115	2.3	296.1	182	10.4	165.6
49	1.3	23.4	116	2.3	300.1	183	10.1	162.9
50	1.0	26.3	117	2.4	304.6	184	9.7	162.2
51	1.0	26.4	118	2.4	308.9	185	10.0	162.8
52	0.9	12.7	119	2.5	312.7	186	10.3	157.9
53	1.5	321.7	120	2.6	316.0	187	10.6	157.5
54	2.1	305.4	121	2.7	316.8	188	10.1	158.3
55	2.1	301.2	122	2.7	317.4	189	9.6	159.1
56	2.1	297.0	123	2.6	315.7	190	9.9	158.9
57	2.2	296.5	124	2.5	313.7	191	9.9	145.8
58	2.2	299.0	125	2.5	313.2	192	9.4	145.8
59	2.2	300.1	126	2.6	313.7	193	8.9	144.1
60	2.2	297.5	127	2.5	313.1	194	9.0	140.4
61	2.2	294.9	128	2.5	311.7	195	9.4	139.5
62	2.2	293.7	129	2.5	312.0	196	9.8	138.6
63	2.2	296.8	130	2.6	314.6	197	10.1	132.6
64	2.3	299.9	131	2.7	318.1	198	9.7	120.7
65	2.3	300.9	132	3.0	321.4	199	9.1	122.2
66	2.3	301.4	133	3.2	323.5	200	9.1	122.2

CARIBOU STATION 141 (200M.) 23/DEC/75 2022 GMT
LAT= 73.0408N LONG= 143.2483W LTER= 1. LGER= 2.
NIVEL= -0.8 EIVEL= 0.7 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	0.8	28.9	134	1.1	354.0
1	0.0	999.9	68	0.8	27.1	135	1.3	347.7
2	0.0	999.9	69	0.8	25.5	136	1.5	343.1
3	0.0	999.9	70	0.8	24.0	137	1.9	338.3
4	0.0	999.9	71	0.8	22.6	138	2.0	334.3
5	0.8	77.2	72	0.8	21.2	139	1.7	330.9
6	0.8	76.6	73	0.8	20.0	140	1.5	327.5
7	0.8	74.2	74	0.8	18.9	141	1.3	324.1
8	0.8	71.7	75	0.8	17.8	142	1.1	321.6
9	0.8	65.4	76	0.8	16.8	143	1.2	319.1
10	0.8	58.4	77	0.8	16.0	144	1.4	316.9
11	0.8	51.1	78	0.8	15.2	145	1.6	315.2
12	0.8	44.0	79	0.8	14.5	146	1.8	313.5
13	0.8	37.0	80	0.8	13.8	147	1.8	312.5
14	0.7	29.8	81	0.8	13.3	148	1.8	311.5
15	0.8	24.0	82	0.8	12.8	149	1.7	310.7
16	0.8	21.3	83	0.8	12.4	150	1.7	309.6
17	0.8	18.3	84	0.8	12.0	151	1.8	[illegible]
18	0.8	15.6	85	0.8	11.8	152	2.0	302.4
19	0.8	14.2	86	0.7	11.5	153	2.2	296.8
20	0.8	13.4	87	0.8	11.4	154	2.4	292.4
21	0.8	12.8	88	0.7	11.3	155	2.5	291.1
22	0.8	12.0	89	0.7	11.3	156	2.5	292.1
23	0.8	11.2	90	0.7	11.3	157	3.4	299.9
24	0.8	10.5	91	0.7	11.4	158	4.4	304.5
25	0.8	9.6	92	0.7	11.5	159	5.1	307.8
26	0.8	10.5	93	0.7	11.7	160	5.2	303.8
27	0.8	11.6	94	0.7	11.9	161	5.7	305.4
28	0.8	12.8	95	0.7	12.2	162	6.5	305.7
29	0.8	13.9	96	0.7	12.5	163	7.2	304.8
30	0.8	15.3	97	0.7	12.8	164	8.5	303.6
31	0.8	16.4	98	0.7	13.2	165	8.8	302.5
32	0.8	17.4	99	0.7	13.6	166	9.1	299.2
33	0.8	18.6	100	0.7	14.1	167	9.8	298.1
34	0.8	20.7	101	0.7	14.6	168	10.3	298.8
35	0.8	22.3	102	0.7	15.0	169	11.4	298.9
36	0.8	24.2	103	0.6	13.7	170	11.8	299.0
37	0.8	26.0	104	0.6	12.5	171	12.1	296.2
38	0.8	28.1	105	0.5	12.0	172	12.3	294.4
39	0.8	29.8	106	0.5	12.2	173	12.5	295.9
40	0.8	31.7	107	0.4	12.6	174	12.6	297.4
41	0.8	32.7	108	0.4	13.7	175	12.6	298.8
42	0.8	33.0	109	0.4	14.7	176	12.5	300.4
43	0.8	33.4	110	0.4	15.9	177	12.4	302.0
44	0.8	33.8	111	0.4	17.0	178	12.6	303.4
45	0.8	34.3	112	0.5	18.1	179	12.8	304.8
46	0.8	34.7	113	0.5	19.1	180	13.0	305.0
47	0.8	35.1	114	0.4	20.1	181	13.0	305.8
48	0.8	35.6	115	0.4	21.1	182	12.9	306.8
49	0.8	36.8	116	0.4	22.1	183	12.8	307.2
50	0.8	38.2	117	0.4	23.2	184	12.9	307.1
51	0.8	39.4	118	0.4	24.2	185	12.9	307.1
52	0.8	40.7	119	0.4	25.1	186	12.6	307.1
53	0.8	42.0	120	0.4	26.2	187	12.4	307.0
54	0.8	42.0	121	0.4	27.7	188	12.2	307.0
55	0.8	41.5	122	0.4	27.8	189	11.9	307.4
56	0.8	41.0	123	0.4	27.8	190	11.6	308.5
57	0.8	40.8	124	0.5	24.8	191	11.4	309.6
58	0.8	40.1	125	0.6	21.6	192	11.2	310.4
59	0.8	39.6	126	0.7	21.6	193	11.1	310.6
60	0.8	39.2	127	0.8	18.3	194	11.2	310.2
61	0.8	38.8	128	0.8	14.2	195	11.4	309.1
62	0.8	38.1	129	0.8	10.3	196	11.1	308.0
63	0.8	37.2	130	0.9	6.8	197	10.9	306.5
64	0.8	34.8	131	0.9	5.0	198	7.3	353.4
65	0.8	32.1	132	0.9	3.4	199	6.3	349.9
66	0.8	30.7	133	1.0	0.4	200	6.4	348.3


CAMP CARIBOU STATION 148
DATE 29/12/75 TIME 2024(GMT)
TRUE DIRECTION
0
90
180
270
360
0
5
10
15
20
25
SPEED CM/SEC
0
50
100
150
200
DEPTH (M)


CAMP CARIBOU STATION 142
DATE 24/12/75 TIME 647(GMT)
TRUE DIRECTION
0
90
180
270
360
0
5
10
15
20
25
SPEED CM/SEC
0
50
100
150
200
DEPTH (M)

CARIBOU STATION 142 (198M.) 24/DEC/75 647 GMT
LAT= 73.0368N LONG= 143.2334W LTER= 1. LGER= 2.
NIVEL= -2.9 EIVEL= 1.7 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	2.1	182.4	134	1.6	230.5
1	0.0	999.9	68	1.9	180.4	135	1.7	232.7
2	0.0	999.9	69	1.8	176.9	136	1.7	234.7
3	0.0	999.9	70	1.6	172.1	137	1.8	236.5
4	0.0	999.9	71	1.5	164.0	138	1.8	238.1
5	1.5	134.6	72	1.4	148.9	139	1.9	239.6
6	1.5	134.6	73	1.5	137.0	140	1.9	241.0
7	1.5	134.6	74	1.4	138.4	141	2.0	242.3
8	1.5	134.6	75	1.4	151.9	142	2.0	243.5
9	1.5	134.6	76	1.6	170.2	143	2.1	244.7
10	1.5	134.6	77	2.0	181.0	144	2.1	245.8
11	1.5	134.6	78	2.1	182.3	145	2.1	246.9
12	1.5	134.6	79	2.0	181.3	146	2.2	250.4
13	1.5	134.6	80	1.9	179.3	147	2.2	250.5
14	1.5	134.6	81	1.8	176.7	148	2.1	247.0
15	1.5	134.6	82	1.6	173.5	149	1.8	232.2
16	1.5	134.6	83	1.6	169.7	150	1.7	223.6
17	1.5	134.6	84	1.5	167.6	151	1.9	237.1
18	1.5	134.6	85	1.5	164.8	152	2.2	249.0
19	1.5	134.6	86	1.4	160.9	153	2.5	257.5
20	1.5	134.6	87	1.4	154.9	154	2.9	263.9
21	1.5	134.6	88	1.4	147.5	155	3.2	268.1
22	1.5	134.6	89	1.0	138.9	156	3.5	271.0
23	1.5	134.6	90	0.3	85.7	157	4.0	274.2
24	1.5	134.6	91	0.4	90.9	158	4.4	276.8
25	1.5	134.6	92	0.6	112.5	159	4.9	278.8
26	1.5	134.6	93	1.1	123.6	160	5.4	280.5
27	1.5	134.6	94	1.7	135.6	161	6.0	282.1
28	1.5	134.6	95	1.7	137.6	162	6.5	283.1
29	1.5	134.6	96	1.6	142.5	163	7.1	284.2
30	1.5	134.6	97	1.6	152.2	164	7.9	285.5
31	1.5	134.6	98	1.6	154.0	165	8.6	286.6
32	1.5	134.6	99	1.6	155.8	166	9.3	287.5
33	1.5	134.6	100	1.6	156.1	167	10.1	288.3
34	1.5	134.6	101	1.6	156.4	168	11.0	289.1
35	1.5	134.6	102	1.6	156.7	169	11.9	289.9
36	1.5	135.3	103	1.6	157.0	170	12.6	290.4
37	1.5	134.4	104	1.6	157.4	171	13.3	290.5
38	1.5	134.1	105	1.6	159.6	172	13.7	290.7
39	1.5	134.4	106	1.6	161.0	173	14.0	290.9
40	1.5	135.9	107	1.6	159.2	174	14.4	291.1
41	1.4	139.0	108	1.5	151.8	175	14.7	291.1
42	1.4	142.4	109	1.5	145.0	176	14.9	291.2
43	1.4	143.3	110	1.6	140.5	177	15.2	291.3
44	1.4	144.2	111	1.6	139.5	178	15.6	291.5
45	1.4	145.1	112	1.4	138.6	179	15.9	291.6
46	1.4	149.2	113	1.5	142.6	180	16.1	291.6
47	1.4	154.3	114	1.4	145.0	181	16.1	291.6
48	1.4	159.5	115	1.4	147.8	182	16.6	291.8
49	1.5	165.2	116	1.4	156.1	183	16.9	291.9
50	1.6	169.7	117	1.5	163.3	184	17.1	291.8
51	1.6	173.0	118	1.5	168.9	185	17.1	291.9
52	1.7	174.5	119	1.6	172.1	186	17.1	291.9
53	1.7	175.5	120	1.6	171.7	187	17.3	291.9
54	1.7	175.9	121	1.6	173.0	188	16.9	291.8
55	1.7	176.3	122	1.4	181.2	189	16.6	291.7
56	1.7	176.4	123	1.4	186.2	190	17.1	291.9
57	1.7	176.1	124	1.4	191.3	191	16.8	291.5
58	1.7	175.8	125	1.3	196.4	192	16.7	291.3
59	1.7	176.4	126	1.3	201.4	193	16.6	291.3
60	1.8	178.6	127	1.4	206.3	194	16.4	291.1
61	2.0	180.8	128	1.4	210.8	195	16.2	290.9
62	2.1	182.2	129	1.4	214.9	196	16.1	290.9
63	2.1	183.0	130	1.4	218.7	197	16.1	290.9
64	2.2	183.6	131	1.5	222.2	198	16.1	290.9
65	2.2	183.9	132	1.5	225.2			
66	2.2	183.5	133	1.6	228.0			

CARIBOU STATION 148 (196M.) 29/DEC/75 2024 GMT
LAT= 73.0488N LONG= 143.4555W LTER= 1. LGER= 1.
NIVEL= -3.5 EIVEL= 8.0 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	2.4	86.5	134	2.4	86.2
1	0.0	999.9	68	2.5	87.9	135	2.5	88.4
2	0.0	999.9	69	2.5	89.2	136	2.6	90.3
3	0.0	999.9	70	2.7	91.8	137	2.7	91.4
4	0.0	999.9	71	2.7	92.5	138	2.5	89.4
5	5.8	155.1	72	2.6	91.1	139	2.3	86.3
6	5.6	155.9	73	2.7	95.1	140	2.2	87.3
7	5.3	155.9	74	2.8	98.7	141	2.2	97.0
8	5.0	155.3	75	2.8	100.1	142	2.4	98.5
9	4.8	154.8	76	3.4	103.0	143	2.3	100.2
10	4.6	154.3	77	3.3	103.6	144	2.2	110.5
11	4.4	155.4	78	3.3	103.8	145	2.3	111.7
12	4.3	159.9	79	3.1	102.7	146	2.5	117.4
13	4.2	163.4	80	2.9	101.2	147	2.7	123.6
14	4.2	162.2	81	2.8	100.4	148	2.9	126.4
15	4.3	155.8	82	2.3	96.2	149	2.8	126.1
16	4.3	152.3	83	2.6	96.9	150	2.8	126.3
17	4.1	153.6	84	3.0	98.0	151	2.7	120.6
18	4.0	155.8	85	3.1	100.1	152	2.6	118.0
19	3.9	156.7	86	2.9	97.1	153	2.7	117.7
20	3.8	157.0	87	3.2	98.9	154	2.7	117.6
21	3.5	153.2	88	3.5	100.9	155	2.7	116.6
22	3.3	148.9	89	3.6	101.3	156	2.6	107.9
23	3.3	143.3	90	3.6	101.2	157	2.6	104.9
24	3.2	145.1	91	3.5	100.3	158	2.5	105.0
25	2.9	148.1	92	3.3	99.3	159	2.6	105.7
26	2.5	145.1	93	3.1	98.5	160	2.6	106.0
27	2.7	138.5	94	3.2	98.9	161	2.5	105.8
28	2.7	135.0	95	3.2	99.4	162	2.4	105.7
29	2.5	135.9	96	3.2	103.3	163	2.4	106.0
30	2.6	133.6	97	3.3	107.1	164	2.4	106.2
31	2.5	133.5	98	3.2	108.4	165	2.4	106.6
32	2.3	130.7	99	3.0	110.0	166	2.4	112.3
33	1.8	128.9	100	2.8	109.5	167	2.5	114.1
34	1.5	122.0	101	2.5	108.8	168	2.7	114.4
35	1.6	119.6	102	2.4	110.6	169	2.9	117.9
36	1.5	116.0	103	2.5	113.0	170	3.0	118.2
37	1.5	104.1	104	2.4	112.4	171	3.0	117.8
38	1.6	99.4	105	2.2	111.7	172	2.9	111.4
39	1.5	97.8	106	2.1	104.6	173	2.9	107.5
40	1.5	94.6	107	2.0	99.9	174	2.8	106.1
41	1.6	84.3	108	1.9	95.2	175	2.8	106.1
42	1.8	75.5	109	1.8	93.0	176	2.9	106.6
43	1.8	74.3	110	1.6	91.0	177	2.9	106.6
44	1.8	73.3	111	1.6	90.0	178	3.0	103.0
45	1.8	72.6	112	1.6	91.2	179	3.0	99.3
46	1.8	71.7	113	1.7	93.3	180	2.9	97.5
47	1.6	78.2	114	1.9	94.7	181	2.8	96.3
48	1.5	80.5	115	2.0	96.4	182	2.7	95.0
49	1.7	75.3	116	2.1	97.7	183	2.4	91.6
50	1.8	73.4	117	2.2	98.9	184	2.2	86.9
51	1.8	73.9	118	2.2	99.2	185	2.0	84.3
52	1.6	79.2	119	2.2	98.9	186	2.2	87.8
53	1.5	86.0	120	2.3	99.5	187	2.4	89.4
54	1.4	91.0	121	2.4	100.5	188	2.3	91.8
55	1.4	91.9	122	2.5	101.3	189	2.2	98.8
56	1.4	92.4	123	2.7	102.0	190	2.1	98.9
57	1.4	96.8	124	2.8	102.7	191	2.0	103.9
58	1.4	101.3	125	2.8	107.0	192	2.2	108.3
59	1.5	101.7	126	2.8	107.7	193	2.3	108.7
60	1.5	108.3	127	2.8	107.2	194	2.2	108.7
61	1.5	111.7	128	2.8	106.8	195	2.1	108.9
62	1.6	111.4	129	2.7	101.6	196	2.3	109.6
63	1.7	110.9	130	2.6	100.8			
64	1.8	106.4	131	2.6	98.1			
65	1.9	96.8	132	2.5	91.8			
66	2.2	88.6	133	2.4	86.3			


CAMP CARIBOU
DATE 31/12/75
STATION 152
TIME 2333(GMT)
TRUE DIRECTION
0
90
180
270
360
DEPTH (M)
0
50
100
150
200
SPEED CM/SEC
0
5
10
15
20
25


CAMP CARIBOU
DATE 30/12/75
STATION 149
TIME 616(GMT)
TRUE DIRECTION
0
90
180
270
360
DEPTH (M)
0
50
100
150
200
SPEED CM/SEC
0
5
10
15
20
25

CARIBOU STATION 149 (195M.) 30/DEC/75 616 GMT
LAT= 73.0427N LONG= 143.3960W LTER= 0. LGER= 0.
NIVEL= -1.9 EIVEL= 4.9 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	2.0	125.7	134	1.7	101.2
1	0.0	999.9	68	1.6	120.6	135	1.7	101.9
2	0.0	999.9	69	1.4	112.4	136	1.8	102.5
3	0.0	999.9	70	1.2	103.8	137	1.6	100.8
4	0.0	999.9	71	1.2	100.4	138	1.5	100.0
5	3.6	123.6	72	1.1	91.2	139	1.5	99.7
6	3.1	128.8	73	1.2	79.7	140	1.6	100.5
7	2.2	144.2	74	1.6	74.4	141	1.6	100.5
8	1.8	154.8	75	1.9	76.4	142	1.5	100.3
9	1.8	166.3	76	2.0	80.9	143	1.4	99.5
10	2.0	169.0	77	1.8	77.3	144	1.4	99.9
11	2.0	168.7	78	1.7	74.1	145	1.6	101.3
12	2.0	170.0	79	1.6	70.8	146	1.7	102.5
13	2.1	170.9	80	1.6	72.5	147	1.7	104.8
14	2.1	166.4	81	1.7	74.3	148	1.7	111.1
15	2.1	161.7	82	1.6	73.3	149	1.6	113.5
16	2.1	157.2	83	1.5	73.0	150	1.5	114.8
17	2.2	154.1	84	1.3	70.3	151	1.4	112.7
18	2.2	154.6	85	1.3	61.6	152	1.4	106.9
19	2.3	155.3	86	1.5	54.5	153	1.5	96.9
20	2.4	150.6	87	1.6	56.2	154	1.7	91.6
21	2.2	144.1	88	1.6	60.1	155	1.9	87.7
22	2.0	142.5	89	1.6	61.3	156	2.1	88.1
23	1.8	145.2	90	1.7	66.3	157	2.1	85.1
24	1.7	141.9	91	1.8	71.5	158	2.0	81.2
25	1.7	133.2	92	1.9	75.2	159	2.0	78.9
26	1.6	128.9	93	2.0	76.0	160	1.9	82.6
27	1.6	123.4	94	2.1	76.9	161	2.0	90.1
28	1.7	120.2	95	2.2	78.6	162	2.2	96.7
29	1.6	118.2	96	2.2	80.1	163	2.3	102.2
30	1.6	118.1	97	2.2	81.8	164	2.5	103.2
31	1.5	120.9	98	2.3	83.6	165	2.7	104.0
32	1.3	123.9	99	2.3	84.8	166	2.8	104.5
33	1.3	129.0	100	2.3	83.8	167	2.9	104.0
34	1.3	132.7	101	2.1	80.3	168	3.0	103.3
35	1.2	129.4	102	2.0	76.4	169	3.0	104.6
36	1.1	129.2	103	2.0	76.9	170	2.9	107.3
37	1.1	130.6	104	2.1	80.9	171	2.9	110.0
38	1.0	132.1	105	2.2	84.9	172	2.9	111.0
39	1.0	149.3	106	2.2	91.3	173	2.9	109.8
40	1.1	185.4	107	2.2	97.9	174	2.9	105.5
41	1.9	202.3	108	2.0	103.5	175	2.9	102.5
42	2.5	209.6	109	1.9	107.4	176	3.0	100.1
43	2.7	210.0	110	1.7	111.7	177	3.0	99.9
44	2.7	207.4	111	1.4	116.2	178	3.0	100.0
45	2.8	203.4	112	1.4	115.6	179	3.0	100.0
46	2.8	200.4	113	1.2	108.5	180	2.9	99.6
47	2.7	196.5	114	1.1	106.9	181	2.6	97.5
48	2.6	191.5	115	0.9	105.8	182	2.5	98.3
49	2.4	167.1	116	1.0	105.9	183	2.3	99.8
50	2.2	181.5	117	1.1	106.5	184	2.3	101.7
51	2.2	175.0	118	1.2	106.9	185	2.4	101.0
52	2.1	169.3	119	1.3	107.1	186	2.4	98.4
53	2.0	165.1	120	1.3	106.9	187	2.4	97.1
54	1.9	160.6	121	1.2	106.5	188	2.3	96.3
55	1.9	155.5	122	1.3	106.5	189	2.3	95.6
56	1.8	149.5	123	1.4	107.2	190	2.3	94.8
57	1.7	147.0	124	1.6	105.6	191	2.3	96.2
58	1.8	146.1	125	1.7	103.4	192	2.4	97.7
59	1.8	145.8	126	1.8	103.6	193	2.4	98.4
60	1.8	147.8	127	1.9	104.1	194	2.3	98.8
61	1.8	147.3	128	2.0	104.4	195	2.3	98.4
62	2.0	143.7	129	2.1	104.9			
63	2.1	140.3	130	2.2	105.2			
64	2.2	135.6	131	2.2	105.4			
65	2.3	133.1	132	2.2	105.4			
66	2.2	130.3	133	1.9	103.6			

CARIBOU STATION 152 (193M.) 31/DEC/75 2313 GMT
LAT= 73.0668N LONG= 143.4674W LTER= 0. LGER= 0.
NIVEL= 8.3 EIVEL= -10.4 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	7.5	349.0	134	5.2	14.4
1	0.0	999.9	68	7.6	347.1	135	5.2	12.9
2	0.0	999.9	69	7.5	349.4	136	5.2	16.0
3	0.0	999.9	70	7.3	353.2	137	5.2	19.2
4	0.0	999.9	71	7.2	357.1	138	5.2	17.4
5	7.6	332.0	72	6.8	0.5	139	5.2	14.9
6	7.0	341.7	73	6.4	1.9	140	5.2	13.3
7	6.9	350.6	74	6.4	1.3	141	5.8	13.7
8	7.2	354.1	75	6.5	0.3	142	6.3	14.0
9	7.0	356.7	76	5.9	359.8	143	6.3	15.3
10	6.9	356.6	77	5.5	1.3	144	6.3	14.6
11	6.4	356.0	78	5.4	4.3	145	6.3	13.8
12	6.3	357.0	79	5.3	6.4	146	6.2	13.4
13	6.2	358.2	80	5.3	9.3	147	6.2	14.7
14	6.3	355.8	81	5.3	7.6	148	6.2	15.8
15	6.4	352.0	82	5.3	4.7	149	6.2	15.7
16	6.6	348.4	83	5.4	1.7	150	6.3	15.7
17	6.8	344.9	84	5.3	3.5	151	6.2	15.8
18	6.9	342.7	85	5.4	3.3	152	6.2	15.7
19	7.0	341.8	86	5.6	356.5	153	6.2	15.7
20	7.0	342.1	87	5.7	353.6	154	5.4	13.8
21	6.9	343.8	88	5.5	357.3	155	5.2	10.8
22	6.7	343.6	89	5.4	0.7	156	5.2	8.2
23	6.6	343.0	90	5.4	1.3	157	5.2	7.6
24	6.2	341.1	91	5.4	0.5	158	5.3	9.6
25	5.8	342.8	92	5.4	0.2	159	5.3	11.5
26	5.7	345.1	93	5.4	358.3	160	5.3	10.0
27	5.6	346.9	94	5.5	357.1	161	5.3	7.9
28	5.5	348.3	95	5.6	354.3	162	5.1	5.3
29	5.5	348.2	96	5.5	355.2	163	5.0	3.6
30	5.5	346.9	97	5.4	358.1	164	4.9	7.0
31	5.4	344.2	98	5.4	358.6	165	4.9	11.6
32	5.4	342.5	99	5.5	355.9	166	4.8	16.1
33	5.5	341.4	100	5.5	356.7	167	4.9	16.1
34	5.6	340.2	101	5.4	357.2	168	4.9	16.2
35	5.5	338.5	102	5.4	357.3	169	4.9	11.9
36	5.4	336.6	103	5.5	356.9	170	4.9	10.0
37	5.4	335.8	104	5.5	356.6	171	4.9	10.6
38	5.6	337.8	105	5.5	358.2	172	4.9	10.0
39	5.8	339.2	106	5.4	359.4	173	4.9	12.9
40	6.0	340.1	107	5.5	359.2	174	4.9	12.9
41	6.1	319.6	108	5.9	359.6	175	4.9	12.1
42	6.2	341.2	109	6.6	0.8	176	4.9	11.2
43	6.1	345.4	110	7.1	2.6	177	4.9	8.8
44	5.8	349.9	111	7.1	2.6	178	5.0	6.9
45	5.6	354.8	112	7.1	1.2	179	4.9	6.8
46	5.4	0.0	113	7.1	0.2	180	4.9	7.0
47	5.7	1.2	114	7.1	359.7	181	4.9	7.8
48	6.3	358.2	115	7.2	358.8	182	4.9	15.0
49	6.6	358.4	116	7.2	357.8	183	4.9	23.2
50	7.2	354.2	117	6.4	356.7	184	5.0	29.1
51	7.4	348.8	118	6.4	356.1	185	5.0	30.6
52	7.7	343.8	119	6.4	352.5	186	5.0	29.5
53	7.6	344.6	120	6.0	351.8	187	5.0	26.9
54	7.5	347.1	121	5.4	356.2	188	4.9	24.3
55	7.4	349.7	122	5.3	5.2	189	5.1	23.2
56	7.3	352.4	123	5.3	6.8	190	5.3	24.5
57	7.3	353.0	124	5.3	5.5	191	5.3	25.5
58	7.3	354.1	125	5.3	4.8	192	5.2	22.7
59	7.2	357.2	126	5.3	3.5	193	5.2	18.1
60	7.1	0.5	127	5.3	2.2			
61	7.2	359.3	128	5.3	4.0			
62	7.2	357.0	129	5.3	7.1			
63	7.3	355.0	130	5.2	8.7			
64	7.3	353.6	131	5.2	9.8			
65	7.3	352.8	132	5.2	12.4			
66	7.4	351.1	133	5.2	15.0			


CAMP CARIBOU STATION 153
DATE 1/ 1/76 TIME 658(GMT)
TRUE DIRECTION
0 90 180 270 360
DEPTH (M)
0 50 100 150 200
0 5 10 15 20 25
SPEED CM/SEC


CAMP CARIBOU STATION 155
DATE 2/ 1/76 TIME 2045(GMT)
TRUE DIRECTION
0 90 180 270 360
DEPTH (M)
0 50 100 150 200
0 5 10 15 20 25
SPEED CM/SEC

CARIBOU STATION 153 (196M.) 1/JAN/76 658 GMT
LAT= 73.0861N LONG= 143.5511W LTER= 0. LGER= 0.
NIVEL= 8.1 EIVEL= -8.9 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	5.6	313.3	134	5.8	311.2
1	0.0	999.9	68	5.8	313.3	135	6.0	311.1
2	0.0	999.9	69	5.9	312.5	136	6.1	311.2
3	0.0	999.9	70	5.9	311.6	137	6.0	311.4
4	0.0	999.9	71	5.9	310.5	138	5.9	311.4
5	5.3	333.4	72	5.8	309.7	139	5.5	311.1
6	4.9	334.4	73	5.8	309.6	140	5.0	310.8
7	4.5	337.1	74	5.8	309.6	141	4.5	310.7
8	4.2	340.1	75	5.8	309.6	142	3.9	310.5
9	4.2	339.9	76	5.9	309.5	143	3.4	310.1
10	4.3	338.2	77	5.8	309.3	144	2.9	309.7
11	3.8	335.8	78	5.8	309.1	145	2.3	314.8
12	3.6	336.5	79	5.4	308.9	146	1.9	321.3
13	3.2	333.0	80	5.0	306.8	147	1.9	332.4
14	2.7	335.6	81	4.6	308.5	148	2.3	342.9
15	2.6	336.7	82	4.6	310.0	149	2.7	343.2
16	2.5	333.3	83	4.6	314.1	150	2.9	340.1
17	2.5	323.9	84	4.6	317.6	151	3.2	337.4
18	3.0	321.4	85	4.7	320.6	152	3.4	335.1
19	3.5	319.5	86	4.6	320.9	153	3.8	335.5
20	4.0	318.4	87	4.5	321.3	154	3.8	336.2
21	4.1	317.9	88	4.4	321.6	155	4.2	332.8
22	4.3	312.5	89	4.4	321.7	156	4.1	330.4
23	4.7	309.1	90	4.3	321.9	157	3.6	330.2
24	4.6	309.0	91	4.3	322.0	158	3.0	329.1
25	4.8	309.4	92	4.2	322.1	159	2.6	333.6
26	5.0	309.7	93	4.2	322.2	160	2.9	331.8
27	5.0	309.7	94	4.2	322.3	161	3.5	325.4
28	5.1	309.8	95	4.4	321.7	162	3.2	320.7
29	5.3	310.1	96	4.4	321.1	163	2.8	319.4
30	5.6	308.6	97	4.4	317.6	164	2.4	328.2
31	5.8	304.5	98	4.4	313.6	165	2.3	337.5
32	5.6	307.6	99	4.4	313.3	166	2.8	332.6
33	5.5	308.5	100	4.3	313.2	167	2.9	331.1
34	5.4	311.2	101	4.3	313.3	168	2.9	331.3
35	5.5	311.1	102	4.4	313.5	169	2.3	337.6
36	5.4	310.5	103	4.6	313.5	170	1.9	345.1
37	5.2	310.4	104	4.7	313.4	171	1.7	350.6
38	5.2	310.5	105	4.7	313.0	172	1.5	358.6
39	5.2	310.5	106	4.8	313.0	173	1.3	11.4
40	5.2	309.5	107	5.1	313.1	174	1.2	23.1
41	5.0	307.8	108	5.3	313.1	175	1.2	14.7
42	4.6	309.6	109	5.2	313.5	176	1.3	20.8
43	4.2	309.1	110	4.9	313.6	177	1.3	30.8
44	4.1	303.1	111	4.7	313.4	178	1.3	40.9
45	4.0	301.8	112	4.6	313.2	179	2.0	34.7
46	4.1	301.2	113	4.5	313.4	180	2.5	29.1
47	4.3	298.5	114	4.4	313.9	181	2.6	14.9
48	4.7	299.9	115	4.5	314.2	182	2.9	2.3
49	4.8	298.6	116	4.6	314.1	183	3.0	356.5
50	4.8	298.3	117	4.6	313.7	184	3.2	352.8
51	5.0	299.6	118	4.4	313.6	185	3.0	337.2
52	5.4	301.5	119	4.3	313.8	186	3.1	331.5
53	5.5	303.3	120	4.3	314.2	187	3.4	329.3
54	5.4	303.2	121	4.3	314.5	188	3.6	328.5
55	5.2	302.4	122	4.1	314.7	189	3.4	329.2
56	4.9	306.3	123	3.9	314.9	190	3.2	331.1
57	4.8	310.0	124	3.9	314.6	191	3.1	332.0
58	4.8	309.8	125	3.9	314.3	192	2.6	337.3
59	4.9	309.7	126	3.9	310.0	193	2.3	342.7
60	5.2	309.8	127	3.9	310.2	194	2.7	358.2
61	5.3	309.6	128	3.9	310.3	195	3.3	5.2
62	5.2	309.3	129	4.2	309.2	196	3.3	5.2
63	5.2	310.5	130	4.6	307.7			
64	5.2	311.3	131	4.9	308.2			
65	5.3	311.6	132	5.2	308.6			
66	5.5	313.3	133	5.5	310.3			

CARIBOU STATION 155 (196M.) 2/JAN/76 2045 GMT
LAT= 73.1283N LONG= 143.6470W LTER= 0. LGER= 0.
NIVEL= 5.9 EIVEL= -2.7 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	13.9	324.3	134	12.2	325.1
1	0.0	999.9	68	13.9	324.3	135	12.3	325.0
2	0.0	999.9	69	13.6	324.5	136	12.5	324.9
3	0.0	999.9	70	13.2	324.8	137	12.5	324.9
4	0.0	999.9	71	12.7	325.2	138	12.3	325.1
5	12.4	324.2	72	12.5	325.6	139	12.2	325.2
6	12.6	323.9	73	12.9	325.8	140	12.0	325.3
7	12.8	323.5	74	13.4	325.6	141	12.0	325.4
8	12.9	323.3	75	13.4	325.5	142	12.3	325.2
9	13.0	323.2	76	13.3	325.4	143	12.6	324.9
10	13.2	323.1	77	12.8	325.7	144	12.8	324.7
11	13.4	323.6	78	12.5	325.9	145	13.0	324.5
12	13.7	323.8	79	12.7	325.4	146	12.9	324.4
13	13.6	322.8	80	13.2	325.3	147	12.9	323.8
14	13.4	321.9	81	12.7	325.9	148	12.9	323.4
15	13.3	322.0	82	12.6	326.0	149	12.9	321.6
16	13.3	322.0	83	12.9	325.2	150	12.8	320.9
17	13.4	322.0	84	13.0	325.2	151	12.8	320.9
18	13.6	321.9	85	13.0	325.2	152	12.9	320.7
19	13.6	321.8	86	13.0	325.5	153	13.1	320.6
20	13.6	321.7	87	12.9	325.8	154	13.1	320.5
21	13.6	321.7	88	12.8	325.9	155	13.2	320.4
22	13.3	321.8	89	12.8	325.9	156	13.1	320.5
23	13.3	322.0	90	12.5	326.0	157	12.8	320.7
24	13.3	322.1	91	12.5	326.1	158	12.7	320.9
25	13.5	321.9	92	12.5	326.1	159	12.6	321.0
26	13.8	321.7	93	12.3	325.6	160	12.5	321.2
27	13.8	321.6	94	12.3	325.5	161	12.4	321.3
28	13.7	323.2	95	12.4	325.5	162	12.6	321.2
29	13.6	324.4	96	12.5	325.7	163	12.7	321.1
30	13.6	324.4	97	12.5	325.6	164	12.7	321.2
31	13.6	324.6	98	12.3	325.7	165	12.7	322.1
32	13.4	325.4	99	12.0	325.9	166	12.7	322.8
33	13.4	325.6	100	12.1	325.9	167	13.0	322.5
34	13.4	325.6	101	12.3	325.8	168	13.4	322.2
35	13.8	325.4	102	12.0	326.1	169	13.6	321.9
36	13.9	325.5	103	11.7	326.3	170	13.5	322.0
37	13.5	325.7	104	11.8	326.2	171	13.7	322.0
38	13.1	326.0	105	12.1	326.0	172	13.4	322.2
39	12.6	326.3	106	12.4	325.8	173	13.3	322.1
40	13.0	326.1	107	12.7	325.6	174	13.9	321.7
41	13.5	325.7	108	13.0	325.4	175	14.1	321.7
42	13.9	324.6	109	13.2	325.3	176	13.9	321.7
43	14.3	324.2	110	13.4	325.2	177	13.7	321.7
44	14.6	323.9	111	13.5	325.1	178	13.6	321.9
45	14.4	324.3	112	13.6	325.0	179	13.5	322.0
46	14.2	325.2	113	13.6	325.0	180	13.4	322.2
47	14.1	325.1	114	13.3	325.2	181	13.6	322.1
48	14.1	325.2	115	12.9	325.4	182	13.9	321.8
49	14.1	325.2	116	12.6	325.7	183	13.9	321.8
50	14.3	325.0	117	12.2	325.9	184	13.6	322.0
51	14.5	324.9	118	11.9	326.2	185	13.4	322.2
52	14.8	323.8	119	11.6	326.5	186	13.3	322.3
53	14.6	323.8	120	11.4	326.6	187	13.9	321.7
54	14.3	324.0	121	11.4	326.7	188	14.0	321.6
55	13.9	324.2	122	11.3	326.8	189	13.8	321.7
56	13.7	324.4	123	11.2	326.8	190	13.0	322.4
57	13.7	324.3	124	11.1	327.2	191	12.9	322.4
58	13.6	324.4	125	11.0	327.6	192	12.7	322.7
59	13.5	324.5	126	11.1	327.4	193	12.6	322.9
60	13.2	324.7	127	11.3	326.8	194	12.6	322.1
61	13.0	324.9	128	11.4	326.1	195	12.9	320.5
62	12.7	325.1	129	11.3	325.9	196	13.1	3[illegible].1
63	12.7	325.1	130	11.4	325.8			
64	12.8	325.1	131	11.6	325.6			
65	13.1	324.8	132	11.8	325.4			
66	13.6	324.5	133	12.0	325.2			


CAMP CARIBOU STATION 157
DATE 3/ 1/76 TIME 2143(GMT)
TRUE DIRECTION
0
90
180
270
360
SPEED CM/SEC
0
10
20
30
40
50
DEPTH (M)
0
50
100
150
200


CAMP CARIBOU STATION 156
DATE 3/ 1/76 TIME 626(GMT)
TRUE DIRECTION
0
90
180
270
360
SPEED CM/SEC
0
5
10
15
20
25
DEPTH (M)
0
50
100
150
200

CARIBOU STATION 156 (195M.) 3/JAN/76 626 GMT
LAT= 73.1476N LONG= 143.7216W LTER= 0. LGER= 0.
NIVEL= 7.0 EIVEL= -7.7 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	18.5	311.9	134	17.1	311.2
1	0.0	999.9	68	18.5	311.8	135	17.3	311.1
2	0.0	999.9	69	18.4	311.8	136	17.6	311.0
3	0.0	999.9	70	18.1	311.8	137	17.5	311.0
4	0.0	999.9	71	17.7	311.9	138	17.4	310.5
5	17.1	311.9	72	17.6	311.8	139	17.3	309.6
6	17.2	312.2	73	18.1	311.8	140	17.3	309.2
7	17.4	312.4	74	17.7	311.9	141	17.7	309.2
8	17.1	312.1	75	17.2	311.8	142	18.0	309.1
9	17.1	311.9	76	17.2	311.9	143	18.4	309.0
10	17.1	311.6	77	16.9	311.6	144	18.5	308.9
11	17.1	311.5	78	16.7	311.7	145	18.6	308.9
12	17.2	311.5	79	17.2	311.7	146	18.6	309.0
13	17.1	311.5	80	17.6	311.7	147	18.7	309.0
14	17.1	311.5	81	17.4	311.7	148	19.0	308.9
15	17.1	311.5	82	17.2	311.7	149	18.9	308.8
16	17.3	311.5	83	17.3	311.8	150	18.9	308.9
17	17.3	311.5	84	17.4	311.8	151	18.7	308.9
18	17.2	311.5	85	17.8	311.8	152	18.7	308.9
19	17.1	311.5	86	18.0	311.8	153	18.7	308.9
20	17.1	311.5	87	17.5	311.8	154	19.0	308.8
21	17.1	311.5	88	17.1	311.8	155	19.4	308.8
22	17.1	311.5	89	16.9	311.8	156	19.3	308.7
23	17.1	311.5	90	17.0	311.8	157	18.9	308.8
24	17.0	311.5	91	17.0	311.8	158	18.5	308.9
25	16.9	311.6	92	17.0	311.8	159	18.3	308.9
26	16.9	311.6	93	17.1	311.8	160	18.5	308.9
27	16.9	311.6	94	17.2	311.8	161	18.8	308.8
28	17.1	311.6	95	17.3	311.8	162	18.9	308.8
29	17.0	311.7	96	17.5	311.8	163	18.7	308.8
30	17.0	311.7	97	17.6	311.8	164	18.4	308.9
31	16.9	311.7	98	17.7	311.8	165	18.0	309.0
32	16.9	311.7	99	17.8	311.9	166	18.1	309.0
33	16.7	311.7	100	17.9	311.9	167	18.0	309.0
34	16.8	311.6	101	18.0	311.9	168	18.3	309.0
35	16.8	311.8	102	17.9	311.9	169	18.7	308.9
36	16.7	312.1	103	17.7	312.0	170	18.8	308.9
37	16.6	312.3	104	17.6	312.0	171	18.5	308.9
38	17.4	312.3	105	17.5	312.0	172	18.3	309.0
39	18.7	312.2	106	17.5	312.0	173	18.0	309.1
40	20.1	312.0	107	17.4	312.0	174	18.0	309.1
41	20.1	311.7	108	17.5	312.0	175	18.0	309.1
42	19.9	311.5	109	17.5	312.0	176	18.3	309.0
43	20.0	311.5	110	17.6	312.0	177	18.5	309.0
44	19.9	311.5	111	17.6	312.0	178	18.8	308.9
45	19.6	311.5	112	17.8	312.1	179	18.6	309.0
46	19.7	311.6	113	18.1	312.1	180	18.2	309.1
47	20.3	311.5	114	18.2	312.1	181	18.2	309.1
48	20.2	311.6	115	18.1	312.1	182	18.5	309.0
49	20.1	311.6	116	18.1	312.1	183	18.9	309.0
50	20.1	311.6	117	18.0	312.1	184	19.0	309.0
51	20.6	311.6	118	17.9	312.1	185	18.8	309.0
52	20.9	311.6	119	17.8	312.1	186	18.8	309.0
53	20.9	311.6	120	17.5	312.1	187	18.9	309.0
54	20.6	311.6	121	17.4	312.1	188	19.5	308.9
55	20.4	311.7	122	17.6	312.1	189	19.8	308.8
56	20.5	311.7	123	17.6	312.1	190	19.9	308.8
57	20.5	311.7	124	17.5	312.1	191	19.6	308.9
58	20.4	311.7	125	17.2	312.1	192	19.6	308.9
59	20.3	311.7	126	17.0	312.0	193	19.5	308.9
60	20.0	311.6	127	17.3	312.0	194	19.1	308.9
61	19.8	311.8	128	17.4	311.6	195	18.6	303.9
62	19.5	311.8	129	17.3	311.2			
63	19.3	311.8	130	17.3	311.3			
64	19.0	311.9	131	17.4	311.3			
65	18.7	311.9	132	17.3	311.2			
66	18.6	311.9	133	17.0	311.3			

CARIBOU STATION 157 (193M.) 3/JAN/76 2143 GMT
LAT= 73.1999N LONG= 143.8344W LTER= 0. LGER= 0.
NIVEL= 13.7 EIVEL= -9.5 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	29.7	314.9	134	27.4	313.4
1	0.0	999.9	68	29.4	315.1	135	27.2	313.5
2	0.0	999.9	69	29.2	315.2	136	27.0	313.6
3	0.0	999.9	70	29.5	315.0	137	26.8	313.7
4	0.0	999.9	71	29.1	315.2	138	26.7	313.8
5	26.8	315.6	72	28.7	315.4	139	26.5	313.9
6	27.4	315.3	73	28.2	315.6	140	26.6	313.8
7	27.4	315.4	74	28.1	315.7	141	26.8	313.7
8	27.3	315.5	75	28.1	315.6	142	26.9	313.6
9	27.2	315.6	76	28.3	315.5	143	27.1	313.4
10	27.6	315.4	77	28.8	315.3	144	26.9	313.5
11	28.0	315.2	78	29.1	315.2	145	26.7	313.7
12	28.4	315.0	79	28.8	315.4	146	26.4	313.9
13	28.8	314.8	80	28.5	315.6	147	26.3	314.0
14	29.0	314.6	81	28.3	315.6	148	26.3	314.0
15	28.8	314.7	82	28.3	315.6	149	26.4	313.9
16	28.4	315.0	83	28.2	315.6	150	26.5	313.9
17	28.1	315.1	84	27.9	315.8	151	26.6	313.9
18	28.1	315.1	85	27.7	315.9	152	26.7	313.8
19	28.1	315.0	86	27.5	316.0	153	26.5	313.9
20	28.2	315.0	87	27.2	316.2	154	26.3	314.0
21	28.2	315.0	88	27.2	316.1	155	26.0	314.1
22	28.4	314.9	89	27.3	316.1	156	25.8	314.3
23	28.5	314.8	90	27.4	316.0	157	25.5	314.5
24	28.3	315.0	91	27.5	316.0	158	25.2	314.7
25	28.1	315.0	92	27.5	316.0	159	25.5	314.5
26	28.0	315.1	93	27.5	316.0	160	25.8	314.3
27	27.8	315.2	94	27.5	316.1	161	25.8	314.3
28	27.9	315.8	95	27.7	316.0	162	25.5	314.4
29	28.2	316.6	96	28.0	315.8	163	25.2	313.9
30	28.4	316.5	97	28.3	315.7	164	25.0	313.3
31	28.5	316.5	98	28.2	315.7	165	25.0	313.2
32	28.3	316.5	99	28.0	315.8	166	25.1	313.2
33	28.2	316.6	100	27.9	315.9	167	25.2	313.1
34	28.2	316.5	101	27.8	315.9	168	25.3	312.9
35	28.3	316.5	102	27.8	315.9	169	25.4	312.9
36	28.3	316.4	103	27.9	315.9	170	25.5	312.8
37	28.3	316.4	104	28.1	315.8	171	25.5	312.8
38	28.1	316.5	105	28.2	315.7	172	25.5	312.8
39	28.0	316.5	106	28.4	315.6	173	25.4	312.8
40	27.9	316.6	107	28.3	315.6	174	25.4	312.9
41	27.8	316.6	108	28.3	315.6	175	25.4	312.9
42	27.7	316.7	109	28.3	315.6	176	25.5	312.8
43	27.7	316.7	110	28.2	315.6	177	25.7	3 2.7
44	27.6	316.8	111	28.1	315.7	178	25.6	312.7
45	27.6	316.8	112	28.0	315.7	179	25.4	312.9
46	27.3	317.0	113	27.6	315.8	180	25.2	313.1
47	27.0	317.1	114	27.2	316.0	181	25.0	313.3
48	26.6	317.3	115	26.7	316.2	182	24.9	313.3
49	26.1	317.6	116	26.9	316.1	183	24.9	313.4
50	25.6	317.9	117	26.9	316.1	184	24.8	313.6
51	25.6	318.0	118	26.6	316.2	185	24.7	313.6
52	25.8	317.9	119	26.5	316.3	186	24.6	313.7
53	26.0	317.0	120	26.6	316.1	187	24.6	313.6
54	26.6	316.5	121	26.8	316.0	188	24.7	313.6
55	26.9	316.3	122	26.6	316.0	189	24.7	313.5
56	26.5	316.6	123	26.5	316.1	190	24.8	313.4
57	26.7	316.5	124	26.8	315.9	191	24.9	313.3
58	27.3	316.2	125	27.0	315.8	192	24.9	313.1
59	27.9	315.9	126	26.7	314.9	193	24.5	310.9
60	28.4	315.7	127	26.4	313.7			
61	29.0	315.4	128	26.6	313.8			
62	28.9	315.4	129	26.6	313.8			
63	28.6	315.5	130	26.6	313.8			
64	28.9	315.3	131	26.7	313.8			
65	29.2	315.2	132	26.9	313.6			
66	29.8	314.9	133	27.2	313.5			


CAMP CARIBOU STATION 158
DATE 4/ 1/76 TIME 634(GMT)
TRUE DIRECTION
0 90 180 270 360
0 50 100 150 200
DEPTH (M)
0 10 20 30 40 50
SPEED CM/SEC


CAMP CARIBOU STATION 160
DATE 4/ 1/76 TIME 2029(GMT)
TRUE DIRECTION
0 90 180 270 360
0 50 100 150 200
DEPTH (M)
0 10 20 30 40 50
SPEED CM/SEC

CARIBOU STATION 158 (196M.) 4/JAN/76 634 GMT
LAT= 73.2460N LONG= 143.9096W LTER= 1. LGER= 2.
NIVEL= 15.2 EIVEL= -8.3 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	31.1	317.8	134	21.1	325.5
1	0.0	999.9	68	30.5	318.2	135	21.2	325.4
2	0.0	999.9	69	29.7	318.6	136	21.2	325.4
3	0.0	999.9	70	29.1	318.9	137	21.3	325.4
4	0.0	999.9	71	29.3	318.9	138	21.3	325.3
5	20.0	307.8	72	29.4	319.3	139	21.5	325.1
6	28.4	316.8	73	29.4	319.9	140	21.8	324.8
7	29.4	317.2	74	28.9	320.2	141	21.9	324.7
8	29.7	317.2	75	28.4	320.5	142	22.0	324.6
9	30.0	316.9	76	28.1	320.6	143	21.9	324.7
10	31.2	315.9	77	27.8	320.8	144	21.7	324.8
11	31.4	316.0	78	27.2	321.2	145	21.8	324.0
12	31.6	316.0	79	26.8	321.6	146	21.8	323.7
13	31.8	316.0	80	26.8	321.6	147	21.8	323.7
14	32.1	316.9	81	26.9	321.4	148	22.0	323.3
15	32.2	317.6	82	26.8	321.5	149	22.1	323.0
16	32.2	317.5	83	26.5	321.7	150	22.1	323.0
17	32.0	317.6	84	26.2	322.0	151	22.5	322.5
18	31.8	317.7	85	25.8	322.2	152	23.1	321.8
19	31.7	317.8	86	25.7	322.2	153	23.5	321.2
20	31.9	317.7	87	25.7	322.1	154	23.9	320.8
21	32.0	317.6	88	25.7	322.1	155	24.3	320.4
22	32.1	317.6	89	25.7	322.1	156	24.4	320.1
23	32.2	317.6	90	25.6	322.1	157	25.1	319.3
24	32.5	317.5	91	25.3	322.3	158	26.0	318.5
25	32.8	317.3	92	25.0	322.6	159	26.6	317.9
26	32.6	317.4	93	24.7	322.7	160	27.0	317.7
27	32.2	317.6	94	24.7	322.1	161	27.5	317.4
28	31.6	317.8	95	24.9	321.9	162	27.9	317.1
29	31.4	318.0	96	25.0	321.9	163	28.2	317.0
30	31.1	318.2	97	25.0	321.9	164	28.0	317.0
31	30.8	318.3	98	24.9	322.0	165	28.3	316.8
32	30.6	318.4	99	24.6	322.2	166	28.7	316.6
33	30.6	318.3	100	24.3	322.4	167	29.0	316.4
34	30.2	318.5	101	24.0	322.7	168	29.4	316.1
35	29.8	318.8	102	23.8	322.8	169	29.8	315.8
36	29.6	319.7	103	23.8	322.9	170	30.1	315.6
37	29.4	320.5	104	24.0	323.2	171	30.3	315.5
38	29.1	320.7	105	24.1	323.2	172	30.5	315.4
39	28.5	320.9	106	23.9	323.4	173	30.8	315.3
40	27.4	321.4	107	23.5	323.8	174	31.0	315.1
41	26.7	321.9	108	23.2	324.1	175	31.3	314.9
42	27.8	321.1	109	23.2	324.0	176	31.4	314.9
43	28.7	320.5	110	23.2	324.0	177	31.4	314.8
44	28.8	320.4	111	23.1	324.1	178	31.6	314.8
45	28.6	320.4	112	22.8	324.3	179	31.7	314.7
46	28.3	320.5	113	22.7	324.4	180	31.8	314.6
47	28.3	320.5	114	22.8	324.3	181	31.7	314.6
48	28.6	320.4	115	22.7	324.4	182	31.6	314.7
49	28.8	320.2	116	22.7	324.3	183	31.1	314.9
50	29.1	320.1	117	22.7	323.9	184	30.7	315.2
51	29.3	319.9	118	22.8	323.8	185	30.3	315.4
52	29.4	319.4	119	22.7	323.8	186	30.4	315.4
53	29.3	318.8	120	22.6	324.0	187	30.3	315.6
54	29.1	318.8	121	22.4	324.2	188	29.6	316.0
55	29.4	318.6	122	22.2	324.4	189	28.9	316.5
56	29.8	318.4	123	22.1	324.9	190	28.2	317.0
57	30.2	318.2	124	22.2	325.3	191	27.9	317.2
58	30.8	317.9	125	22.2	325.4	192	28.1	317.0
59	31.6	317.5	126	22.2	325.3	193	28.5	316.8
60	32.1	317.2	127	22.1	325.0	194	28.9	316.5
61	32.1	317.2	128	21.9	324.8	195	28.9	316.6
62	32.1	317.3	129	21.7	325.0	196	28.7	316.7
63	32.7	317.0	130	21.5	325.2			
64	33.0	317.0	131	21.3	325.5			
65	32.7	317.1	132	21.3	325.7			
66	32.2	317.4	133	21.2	325.7			

CARIBOU STATION 160 (193M.) 4/JAN/76 2029 GMT
LAT= 73.3249N LONG= 144.0674W LTER= 1. LGER= 1.
NIVEL= 14.0 EIVEL= -2.2 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	22.6	331.1	134	20.8	331.7
1	0.0	999.9	68	22.7	331.0	135	20.8	331.8
2	0.0	999.9	69	22.4	331.4	136	20.8	331.8
3	0.0	999.9	70	21.8	332.2	137	20.9	331.8
4	0.0	999.9	71	21.8	332.4	138	21.0	331.7
5	26.1	323.7	72	22.1	331.9	139	21.0	331.7
6	26.4	323.4	73	22.5	331.4	140	21.1	331.7
7	26.6	323.3	74	22.5	331.4	141	21.1	331.6
8	26.8	323.2	75	22.2	331.8	142	21.2	331.3
9	26.5	323.5	76	21.8	332.4	143	21.0	331.6
10	26.0	324.0	77	21.4	333.3	144	21.0	331.5
11	25.6	324.4	78	21.5	333.7	145	21.1	331.4
12	25.2	324.9	79	21.9	333.2	146	20.8	331.9
13	25.0	325.2	80	22.1	332.8	147	20.7	332.3
14	25.0	325.2	81	22.4	332.5	148	20.5	332.6
15	25.1	325.0	82	22.7	332.1	149	20.7	332.3
16	25.2	324.9	83	22.6	332.3	150	20.9	332.0
17	25.1	324.8	84	22.5	332.4	151	20.8	332.2
18	25.1	324.8	85	22.4	332.6	152	21.0	332.0
19	25.3	325.7	86	22.4	332.5	153	21.1	331.8
20	25.8	326.9	87	22.4	331.9	154	21.3	331.4
21	25.9	326.8	88	22.3	331.5	155	21.5	331.0
22	25.9	326.8	89	22.3	331.5	156	21.6	330.7
23	25.9	326.8	90	22.3	331.5	157	21.6	330.7
24	25.9	326.8	91	22.1	331.7	158	21.5	330.7
25	25.6	327.2	92	21.9	331.9	159	21.3	331.0
26	25.4	327.4	93	21.7	332.3	160	21.2	331.2
27	25.7	327.2	94	21.4	332.7	161	21.0	331.5
28	25.9	326.9	95	21.4	332.7	162	20.6	332.3
29	26.2	326.7	96	21.5	332.6	163	20.2	332.9
30	26.4	326.5	97	21.2	333.0	164	20.1	333.0
31	26.6	326.2	98	20.9	333.5	165	20.3	332.6
32	26.7	326.2	99	20.9	333.5	166	20.4	332.4
33	26.5	326.5	100	21.1	333.2	167	20.5	332.3
34	26.1	327.0	101	21.1	333.2	168	20.6	332.2
35	25.8	327.8	102	20.9	333.5	169	20.7	332.1
36	25.2	329.0	103	21.1	333.3	170	21.2	331.3
37	23.7	330.7	104	21.4	332.9	171	21.6	330.6
38	22.1	332.7	105	21.7	332.4	172	21.7	330.4
39	21.0	334.3	106	21.7	332.4	173	21.7	330.4
40	20.8	334.8	107	21.7	332.5	174	21.7	330.3
41	21.7	334.1	108	21.4	332.9	175	21.7	330.2
42	21.6	333.6	109	21.4	332.9	176	21.5	330.6
43	22.0	333.0	110	21.4	332.9	177	21.3	331.1
44	22.4	332.6	111	21.4	333.0	178	21.4	330.9
45	22.4	332.6	112	21.0	333.5	179	21.7	330.4
46	22.6	332.4	113	20.9	333.6	180	21.9	330.1
47	22.8	332.1	114	21.5	332.7	181	21.7	330.4
48	23.1	331.7	115	21.8	332.6	182	21.4	331.0
49	23.1	331.7	116	21.7	333.2	183	21.0	331.6
50	22.9	332.0	117	21.6	333.4	184	20.7	332.2
51	22.7	332.0	118	21.8	333.2	185	20.8	332.2
52	22.4	331.5	119	21.9	333.1	186	21.0	331.9
53	22.5	331.3	120	21.9	333.1	187	21.4	331.1
54	22.1	331.8	121	21.9	333.1	188	22.0	330.2
55	22.1	331.8	122	21.8	333.0	189	22.3	329.7
56	22.8	330.8	123	21.7	332.5	190	21.8	330.4
57	23.1	330.5	124	21.7	332.5	191	21.4	331.1
58	23.4	330.2	125	21.7	332.6	192	21.0	331.8
59	23.2	330.4	126	21.5	333.0	193	21.0	331.8
60	23.4	330.1	127	21.4	333.0			
61	23.5	330.0	128	21.5	332.9			
62	23.1	330.5	129	21.1	332.4			
63	22.8	330.9	130	20.7	331.7			
64	22.5	331.3	131	20.6	332.1			
65	22.3	331.6	132	20.5	332.4			
66	22.5	331.3	133	20.6	332.1			


CAMP CARIBOU STATION 161
DATE 5/ 1/76 TIME 824(GMT)
TRUE DIRECTION
0 90 180 270 360
0 50 100 150 200
DEPTH (M)
0 5 10 15 20 25
SPEED CM/SEC


CAMP CARIBOU STATION 166
DATE 9/ 1/76 TIME 115(GMT)
TRUE DIRECTION
0 90 180 270 360
0 50 100 150 200
DEPTH (M)
0 5 10 15 20 25
SPEED CM/SEC

CARIBOU STATION 161 (198M.) 5/JAN/76 824 GMT
LAT= 73.3638N LONG= 144.1626W LTER= 1. LGER= 2.
NIVEL= 6.9 EIVEL= -3.0 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	3.0	321.8	134	5.9	352.0
1	0.0	999.9	68	3.1	322.7	135	5.9	352.3
2	0.0	999.9	69	3.2	321.5	136	5.9	352.5
3	0.0	999.9	70	3.3	320.1	137	5.8	352.3
4	0.0	999.9	71	3.4	320.6	138	5.8	352.3
5	2.2	332.6	72	3.5	322.6	139	5.7	354.2
6	2.4	332.2	73	3.6	324.5	140	5.5	357.5
7	2.6	334.6	74	3.7	325.6	141	5.4	358.8
8	2.4	338.0	75	3.9	327.4	142	5.4	0.3
9	2.2	340.1	76	4.1	329.7	143	5.3	2.3
10	2.3	337.6	77	4.1	332.5	144	5.0	5.9
11	2.5	336.1	78	4.0	337.2	145	4.8	7.2
12	2.3	335.6	79	4.0	339.2	146	4.9	4.3
13	2.0	334.8	80	4.0	338.9	147	5.0	2.5
14	1.8	333.6	81	4.0	338.5	148	4.9	0.9
15	1.8	331.6	82	3.9	338.2	149	4.8	0.2
16	1.9	329.8	83	3.9	338.0	150	4.4	1.5
17	2.0	330.9	84	3.7	338.2	151	4.4	0.1
18	2.1	332.4	85	3.5	338.5	152	4.5	357.8
19	2.1	333.7	86	3.3	338.7	153	4.7	355.2
20	2.1	333.7	87	3.1	339.0	154	4.6	355.6
21	2.1	333.6	88	3.1	343.8	155	4.5	356.8
22	2.0	333.3	89	3.4	349.2	156	4.5	358.2
23	1.9	332.5	90	3.6	351.8	157	4.5	359.7
24	1.8	329.6	91	3.7	351.1	158	4.6	0.7
25	1.7	327.0	92	3.8	351.9	159	4.7	1.3
26	1.7	324.8	93	3.9	351.8	160	4.8	0.3
27	1.6	325.4	94	3.9	351.2	161	4.9	359.1
28	1.5	325.9	95	3.9	350.4	162	5.0	358.1
29	1.4	326.6	96	3.9	348.4	163	5.1	357.7
30	1.3	326.7	97	3.9	347.3	164	5.3	358.2
31	1.2	326.6	98	4.0	347.4	165	5.4	358.9
32	1.2	327.2	99	3.8	349.4	166	5.4	359.2
33	1.3	328.7	100	3.7	351.0	167	5.3	0.4
34	1.5	328.8	101	3.5	351.4	168	5.2	1.8
35	1.8	325.9	102	4.1	346.0	169	5.2	3.2
36	2.0	326.8	103	4.6	343.4	170	5.0	4.3
37	2.2	327.7	104	4.7	343.2	171	5.0	1.3
38	2.4	323.8	105	4.7	343.2	172	5.3	355.8
39	2.8	313.3	106	4.6	342.7	173	5.7	351.0
40	3.0	302.2	107	4.6	341.9	174	5.7	350.4
41	3.2	292.0	108	4.6	341.2	175	5.9	350.0
42	3.4	288.9	109	4.6	342.0	176	5.9	350.9
43	3.8	290.0	110	4.6	342.7	177	5.9	351.9
44	4.1	291.7	111	4.5	343.3	178	6.0	352.6
45	4.3	292.9	112	4.4	345.5	179	6.0	353.3
46	4.4	295.4	113	4.4	347.1	180	6.0	353.8
47	4.5	299.4	114	4.6	347.6	181	6.1	353.5
48	4.5	305.1	115	4.8	347.8	182	6.1	353.1
49	4.5	309.2	116	4.9	346.9	183	6.1	352.5
50	4.4	310.5	117	5.0	345.7	184	6.2	352.1
51	4.3	309.7	118	5.0	345.3	185	6.3	352.1
52	4.1	309.5	119	5.0	345.1	186	6.3	352.1
53	3.8	312.0	120	5.0	345.2	187	6.3	352.0
54	3.6	314.9	121	5.0	345.9	188	6.3	351.9
55	3.9	317.8	122	5.0	346.8	189	6.3	351.9
56	4.0	319.3	123	5.1	346.8	190	6.3	351.7
57	3.9	317.9	124	5.3	347.6	191	6.5	348.9
58	3.7	315.8	125	5.6	348.4	192	6.4	347.9
59	3.6	317.2	126	5.8	349.0	193	6.4	347.9
60	3.5	316.5	127	6.0	348.9	194	6.4	348.2
61	3.4	315.2	128	6.2	347.9	195	6.4	348.5
62	3.3	315.2	129	6.3	347.5	196	6.5	348.9
63	3.2	317.7	130	6.3	347.6	197	6.3	350.6
64	3.0	321.0	131	6.2	348.3	198	6.3	350.6
65	3.0	320.9	132	6.0	349.8			
66	3.0	321.4	133	5.9	351.4			

CARIBOU STATION 166 (195M.) 9/JAN/76 115 GMT
LAT= 73.3806N LONG= 144.1860W LTER= 0. LGER= 0.
NIVEL= -7.0 EIVEL= -1.7 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	1.8	165.9	134	5.7	79.7
1	0.0	999.9	68	1.9	164.4	135	5.9	78.4
2	0.0	999.9	69	2.2	157.5	136	6.1	76.7
3	0.0	999.9	70	2.4	155.6	137	6.2	76.0
4	0.0	999.9	71	2.6	154.8	138	6.3	75.3
5	3.5	204.7	72	2.5	151.6	139	6.5	71.1
6	3.4	204.5	73	2.5	152.3	140	6.4	74.8
7	3.3	197.7	74	2.6	153.2	141	6.5	74.1
8	3.2	198.0	75	2.5	148.5	142	6.9	72.1
9	3.2	198.1	76	2.3	141.0	143	7.2	70.7
10	3.1	198.4	77	2.4	133.3	144	7.0	71.5
11	3.1	198.6	78	2.4	134.9	145	6.9	72.2
12	3.1	198.7	79	2.5	136.2	146	6.7	73.2
13	3.1	198.8	80	2.5	135.1	147	6.7	73.6
14	3.1	199.1	81	2.6	126.2	148	6.8	73.9
15	3.0	199.8	82	2.5	117.2	149	6.8	74.0
16	3.0	198.5	83	2.5	107.8	150	7.1	76.6
17	3.0	193.7	84	2.4	113.4	151	7.3	79.7
18	3.1	193.5	85	2.4	111.7	152	7.2	80.3
19	3.3	193.7	86	2.5	103.7	153	7.1	80.9
20	3.4	194.0	87	2.5	104.5	154	7.1	81.3
21	2.9	195.2	88	2.4	110.4	155	7.0	81.8
22	2.1	197.6	89	2.6	110.3	156	6.7	83.4
23	1.7	201.3	90	3.0	108.4	157	6.7	83.2
24	1.6	196.3	91	3.4	108.7	158	7.0	81.4
25	2.2	189.0	92	3.4	107.8	159	7.2	80.5
26	2.9	191.0	93	3.4	109.4	160	7.2	80.7
27	2.9	191.4	94	3.3	111.2	161	7.1	80.8
28	2.9	191.8	95	3.3	111.5	162	7.2	80.5
29	3.0	191.7	96	3.5	111.3	163	7.2	80.1
30	2.9	191.0	97	3.6	110.6	164	7.6	78.3
31	2.9	190.2	98	3.7	109.4	165	7.8	77.5
32	2.9	189.3	99	3.7	108.2	166	7.7	77.8
33	2.9	187.8	100	3.7	107.6	167	7.6	78.1
34	3.0	180.9	101	3.7	107.3	168	7.5	78.6
35	3.0	177.5	102	3.7	107.0	169	7.6	77.9
36	3.0	177.0	103	3.8	103.1	170	7.8	77.1
37	2.6	172.2	104	4.0	99.3	171	8.0	76.1
38	2.0	161.2	105	4.1	97.1	172	8.3	74.8
39	1.6	144.8	106	4.2	95.0	173	8.4	74.7
40	1.3	155.0	107	4.2	96.0	174	8.2	75.3
41	1.2	168.9	108	4.1	95.9	175	7.8	76.8
42	1.1	172.9	109	4.2	93.9	176	8.0	76.2
43	1.0	170.2	110	4.4	91.1	177	8.3	75.1
44	0.8	161.4	111	4.7	86.7	178	8.6	74.0
45	0.5	151.2	112	5.1	88.2	179	8.1	75.8
46	0.5	155.0	113	5.3	86.2	180	7.8	77.2
47	0.5	158.0	114	5.4	85.5	181	7.8	77.2
48	0.5	165.9	115	5.5	87.5	182	8.3	75.2
49	0.3	177.0	116	5.7	87.3	183	8.5	74.6
50	0.2	167.0	117	6.0	85.0	184	8.2	75.6
51	0.4	181.6	118	6.0	84.9	185	8.0	76.5
52	0.6	186.1	119	5.9	85.8	186	8.2	77.1
53	0.8	176.1	120	6.0	84.6	187	8.4	78.7
54	1.3	160.4	121	6.0	84.6	188	8.5	77.9
55	1.4	155.4	122	6.2	83.7	189	8.8	77.2
56	1.3	141.9	123	6.1	81.4	190	8.8	77.2
57	1.2	136.1	124	6.1	80.2	191	8.5	78.4
58	0.8	147.0	125	6.4	78.5	192	8.3	79.5
59	0.4	166.4	126	6.6	77.4	193	8.1	80.5
60	0.2	172.8	127	6.8	76.4	194	7.9	81.7
61	0.5	162.3	128	6.7	74.5	195	7.6	83.1
62	1.0	156.7	129	6.5	75.2			
63	1.3	166.1	130	6.3	75.8			
64	1.6	170.2	131	6.3	76.0			
65	1.7	168.6	132	6.2	76.6			
66	1.6	165.0	133	6.0	77.9			


CAMP CARIBOU STATION 168
DATE 10/ 1/76 TIME 243(GMT)
TRUE DIRECTION
0 90 180 270 360
SPEED CM/SEC
0 5 10 15 20 25
DEPTH (M)
0 50 100 150 200


CAMP CARIBOU STATION 167
DATE 9/ 1/76 TIME 653(GMT)
TRUE DIRECTION
0 90 180 270 360
SPEED CM/SEC
0 5 10 15 20 25
DEPTH (M)
0 50 100 150 200

CARIBOU STATION 167 (192M.) 9/JAN/76 653 GMT
LAT= 73.1658N LONG= 144.2009W LTER= 0. LGER= 1.
NIVEL= -8.6 EIVEL= 0.7 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	8.0	94.9	134	12.7	89.9
1	0.0	999.9	68	8.1	98.1	135	13.1	91.4
2	0.0	999.9	69	8.1	98.2	136	13.2	91.0
3	0.0	999.9	70	8.4	95.9	137	13.1	91.4
4	0.0	999.9	71	8.5	94.6	138	13.1	91.5
5	3.1	115.5	72	8.4	96.3	139	12.9	91.9
6	2.9	136.0	73	8.3	97.1	140	12.8	92.2
7	2.8	133.6	74	8.2	97.8	141	13.0	91.7
8	2.9	136.5	75	7.9	96.1	142	13.3	90.8
9	3.1	140.3	76	7.9	95.7	143	13.6	89.9
10	3.1	136.1	77	8.0	95.3	144	13.8	89.5
11	3.2	130.9	78	8.0	94.9	145	14.0	88.7
12	3.6	127.5	79	8.2	97.4	146	14.3	88.1
13	4.0	124.1	80	8.2	101.6	147	14.5	87.6
14	4.1	122.2	81	8.3	102.6	148	14.6	87.4
15	4.1	120.6	82	8.6	102.8	149	14.6	87.3
16	4.1	119.4	83	8.7	102.2	150	14.7	87.2
17	4.0	119.6	84	8.7	102.3	151	14.9	86.7
18	3.8	120.2	85	8.7	102.5	152	15.0	86.5
19	3.7	120.8	86	8.9	101.6	153	14.9	86.6
20	3.7	121.2	87	9.3	100.0	154	14.8	87.0
21	3.7	121.5	88	9.8	99.0	155	14.6	87.4
22	3.7	121.9	89	10.1	97.2	156	14.4	87.8
23	3.9	120.7	90	10.4	95.5	157	14.2	88.3
24	4.1	119.7	91	10.4	95.5	158	14.3	88.2
25	4.3	119.1	92	10.3	95.8	159	14.7	87.2
26	4.3	118.6	93	10.3	95.8	160	15.1	86.2
27	4.5	118.3	94	10.4	95.5	161	15.2	86.1
28	4.7	119.6	95	10.5	95.2	162	15.1	86.3
29	4.8	121.7	96	10.5	95.1	163	15.6	85.3
30	4.8	121.3	97	10.5	95.2	164	16.1	84.2
31	4.8	120.2	98	10.5	95.3	165	16.2	84.1
32	4.8	120.8	99	10.5	95.2	166	16.2	84.0
33	4.8	121.9	100	10.6	94.8	167	16.5	83.4
34	4.8	121.9	101	10.7	94.2	168	16.9	82.7
35	4.8	121.9	102	10.9	93.5	169	16.7	82.9
36	4.8	122.1	103	10.9	93.0	170	16.4	83.4
37	4.8	120.5	104	10.8	93.9	171	16.3	83.7
38	4.8	109.7	105	10.6	94.8	172	16.6	83.0
39	5.2	93.7	106	10.4	95.6	173	16.9	82.4
40	6.0	85.9	107	10.4	95.8	174	16.9	82.3
41	6.7	86.0	108	10.4	95.9	175	16.8	82.5
42	7.1	87.5	109	10.5	95.3	176	16.9	82.3
43	6.8	90.9	110	10.7	94.3	177	16.6	82.7
44	6.5	95.5	111	10.8	93.8	178	16.7	82.4
45	6.5	100.0	112	10.8	93.9	179	17.1	81.8
46	6.9	102.5	113	10.7	94.2	180	17.5	81.2
47	7.3	103.0	114	10.6	94.7	181	17.8	80.6
48	7.3	106.5	115	10.7	94.4	182	18.0	83.3
49	7.5	107.4	116	10.8	94.0	183	17.8	83.6
50	7.5	108.8	117	10.9	93.6	184	17.6	84.1
51	7.6	112.2	118	11.0	93.2	185	17.9	83.5
52	7.8	112.7	119	11.1	92.9	186	18.3	83.0
53	7.7	112.7	120	11.3	91.8	187	17.3	81.5
54	7.5	115.2	121	11.6	90.9	188	16.7	82.5
55	7.2	118.0	122	11.6	90.7	189	16.3	83.2
56	7.1	120.4	123	11.7	90.4	190	16.1	83.8
57	7.3	118.1	124	11.7	90.5	191	15.8	84.3
58	7.4	117.2	125	11.7	90.5	192	15.8	84.3
59	7.5	117.2	126	11.7	90.5			
60	7.5	116.7	127	11.8	90.2			
61	7.6	115.3	128	11.9	89.9			
62	7.6	113.0	129	12.0	89.5			
63	7.9	108.9	130	12.4	89.9			
64	8.2	104.3	131	12.8	89.6			
65	8.1	96.9	132	13.0	88.9			
66	7.8	91.0	133	12.8	89.6			

CARIBOU STATION 168 (197M.) 10/JAN/76 243 GMT
LAT= 73.3134N LONG= 144.1191W LTER= 0. LGER= 0.
NIVEL= -4.0 EIVEL= 7.9 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	2.6	125.9	134	8.8	94.7
1	0.0	999.9	68	2.6	125.1	135	8.9	93.0
2	0.0	999.9	69	3.1	122.5	136	9.0	91.3
3	0.0	999.9	70	3.9	117.9	137	9.1	89.6
4	0.0	999.9	71	4.7	114.4	138	9.2	86.8
5	6.3	143.3	72	4.4	107.9	139	9.3	84.9
6	5.4	144.3	73	4.1	100.7	140	9.3	83.2
7	4.6	139.2	74	3.7	97.1	141	9.4	83.0
8	4.1	136.2	75	3.5	95.9	142	9.4	82.8
9	4.1	135.6	76	3.5	97.3	143	9.4	83.4
10	4.2	136.3	77	3.8	100.1	144	9.2	85.3
11	4.2	135.2	78	4.0	101.7	145	9.1	87.2
12	4.0	133.5	79	4.0	102.3	146	9.0	88.9
13	4.0	132.3	80	4.3	106.6	147	9.0	89.8
14	4.1	131.5	81	4.6	110.7	148	9.0	89.4
15	4.2	130.5	82	4.7	112.1	149	9.1	88.7
16	4.4	129.4	83	4.6	111.9	150	9.2	88.5
17	4.4	128.3	84	4.2	110.2	151	9.2	88.5
18	4.5	128.0	85	4.6	111.9	152	9.1	88.4
19	4.4	129.4	86	5.0	111.4	153	9.0	88.3
20	4.3	128.7	87	5.2	111.2	154	9.0	89.0
21	4.2	129.7	88	5.4	110.0	155	8.9	90.1
22	4.1	130.7	89	5.6	108.6	156	8.8	91.2
23	4.1	131.3	90	5.8	107.2	157	8.6	91.0
24	4.1	131.9	91	6.1	106.3	158	8.5	90.6
25	4.1	130.2	92	6.0	104.9	159	8.4	89.9
26	4.1	128.2	93	5.8	104.1	160	8.4	89.4
27	4.1	126.9	94	6.0	103.9	161	8.3	90.2
28	4.1	126.8	95	6.2	102.3	162	8.4	90.3
29	4.2	126.5	96	6.5	101.1	163	8.6	87.6
30	4.2	126.3	97	6.7	100.6	164	8.8	83.8
31	4.2	126.1	98	6.7	99.6	165	8.9	80.3
32	4.0	126.2	99	6.8	98.0	166	9.1	77.2
33	4.0	126.3	100	6.7	96.9	167	9.4	74.5
34	4.0	126.2	101	6.7	96.8	168	9.7	73.2
35	3.9	123.4	102	6.8	97.6	169	9.7	73.4
36	3.8	118.6	103	7.0	100.4	170	10.0	70.6
37	3.8	114.7	104	7.3	102.1	171	10.3	68.0
38	3.8	112.4	105	7.4	99.4	172	10.4	67.3
39	3.7	112.2	106	7.5	97.6	173	10.4	67.5
40	3.6	111.8	107	7.6	97.5	174	10.3	68.3
41	3.5	108.4	108	7.8	97.5	175	10.3	68.4
42	3.3	104.8	109	8.0	97.6	176	10.0	66.5
43	3.2	96.2	110	8.2	97.7	177	10.2	64.3
44	3.0	88.7	111	8.4	97.8	178	10.5	62.3
45	2.6	79.7	112	8.3	98.0	179	10.7	60.3
46	2.7	70.8	113	8.3	98.6	180	11.0	58.5
47	2.0	69.0	114	8.4	99.4	181	11.2	57.8
48	1.9	73.0	115	8.4	100.2	182	11.4	58.4
49	1.9	81.8	116	8.5	100.2	183	11.7	58.4
50	2.0	87.6	117	8.7	99.0	184	11.9	57.6
51	1.7	80.0	118	8.9	98.1	185	12.1	56.8
52	1.8	83.4	119	8.9	97.9	186	12.1	56.7
53	1.7	83.5	120	8.8	98.4	187	12.1	56.9
54	1.7	86.8	121	8.6	98.8	188	12.1	57.1
55	1.5	97.7	122	8.5	99.0	189	12.2	56.4
56	1.4	120.6	123	8.5	98.3	190	12.3	56.1
57	1.5	128.7	124	8.5	97.7	191	12.2	57.1
58	1.5	120.8	125	8.5	97.1	192	12.2	58.2
59	1.6	112.1	126	8.5	96.3	193	12.3	57.7
60	1.7	104.6	127	8.5	95.6	194	11.9	58.4
61	1.8	107.8	128	8.5	94.9	195	11.5	59.6
62	1.9	113.0	129	8.5	94.9	196	11.4	60.3
63	2.0	117.2	130	8.6	94.9	197	11.4	60.7
64	2.1	116.7	131	8.6	94.9			
65	2.3	124.6	132	8.6	94.9			
66	2.5	127.1	133	8.6	94.9			


CAMP CARIBOU STATION 170
DATE 11/ 1/76 TIME 732(GMT)
TRUE DIRECTION
0 90 180 270 360
DEPTH (M)
0 50 100 150 200
SPEED CM/SEC
0 5 10 15 20 25


CAMP CARIBOU STATION 169
DATE 10/ 1/76 TIME 2208(GMT)
TRUE DIRECTION
0 90 180 270 360
DEPTH (M)
0 50 100 150 200
SPEED CM/SEC
0 5 10 15 20 25

CARIBOU STATION 169 (177M.) 10/JAN/76 2208 GMT
LAT= 73.2896N LONG= 143.8767W LTER= 1. LGER= 2.
NIVEL= 2.6 EIVEL= 21.2 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	3.5	147.4	134	10.1	217.9
1	0.0	999.9	68	3.7	141.5	135	10.5	218.9
2	0.0	999.9	69	3.7	141.4	136	10.8	220.0
3	0.0	999.9	70	3.5	146.7	137	11.1	220.8
4	0.0	999.9	71	4.3	151.8	138	11.3	221.3
5	7.0	132.8	72	4.5	151.0	139	11.9	217.9
6	6.7	140.1	73	4.0	155.1	140	12.1	216.5
7	6.5	143.9	74	3.2	163.9	141	12.2	216.6
8	6.4	150.4	75	3.2	174.6	142	12.3	217.4
9	6.3	157.4	76	3.3	180.8	143	12.5	217.9
10	6.2	158.5	77	3.4	186.4	144	12.7	218.5
11	5.3	159.6	78	3.6	191.3	145	12.9	219.0
12	4.8	160.0	79	3.7	196.1	146	13.0	219.4
13	4.6	157.2	80	3.9	199.2	147	13.1	219.7
14	4.6	154.3	81	4.1	202.4	148	13.2	219.7
15	4.6	153.1	82	4.2	205.3	149	13.1	219.9
16	4.6	157.5	83	4.4	208.0	150	13.2	220.2
17	4.6	162.9	84	4.2	215.8	151	13.7	221.3
18	4.4	164.7	85	4.2	222.5	152	14.0	222.1
19	3.8	163.8	86	4.2	223.5	153	14.4	222.9
20	3.6	158.8	87	4.2	223.3	154	14.8	223.6
21	3.6	155.6	88	4.3	224.7	155	15.4	224.6
22	3.5	156.2	89	4.7	219.4	156	16.1	225.5
23	3.5	161.2	90	5.1	216.4	157	16.3	225.6
24	3.4	165.8	91	5.1	216.2	158	16.3	225.5
25	3.4	167.0	92	5.1	215.5	159	16.3	225.1
26	3.3	163.7	93	5.0	214.0	160	16.5	225.3
27	3.2	161.2	94	5.2	214.8	161	17.1	222.3
28	2.6	166.2	95	5.6	218.1	162	17.2	221.8
29	2.0	173.0	96	5.9	220.8	163	17.3	221.9
30	1.8	164.7	97	6.2	222.4	164	17.2	221.6
31	1.7	151.4	98	6.2	222.3	165	17.5	222.0
32	1.1	126.6	99	6.0	221.7	166	18.2	222.9
33	1.1	122.2	100	6.1	218.1	167	18.5	223.1
34	1.1	124.0	101	6.6	210.5	168	18.4	223.0
35	1.1	140.3	102	6.5	210.0	169	18.7	223.3
36	1.4	156.6	103	6.5	210.4	170	18.8	223.5
37	2.0	164.4	104	6.6	211.8	171	18.6	223.1
38	2.6	176.4	105	6.8	213.6	172	18.5	222.8
39	3.6	169.6	106	7.0	215.0	173	18.5	222.7
40	4.6	163.0	107	7.1	216.2	174	18.2	222.1
41	4.2	164.1	108	7.0	215.6	175	18.5	222.0
42	3.9	165.8	109	6.8	214.5	176	20.5	215.2
43	3.7	156.3	110	6.8	214.5	177	20.5	215.2
44	3.7	157.5	111	6.9	215.0			
45	3.6	161.8	112	7.0	215.6			
46	3.3	151.1	113	7.0	215.1			
47	2.8	142.6	114	6.9	214.6			
48	2.7	147.6	115	7.0	214.9			
49	2.5	150.8	116	7.0	215.2			
50	2.4	145.8	117	7.0	214.8			
51	2.1	159.6	118	7.2	212.1			
52	2.3	139.0	119	7.9	206.7			
53	2.8	123.2	120	8.2	207.2			
54	3.5	115.1	121	8.3	208.0			
55	3.7	122.1	122	8.5	208.8			
56	3.9	121.9	123	8.7	210.0			
57	3.8	125.9	124	8.9	211.3			
58	3.7	131.3	125	9.2	212.7			
59	3.7	137.8	126	9.5	214.2			
60	3.6	142.6	127	9.8	215.8			
61	3.8	138.9	128	10.1	217.2			
62	4.1	130.1	129	10.4	218.0			
63	4.1	131.2	130	10.5	218.6			
64	3.7	141.0	131	10.4	218.6			
65	3.6	145.3	132	10.3	218.4			
66	3.5	149.9	133	10.2	217.9			

CARIBOU STATION 170 (192M.) 11/JAN/76 732 GMT
LAT= 73.2776N LONG= 143.7180W LTER= 1. LGER= 2.
NIVEL= -13.0 EIVEL= 11.5 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	5.0	109.1	134	1.8	141.5
1	0.0	999.9	68	4.9	112.6	135	1.9	140.4
2	0.0	999.9	69	4.8	111.7	136	2.1	140.2
3	0.0	999.9	70	4.6	109.7	137	2.3	140.0
4	0.0	999.9	71	4.4	107.9	138	2.6	139.8
5	8.1	132.1	72	4.7	110.4	139	2.9	139.4
6	7.4	133.2	73	4.6	110.0	140	3.2	139.0
7	6.7	135.2	74	4.0	102.4	141	3.4	139.0
8	6.1	135.4	75	3.5	94.5	142	3.5	138.7
9	5.7	135.3	76	3.5	94.0	143	3.3	138.7
10	4.9	134.6	77	3.6	97.6	144	3.0	138.7
11	4.2	134.4	78	3.6	96.8	145	2.6	138.8
12	3.5	133.5	79	2.6	95.2	146	2.6	139.0
13	2.9	133.3	80	1.5	102.7	147	2.4	139.1
14	2.6	133.3	81	1.0	115.8	148	2.6	139.0
15	2.5	148.4	82	0.9	111.7	149	2.7	138.9
16	2.4	159.2	83	0.9	152.9	150	2.8	138.9
17	2.2	161.6	84	1.1	152.2	151	2.7	138.9
18	2.0	164.2	85	1.0	153.6	152	2.5	139.3
19	1.7	158.6	86	0.7	162.2	153	2.4	140.0
20	1.4	129.3	87	0.4	188.9	154	2.0	140.6
21	1.3	121.3	88	0.4	181.2	155	1.7	141.5
22	1.1	125.4	89	0.8	160.5	156	1.6	142.0
23	1.1	108.4	90	1.2	152.3	157	1.8	141.5
24	1.3	89.5	91	1.2	152.5	158	2.0	142.0
25	1.3	86.4	92	1.1	154.3	159	2.1	142.1
26	1.7	74.9	93	0.7	163.9	160	1.9	143.0
27	2.0	69.8	94	0.6	167.3	161	1.5	144.9
28	1.9	68.6	95	0.4	183.4	162	1.5	173.8
29	1.9	68.0	96	0.3	187.8	163	2.7	197.3
30	1.8	67.9	97	0.5	164.5	164	3.2	203.9
31	1.8	68.2	98	0.8	155.6	165	3.5	205.3
32	2.2	66.8	99	1.0	150.1	166	4.0	193.9
33	2.4	66.9	100	1.2	146.8	167	4.4	183.8
34	2.5	68.0	101	1.5	145.1	168	4.6	179.6
35	2.5	69.4	102	1.8	143.0	169	5.0	181.1
36	1.8	76.5	103	1.8	142.8	170	5.0	182.7
37	1.2	94.7	104	1.8	142.8	171	5.0	182.4
38	1.1	134.1	105	1.8	142.3	172	5.2	179.1
39	1.0	110.8	106	1.9	142.4	173	5.5	175.8
40	1.8	99.2	107	1.9	142.3	174	5.8	172.8
41	2.1	90.0	108	2.0	141.7	175	5.6	175.2
42	2.4	95.2	109	2.1	141.7	176	5.3	179.8
43	2.7	103.3	110	2.1	142.1	177	5.0	185.0
44	3.0	110.5	111	2.3	142.1	178	4.9	185.9
45	3.8	107.1	112	2.5	142.0	179	5.1	183.9
46	4.3	98.0	113	2.7	142.0	180	5.3	179.4
47	4.4	95.8	114	2.7	141.9	181	5.2	178.2
48	4.9	102.6	115	2.6	142.1	182	4.8	178.1
49	5.4	108.2	116	2.3	143.8	183	4.7	180.6
50	5.4	108.2	117	2.1	144.8	184	4.8	178.0
51	5.0	104.4	118	2.1	145.5	185	5.1	174.2
52	4.6	99.9	119	2.6	144.4	186	5.0	174.6
53	4.4	97.7	120	3.0	143.5	187	4.8	176.3
54	4.5	99.4	121	2.9	143.9	188	4.8	176.5
55	4.6	100.9	122	3.2	143.8	189	4.7	180.5
56	4.4	98.0	123	3.5	143.5	190	4.6	192.7
57	4.3	96.9	124	3.9	142.9	191	4.4	199.0
58	4.1	92.8	125	3.8	142.8	192	4.4	199.0
59	3.7	82.8	126	3.4	143.4			
60	3.9	75.2	127	3.0	142.5			
61	4.5	87.2	128	2.8	139.3			
62	4.9	93.3	129	2.8	135.8			
63	5.0	97.8	130	2.9	137.7			
64	5.2	107.8	131	2.6	139.5			
65	5.2	108.6	132	2.3	141.3			
66	5.0	106.5	133	2.0	141.7			


CAMP CARIBOU STATION 171
DATE 12/ 1/76 TIME 15(GMT)
TRUE DIRECTION
0
90
180
270
360
0
50
100
150
200
DEPTH (M)
0
5
10
15
20
25
SPEED CM/SEC


CAMP CARIBOU STATION 178
DATE 15/ 1/76 TIME 2026(GMT)
TRUE DIRECTION
0
90
180
270
360
0
50
100
150
200
DEPTH (M)
0
5
10
15
20
25
SPEED CM/SEC

CARIBOU STATION 171 (192M.) 12/JAN/76 15 GMT
LAT= 73.1804N LONG= 143.5510W LTER= 0. LGER= 0.
NIVEL= -12.9 EIVEL= 9.0 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	1.6	30.7	134	6.9	67.0
1	0.0	999.9	68	1.5	45.0	135	6.4	61.8
2	0.0	999.9	69	1.4	58.0	136	5.4	54.5
3	0.0	999.9	70	1.5	53.4	137	5.5	54.3
4	0.0	999.9	71	1.5	48.9	138	5.4	57.8
5	4.0	113.3	72	1.5	70.4	139	5.3	61.4
6	3.4	126.8	73	1.6	84.4	140	5.2	65.0
7	3.1	138.7	74	1.7	92.8	141	5.2	64.3
8	3.0	134.6	75	1.8	100.3	142	5.4	58.8
9	2.8	140.5	76	2.1	77.9	143	5.5	54.5
10	2.7	150.5	77	2.6	63.7	144	5.7	49.8
11	2.8	157.0	78	2.6	55.5	145	5.6	39.7
12	2.9	153.9	79	2.5	63.9	146	5.9	33.0
13	3.1	151.6	80	2.5	80.6	147	5.8	34.5
14	3.0	144.4	81	3.0	98.5	148	5.5	38.5
15	2.9	129.4	82	3.6	111.3	149	5.2	43.0
16	2.8	119.7	83	3.7	111.2	150	5.0	47.9
17	2.5	115.5	84	3.2	101.2	151	5.1	47.2
18	2.5	114.8	85	2.5	96.2	152	5.1	45.8
19	2.4	114.8	86	1.5	85.6	153	5.0	48.0
20	2.3	113.2	87	1.4	70.8	154	4.9	50.4
21	1.9	105.3	88	1.5	41.8	155	5.1	54.1
22	1.9	88.9	89	2.8	32.5	156	5.0	56.4
23	2.5	73.8	90	3.4	28.4	157	4.8	53.2
24	2.5	66.9	91	3.8	37.9	158	4.7	48.2
25	2.6	60.2	92	4.3	48.7	159	4.9	44.2
26	2.8	66.1	93	4.6	56.1	160	5.1	40.6
27	3.8	73.3	94	4.7	55.6	161	5.3	37.0
28	4.1	70.8	95	4.8	55.0	162	5.5	34.3
29	4.1	68.1	96	5.4	56.0	163	5.5	33.6
30	4.1	65.5	97	5.4	56.5	164	5.6	32.6
31	4.1	62.8	98	5.5	53.4	165	5.7	31.9
32	4.5	68.6	99	5.7	48.1	166	5.8	30.5
33	4.6	70.7	100	5.9	43.0	167	5.9	28.8
34	4.6	66.6	101	5.9	43.9	168	6.1	27.2
35	4.8	71.5	102	5.9	44.6	169	6.1	26.8
36	5.1	77.0	103	5.8	45.3	170	6.0	28.0
37	5.2	82.5	104	5.8	46.0	171	5.9	29.4
38	5.2	87.6	105	5.8	46.7	172	5.8	30.6
39	5.8	102.3	106	5.9	48.1	173	5.8	30.3
40	6.9	114.3	107	6.0	51.1	174	6.0	28.8
41	8.3	122.3	108	5.9	53.5	175	6.1	27.4
42	7.5	115.2	109	5.7	52.4	176	5.8	28.2
43	5.9	99.0	110	5.6	53.2	177	4.8	24.8
44	4.9	86.7	111	5.4	56.3	178	4.6	28.5
45	4.6	68.5	112	5.3	59.4	179	4.9	37.7
46	4.6	70.4	113	5.3	62.8	180	5.3	43.1
47	4.6	78.7	114	5.2	66.0	181	5.1	46.0
48	4.6	79.7	115	5.2	66.6	182	5.3	51.4
49	4.6	70.6	116	5.1	67.6	183	5.5	49.4
50	4.6	78.0	117	5.1	69.3	184	5.8	43.5
51	4.6	82.9	118	5.1	70.7	185	5.9	41.9
52	4.6	87.9	119	5.1	72.2	186	5.6	45.6
53	4.1	83.9	120	5.1	70.2	187	5.3	53.6
54	4.0	77.6	121	5.1	66.1	188	5.7	52.4
55	4.0	69.5	122	5.1	62.0	189	6.4	50.9
56	4.0	59.5	123	5.1	62.9	190	6.0	53.6
57	4.2	50.1	124	5.0	67.4	191	5.1	55.4
58	4.4	44.1	125	5.0	72.0	192	5.1	55.4
59	4.3	46.0	126	5.0	76.7			
60	4.3	48.1	127	5.0	80.9			
61	4.3	50.1	128	5.3	82.7			
62	3.9	50.7	129	5.9	81.3			
63	2.4	44.6	130	6.0	80.5			
64	1.9	25.7	131	6.0	77.7			
65	1.9	20.2	132	6.3	73.7			
66	1.9	19.8	133	6.5	70.1			

CARIBOU STATION 178 (196M.) 15/JAN/76 2026 GMT
LAT= 73.1751N LONG= 143.4844W LTER= 1. LGER= 2.
NIVEL= -4.0 EIVEL= 1.5 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	1.0	140.5	134	2.7	328.8
1	0.0	999.9	68	1.2	121.0	135	2.9	326.4
2	0.0	999.9	69	1.4	110.8	136	3.0	320.1
3	0.0	999.9	70	1.4	104.9	137	2.7	315.8
4	0.0	999.9	71	1.4	99.7	138	1.8	305.2
5	1.8	185.5	72	1.4	95.0	139	1.5	299.9
6	1.7	181.0	73	1.5	90.6	140	1.8	304.3
7	1.3	181.4	74	1.5	92.7	141	2.2	307.6
8	0.9	180.9	75	1.1	99.6	142	2.5	310.6
9	0.8	169.9	76	0.8	113.6	143	2.8	312.7
10	1.1	155.4	77	0.8	124.4	144	3.2	314.3
11	1.3	147.1	78	0.8	130.7	145	3.5	315.7
12	1.1	140.6	79	0.8	126.1	146	3.5	316.0
13	1.1	138.3	80	0.7	117.9	147	3.3	317.8
14	1.0	130.2	81	0.7	113.4	148	3.1	318.3
15	0.7	111.9	82	0.8	119.5	149	3.0	318.5
16	0.8	117.2	83	0.7	117.1	150	3.0	318.9
17	0.9	130.9	84	0.6	106.1	151	3.0	319.3
18	1.1	143.7	85	0.6	99.4	152	2.8	319.5
19	1.3	149.1	86	0.7	114.9	153	2.7	320.0
20	1.5	151.5	87	0.7	116.6	154	2.6	319.7
21	1.5	151.4	88	0.7	111.3	155	2.5	311.9
22	1.1	146.6	89	0.6	107.5	156	2.4	303.1
23	0.8	132.5	90	0.4	110.7	157	2.5	289.6
24	0.8	95.7	91	0.4	101.0	158	2.6	283.3
25	1.1	82.2	92	0.4	90.7	159	2.5	281.0
26	1.1	94.0	93	0.4	78.5	160	2.3	276.3
27	1.1	104.9	94	0.4	67.5	161	2.1	270.4
28	1.2	114.7	95	0.4	55.6	162	1.9	264.8
29	1.3	123.0	96	0.4	46.9	163	1.5	263.0
30	1.4	123.6	97	0.5	37.8	164	1.3	260.1
31	1.2	114.0	98	0.4	39.9	165	1.3	255.4
32	1.2	102.2	99	0.4	60.3	166	1.2	250.3
33	1.1	90.4	100	0.4	85.3	167	1.2	245.6
34	1.0	77.8	101	0.4	101.2	168	1.2	239.0
35	0.8	57.8	102	0.5	91.3	169	1.2	230.0
36	0.5	58.3	103	0.5	81.4	170	1.2	225.9
37	0.2	85.7	104	0.5	73.2	171	1.2	226.2
38	0.3	135.6	105	0.5	65.6	172	1.2	221.3
39	0.8	154.3	106	0.5	57.0	173	1.3	209.8
40	1.2	152.4	107	0.3	12.0	174	1.5	198.5
41	1.8	148.2	108	0.5	357.4	175	1.7	192.9
42	1.6	136.2	109	0.7	346.2	176	1.7	183.9
43	1.4	128.9	110	0.8	333.5	177	1.5	175.4
44	1.1	126.9	111	0.8	325.4	178	1.1	172.6
45	0.6	144.5	112	1.0	326.1	179	0.8	181.0
46	0.9	225.6	113	1.1	327.9	180	0.5	201.5
47	1.3	224.6	114	1.0	327.0	181	0.4	207.5
48	1.2	213.0	115	1.1	328.2	182	0.4	212.1
49	1.1	197.1	116	1.2	329.3	183	0.4	213.3
50	1.2	181.7	117	1.1	328.9	184	0.5	196.9
51	1.3	185.1	118	1.0	329.1	185	0.6	186.8
52	1.3	198.9	119	0.9	328.9	186	0.8	180.3
53	1.4	212.4	120	0.9	329.1	187	0.7	181.5
54	1.5	221.4	121	1.9	336.9	188	0.7	182.4
55	1.6	229.1	122	3.1	339.2	189	0.7	183.3
56	1.7	225.9	123	2.8	337.6	190	0.7	184.3
57	1.7	222.5	124	2.4	333.6	191	0.8	181.0
58	1.7	220.2	125	2.1	329.1	192	1.0	174.2
59	1.6	217.6	126	2.2	327.5	193	1.3	174.0
60	1.4	212.1	127	2.4	328.2	194	1.8	183.6
61	1.3	204.9	128	2.4	328.3	195	2.0	178.7
62	1.3	200.4	129	2.2	327.5	196	2.2	174.4
63	1.3	196.9	130	2.1	327.1			
64	1.4	193.4	131	2.2	327.4			
65	1.2	180.4	132	2.4	328.0			
66	1.0	163.4	133	2.6	328.3			


CAMP CARIBOU STATION 185
DATE 31/ 1/76 TIME 532(GMT)
TRUE DIRECTION
0 90 180 270 360
SPEED CM/SEC
0 5 10 15 20 25
DEPTH (M)
0 50 100 150 200


CAMP CARIBOU STATION 184
DATE 30/ 1/76 TIME 310(GMT)
TRUE DIRECTION
0 90 180 270 360
SPEED CM/SEC
0 5 10 15 20 25
DEPTH (M)
0 50 100 150 200

CARIBOU STATION 184 (187M.) 30/JAN/76 310 GMT
LAT= 73.0532N LONG= 143.5465W LTER= 1. LGER= 2.
NIVEL= -0.2 EIVEL= -14.2 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	3.5	225.2	134	3.0	223.3
1	0.0	999.9	68	3.3	218.5	135	3.2	228.1
2	0.0	999.9	69	3.2	215.3	136	3.4	232.4
3	0.0	999.9	70	3.4	220.5	137	3.6	236.1
4	0.0	999.9	71	3.7	227.1	138	3.7	236.9
5	8.2	229.7	72	3.8	229.2	139	3.7	235.8
6	8.4	227.6	73	3.8	229.5	140	3.5	231.9
7	8.6	225.5	74	3.7	226.9	141	3.3	227.8
8	9.0	225.6	75	3.4	220.0	142	3.5	232.7
9	9.4	226.8	76	3.6	213.2	143	3.8	236.9
10	9.3	226.6	77	4.1	214.4	144	4.0	240.4
11	9.2	226.3	78	4.2	218.7	145	4.1	242.0
12	9.2	224.9	79	4.3	221.4	146	3.9	239.9
13	9.2	222.8	80	4.4	223.9	147	3.7	237.6
14	9.1	222.7	81	4.4	224.0	148	3.8	238.7
15	9.1	224.2	82	4.4	222.1	149	4.0	241.3
16	9.1	224.8	83	4.3	219.7	150	4.1	242.3
17	8.9	224.0	84	4.2	217.2	151	3.9	240.7
18	8.6	222.8	85	4.2	215.9	152	3.8	239.7
19	8.7	222.4	86	4.2	217.1	153	4.0	242.4
20	8.7	222.0	87	4.3	218.6	154	4.3	244.8
21	8.7	222.6	88	4.4	221.2	155	4.2	244.0
22	8.6	223.3	89	4.3	224.7	156	4.0	241.4
23	8.2	223.9	90	3.9	230.4	157	3.8	238.8
24	8.2	224.4	91	4.0	231.1	158	3.7	237.7
25	8.2	223.5	92	3.9	230.5	159	3.6	236.7
26	8.2	222.7	93	3.9	229.9	160	3.5	235.5
27	8.2	222.5	94	3.9	229.7	161	3.6	236.7
28	8.3	222.6	95	3.8	228.4	162	3.8	239.3
29	7.8	222.8	96	3.8	227.9	163	3.6	237.7
30	7.8	223.4	97	3.9	230.6	164	3.4	234.0
31	7.9	222.9	98	4.0	231.6	165	3.2	229.7
32	7.9	223.6	99	3.9	230.9	166	3.0	224.8
33	8.0	225.5	100	3.8	228.1	167	3.1	228.1
34	8.0	227.0	101	3.7	225.6	168	3.4	233.6
35	7.6	227.0	102	3.6	224.8	169	3.1	228.3
36	7.3	224.0	103	3.8	227.9	170	2.8	217.4
37	7.3	223.3	104	4.0	231.5	171	2.6	208.9
38	7.3	226.4	105	4.1	234.0	172	2.7	213.0
39	6.8	228.7	106	4.2	235.1	173	2.8	218.8
40	6.4	228.9	107	4.4	238.8	174	3.0	224.2
41	6.1	227.2	108	4.7	241.9	175	3.2	228.8
42	5.8	225.7	109	4.9	243.2	176	3.4	232.7
43	5.6	225.8	110	4.6	240.6	177	3.3	230.4
44	5.6	225.7	111	4.2	235.7	178	3.2	226.8
45	5.6	227.1	112	3.7	228.0	179	3.1	222.9
46	5.6	228.6	113	3.6	224.6	180	2.9	218.7
47	5.6	228.9	114	3.4	220.2	181	2.8	214.2
48	5.5	226.5	115	3.3	217.0	182	2.7	209.6
49	5.1	224.5	116	3.3	218.3	183	2.6	204.5
50	4.8	224.8	117	3.5	224.2	184	2.7	208.3
51	4.8	224.2	118	3.3	218.3	185	2.8	214.8
52	4.7	224.3	119	3.4	218.3	186	2.7	208.5
53	4.6	222.1	120	3.4	220.9	187	2.6	199.8
54	4.0	216.4	121	3.4	218.9			
55	3.9	212.0	122	3.5	221.3			
56	4.1	218.8	123	3.7	227.8			
57	4.3	223.9	124	3.8	229.3			
58	4.1	230.9	125	3.8	227.1			
59	4.0	234.4	126	3.8	226.5			
60	4.0	235.6	127	3.7	225.8			
61	4.2	237.8	128	3.8	225.9			
62	4.4	239.9	129	3.9	228.8			
63	4.2	237.4	130	3.9	227.8			
64	3.9	233.0	131	3.7	222.4			
65	3.8	230.3	132	3.5	216.9			
66	3.7	227.8	133	3.2	218.7			

CARIBOU STATION 185 (191M.) 31/JAN/76 532 GMT
LAT= 73.0602N LONG= 144.0285W LTER= 0. LGER= 0.
NIVEL= 2.3 EIVEL= -14.4 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	3.5	235.0	134	9.1	164.0
1	0.0	999.9	68	3.2	227.7	135	9.4	163.1
2	0.0	999.9	69	3.0	222.6	136	9.6	161.9
3	0.0	999.9	70	3.2	227.2	137	9.9	160.6
4	0.0	999.9	71	3.4	225.1	138	10.2	159.3
5	7.2	302.8	72	3.5	228.6	139	10.4	158.5
6	5.9	305.6	73	3.8	236.2	140	10.5	158.3
7	5.5	309.4	74	4.3	237.9	141	10.6	158.4
8	5.1	303.2	75	4.3	240.7	142	10.4	159.5
9	4.9	301.3	76	4.1	237.0	143	10.2	160.9
10	4.9	300.6	77	3.8	232.2	144	10.1	163.4
11	4.9	299.9	78	3.6	226.7	145	10.5	164.0
12	4.7	299.1	79	3.5	225.0	146	10.6	163.6
13	4.4	298.4	80	3.7	228.9	147	10.5	160.3
14	4.5	297.7	81	3.6	228.7	148	9.5	153.9
15	4.4	297.1	82	3.5	228.4	149	9.4	156.0
16	4.2	296.4	83	3.7	232.1	150	9.1	157.1
17	4.0	294.9	84	4.0	236.1	151	9.0	156.9
18	4.2	291.6	85	4.1	238.2	152	9.1	156.8
19	4.4	291.1	86	4.1	238.7	153	9.1	156.7
20	4.4	291.7	87	4.0	237.2	154	9.2	156.6
21	4.5	292.3	88	4.0	237.8	155	9.2	156.5
22	4.7	291.9	89	4.4	244.0	156	9.0	157.8
23	4.9	291.0	90	4.8	249.2	157	8.6	159.6
24	5.1	289.9	91	5.1	253.2	158	8.3	161.4
25	5.0	288.4	92	4.9	250.2	159	8.0	163.5
26	4.9	286.6	93	4.7	247.7	160	8.1	166.1
27	5.2	286.1	94	4.5	244.9	161	8.4	167.7
28	5.5	286.5	95	4.4	242.4	162	8.1	170.1
29	5.0	287.7	96	4.6	242.1	163	7.8	172.7
30	4.6	289.3	97	4.9	245.1	164	7.5	17[illegible].6
31	4.6	287.6	98	5.2	247.8	165	7.2	176.0
32	4.5	285.3	99	5.4	246.6	166	6.8	184.1
33	4.3	282.4	100	5.5	250.6	167	6.5	188.7
34	4.5	281.0	101	5.3	252.5	168	6.5	188.8
35	4.3	283.9	102	4.9	250.0	169	6.5	189.1
36	4.2	286.8	103	4.4	246.9	170	6.3	192.9
37	4.2	289.9	104	4.0	242.2	171	6.2	196.9
38	3.9	292.8	105	3.9	237.2	172	6.0	201.1
39	3.4	295.5	106	4.0	235.3	173	6.0	204.3
40	3.2	296.4	107	4.0	230.4	174	6.0	206.1
41	3.1	288.3	108	4.2	227.0	175	5.9	207.6
42	2.4	285.1	109	4.5	227.8	176	5.9	208.0
43	2.1	289.6	110	4.7	230.8	177	5.9	208.5
44	2.0	292.2	111	4.7	230.9	178	5.9	210.0
45	2.0	288.8	112	4.6	230.9	179	5.4	211.7
46	1.9	285.1	113	4.6	231.0	180	5.3	213.1
47	1.9	276.6	114	4.5	230.0	181	5.3	215.9
48	2.3	279.9	115	4.4	222.5	182	5.2	215.9
49	2.5	280.2	116	4.3	214.6	183	5.2	212.4
50	2.2	273.4	117	4.3	214.1	184	5.2	209.8
51	2.3	269.5	118	4.3	213.6	185	5.2	206.9
52	2.4	254.6	119	4.4	212.4	186	5.2	204.4
53	2.4	255.1	120	5.1	209.1	187	5.2	203.0
54	2.3	255.6	121	5.1	208.8	188	5.2	201.5
55	2.2	256.1	122	5.0	204.3	189	5.2	204.4
56	2.5	260.4	123	5.1	197.5	190	5.2	206.3
57	2.8	264.5	124	5.4	187.8	191	5.2	206.3
58	3.4	261.8	125	5.5	184.1			
59	3.2	250.8	126	5.8	180.1			
60	2.6	242.8	127	6.2	174.7			
61	2.4	242.1	128	6.8	169.9			
62	2.6	243.1	129	7.4	168.3			
63	2.8	231.0	130	8.1	168.6			
64	3.2	220.9	131	8.4	167.1			
65	3.3	227.5	132	8.7	165.4			
66	3.6	233.2	133	8.9	164.5			


CAMP CARIBOU STATION 187
DATE 1/ 2/76 TIME 1050 (GMT)
TRUE DIRECTION
0 90 180 270 360
DEPTH (M)
0 50 100 150 200
0 5 10 15 20 25
SPEED CM/SEC


CAMP CARIBOU STATION 188
DATE 1/ 2/76 TIME 2340 (GMT)
TRUE DIRECTION
0 90 180 270 360
DEPTH (M)
0 50 100 150 200
0 5 10 15 20 25
SPEED CM/SEC

CARIBOU STATION 187 (190M.) 1/FEB/76 1050 GMT
LAT= 73.1000N LONG= 144.2289W LTER= 0. LGER= 0.
NIVEL= 3.7 EIVEL= -2.1 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	1.3	79.1	134	1.8	72.8
1	0.0	999.9	68	1.6	91.4	135	1.7	68.2
2	0.0	999.9	69	1.8	96.9	136	1.7	63.3
3	0.0	999.9	70	1.6	89.9	137	1.6	58.3
4	0.0	999.9	71	1.4	81.2	138	1.6	52.7
5	1.6	24.1	72	1.3	69.7	139	1.5	46.8
6	1.4	23.0	73	1.2	56.2	140	1.5	41.2
7	1.4	23.7	74	1.2	41.5	141	1.3	34.1
8	1.5	23.2	75	1.0	22.3	142	1.2	25.7
9	1.6	19.8	76	1.1	6.0	143	1.5	23.5
10	1.9	17.5	77	1.0	11.9	144	1.9	20.9
11	2.2	15.9	78	0.9	20.2	145	2.1	31.9
12	2.5	16.5	79	0.8	30.4	146	2.1	41.0
13	2.4	17.2	80	0.8	31.7	147	2.2	49.6
14	2.3	17.5	81	0.8	30.2	148	2.1	43.4
15	2.2	18.4	82	0.8	28.7	149	2.1	32.2
16	2.2	19.4	83	0.8	27.4	150	1.7	40.2
17	2.2	19.9	84	0.8	25.3	151	1.6	53.0
18	2.2	18.4	85	0.9	36.1	152	1.7	64.1
19	2.2	16.9	86	1.1	48.5	153	1.6	52.8
20	2.3	15.6	87	1.2	58.6	154	1.6	57.4
21	2.5	15.0	88	1.2	67.6	155	1.6	60.2
22	2.5	13.6	89	1.3	69.5	156	1.5	55.5
23	2.5	12.2	90	1.2	59.4	157	1.5	50.4
24	2.5	11.0	91	1.1	48.0	158	1.5	45.1
25	2.5	11.4	92	1.1	39.3	159	1.5	39.3
26	2.5	11.8	93	1.1	50.1	160	1.5	43.2
27	2.5	12.2	94	1.1	60.9	161	1.5	49.3
28	2.2	10.8	95	1.1	57.5	162	1.5	55.1
29	1.9	7.0	96	1.1	43.8	163	1.6	61.0
30	1.9	7.1	97	1.1	43.8	164	1.7	65.8
31	1.9	6.4	98	1.1	44.9	165	1.7	70.9
32	1.9	6.0	99	1.0	46.5	166	1.8	75.4
33	1.9	5.2	100	0.8	47.6	167	1.7	66.2
34	2.1	8.0	101	0.8	42.8	168	1.6	55.8
35	2.3	9.4	102	0.8	34.0	169	1.5	44.3
36	2.1	6.9	103	0.8	24.7	170	1.5	43.2
37	1.6	346.4	104	0.9	17.2	171	1.5	50.7
38	1.7	317.2	105	1.0	10.7	172	1.5	52.9
39	1.8	324.1	106	1.2	20.9	173	1.5	47.7
40	1.9	330.2	107	1.2	31.4	174	1.5	52.2
41	2.0	333.9	108	1.1	41.4	175	1.5	48.9
42	2.1	334.7	109	1.1	51.5	176	1.5	38.2
43	1.8	336.3	110	1.2	61.3	177	1.5	27.6
44	1.4	339.7	111	1.2	58.9	178	1.6	23.0
45	1.2	341.8	112	1.1	50.0	179	1.6	19.2
46	1.4	339.3	113	0.8	37.7	180	1.6	21.9
47	1.6	337.5	114	0.5	9.0	181	1.5	25.4
48	1.8	337.0	115	0.7	359.5	182	1.5	29.1
49	2.1	339.5	116	0.9	352.3	183	1.5	32.9
50	1.7	347.4	117	1.0	347.4	184	1.5	36.7
51	1.3	357.0	118	0.9	350.7	185	1.5	40.9
52	1.4	353.8	119	0.8	1.2	186	1.5	44.7
53	1.5	352.5	120	0.8	20.4	187	1.5	48.5
54	1.5	351.2	121	1.0	34.5	188	1.5	52.2
55	1.4	353.8	122	1.2	43.9	189	1.6	55.8
56	1.2	7.4	123	1.2	51.9	190	1.6	59.3
57	1.1	26.4	124	1.2	59.5			
58	1.1	46.0	125	1.2	52.9			
59	0.9	39.7	126	1.1	47.5			
60	0.6	28.8	127	1.1	41.4			
61	0.9	19.2	128	1.1	41.9			
62	1.0	11.4	129	1.4	51.5			
63	1.0	4.3	130	1.6	58.6			
64	1.0	16.2	131	1.7	65.7			
65	1.0	41.4	132	1.8	72.4			
66	1.1	62.3	133	1.9	76.6			

CARIBOU STATION 188 (187M.) 1/FEB/76 2340 GMT
LAT= 73.1125N LONG= 144.2267W LTER= 1. LGER= 2.
NIVEL= 2.4 EIVEL= 2.6 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	7.7	90.5	134	5.2	84.7
1	0.0	999.9	68	8.0	91.3	135	5.4	84.5
2	0.0	999.9	69	8.3	92.3	136	5.7	84.3
3	0.0	999.9	70	8.6	93.3	137	5.9	83.8
4	0.0	999.9	71	8.7	93.6	138	6.1	83.8
5	6.1	78.8	72	8.4	92.7	139	6.2	84.6
6	6.2	82.6	73	8.1	91.8	140	6.4	85.5
7	6.3	87.3	74	7.8	90.8	141	6.5	86.3
8	6.3	91.3	75	7.9	91.2	142	6.4	85.7
9	6.4	89.1	76	7.8	91.0	143	6.3	85.0
10	6.4	87.2	77	7.6	90.2	144	6.1	84.2
11	6.4	85.4	78	7.3	89.3	145	6.0	[illegible]
12	6.4	84.3	79	7.1	88.2	146	5.9	[illegible]
13	6.4	83.8	80	6.8	87.3	147	5.9	82.6
14	6.3	83.7	81	6.5	88.0	148	6.1	84.0
15	6.4	83.9	82	6.4	89.0	149	6.3	85.2
16	6.5	84.1	83	6.4	89.2	150	6.4	86.0
17	6.5	84.3	84	6.4	89.4	151	6.3	85.8
18	6.6	84.5	85	6.2	88.6	152	6.3	85.5
19	6.6	84.3	86	5.8	88.5	153	6.2	85.2
20	6.4	83.8	87	5.7	86.1	154	6.2	84.9
21	6.2	83.9	88	5.5	83.1	155	6.1	84.8
22	6.0	82.8	89	5.5	85.1	156	6.2	85.5
23	5.9	81.8	90	5.5	88.1	157	6.3	86.1
24	5.9	81.8	91	5.7	89.4	158	6.4	86.6
25	6.1	83.0	92	5.8	90.7	159	6.5	87.1
26	6.4	84.1	93	6.0	92.0	160	6.6	87.6
27	6.4	84.7	94	6.0	91.8	161	6.5	86.9
28	6.2	85.5	95	5.8	90.6	162	6.2	85.1
29	6.1	86.1	96	5.7	89.7	163	6.5	87.1
30	5.9	85.5	97	5.8	90.6	164	6.9	88.8
31	5.8	84.9	98	5.9	91.6	165	7.2	90.3
32	5.7	84.1	99	5.9	91.9	166	7.0	89.3
33	5.6	83.3	100	5.6	89.9	167	6.7	88.1
34	6.0	85.8	101	5.4	87.6	168	6.5	86.8
35	6.7	89.9	102	5.8	90.9	169	6.2	85.3
36	7.4	93.1	103	6.2	93.7	170	6.4	86.5
37	7.4	93.2	104	5.9	92.0	171	6.6	87.6
38	7.1	92.0	105	5.7	90.3	172	6.9	88.7
39	7.4	93.1	106	5.8	90.9	173	6.8	88.6
40	7.6	94.2	107	5.8	91.2	174	6.8	88.4
41	7.9	95.2	108	5.6	89.9	175	6.8	88.3
42	7.9	95.3	109	5.5	88.6	176	6.8	88.2
43	7.8	94.8	110	5.4	87.8	177	6.7	88.1
44	7.8	91.7	111	5.5	88.7	178	6.7	87.9
45	7.9	91.1	112	5.6	89.7	179	6.8	88.2
46	8.1	91.6	113	5.7	90.6	180	7.0	89.2
47	8.2	92.1	114	5.8	91.4	181	7.2	90.1
48	8.1	92.0	115	6.0	91.3	182	7.4	90.9
49	8.1	91.9	116	6.2	90.6	183	7.3	90.7
50	7.9	93.2	117	6.5	89.6	184	7.1	89.9
51	7.7	94.7	118	6.6	90.0	185	6.9	89.0
52	8.1	96.0	119	6.7	90.8	186	6.8	88.6
53	8.1	96.3	120	6.6	90.4	187	7.2	90.2
54	7.8	95.1	121	6.5	89.9			
55	7.4	93.8	122	6.4	89.5			
56	7.4	94.0	123	6.2	88.9			
57	7.5	94.6	124	6.3	89.4			
58	7.5	94.7	125	6.3	89.8			
59	7.5	94.7	126	6.4	90.2			
60	7.5	95.0	127	6.5	90.7			
61	8.1	93.8	128	6.5	90.8			
62	8.7	93.2	129	6.3	89.4			
63	8.7	93.3	130	6.0	87.8			
64	8.3	92.2	131	5.7	87.5			
65	7.9	90.9	132	5.3	86.8			
66	7.7	90.4	133	5.0	85.3			



CAMP CARIBOU STATION 190
DATE 2/ 2/76 TIME 1126(GMT)
TRUE DIRECTION
0
90
180
270
360
0
5
10
15
20
25
SPEED CM/SEC
0
50
(M)
100
DEPTH
150
200



CAMP CARIBOU STATION 189
DATE 2/ 2/76 TIME 448(GMT)
TRUE DIRECTION
0
90
180
270
360
0
5
10
15
20
25
SPEED CM/SEC
0
50
(M)
100
DEPTH
150
200

CARIBOU STATION 189 (192M.) 2/FEB/76 448 GMT
LAT= 73.1136N LONG= 144.2049W LTER= 1. LGER= 1.
NIVEL= -0.7 EIVEL= 4.9 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	11.8	108.9	134	11.6	111.0
1	0.0	999.9	68	11.7	108.9	135	11.6	110.0
2	0.0	999.9	69	11.6	108.7	136	11.4	109.1
3	0.0	999.9	70	11.7	108.3	137	11.2	109.1
4	0.0	999.9	71	11.8	107.9	138	11.0	109.1
5	11.2	110.1	72	11.9	107.3	139	10.9	109.1
6	11.2	110.2	73	11.6	107.2	140	10.7	109.1
7	11.1	110.5	74	11.3	107.7	141	10.5	108.9
8	11.1	110.3	75	11.0	108.2	142	10.4	108.5
9	11.1	110.1	76	10.7	108.6	143	10.5	108.2
10	11.1	109.8	77	10.4	108.8	144	10.6	108.0
11	11.1	109.5	78	10.6	109.1	145	10.7	107.7
12	11.1	109.2	79	11.0	109.6	146	10.8	108.2
13	11.1	108.8	80	11.4	110.1	147	10.7	108.6
14	11.1	108.8	81	11.3	110.0	148	10.6	108.9
15	11.0	109.7	82	10.9	109.6	149	10.5	108.7
16	10.9	110.5	83	10.5	109.3	150	10.4	108.5
17	10.9	110.6	84	10.9	109.7	151	10.2	108.3
18	10.8	110.2	85	11.3	110.0	152	10.1	108.1
19	10.8	109.9	86	11.4	110.1	153	10.0	107.9
20	10.9	109.7	87	11.1	109.9	154	9.9	107.7
21	11.0	109.8	88	11.1	109.8	155	9.8	107.4
22	11.1	110.4	89	11.4	110.1	156	9.6	107.4
23	11.1	110.9	90	11.6	110.3	157	9.5	108.2
24	10.9	111.2	91	11.6	110.4	158	9.4	109.0
25	10.8	111.5	92	11.3	110.5	159	9.4	109.9
26	10.8	112.0	93	10.7	110.8	160	9.6	109.2
27	10.8	112.1	94	10.1	110.2	161	9.7	108.4
28	10.7	112.0	95	10.1	111.0	162	9.6	107.9
29	10.5	111.8	96	10.3	112.0	163	9.5	108.2
30	10.3	111.7	97	10.4	112.3	164	9.3	108.5
31	10.5	111.7	98	10.5	112.5	165	9.2	108.5
32	10.9	111.9	99	10.7	112.7	166	9.1	108.3
33	11.6	112.5	100	10.6	112.5	167	9.1	108.1
34	12.7	113.4	101	10.3	112.2	168	9.1	108.1
35	13.2	113.6	102	10.1	111.9	169	9.3	108.3
36	13.7	112.6	103	10.0	112.3	170	9.5	108.5
37	13.9	112.7	104	10.2	113.0	171	9.7	108.7
38	14.1	112.8	105	10.4	113.2	172	9.9	108.9
39	14.5	113.0	106	10.5	112.6	173	10.0	109.0
40	14.8	113.2	107	10.6	112.5	174	9.8	108.8
41	14.9	113.3	108	10.6	112.5	175	9.6	108.6
42	15.0	113.4	109	10.6	112.6	176	9.5	108.5
43	15.1	113.5	110	10.4	112.4	177	9.7	108.7
44	15.1	113.6	111	10.2	112.1	178	10.0	109.0
45	15.1	113.6	112	10.0	111.9	179	10.3	109.3
46	15.1	113.7	113	9.8	111.6	180	10.5	109.0
47	15.1	113.7	114	9.6	111.3	181	10.5	107.9
48	15.1	113.7	115	9.3	111.4	182	10.4	106.0
49	15.1	113.8	116	9.1	111.8	183	10.3	108.0
50	14.9	113.8	117	9.0	112.2	184	10.1	108.2
51	14.8	113.8	118	9.1	113.2	185	9.9	108.4
52	14.7	113.7	119	9.3	112.7	186	9.8	108.5
53	14.5	113.7	120	9.5	112.6	187	9.8	108.2
54	14.3	113.6	121	9.6	112.9	188	10.1	107.9
55	14.2	113.6	122	9.8	113.2	189	10.4	107.6
56	14.0	113.6	123	9.7	113.1	190	10.6	107.9
57	13.6	113.4	124	9.5	112.6	191	10.9	108.4
58	13.1	112.0	125	9.2	112.1	192	11.1	108.9
59	12.5	110.4	126	9.4	111.9			
60	12.3	110.3	127	9.6	111.2			
61	12.2	110.2	128	10.0	110.6			
62	12.2	109.1	129	10.6	110.5			
63	11.9	108.3	130	11.2	111.1			
64	11.6	108.3	131	11.5	111.5			
65	11.7	108.5	132	11.5	111.5			
66	11.9	108.8	133	11.5	111.4			

CARIBOU STATION 190 (190M.) 2/FEB/76 1126 GMT
LAT= 73.1140N LONG= 144.1632W LTER= 1. LGER= 1.
NIVEL= 0.0 EIVEL= 6.8 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	14.1	106.4	134	11.7	104.2
1	0.0	999.9	68	13.9	106.2	135	11.6	104.1
2	0.0	999.9	69	13.7	105.9	136	11.5	104.0
3	0.0	999.9	70	13.7	105.5	137	11.7	103.5
4	0.0	999.9	71	13.9	105.2	138	11.9	102.7
5	12.7	102.0	72	13.9	104.9	139	12.2	102.1
6	12.9	103.7	73	13.9	104.9	140	12.3	102.9
7	12.9	105.3	74	13.8	105.2	141	12.2	103.3
8	13.0	106.6	75	13.6	105.2	142	11.9	103.6
9	13.1	106.7	76	13.4	105.3	143	12.0	104.3
10	13.0	106.6	77	13.4	105.5	144	12.2	105.2
11	13.0	106.3	78	13.5	105.5	145	12.6	105.4
12	12.9	106.0	79	13.4	105.5	146	13.1	105.4
13	12.9	105.8	80	13.2	105.4	147	13.3	104.9
14	12.8	105.8	81	13.2	105.4	148	13.1	104.1
15	12.8	105.4	82	13.3	105.5	149	12.9	103.8
16	12.8	104.8	83	13.3	105.6	150	12.7	103.9
17	12.7	104.8	84	13.4	105.6	151	12.9	104.3
18	12.7	104.5	85	13.4	105.6	152	13.0	104.7
19	12.6	104.1	86	13.3	105.6	153	13.1	105.0
20	12.5	104.0	87	13.3	105.5	154	12.9	105.0
21	12.3	104.5	88	13.1	106.6	155	12.6	104.8
22	12.4	104.4	89	12.7	105.6	156	12.3	104.4
23	12.4	104.0	90	12.8	105.4	157	12.2	104.2
24	12.5	104.0	91	12.8	105.1	158	12.2	104.1
25	12.5	104.7	92	12.7	105.1	159	12.2	104.0
26	12.5	105.4	93	12.5	105.3	160	12.3	104.0
27	12.6	105.4	94	12.5	105.7	161	12.4	104.0
28	12.9	105.3	95	12.6	106.3	162	12.5	104.2
29	13.3	105.2	96	12.8	106.5	163	12.7	104.5
30	13.7	105.5	97	12.8	106.6	164	12.8	104.8
31	14.7	106.4	98	12.9	106.7	165	13.0	104.8
32	15.8	107.5	99	13.0	106.8	166	13.3	104.8
33	16.7	108.3	100	13.1	107.0	167	13.5	104.8
34	18.1	109.2	101	13.2	107.2	168	13.8	104.8
35	18.8	109.7	102	13.3	107.4	169	13.9	104.6
36	18.8	109.8	103	13.1	107.1	170	13.8	104.3
37	18.8	109.8	104	12.8	106.8	171	13.5	104.4
38	18.8	109.8	105	12.6	106.5	172	13.3	104.5
39	18.9	109.9	106	12.5	106.4	173	13.0	104.6
40	19.0	110.0	107	12.4	106.3	174	12.7	104.7
41	19.2	110.1	108	12.3	106.2	175	12.4	104.8
42	19.4	110.2	109	12.3	106.1	176	12.2	104.2
43	19.6	110.4	110	12.4	106.3	177	12.1	103.6
44	19.7	110.5	111	12.5	106.6	178	12.0	103.2
45	19.6	110.5	112	12.7	106.8	179	12.0	102.8
46	19.2	110.9	113	12.8	107.0	180	12.1	102.9
47	18.8	111.6	114	12.8	107.1	181	12.3	103.5
48	18.4	111.7	115	12.8	107.1	182	12.6	104.4
49	18.2	111.2	116	12.8	107.1	183	12.9	104.6
50	18.5	110.7	117	12.9	107.2	184	13.3	104.6
51	18.5	109.9	118	13.0	107.4	185	13.2	104.1
52	18.1	109.7	119	13.2	107.5	186	12.8	103.6
53	17.9	109.7	120	13.2	107.5	187	12.0	103.3
54	17.9	109.8	121	13.1	107.5	188	11.4	102.5
55	18.2	109.9	122	13.1	107.4	189	10.9	101.7
56	18.0	109.8	123	13.0	107.3	190	10.4	100.8
57	17.4	109.5	124	12.9	107.2			
58	16.9	109.1	125	12.8	107.1			
59	16.7	109.0	126	12.7	106.9			
60	16.7	109.0	127	12.6	106.3			
61	16.4	108.7	128	12.5	105.3			
62	16.0	108.4	129	12.3	105.0			
63	15.7	108.1	130	12.1	104.8			
64	15.3	107.7	131	11.9	104.5			
65	14.8	107.3	132	11.8	104.4			
66	14.4	106.8	133	11.8	104.4			


CAMP CARIBOU STATION 191
DATE 2/ 2/76 TIME 1743(GMT)
TRUE DIRECTION
0 90 180 270 360
DEPTH (M)
0 50 100 150 200
0 5 10 15 20 25
SPEED CM/SEC


CAMP CARIBOU STATION 192
DATE 2/ 2/76 TIME 2245(GMT)
TRUE DIRECTION
0 90 180 270 360
DEPTH (M)
0 50 100 150 200
0 5 10 15 20 25
SPEED CM/SEC

CARIBOU STATION 191 (191M.) 2/FEB/76 1743 GMT
LAT= 73.1137N LONG= 144.1228W LTER= 1. LGER= 2.
NIVEL= 0.1 EIVEL= 6.5 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	14.8	107.6	134	13.7	106.8
1	0.0	999.9	68	14.9	107.7	135	13.1	106.0
2	0.0	999.9	69	14.8	107.6	136	12.5	105.2
3	0.0	999.9	70	14.6	107.4	137	12.1	104.5
4	0.0	999.9	71	14.5	107.2	138	11.7	104.0
5	12.7	99.7	72	14.9	107.7	139	11.5	103.6
6	12.7	102.2	73	15.2	108.0	140	11.4	103.5
7	12.7	104.2	74	14.9	107.7	141	11.6	103.4
8	12.7	105.5	75	14.6	107.4	142	11.9	103.0
9	12.8	105.3	76	14.3	107.2	143	12.1	102.4
10	13.0	104.8	77	14.0	107.0	144	12.3	102.5
11	13.2	104.2	78	13.8	107.3	145	12.5	103.0
12	13.2	103.4	79	13.6	107.5	146	12.6	103.5
13	13.1	103.8	80	13.5	106.9	147	12.4	103.6
14	12.9	104.8	81	13.3	106.3	148	12.0	103.2
15	12.7	105.1	82	13.2	105.6	149	11.7	102.3
16	12.6	105.4	83	13.4	105.0	150	11.4	101.5
17	12.6	105.1	84	13.6	104.2	151	11.2	101.4
18	12.6	104.9	85	13.5	104.8	152	11.4	102.3
19	12.6	104.6	86	13.6	105.3	153	11.7	103.3
20	12.4	104.7	87	13.8	106.1	154	12.0	103.9
21	12.3	104.9	88	14.2	106.2	155	12.4	103.9
22	12.3	105.1	89	14.3	105.9	156	12.4	103.5
23	12.3	105.0	90	14.3	105.6	157	12.2	103.2
24	12.3	104.4	91	14.3	106.0	158	12.0	103.2
25	12.4	103.9	92	14.4	106.6	159	11.9	103.1
26	12.4	103.9	93	14.3	106.9	160	12.0	103.1
27	12.3	104.3	94	14.0	106.6	161	12.2	103.3
28	12.2	104.7	95	13.7	106.3	162	12.2	103.2
29	12.1	104.6	96	13.8	106.5	163	12.1	102.9
30	12.1	104.6	97	13.8	106.5	164	12.2	102.9
31	12.2	104.7	98	13.4	106.1	165	12.2	102.8
32	12.4	104.8	99	13.1	106.2	166	12.1	102.5
33	12.5	105.0	100	13.0	107.4	167	11.9	102.2
34	12.8	105.4	101	13.0	107.7	168	11.9	102.3
35	13.6	106.2	102	13.0	107.7	169	11.8	102.9
36	15.5	107.9	103	13.0	107.4	170	11.6	103.0
37	17.5	109.3	104	12.9	107.5	171	11.3	103.1
38	18.4	110.3	105	12.8	107.7	172	11.2	103.3
39	18.7	111.0	106	12.6	107.9	173	11.2	103.4
40	18.7	111.7	107	12.5	107.1	174	11.4	103.6
41	18.8	111.6	108	12.5	106.4	175	11.6	103.7
42	18.5	110.6	109	12.7	106.7	176	11.9	103.6
43	18.5	109.8	110	12.9	107.0	177	12.1	104.0
44	18.5	109.6	111	13.1	107.3	178	12.1	104.1
45	18.7	109.7	112	12.8	106.9	179	12.3	104.3
46	18.9	109.8	113	12.4	106.5	180	12.7	104.3
47	18.9	109.8	114	12.0	105.9	181	13.0	104.2
48	18.5	109.6	115	11.9	106.4	182	13.2	104.1
49	18.3	109.5	116	11.9	106.9	183	13.3	104.2
50	18.1	109.5	117	12.0	107.2	184	13.3	104.3
51	17.8	109.3	118	12.5	107.3	185	13.3	104.2
52	17.6	109.2	119	12.6	106.4	186	13.3	104.0
53	17.4	109.1	120	12.6	105.3	187	13.3	103.6
54	17.2	109.1	121	12.7	105.6	188	13.3	103.2
55	16.6	108.7	122	12.9	106.0	189	13.3	103.2
56	15.9	108.2	123	13.1	106.3	190	13.2	103.5
57	15.5	107.9	124	13.3	106.5	191	13.0	103.9
58	15.2	107.8	125	13.5	106.7			
59	15.2	107.8	126	13.8	107.0			
60	15.2	107.9	127	14.1	107.3			
61	15.2	107.8	128	14.4	107.7			
62	15.0	107.6	129	14.8	108.0			
63	14.7	107.3	130	15.1	108.2			
64	14.5	107.2	131	15.2	108.4			
65	14.7	107.4	132	14.9	108.1			
66	14.8	107.5	133	14.3	107.5			

CARIBOU STATION 192 (192M.) 2/FEB/76 2245 GMT
LAT= 73.1142N LONG= 144.0844W LTER= 0. LGER= 0.
NIVEL= 0.3 EIVEL= 9.8 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	19.2	103.3	134	17.0	102.0
1	0.0	999.9	68	18.8	103.0	135	17.3	101.5
2	0.0	999.9	69	18.4	102.6	136	17.6	101.5
3	0.0	999.9	70	17.9	102.3	137	17.4	101.7
4	0.0	999.9	71	17.3	101.7	138	17.1	101.7
5	16.6	97.1	72	16.6	101.0	139	16.9	101.6
6	16.6	98.5	73	16.9	101.2	140	16.7	100.9
7	16.7	99.2	74	17.0	101.3	141	16.5	100.3
8	16.9	99.7	75	17.0	101.4	142	16.6	100.8
9	17.0	100.1	76	17.1	101.4	143	16.6	101.3
10	17.1	100.2	77	17.1	101.5	144	16.7	101.9
11	17.1	100.3	78	17.2	101.5	145	16.9	102.0
12	17.0	100.3	79	17.1	101.5	146	17.1	101.7
13	16.9	100.2	80	17.0	101.3	147	17.2	101.6
14	16.7	100.1	81	17.0	101.3	148	17.2	[illegible]
15	16.5	99.9	82	17.2	101.5	149	17.1	[illegible]
16	16.3	99.8	83	17.5	101.8	150	16.9	[illegible]
17	16.2	99.8	84	17.8	102.1	151	16.9	101.3
18	16.2	100.0	85	17.8	102.7	152	16.8	100.9
19	16.2	100.3	86	17.8	103.6	153	16.6	101.2
20	16.2	100.6	87	17.9	103.7	154	16.7	101.7
21	16.2	100.8	88	17.8	103.7	155	16.8	102.0
22	16.1	100.9	89	17.7	103.5	156	16.9	102.1
23	16.0	100.7	90	17.5	103.4	157	16.9	102.1
24	15.8	100.6	91	17.3	103.1	158	16.8	102.0
25	15.8	100.6	92	17.0	103.3	159	16.7	101.9
26	15.9	100.7	93	16.9	103.7	160	16.9	102.0
27	15.9	100.9	94	17.3	104.2	161	17.1	102.3
28	16.0	101.2	95	17.7	104.2	162	17.1	102.3
29	16.0	101.2	96	17.8	103.9	163	16.9	102.0
30	16.0	101.2	97	17.4	103.4	164	16.8	101.9
31	16.0	101.3	98	17.1	103.2	165	16.8	101.9
32	16.1	101.3	99	16.9	102.9	166	16.9	101.9
33	16.1	101.3	100	16.7	101.5	167	17.1	102.1
34	16.2	101.4	101	16.4	100.9	168	17.3	102.4
35	16.2	101.5	102	16.2	100.7	169	17.3	102.3
36	16.4	101.7	103	16.1	101.2	170	17.3	102.3
37	17.8	103.2	104	16.2	102.5	171	17.2	102.1
38	19.3	104.5	105	16.5	103.5	172	17.1	102.0
39	20.2	105.3	106	16.9	104.0	173	17.0	101.8
40	20.5	105.5	107	17.1	104.3	174	16.8	101.7
41	20.8	105.8	108	17.5	104.7	175	16.8	101.5
42	21.3	106.1	109	17.9	105.2	176	16.8	101.5
43	21.3	106.1	110	18.4	105.7	177	16.8	101.5
44	21.0	106.0	111	18.4	105.8	178	17.0	101.7
45	20.9	106.0	112	18.3	105.8	179	17.1	101.8
46	21.2	106.2	113	17.9	105.4	180	17.0	101.6
47	21.1	106.1	114	17.3	104.8	181	16.6	101.3
48	20.8	106.0	115	17.0	104.4	182	16.2	100.8
49	20.6	105.9	116	16.6	103.9	183	15.9	100.5
50	20.6	105.9	117	16.2	103.4	184	15.9	100.5
51	20.9	106.1	118	15.9	103.0	185	15.9	100.5
52	21.1	106.3	119	15.9	102.9	186	15.7	100.2
53	21.2	106.5	120	16.0	103.1	187	15.9	100.4
54	20.9	106.2	121	16.1	103.2	188	16.2	100.8
55	20.5	105.9	122	16.1	103.2	189	16.5	101.2
56	20.3	105.7	123	15.9	102.9	190	16.6	101.2
57	20.3	105.8	124	15.6	102.5	191	16.3	101.0
58	20.2	105.7	125	15.4	102.2	192	16.1	100.7
59	20.1	105.6	126	15.4	102.1			
60	20.0	105.6	127	15.6	101.6			
61	19.9	105.5	128	15.9	100.8			
62	19.8	105.4	129	16.0	101.2			
63	19.7	105.4	130	16.1	101.7			
64	19.7	103.7	131	16.2	102.2			
65	19.6	103.6	132	16.4	102.8			
66	19.5	103.5	133	16.7	102.4			


CAMP CARIBOU STATION 193
DATE 3/ 2/76 TIME 538(GMT)
TRUE DIRECTION
0 90 180 270 360
DEPTH (M)
0 50 100 150 200
0 5 10 15 20 25
SPEED CM/SEC


CAMP CARIBOU STATION 194
DATE 3/ 2/76 TIME 1040(GMT)
TRUE DIRECTION
0 90 180 270 360
DEPTH (M)
0 50 100 150 200
0 5 10 15 20 25
SPEED CM/SEC

CARIBOU STATION 193 (190M.) 3/FEB/76 538 GMT
LAT= 73.1136N LONG= 144.0315W LTER= 1. LGER= 1.
NIVEL= 0.6 EIVEL= 6.2 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	5.7	145.0	134	4.9	143.3
1	0.0	999.9	68	5.8	145.5	135	4.9	143.3
2	0.0	999.9	69	5.9	145.9	136	4.9	145.4
3	0.0	999.9	70	6.0	146.3	137	5.0	147.5
4	0.0	999.9	71	5.9	143.6	138	5.2	149.7
5	5.7	148.2	72	5.7	140.7	139	5.2	149.9
6	5.9	148.3	73	5.5	137.6	140	5.3	150.5
7	6.1	149.8	74	5.6	137.8	141	5.3	151.0
8	6.1	150.7	75	5.7	139.2	142	5.2	149.5
9	6.0	151.3	76	5.6	143.8	143	5.2	150.6
10	6.0	151.2	77	5.6	151.0	144	5.2	151.1
11	5.9	150.7	78	5.5	153.5	145	5.2	149.3
12	5.9	150.2	79	5.6	154.9	146	5.0	146.1
13	5.9	149.4	80	5.7	156.3	147	4.9	142.9
14	6.0	148.2	81	5.8	157.7	148	4.8	139.3
15	6.0	147.0	82	5.7	158.4	149	4.8	137.9
16	6.1	145.8	83	5.5	159.1	150	4.7	137.9
17	6.2	145.0	84	5.4	157.3	151	4.7	134.3
18	6.2	144.4	85	5.3	153.3	152	4.6	131.8
19	6.2	144.3	86	5.2	150.2	153	4.7	134.1
20	6.2	144.5	87	5.3	150.9	154	4.8	136.8
21	6.2	144.9	88	5.4	154.3	155	4.9	139.7
22	6.3	145.1	89	5.6	157.3	156	5.0	141.9
23	6.3	145.0	90	5.7	160.0	157	5.0	144.3
24	6.3	144.8	91	5.8	161.3	158	5.0	145.4
25	6.3	145.0	92	5.6	159.6	159	5.1	145.8
26	6.2	145.3	93	5.4	158.0	160	5.1	146.1
27	6.2	145.5	94	5.1	156.4	161	5.1	145.2
28	6.1	145.6	95	4.9	155.0	162	5.3	143.2
29	6.1	145.8	96	4.7	153.0	163	5.4	142.3
30	6.1	146.1	97	4.5	150.4	164	5.4	141.8
31	6.1	146.0	98	4.4	147.2	165	5.5	142.6
32	6.1	145.7	99	4.3	144.1	166	5.6	143.1
33	6.1	144.3	100	4.3	141.5	167	5.5	144.3
34	6.0	143.0	101	4.3	143.2	168	5.5	145.7
35	6.0	142.2	102	4.3	145.8	169	5.5	148.5
36	5.8	141.3	103	4.4	148.5	170	5.5	150.7
37	5.7	140.4	104	4.5	150.9	171	5.6	152.6
38	5.6	140.2	105	4.6	152.0	172	5.7	153.9
39	6.0	143.9	106	4.7	151.6	173	5.7	153.4
40	6.7	151.1	107	4.5	148.4	174	5.6	152.1
41	6.8	154.4	108	4.3	142.9	175	5.5	150.3
42	6.9	157.8	109	4.2	140.4	176	5.4	148.1
43	7.1	160.1	110	4.1	139.8	177	5.3	145.4
44	7.1	159.5	111	4.2	142.6	178	5.2	142.6
45	7.0	158.9	112	4.4	148.0	179	5.2	141.0
46	6.8	157.4	113	4.7	153.0	180	5.1	139.5
47	6.5	154.3	114	4.6	152.0	181	5.1	138.3
48	6.3	151.9	115	4.4	149.1	182	5.1	139.0
49	6.1	149.9	116	4.2	145.8	183	5.2	140.7
50	6.0	149.7	117	4.0	142.0	184	5.2	142.8
51	6.3	150.4	118	4.0	137.9	185	5.3	144.5
52	6.5	151.6	119	4.0	135.9	186	5.3	145.5
53	6.6	153.8	120	4.1	138.8	187	5.3	144.3
54	6.6	155.4	121	4.1	142.1	188	5.2	141.6
55	6.9	156.7	122	4.1	145.7	189	5.2	141.0
56	7.0	157.5	123	4.1	150.1	190	5.2	141.0
57	6.8	157.9	124	4.4	154.2			
58	6.6	158.1	125	4.8	157.8			
59	6.5	157.4	126	5.3	159.8			
60	6.5	157.3	127	5.7	161.2			
61	6.4	156.1	128	5.7	161.2			
62	6.2	152.4	129	5.5	159.0			
63	6.0	148.4	130	5.4	156.5			
64	5.8	147.0	131	5.2	153.1			
65	5.7	145.4	132	5.0	148.8			
66	5.6	144.1	133	4.9	145.9			

CARIBOU STATION 194 (190M.) 3/FEB/76 1040 GMT
LAT= 73.1132N LONG= 144.0011W LTER= 1. LGER= 2.
NIVEL= -1.1 EIVEL= 3.0 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	5.7	201.7	134	3.6	189.1
1	0.0	999.9	68	5.9	202.3	135	3.7	191.9
2	0.0	999.9	69	6.0	200.8	136	3.9	194.5
3	0.0	999.9	70	6.0	199.1	137	4.1	196.5
4	0.0	999.9	71	5.7	196.6	138	4.1	196.8
5	3.8	201.6	72	5.6	195.7	139	4.1	195.8
6	4.5	201.0	73	5.3	197.9	140	4.1	195.8
7	4.6	199.0	74	4.5	199.8	141	4.5	196.1
8	4.7	198.1	75	3.8	201.7	142	4.9	195.8
9	4.7	197.0	76	3.1	201.8	143	5.2	196.8
10	4.6	195.7	77	2.6	195.6	144	5.5	198.6
11	4.4	194.5	78	2.6	187.9	145	5.6	199.2
12	4.5	194.4	79	2.7	182.9	146	5.6	198.9
13	4.6	195.4	80	3.0	184.8	147	5.4	196.5
14	4.6	194.0	81	3.1	188.2	148	5.2	193.7
15	4.5	191.1	82	3.1	190.1	149	4.9	193.0
16	4.5	190.0	83	3.1	192.3	150	4.6	191.9
17	4.6	191.8	84	3.1	194.4	151	4.2	190.5
18	4.6	192.9	85	3.2	196.1	152	4.0	188.0
19	4.5	193.3	86	3.4	197.7	153	3.9	185.4
20	4.4	193.6	87	3.6	198.9	154	4.0	185.1
21	4.3	193.9	88	3.6	198.3	155	4.1	186.2
22	4.2	194.1	89	3.4	196.1	156	4.2	188.3
23	4.1	194.6	90	3.5	196.9	157	4.4	190.2
24	4.2	195.5	91	3.7	198.5	158	4.1	188.7
25	4.3	195.6	92	3.7	198.6	159	3.8	186.8
26	4.3	195.7	93	3.7	196.7	160	3.7	185.0
27	4.2	194.7	94	3.8	195.8	161	3.9	185.7
28	4.1	193.3	95	3.9	197.3	162	4.1	186.9
29	4.0	191.9	96	4.0	198.6	163	3.9	186.9
30	3.9	190.2	97	4.0	198.7	164	3.6	185.6
31	3.8	194.0	98	3.9	197.5	165	3.4	185.0
32	3.8	198.0	99	3.8	196.4	166	3.5	184.5
33	3.9	200.3	100	3.9	197.0	167	3.6	184.3
34	4.0	201.8	101	4.0	198.9	168	3.6	183.8
35	4.0	202.3	102	4.2	200.6	169	3.7	186.5
36	3.9	201.0	103	4.4	200.6	170	4.0	190.3
37	3.7	199.8	104	4.6	200.0	171	4.2	193.4
38	3.5	197.9	105	4.7	199.6	172	4.5	195.8
39	3.6	198.1	106	4.6	198.8	173	4.8	197.7
40	4.0	201.3	107	4.5	198.5	174	5.2	198.4
41	4.2	198.9	108	4.5	198.5	175	5.3	197.9
42	5.1	198.9	109	4.5	198.3	176	5.3	197.8
43	6.1	200.7	110	4.5	198.2	177	5.2	197.3
44	6.3	201.9	111	4.5	198.2	178	5.3	196.1
45	6.2	201.3	112	4.6	198.8	179	5.5	195.5
46	6.1	200.6	113	4.4	199.8	180	5.5	196.2
47	5.8	199.0	114	4.2	200.5	181	5.6	197.7
48	5.7	198.5	115	3.8	199.0	182	5.3	196.6
49	5.4	196.9	116	3.4	196.7	183	5.0	195.1
50	5.0	196.4	117	3.6	199.4	184	4.7	192.6
51	4.6	196.5	118	3.9	203.2	185	4.4	189.7
52	4.2	196.0	119	4.4	202.6	186	4.3	187.7
53	4.0	196.9	120	4.9	201.5	187	4.5	190.3
54	4.1	198.9	121	5.4	201.1	188	4.8	194.5
55	4.4	198.6	122	5.4	199.6	189	4.9	194.3
56	4.2	196.1	123	5.1	197.1	190	4.9	194.3
57	4.0	193.7	124	4.6	194.6			
58	4.1	194.7	125	4.5	195.0			
59	4.5	196.2	126	4.4	194.4			
60	4.8	195.7	127	4.2	192.4			
61	4.8	195.6	128	3.9	189.9			
62	5.0	195.0	129	3.5	190.5			
63	5.3	195.8	130	3.4	190.0			
64	5.5	197.3	131	3.5	190.7			
65	5.6	198.1	132	3.6	190.4			
66	5.6	199.7	133	3.6	189.2			


CAMP CARIBOU STATION 196
DATE 3/ 2/76 TIME 2301(GMT)
TRUE DIRECTION
0 90 180 270 360
0 50 100 150 200
DEPTH (M)
0 5 10 15 20 25
SPEED CM/SEC


CAMP CARIBOU STATION 204
DATE 5/ 2/76 TIME 2305(GMT)
TRUE DIRECTION
0 90 180 270 360
0 50 100 150 200
DEPTH (M)
0 5 10 15 20 25
SPEED CM/SEC

CARIBOU STATION 196 (191M.) 3/FEB/76 2301 GMT
LAT= 73.1117N LONG= 144.0056W LTER= 0. LGER= 0.
NIVEL= -0.9 EIVEL= -6.1 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	9.2	245.6	134	9.0	249.2
1	0.0	999.9	68	9.4	245.0	135	9.2	249.0
2	0.0	999.9	69	9.5	244.9	136	9.4	248.9
3	0.0	999.9	70	9.3	245.4	137	9.4	248.7
4	0.0	999.9	71	9.2	245.9	138	9.3	248.1
5	7.6	241.5	72	9.3	245.6	139	9.3	248.0
6	7.8	243.0	73	9.4	246.0	140	9.3	248.0
7	8.0	243.9	74	9.5	247.9	141	9.3	248.0
8	8.1	244.3	75	9.7	249.0	142	9.3	248.0
9	8.1	244.2	76	9.9	248.5	143	9.3	248.1
10	8.1	244.1	77	10.4	247.4	144	9.1	248.5
11	8.2	243.9	78	10.6	247.0	145	9.0	248.9
12	8.1	244.2	79	10.3	247.5	146	9.0	249.0
13	8.1	244.5	80	10.0	248.1	147	9.1	248.6
14	8.1	245.3	81	9.7	248.8	148	9.2	248.3
15	8.2	246.4	82	9.7	248.8	149	9.4	247.9
16	8.2	246.4	83	10.0	248.2	150	9.6	247.5
17	8.2	246.4	84	10.0	248.3	151	10.0	246.6
18	8.2	246.4	85	10.0	248.4	152	10.5	248.0
19	8.2	246.2	86	10.0	248.6	153	10.6	247.8
20	8.3	246.3	87	9.9	248.8	154	10.7	247.7
21	8.5	246.9	88	9.8	249.0	155	10.5	248.0
22	8.7	247.3	89	9.7	249.2	156	10.4	248.3
23	8.9	246.8	90	9.5	249.5	157	10.3	248.6
24	8.8	247.0	91	9.3	249.9	158	10.2	248.6
25	8.8	247.1	92	9.1	248.4	159	10.1	248.7
26	8.7	247.2	93	9.0	248.6	160	10.0	248.7
27	8.7	247.3	94	9.0	248.7	161	9.9	248.8
28	8.7	247.4	95	9.1	248.5	162	9.9	249.0
29	8.7	247.8	96	9.2	248.3	163	9.9	248.9
30	8.8	248.9	97	9.3	248.0	164	10.1	248.6
31	8.9	250.0	98	9.4	247.7	165	10.2	248.4
32	9.0	250.5	99	9.6	248.1	166	10.5	247.9
33	9.1	250.2	100	9.9	248.2	167	10.7	247.5
34	9.2	250.0	101	10.1	247.8	168	10.6	247.8
35	9.3	249.8	102	9.9	247.5	169	10.2	248.3
36	9.3	249.7	103	9.6	247.5	170	9.9	249.1
37	9.2	250.1	104	9.3	247.9	171	9.4	249.6
38	9.2	251.4	105	9.0	248.6	172	8.7	249.5
39	9.1	252.5	106	8.8	249.3	173	7.9	249.5
40	9.0	252.9	107	8.9	249.2	174	7.6	247.9
41	8.2	253.0	108	9.1	250.8	175	7.7	248.7
42	7.8	252.1	109	9.1	250.4	176	7.9	250.8
43	7.5	249.1	110	9.0	250.7	177	7.9	251.0
44	7.1	246.1	111	8.9	250.9	178	7.9	251.0
45	6.7	244.3	112	9.0	250.7	179	7.9	251.0
46	6.7	244.0	113	9.1	250.3	180	8.4	249.2
47	6.8	244.4	114	9.3	249.9	181	9.1	247.1
48	7.2	246.4	115	9.5	249.4	182	9.3	248.3
49	7.5	248.9	116	9.7	249.0	183	9.3	248.2
50	7.7	249.8	117	9.9	248.5	184	9.5	247.8
51	7.6	249.5	118	10.2	247.9	185	10.4	247.9
52	7.5	248.7	119	10.5	247.3	186	11.0	247.0
53	7.4	247.7	120	10.4	247.5	187	11.1	246.9
54	7.4	247.4	121	10.3	247.8	188	10.4	247.1
55	7.4	247.3	122	10.1	248.1	189	9.5	246.9
56	7.4	247.3	123	9.9	248.5	190	9.6	245.5
57	7.4	247.3	124	9.8	248.8	191	9.6	245.5
58	8.0	245.4	125	9.6	249.2			
59	8.8	244.9	126	9.5	249.4			
60	9.3	245.6	127	9.4	249.6			
61	9.3	245.4	128	9.6	249.3			
62	9.1	246.0	129	9.8	248.8			
63	8.9	246.8	130	10.0	248.5			
64	8.7	247.4	131	9.5	249.1			
65	8.9	246.8	132	9.0	248.8			
66	9.1	246.1	133	8.6	249.7			

CARIBOU STATION 204 (192M.) 5/FEB/76 2305 GMT
LAT= 73.0788N LONG= 144.0560W LTER= 0. LGER= 0.
NIVEL= -5.2 EIVEL= -0.1 NVER= 0. FVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	11.4	206.8	134	7.1	192.2
1	0.0	999.9	68	11.6	207.0	135	7.2	191.1
2	0.0	999.9	69	10.9	205.6	136	7.1	191.6
3	0.0	999.9	70	10.1	204.1	137	7.1	192.6
4	0.0	999.9	71	9.4	202.3	138	7.1	192.7
5	10.2	197.1	72	9.1	201.6	139	7.0	192.5
6	9.3	202.6	73	9.6	202.8	140	7.6	195.4
7	8.3	205.6	74	10.1	203.9	141	8.4	200.4
8	4.1	120.9	75	10.6	204.8	142	8.9	204.0
9	6.4	119.5	76	10.3	204.0	143	9.0	203.4
10	8.0	134.6	77	9.9	203.2	144	8.7	201.8
11	8.8	144.0	78	9.5	202.4	145	8.4	200.5
12	9.3	152.8	79	9.2	201.4	146	8.2	198.6
13	9.8	157.8	80	8.8	200.4	147	8.2	197.2
14	10.3	162.5	81	8.5	199.2	148	8.2	197.1
15	10.6	165.3	82	8.1	198.1	149	8.2	197.1
16	10.7	165.6	83	7.8	196.3	150	8.0	196.5
17	10.3	166.5	84	8.1	196.0	151	7.3	194.1
18	9.8	167.4	85	8.5	198.4	152	7.0	192.8
19	9.4	168.4	86	8.7	201.8	153	7.0	192.8
20	9.8	170.4	87	9.0	205.3	154	7.0	192.8
21	10.3	173.8	88	9.4	205.6	155	7.0	192.9
22	10.7	177.6	89	10.0	204.8	156	7.1	191.5
23	10.6	178.5	90	10.4	205.1	157	7.2	190.7
24	10.4	178.9	91	10.8	206.8	158	7.1	191.1
25	10.3	179.7	92	10.7	207.2	159	7.1	192.2
26	10.3	181.1	93	10.0	205.2	160	7.0	192.6
27	11.0	181.3	94	9.4	203.1	161	7.0	192.6
28	10.6	181.5	95	8.8	199.9	162	7.4	194.2
29	10.1	182.3	96	8.1	196.4	163	8.3	197.3
30	10.2	185.9	97	8.3	196.6	164	8.4	197.7
31	10.6	190.0	98	8.5	197.4	165	8.5	198.0
32	10.6	194.0	99	8.7	199.4	166	8.2	197.2
33	10.4	197.9	100	8.9	201.4	167	7.5	194.7
34	10.7	201.4	101	9.1	202.6	168	7.3	193.2
35	11.5	203.3	102	9.4	202.7	169	7.3	192.4
36	12.4	205.5	103	9.1	201.7	170	7.4	192.0
37	13.3	207.7	104	8.9	200.9	171	7.3	193.3
38	14.1	210.0	105	8.6	200.2	172	7.4	195.4
39	13.8	208.0	106	8.3	199.3	173	8.3	199.6
40	12.7	204.6	107	8.3	199.2	174	8.9	201.3
41	11.6	201.1	108	8.4	198.6	175	8.7	197.4
42	10.7	192.9	109	8.5	198.1	176	7.9	190.3
43	9.6	185.0	110	7.7	195.3	177	7.5	186.1
44	8.3	180.0	111	7.2	193.2	178	7.5	183.3
45	7.7	180.1	112	7.2	193.3	179	7.5	180.6
46	7.6	180.1	113	7.2	193.4	180	7.5	180.6
47	7.6	180.1	114	7.2	193.4	181	7.5	180.6
48	7.6	180.1	115	7.2	193.5	182	7.5	181.8
49	7.6	180.0	116	7.1	194.6	183	7.4	187.2
50	7.5	179.0	117	7.1	195.0	184	7.3	190.5
51	7.5	178.4	118	7.1	195.1	185	7.2	192.5
52	7.5	179.1	119	7.2	195.2	186	7.2	193.1
53	7.4	180.4	120	7.2	195.2	187	7.1	193.1
54	7.4	181.4	121	7.2	195.2	188	7.2	192.2
55	7.4	181.5	122	7.1	195.1	189	7.3	190.5
56	7.9	181.6	123	7.1	195.0	190	7.4	188.8
57	8.1	181.7	124	7.1	195.0	191	7.4	187.9
58	8.2	181.8	125	7.1	194.9	192	7.4	187.7
59	8.2	183.6	126	7.1	194.6			
60	8.1	187.8	127	7.2	193.3			
61	8.1	190.3	128	7.2	193.1			
62	8.1	192.3	129	7.2	192.9			
63	8.0	194.4	130	7.1	193.1			
64	8.7	198.9	131	7.1	193.8			
65	9.6	203.1	132	7.0	194.5			
66	10.6	205.4	133	7.1	193.4			


CAMP CARIBOU STATION 206
DATE 6/ 2/76 TIME 1040(GMT)
TRUE DIRECTION
SPEED CM/SEC
DEPTH (M)


CAMP CARIBOU STATION 205
DATE 6/ 2/76 TIME 449(GMT)
TRUE DIRECTION
SPEED CM/SEC
DEPTH (M)

CARIBOU STATION 205 (192M.) 6/FEB/76 449 GMT
LAT= 73.0666N LONG= 144.0618W LTER= 1. LGER= 1.
NIVEL= -6.2 EIVEL= 0.8 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	10.0	203.6	134	8.4	198.4
1	0.0	999.9	68	9.9	201.4	135	8.5	198.2
2	0.0	999.9	69	9.6	200.2	136	8.7	197.1
3	0.0	999.9	70	9.7	200.6	137	8.6	194.8
4	0.0	999.9	71	9.8	201.2	138	8.2	193.4
5	9.3	207.7	72	10.0	201.9	139	8.1	193.0
6	9.2	207.7	73	10.1	202.2	140	8.1	193.1
7	9.0	207.2	74	10.2	202.4	141	8.2	193.2
8	9.1	207.7	75	10.3	202.9	142	8.3	195.0
9	9.3	207.6	76	10.5	203.5	143	8.3	196.7
10	9.4	206.5	77	10.6	204.1	144	8.2	197.1
11	9.5	203.8	78	10.8	203.4	145	8.5	197.3
12	9.5	201.5	79	10.7	202.3	146	8.9	196.7
13	9.7	201.8	80	10.6	202.1	147	9.2	197.3
14	9.8	202.5	81	10.5	201.8	148	9.5	198.4
15	10.0	203.1	82	10.4	202.1	149	9.5	198.4
16	10.3	202.8	83	10.2	202.5	150	9.4	197.9
17	10.5	201.9	84	10.0	202.9	151	9.1	197.2
18	10.6	201.0	85	9.9	203.6	152	8.9	197.5
19	10.5	201.3	86	10.0	204.7	153	8.7	197.2
20	10.4	201.6	87	10.3	205.3	154	8.7	197.1
21	10.3	202.0	88	10.4	205.5	155	8.7	197.0
22	10.3	202.3	89	10.4	204.7	156	8.7	197.0
23	10.4	202.7	90	9.9	202.0	157	8.6	196.3
24	10.5	203.2	91	9.2	200.1	158	8.4	195.0
25	10.7	203.8	92	8.7	198.5	159	8.1	192.7
26	10.9	204.3	93	8.5	198.6	160	7.6	189.7
27	11.1	204.4	94	8.2	198.5	161	7.5	189.2
28	11.4	203.9	95	8.0	198.4	162	7.5	189.2
29	11.5	203.9	96	7.8	199.4	163	7.6	189.0
30	11.6	204.1	97	8.0	200.5	164	7.6	189.0
31	11.6	204.4	98	8.5	201.9	165	7.5	189.7
32	11.7	205.4	99	9.1	202.5	166	7.4	190.1
33	11.9	206.7	100	9.2	202.4	167	7.4	190.1
34	12.1	207.7	101	9.2	202.4	168	7.5	190.1
35	12.2	207.9	102	9.1	203.5	169	7.5	190.2
36	12.1	207.8	103	8.9	202.6	170	7.8	192.0
37	12.0	207.6	104	8.7	200.9	171	8.0	193.2
38	11.4	206.6	105	8.8	201.1	172	8.1	193.7
39	10.5	204.0	106	9.2	202.9	173	8.4	195.2
40	9.6	201.6	107	9.5	202.3	174	8.7	197.1
41	8.5	199.1	108	9.5	202.1	175	8.7	197.6
42	9.0	203.1	109	9.5	202.1	176	8.8	197.0
43	9.5	204.3	110	9.6	202.4	177	9.1	196.5
44	9.6	203.7	111	9.7	203.2	178	9.2	197.0
45	9.6	203.6	112	9.4	203.2	179	9.3	197.5
46	9.9	204.0	113	9.0	203.1	180	9.3	197.3
47	10.5	204.3	114	8.8	203.0	181	9.2	196.7
48	10.8	203.4	115	8.5	203.2	182	9.2	195.6
49	10.6	202.7	116	8.4	202.4	183	9.1	195.2
50	10.4	202.2	117	8.2	201.6	184	8.9	196.1
51	10.6	203.2	118	8.1	200.6	185	8.5	196.4
52	10.9	204.2	119	8.0	199.1	186	8.3	195.2
53	10.5	204.4	120	8.1	199.4	187	8.5	196.8
54	10.1	204.6	121	8.0	198.8	188	8.7	196.7
55	9.9	203.5	122	7.9	198.2	189	9.2	198.7
56	9.6	202.5	123	7.8	197.5	190	9.6	198.6
57	9.4	201.9	124	8.0	198.9	191	10.0	199.2
58	9.5	202.2	125	8.3	199.4	192	10.0	196.9
59	9.6	202.5	126	8.3	198.2			
60	9.6	202.5	127	8.2	196.7			
61	9.5	201.7	128	8.1	195.3			
62	9.2	200.3	129	8.0	195.1			
63	8.7	199.6	130	8.0	195.4			
64	8.5	200.6	131	8.2	196.8			
65	8.6	202.6	132	8.4	198.2			
66	9.3	203.6	133	8.4	198.5			

CARIBOU STATION 206 (191M.) 6/FEB/76 1040 GMT
LAT= 73.0547N LONG= 144.0342W LTER= 0. LGER= 0.
NIVEL= -8.1 EIVEL= 6.1 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	8.8	185.1	134	7.8	196.4
1	0.0	999.9	68	8.8	183.7	135	7.8	195.1
2	0.0	999.9	69	8.6	183.7	136	7.8	194.5
3	0.0	999.9	70	8.5	184.2	137	7.8	196.9
4	0.0	999.9	71	8.4	183.5	138	7.9	198.7
5	7.1	189.4	72	8.2	183.3	139	7.9	198.7
6	7.5	190.8	73	7.9	186.8	140	7.7	197.3
7	7.8	195.4	74	7.8	190.1	141	7.5	195.8
8	8.6	190.5	75	7.8	192.0	142	7.3	195.6
9	8.8	187.6	76	7.9	190.3	143	7.4	196.6
10	8.4	191.7	77	8.0	188.7	144	7.4	197.5
11	8.1	195.9	78	7.9	191.1	145	7.5	199.4
12	8.1	196.2	79	7.8	191.6	146	7.5	202.1
13	8.2	196.7	80	7.8	189.8	147	7.6	202.6
14	8.4	197.1	81	7.9	188.8	148	7.6	200.9
15	8.6	198.0	82	8.1	189.3	149	7.6	200.6
16	8.6	196.1	83	8.3	190.6	150	7.4	204.6
17	8.5	197.6	84	8.2	190.7	151	7.5	207.4
18	8.5	197.9	85	8.1	190.9	152	7.4	204.0
19	8.8	199.2	86	7.9	191.6	153	7.4	20 .0
20	9.1	200.5	87	7.7	191.0	154	7.3	205.8
21	9.3	201.4	88	7.6	189.2	155	7.3	204.7
22	9.1	200.8	89	7.5	187.1	156	7.3	203.6
23	9.0	200.4	90	8.0	187.2	157	7.2	203.6
24	9.0	200.5	91	8.6	186.9	158	7.1	205.0
25	9.0	200.6	92	8.5	188.4	159	6.7	207.7
26	9.1	201.1	93	8.5	190.4	160	6.7	207.6
27	9.2	201.8	94	8.4	192.4	161	6.8	207.1
28	9.4	202.4	95	8.3	194.4	162	6.8	208.9
29	9.5	203.2	96	8.2	196.2	163	6.9	211.4
30	9.6	203.5	97	8.2	196.1	164	6.9	211.9
31	9.4	203.0	98	8.2	196.0	165	6.9	210.5
32	9.5	203.3	99	8.1	195.2	166	6.8	209.2
33	9.5	203.7	100	8.1	193.6	167	6.8	207.9
34	9.6	204.0	101	8.0	192.0	168	7.0	206.5
35	9.7	204.4	102	7.9	190.6	169	7.3	205.0
36	9.6	204.6	103	7.8	190.2	170	7.2	203.7
37	9.3	206.1	104	7.7	191.6	171	7.2	202.3
38	8.8	209.0	105	7.7	192.4	172	7.2	201.0
39	8.5	208.4	106	7.7	193.3	173	7.0	205.0
40	8.5	206.6	107	7.8	194.1	174	6.9	209.4
41	8.7	205.6	108	7.8	194.9	175	7.1	213.1
42	8.7	203.5	109	7.9	193.6	176	7.2	213.9
43	8.5	200.5	110	7.9	192.7	177	7.1	211.0
44	8.4	197.5	111	7.9	195.2	178	7.0	207.9
45	8.2	194.3	112	7.9	197.7	179	6.9	206.8
46	8.2	191.0	113	8.0	198.2	180	6.9	207.3
47	8.1	187.8	114	8.0	197.7	181	6.8	206.9
48	8.1	185.2	115	8.0	196.1	182	6.9	207.8
49	8.2	183.1	116	7.9	194.4	183	7.0	209.2
50	8.1	183.2	117	7.9	192.7	184	7.0	210.6
51	8.1	183.4	118	7.8	191.1	185	7.5	210.6
52	8.1	184.0	119	7.9	191.4	186	7.7	208.8
53	8.2	184.7	120	7.9	193.2	187	7.6	205.4
54	8.1	184.9	121	7.9	195.1	188	7.2	203.8
55	8.0	183.6	122	7.9	196.6	189	7.2	207.5
56	8.2	182.0	123	7.8	197.5	190	7.4	211.9
57	8.6	183.2	124	7.7	196.9	191	7.8	213.1
58	8.8	185.4	125	7.7	195.7			
59	8.8	185.3	126	7.7	196.4			
60	8.7	185.1	127	7.7	198.0			
61	9.0	184.8	128	7.7	199.6			
62	9.0	183.8	129	7.7	199.6			
63	9.0	184.8	130	7.7	199.1			
64	8.9	186.4	131	7.8	198.5			
65	8.8	187.1	132	7.8	198.0			
66	8.9	186.4	133	7.8	197.5			


CAMP CARIBOU STATION 208
DATE 6/ 2/76 TIME 2248(GMT)
TRUE DIRECTION
0
90
180
270
360
DEPTH (M)
0
50
100
150
200
SPEED CM/SEC
0
5
10
15
20
25


CAMP CARIBOU STATION 207
DATE 6/ 2/76 TIME 1653(GMT)
TRUE DIRECTION
0
90
180
270
360
DEPTH (M)
0
50
100
150
200
SPEED CM/SEC
0
5
10
15
20
25

CARIBOU STATION 207 (191M.) 6/FEB/76 1653 GMT
LAT= 73.0443N LONG= 143.9864W LTER= 0. LGER= 0.
NIVEL= -2.7 EIVEL= 8.1 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	3.7	87.7	134	1.1	25.7
1	0.0	999.9	68	3.5	85.3	135	1.1	10.2
2	0.0	999.9	69	3.4	83.7	136	1.3	356.6
3	0.0	999.9	70	3.4	85.2	137	1.4	347.3
4	0.0	999.9	71	3.5	86.4	138	1.6	341.0
5	1.9	331.4	72	3.7	86.4	139	1.8	335.4
6	2.2	339.4	73	4.0	85.2	140	1.8	335.5
7	2.2	346.1	74	4.1	84.2	141	1.6	332.5
8	2.3	346.9	75	3.9	82.4	142	1.3	333.0
9	2.5	339.7	76	3.7	80.9	143	1.2	341.1
10	2.8	334.2	77	3.6	81.4	144	1.0	352.6
11	2.7	334.7	78	3.4	84.5	145	0.6	7.9
12	2.3	334.6	79	3.4	86.4	146	0.4	25.7
13	1.9	337.9	80	3.5	83.8	147	0.5	13.2
14	1.8	339.7	81	3.4	77.4	148	0.7	343.2
15	2.0	336.9	82	3.1	69.1	149	0.9	326.4
16	2.0	335.1	83	2.7	63.0	150	1.2	316.7
17	1.8	339.5	84	2.0	58.9	151	1.2	312.7
18	1.6	348.1	85	1.5	55.1	152	1.2	324.3
19	1.3	4.0	86	1.4	48.7	153	1.2	335.2
20	1.3	13.9	87	1.4	39.6	154	1.1	336.3
21	1.2	21.8	88	1.3	36.0	155	1.2	332.8
22	0.8	32.2	89	1.3	25.7	156	1.3	328.2
23	0.8	31.3	90	1.4	15.2	157	1.5	324.0
24	0.8	10.3	91	1.2	10.9	158	1.7	319.7
25	1.1	357.7	92	1.1	23.3	159	1.8	323.0
26	1.3	349.4	93	1.1	39.5	160	1.6	342.9
27	1.4	340.2	94	1.2	53.9	161	1.2	2.1
28	1.6	330.2	95	1.4	62.0	162	1.2	2.3
29	1.5	329.6	96	1.6	67.6	163	1.2	2.3
30	1.3	330.9	97	1.7	67.5	164	1.1	20.7
31	1.2	337.6	98	1.7	60.6	165	1.2	40.9
32	1.5	350.8	99	1.4	54.7	166	1.3	57.4
33	1.8	354.2	100	1.3	46.5	167	1.2	49.9
34	1.8	356.9	101	1.1	43.5	168	1.2	44.0
35	1.8	359.7	102	1.1	50.4	169	1.3	53.0
36	1.6	0.4	103	1.1	49.3	170	1.4	60.7
37	1.5	1.0	104	1.0	33.8	171	1.7	73.8
38	1.6	355.8	105	1.0	19.3	172	1.8	76.1
39	1.8	346.4	106	1.0	21.3	173	1.6	68.8
40	1.4	10.3	107	1.1	25.7	174	1.3	52.3
41	1.1	53.6	108	1.1	28.6	175	1.2	45.5
42	1.8	76.1	109	1.1	25.4	176	1.4	55.4
43	2.4	77.0	110	1.1	23.6	177	1.0	64.4
44	2.7	73.3	111	1.1	23.3	178	0.8	65.9
45	2.7	70.5	112	1.0	32.1	179	0.8	46.6
46	2.7	67.3	113	1.1	47.0	180	0.9	29.6
47	2.7	65.2	114	1.4	55.7	181	1.0	16.5
48	2.8	66.8	115	1.7	59.2	182	0.9	32.3
49	2.8	65.8	116	1.7	51.3	183	0.8	36.4
50	2.8	66.2	117	1.5	39.3	184	0.8	26.9
51	2.7	67.1	118	1.3	23.9	185	0.8	24.5
52	2.5	69.4	119	1.2	5.4	186	0.8	32.0
53	2.3	70.3	120	1.4	350.4	187	0.8	39.5
54	2.0	72.4	121	1.7	340.3	188	1.0	47.2
55	1.9	71.6	122	1.9	333.9	189	1.2	53.1
56	1.8	72.1	123	1.7	338.4	190	1.4	60.0
57	1.8	74.0	124	1.6	344.7	191	1.5	66.4
58	2.0	77.3	125	1.4	352.3			
59	2.1	78.0	126	1.3	3.2			
60	2.2	76.5	127	1.2	16.4			
61	2.5	80.0	128	1.2	30.2			
62	2.8	85.9	129	1.2	43.1			
63	3.1	91.2	130	1.3	53.8			
64	3.5	93.5	131	1.4	59.9			
65	3.8	92.9	132	1.2	50.8			
66	3.8	90.3	133	1.1	39.5			

CARIBOU STATION 208 (190M.) 6/FEB/76 2248 GMT
LAT= 73.0393N LONG= 143.9191W LTER= 0. LGER= 0.
NIVEL= -3.1 EIVEL= 7.4 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	3.1	301.1	134	4.2	292.2
1	0.0	999.9	68	3.5	300.5	135	3.9	292.1
2	0.0	999.9	69	3.6	300.4	136	3.6	291.9
3	0.0	999.9	70	3.7	300.3	137	3.5	292.0
4	0.0	999.9	71	3.6	300.5	138	3.5	291.9
5	1.1	168.1	72	3.3	301.0	139	3.7	291.8
6	0.2	285.8	73	3.0	301.6	140	3.8	291.7
7	0.6	323.5	74	3.6	300.5	141	3.3	291.3
8	0.7	335.8	75	4.2	299.8	142	2.8	291.2
9	0.8	337.3	76	4.4	299.6	143	3.2	291.5
10	0.9	334.9	77	4.4	299.7	144	3.6	291.9
11	1.1	325.8	78	4.0	300.2	145	4.2	292.0
12	1.1	324.3	79	3.5	300.7	146	4.8	292.4
13	1.2	317.4	80	3.1	301.5	147	4.9	292.7
14	1.6	308.9	81	2.6	302.5	148	4.6	292.8
15	1.9	302.6	82	2.4	303.0	149	4.6	293.0
16	1.7	300.6	83	2.7	302.6	150	4.4	299.0
17	1.5	302.4	84	3.1	301.9	151	4.1	302.1
18	1.7	302.0	85	3.5	301.6	152	4.0	302.0
19	2.0	301.3	86	3.9	301.0	153	3.9	302.3
20	2.3	300.4	87	4.2	300.7	154	3.7	302.3
21	2.8	299.9	88	3.9	302.8	155	3.4	302.9
22	3.3	299.1	89	3.4	306.1	156	3.6	303.2
23	3.8	298.6	90	3.0	309.6	157	4.4	301.8
24	3.8	298.7	91	2.6	313.4	158	4.5	302.0
25	3.8	298.8	92	2.3	314.2	159	4.5	302.1
26	3.8	298.8	93	2.3	311.6	160	4.8	301.7
27	4.0	298.6	94	2.6	306.2	161	5.1	301.4
28	4.2	298.4	95	2.8	304.2	162	5.3	301.2
29	4.5	298.2	96	3.2	303.3	163	5.3	301.2
30	4.7	298.0	97	3.7	302.0	164	5.0	301.6
31	4.9	297.9	98	3.8	301.6	165	4.8	301.7
32	4.9	298.0	99	3.7	301.5	166	4.8	301.7
33	4.9	298.3	100	3.5	301.9	167	5.2	301.3
34	4.8	298.4	101	3.3	302.6	168	5.4	301.1
35	4.7	298.6	102	3.2	303.0	169	5.7	300.9
36	4.6	298.8	103	3.2	303.2	170	5.8	300.9
37	4.5	300.1	104	3.2	303.3	171	6.0	300.9
38	4.4	303.2	105	3.3	302.9	172	6.2	300.9
39	4.3	306.3	106	3.3	302.6	173	6.4	300.8
40	3.9	307.7	107	3.3	302.1	174	6.5	300.8
41	3.5	305.8	108	3.4	301.7	175	5.9	301.1
42	3.1	303.7	109	3.0	302.4	176	5.4	301.5
43	3.0	301.1	110	2.5	303.5	177	5.0	301.9
44	3.0	300.5	111	2.1	304.6	178	4.3	302.6
45	3.0	300.6	112	2.1	304.6	179	3.6	303.8
46	3.1	300.4	113	2.1	305.4	180	3.2	304.6
47	3.0	300.7	114	2.1	306.0	181	3.0	305.2
48	2.9	300.9	115	2.2	309.5	182	2.4	307.4
49	2.8	301.2	116	2.4	313.4	183	1.9	310.4
50	2.7	301.4	117	2.6	314.9	184	1.7	312.3
51	2.6	301.7	118	2.7	315.1	185	1.8	311.1
52	2.6	301.9	119	2.7	315.0	186	1.8	310.9
53	2.8	301.2	120	2.8	314.6	187	2.2	308.4
54	3.1	300.7	121	2.8	314.5	188	2.6	302.1
55	3.4	300.2	122	3.0	313.2	189	2.9	295.6
56	3.8	299.8	123	3.4	311.0	190	2.9	295.6
57	4.2	299.4	124	3.7	309.5			
58	4.4	299.5	125	4.1	307.8			
59	4.1	299.8	126	4.2	306.3			
60	3.6	300.6	127	4.3	302.4			
61	3.6	300.8	128	4.7	300.9			
62	3.9	300.1	129	5.1	300.8			
63	4.5	299.3	130	5.0	301.0			
64	4.0	299.9	131	4.9	301.3			
65	3.4	300.7	132	4.7	300.4			
66	2.9	301.5	133	4.4	293.9			


CAMP CARIBOU STATION 210
DATE 7/ 2/76 TIME 1058(GMT)
TRUE DIRECTION
0
90
180
270
360
SPEED CM/SEC
0
5
10
15
20
25
DEPTH (M)
0
50
100
150
200


CAMP CARIBOU STATION 209
DATE 7/ 2/76 TIME 447(GMT)
TRUE DIRECTION
0
90
180
270
360
SPEED CM/SEC
0
5
10
15
20
25
DEPTH (M)
0
50
100
150
200

CARIBOU STATION 209 (191M.) 7/FEB/76 447 GMT
LAT= 73.0310N LONG= 143.8523W LTER= 0. LGER= 1.
NIVEL= -4.9 EIVEL= 11.7 NVER= 0. FVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	2.3	128.3	134	2.2	120.7
1	0.0	999.9	68	2.4	127.5	135	2.2	120.5
2	0.0	999.9	69	3.1	123.5	136	1.9	121.7
3	0.0	999.9	70	3.8	120.7	137	1.7	123.3
4	0.0	999.9	71	3.5	121.6	138	1.4	125.2
5	3.1	158.4	72	2.8	124.6	139	1.2	127.8
6	2.3	146.4	73	2.2	129.1	140	1.0	129.7
7	2.2	132.0	74	1.6	136.8	141	1.2	127.3
8	1.8	136.7	75	1.6	136.9	142	1.4	124.4
9	1.5	144.1	76	1.8	132.3	143	1.6	122.8
10	1.5	142.9	77	2.3	127.7	144	1.6	122.7
11	2.1	133.2	78	2.7	124.4	145	1.7	122.7
12	2.2	131.6	79	2.7	124.5	146	1.5	123.2
13	2.0	134.2	80	2.3	126.5	147	1.2	126.2
14	1.7	138.3	81	1.8	131.5	148	1.1	128.0
15	1.6	140.5	82	1.7	134.0	149	1.5	123.8
16	1.7	139.1	83	2.0	129.1	150	1.8	120.9
17	1.8	137.0	84	2.3	126.7	151	2.0	120.3
18	1.9	135.3	85	2.3	126.2	152	1.9	120.8
19	1.8	136.2	86	2.4	125.6	153	1.7	121.4
20	1.7	139.3	87	2.3	125.9	154	2.0	120.2
21	1.9	135.3	88	2.1	126.9	155	2.1	119.6
22	2.2	131.8	89	1.9	127.3	156	2.2	119.2
23	2.2	131.3	90	2.1	118.4	157	2.5	118.3
24	1.9	135.6	91	2.1	114.0	158	2.9	117.3
25	1.5	137.8	92	1.7	114.2	159	3.2	116.8
26	1.1	141.3	93	1.3	114.8	160	3.4	116.7
27	1.1	133.7	94	0.9	116.0	161	3.6	116.4
28	1.3	131.7	95	0.8	113.3	162	3.8	116.2
29	1.4	137.4	96	1.0	111.8	163	3.6	116.6
30	1.3	148.0	97	1.3	111.4	164	3.3	116.9
31	1.1	154.9	98	1.9	111.4	165	3.2	117.0
32	1.0	163.2	99	2.5	111.7	166	3.4	116.8
33	0.9	170.9	100	2.7	111.9	167	3.6	116.5
34	0.9	169.9	101	2.8	112.4	168	4.0	116.2
35	0.9	168.7	102	2.7	112.3	169	4.4	115.8
36	1.0	167.1	103	2.6	111.9	170	4.8	115.8
37	1.0	165.6	104	2.7	112.1	171	4.9	115.9
38	0.9	176.1	105	2.6	111.9	172	4.9	115.9
39	0.8	197.9	106	2.1	110.7	173	4.2	114.8
40	0.9	219.0	107	1.6	125.3	174	3.6	114.4
41	0.8	195.3	108	1.2	138.3	175	2.9	117.7
42	1.2	153.2	109	1.1	141.4	176	2.3	122.4
43	1.9	135.5	110	1.2	138.0	177	1.7	126.2
44	2.2	128.6	111	1.3	135.3	178	1.1	135.2
45	1.7	126.0	112	1.5	130.7	179	1.2	132.7
46	1.9	119.0	113	1.7	127.8	180	1.5	128.6
47	2.2	116.0	114	1.9	125.6	181	1.7	125.8
48	1.7	117.7	115	1.9	126.0	182	2.0	123.6
49	1.2	121.7	116	1.8	126.6	183	2.3	122.1
50	1.0	124.6	117	1.8	127.1	184	2.5	120.6
51	1.2	122.1	118	1.7	127.0	185	2.7	124.6
52	1.4	119.8	119	1.6	127.6	186	2.8	130.9
53	1.8	117.9	120	1.6	127.8	187	2.9	130.3
54	1.8	118.6	121	1.5	128.5	188	2.9	125.3
55	1.4	120.1	122	1.5	127.7	189	3.0	120.6
56	1.1	120.7	123	1.5	126.9	190	2.6	119.0
57	1.4	118.2	124	1.7	125.2	191	2.6	119.0
58	1.8	129.1	125	1.7	124.8			
59	2.1	131.4	126	1.6	125.6			
60	2.2	130.4	127	1.5	127.0			
61	1.8	134.9	128	1.3	128.3			
62	1.5	141.3	129	1.2	130.2			
63	1.2	150.1	130	1.1	132.1			
64	1.1	151.6	131	1.4	127.2			
65	1.4	142.1	132	1.8	123.3			
66	2.0	131.9	133	2.0	121.8			

CARIBOU STATION 210 (188M.) 7/FEB/76 1058 GMT
LAT= 73.0195N LONG= 143.7687W LTER= 1. LGER= 1.
NIVEL= -4.2 EIVEL= 11.4 NVER= 0. FVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	949.9	67	8.0	291.9	134	6.4	294.6
1	0.0	999.9	68	8.6	291.9	135	5.9	294.9
2	0.0	999.9	69	9.1	291.8	136	5.5	295.1
3	0.0	999.9	70	9.7	291.7	137	5.8	295.0
4	0.0	999.9	71	10.2	291.7	138	6.3	294.7
5	0.7	219.0	72	10.1	291.8	139	6.8	294.5
6	0.2	192.2	73	9.7	291.8	140	6.4	294.8
7	0.7	140.0	74	8.6	292.1	141	5.7	295.2
8	0.6	210.7	75	7.6	292.2	142	5.4	295.4
9	1.3	254.2	76	6.5	292.7	143	5.5	295.4
10	1.9	262.7	77	5.5	293.0	144	5.9	295.4
11	2.1	264.2	78	4.4	293.6	145	6.1	295.3
12	2.0	263.2	79	3.3	294.6	146	5.7	295.5
13	2.2	266.9	80	4.1	294.0	147	5.0	296.0
14	2.0	265.7	81	5.2	293.4	148	4.4	296.1
15	1.7	260.7	82	5.5	293.3	149	3.8	296.9
16	2.2	266.8	83	5.3	293.7	150	3.2	297.8
17	2.2	267.6	84	4.8	293.9	151	3.6	297.1
18	2.1	267.3	85	4.7	299.6	152	4.3	296.1
19	1.8	265.8	86	5.0	302.7	153	4.9	295.6
20	1.2	253.6	87	5.0	305.5	154	5.4	295.2
21	0.9	242.9	88	4.7	310.2	155	5.6	295.1
22	0.7	221.5	89	4.3	313.4	156	5.9	294.8
23	0.7	217.7	90	4.6	313.2	157	6.2	294.6
24	0.7	166.2	91	5.1	311.3	158	6.4	294.5
25	0.7	166.5	92	5.6	310.2	159	6.2	294.6
26	0.7	242.2	93	6.3	308.9	160	6.0	294.7
27	1.3	267.8	94	6.8	301.5	161	5.9	294.8
28	1.2	256.8	95	7.3	298.4	162	6.2	294.7
29	1.3	245.2	96	7.2	298.4	163	6.5	294.4
30	1.6	242.8	97	7.1	298.8	164	6.7	294.3
31	2.0	240.6	98	7.3	298.8	165	6.6	294.4
32	2.5	259.8	99	7.5	298.8	166	6.6	294.4
33	2.5	267.6	100	7.6	298.8	167	6.7	294.1
34	2.4	269.6	101	7.6	298.8	168	6.8	294.1
35	2.3	269.0	102	6.9	299.2	169	6.8	294.1
36	2.5	271.0	103	6.2	299.8	170	6.6	294.1
37	2.4	270.6	104	5.4	300.4	171	6.2	294.2
38	2.1	268.3	105	4.6	301.7	172	5.8	294.3
39	1.7	264.3	106	4.2	302.6	173	5.4	294.5
40	1.4	257.6	107	4.1	303.2	174	5.0	294.8
41	2.1	268.5	108	4.2	303.3	175	4.7	295.3
42	3.6	277.0	109	4.8	302.1	176	4.5	295.4
43	4.3	278.5	110	5.4	301.1	177	4.5	295.4
44	4.7	278.9	111	5.5	300.8	178	4.1	296.1
45	4.6	279.0	112	5.1	301.3	179	3.7	296.4
46	4.5	279.1	113	4.6	301.8	180	3.5	296.7
47	4.4	279.3	114	4.2	302.6	181	3.5	296.7
48	4.4	279.2	115	3.9	303.6	182	3.6	296.4
49	4.4	279.3	116	3.8	304.3	183	3.7	296.5
50	4.4	279.3	117	4.2	299.4	184	4.2	295.9
51	4.5	279.8	118	4.7	295.2	185	4.6	295.7
52	4.8	280.6	119	5.0	295.2	186	5.1	295.0
53	5.4	281.4	120	5.3	295.0	187	5.5	294.7
54	6.0	282.1	121	5.4	295.0	188	5.5	294.7
55	6.6	282.6	122	5.4	295.0			
56	7.2	283.2	123	5.5	294.9			
57	7.5	283.3	124	5.6	295.0			
58	7.5	283.2	125	5.9	294.8			
59	7.1	283.2	126	6.2	294.7			
60	6.7	283.1	127	6.6	294.5			
61	6.3	288.6	128	7.0	294.3			
62	6.5	291.5	129	7.4	294.2			
63	6.7	291.6	130	7.7	294.1			
64	7.4	291.5	131	7.8	294.1			
65	7.5	291.7	132	7.5	294.2			
66	7.5	291.7	133	6.9	294.4			


CAMP CARIBOU STATION 212
DATE 7/ 2/76 TIME 2248(GMT)
TRUE DIRECTION
0
90
180
270
360
0
5
10
15
20
25
SPEED CM/SEC
0
50
(M)
100
DEPTH
150
200


CAMP CARIBOU STATION 211
DATE 7/ 2/76 TIME 1717(GMT)
TRUE DIRECTION
0
90
180
270
360
0
5
10
15
20
25
SPEED CM/SEC
0
50
(M)
100
DEPTH
150
200

CARIBOU STATION 211 (189M.) 7/FEB/76 1717 GMT
LAT= 73.0050N LONG= 143.6734W LTER= 0. LGER= 1.
NIVEL= -5.2 EIVEL= 10.6 NVER= 0. FVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	1.4	188.8	134	1.2	175.1
1	0.0	999.9	68	1.4	217.5	135	1.4	160.4
2	0.0	999.9	69	1.6	234.0	136	1.7	149.7
3	0.0	999.9	70	2.0	245.8	137	2.0	142.5
4	0.0	999.9	71	2.3	252.8	138	2.3	132.1
5	2.0	163.1	72	2.2	251.1	139	2.2	128.1
6	1.8	170.2	73	1.8	241.1	140	1.8	131.6
7	1.6	189.8	74	1.5	224.1	141	1.7	133.0
8	1.6	211.7	75	1.3	200.4	142	2.0	131.1
9	1.6	212.9	76	1.3	199.1	143	2.1	130.0
10	1.6	198.1	77	1.1	198.2	144	1.7	135.0
11	1.6	183.2	78	1.0	196.6	145	1.3	155.6
12	1.7	175.2	79	1.2	196.3	146	1.1	182.6
13	1.6	182.9	80	1.4	213.4	147	1.0	195.8
14	1.5	196.7	81	1.5	228.1	148	1.1	182.8
15	1.5	203.0	82	1.7	242.4	149	1.2	174.5
16	1.6	209.1	83	1.3	257.3	150	1.2	175.9
17	1.6	212.6	84	1.0	246.4	151	1.1	180.0
18	1.5	205.1	85	0.7	235.7	152	1.1	183.4
19	1.5	203.1	86	0.3	207.5	153	1.1	188.8
20	1.5	209.2	87	0.4	152.7	154	1.1	200.2
21	1.6	215.5	88	0.6	139.8	155	1.1	214.1
22	1.6	221.1	89	0.5	143.9	156	1.1	199.4
23	1.6	223.3	90	0.3	162.5	157	1.1	186.7
24	1.5	212.3	91	0.2	216.5	158	1.2	175.5
25	1.5	203.8	92	0.6	231.3	159	1.3	164.1
26	1.6	219.3	93	0.9	239.7	160	1.5	155.6
27	1.6	235.7	94	1.1	250.0	161	1.6	155.0
28	1.7	246.6	95	1.3	257.4	162	1.3	165.3
29	1.7	251.1	96	1.5	263.0	163	1.1	180.2
30	1.5	243.5	97	1.7	266.7	164	1.1	190.9
31	1.3	234.2	98	1.7	267.1	165	1.1	185.9
32	1.2	223.5	99	1.7	267.3	166	1.1	178.4
33	1.4	208.8	100	1.7	268.0	167	1.2	174.3
34	1.5	202.0	101	1.5	263.9	168	1.1	183.9
35	1.3	203.7	102	1.3	257.0	169	1.1	194.5
36	0.9	214.8	103	1.1	251.1	170	1.1	205.6
37	1.0	224.4	104	1.0	244.0	171	1.1	198.6
38	1.0	231.6	105	0.9	233.6	172	1.1	192.5
39	1.0	206.9	106	0.8	212.7	173	1.1	210.1
40	1.3	182.2	107	0.8	198.4	174	1.3	234.1
41	1.4	168.4	108	0.8	184.1	175	1.6	250.1
42	1.2	180.9	109	0.8	157.6	176	2.0	259.5
43	0.9	213.9	110	1.0	124.4	177	1.8	255.2
44	1.2	203.6	111	1.3	119.6	178	1.3	234.8
45	1.5	196.8	112	1.2	119.9	179	1.1	198.9
46	1.5	204.0	113	0.9	120.9	180	1.2	175.9
47	1.5	210.5	114	0.7	129.6	181	1.4	160.8
48	1.5	211.6	115	1.1	152.9	182	1.7	153.4
49	1.5	214.4	116	1.2	148.2	183	1.7	150.8
50	1.7	227.3	117	0.9	150.1	184	1.9	145.1
51	1.9	241.8	118	0.5	158.3	185	1.8	148.5
52	2.0	242.0	119	0.3	196.0	186	1.5	159.6
53	1.8	235.5	120	0.4	252.6	187	1.2	177.5
54	1.7	231.5	121	0.7	264.3	188	1.2	181.3
55	1.6	229.2	122	0.8	244.1	189	1.1	205.5
56	1.6	229.2	123	0.9	214.1			
57	1.5	218.2	124	1.2	205.3			
58	1.4	206.2	125	1.2	204.2			
59	1.4	193.1	126	1.2	203.5			
60	1.5	177.7	127	1.1	200.2			
61	1.7	165.1	128	1.1	196.1			
62	1.9	155.2	129	1.1	192.4			
63	2.0	151.4	130	1.1	191.8			
64	1.9	156.3	131	1.1	194.0			
65	1.9	156.2	132	1.1	189.7			
66	1.7	163.1	133	1.1	185.1			

CARIBOU STATION 212 (190M.) 7/FEB/76 2248 GMT
LAT= 72.9922N LONG= 143.6176W LTER= 1. LGER= 2.
NIVEL= -6.8 EIVEL= 6.9 NVER= 0. FVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	2.8	209.0	134	3.7	242.4
1	0.0	999.9	68	2.8	209.7	135	3.9	245.9
2	0.0	999.9	69	2.8	218.2	136	4.1	249.2
3	0.0	999.9	70	2.9	225.0	137	4.3	252.5
4	0.0	999.9	71	3.0	231.4	138	4.5	255.4
5	2.9	151.6	72	3.1	236.2	139	4.5	255.4
6	2.6	156.3	73	3.1	234.2	140	4.3	253.0
7	2.6	167.5	74	2.9	227.3	141	4.1	249.7
8	2.7	175.2	75	2.9	225.8	142	3.9	247.1
9	2.5	188.1	76	2.9	225.3	143	4.9	259.1
10	2.5	203.0	77	3.0	228.4	144	4.9	259.6
11	2.5	207.4	78	3.0	230.4	145	4.9	259.2
12	2.5	207.8	79	2.7	226.5	146	4.8	258.8
13	2.5	210.8	80	2.3	217.0	147	3.5	239.6
14	2.5	208.8	81	2.3	200.2	148	3.6	241.5
15	2.6	201.1	82	2.6	181.1	149	3.7	243.6
16	2.8	200.8	83	2.5	188.5	150	3.7	242.7
17	2.9	208.5	84	2.4	195.3	151	3.9	245.5
18	2.9	213.6	85	2.3	195.1	152	4.1	248.5
19	3.0	221.1	86	2.5	185.9	153	4.2	249.8
20	3.0	225.6	87	2.4	187.6	154	4.0	248.2
21	3.1	231.8	88	2.4	190.7	155	3.9	246.3
22	3.3	232.4	89	2.3	201.0	156	3.8	243.7
23	3.5	234.0	90	2.3	213.4	157	3.6	240.4
24	3.3	238.6	91	2.3	221.7	158	3.5	236.4
25	3.2	235.0	92	2.4	229.3	159	3.3	230.6
26	3.2	233.5	93	2.4	232.8	160	3.2	226.2
27	3.3	237.7	94	2.4	232.6	161	3.1	222.6
28	3.5	243.9	95	2.4	231.8	162	3.2	223.9
29	3.3	243.9	96	2.3	229.5	163	3.2	226.7
30	3.2	235.7	97	2.3	229.9	164	3.3	229.8
31	3.2	233.5	98	2.3	230.0	165	3.2	227.5
32	3.1	232.1	99	2.3	225.3	166	3.2	225.8
33	3.2	233.3	100	2.3	226.8	167	3.2	224.7
34	3.2	235.8	101	2.3	229.3	168	3.1	223.8
35	3.4	240.4	102	2.3	231.9	169	3.2	223.4
36	3.6	245.6	103	2.4	234.3	170	3.2	223.4
37	3.7	247.6	104	2.4	236.4	171	3.3	228.7
38	3.6	245.6	105	2.4	238.1	172	3.5	235.0
39	3.5	242.4	106	2.4	235.6	173	3.6	239.6
40	3.8	243.0	107	2.3	231.6	174	3.8	242.8
41	4.1	244.0	108	2.3	227.7	175	3.7	240.9
42	4.4	249.0	109	2.3	224.1	176	3.5	235.3
43	4.1	244.0	110	2.2	220.5	177	3.3	230.3
44	3.4	228.2	111	2.2	223.2	178	3.2	225.4
45	3.3	224.0	112	2.2	224.8	179	3.3	228.2
46	3.4	229.9	113	2.2	226.2	180	3.4	232.7
47	3.6	235.1	114	2.3	229.5	181	3.6	237.6
48	3.7	237.1	115	2.5	231.7	182	3.8	242.3
49	3.7	238.0	116	2.8	230.3	183	3.8	242.4
50	3.8	240.7	117	2.7	222.4	184	3.8	242.2
51	4.0	244.6	118	2.6	216.5	185	3.8	241.9
52	4.2	247.6	119	2.6	214.8	186	3.8	242.4
53	4.2	247.1	120	2.6	215.6	187	3.9	245.0
54	3.8	240.5	121	2.7	222.0	188	3.9	244.3
55	3.8	240.0	122	2.7	227.3	189	3.8	243.1
56	4.1	244.3	123	2.8	231.8	190	3.9	244.3
57	4.2	247.0	124	2.9	233.2			
58	4.3	249.1	125	2.9	234.7			
59	4.4	250.7	126	3.0	238.6			
60	4.6	252.3	127	3.3	238.6			
61	4.7	253.6	128	3.5	239.0			
62	4.7	254.5	129	3.6	239.8			
63	4.6	252.2	130	3.6	240.0			
64	3.7	248.4	131	3.6	240.3			
65	3.2	236.6	132	3.6	241.0			
66	2.8	221.2	133	3.7	241.6			


CAMP CARIBOU STATION 213
DATE 8/ 2/76 TIME 607 (GMT)
TRUE DIRECTION
0 90 180 270 360
0 50 100 150 200
DEPTH (M)
0 5 10 15 20 25
SPEED CM/SEC


CAMP CARIBOU STATION 214
DATE 8/ 2/76 TIME 1051 (GMT)
TRUE DIRECTION
0 90 180 270 360
0 50 100 150 200
DEPTH (M)
0 5 10 15 20 25
SPEED CM/SEC

AD-A082 212 LAMONT-DOHERTY GEOLOGICAL OBSERVATORY PALISADES N Y F/G 8/3
ARCTIC ICE DYNAMICS JOINT EXPERIMENT (AIDJEX) 1975-1976, PHYSIC--ETC(U)
FEB 80 T O MANLEY, K HUNKINS, W TIEMANN N00014-76-C-0004
UNCLASSIFIED LDGO-CU-4-80-VOL-1 NL

3 OF 3
AD
A082212

END
DATE
FILMED
4-80
DTIC

CARIBOU STATION 213 (194M.) 8/FEB/76 607 GMT
LAT= 72.9794N LONG= 143.5722W LTER= 0. LGER= 0.
NIVEL= -4.7 EIVEL= 5.4 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	2.6	37.9	134	3.4	100.7
1	0.0	999.9	68	2.4	46.2	135	3.5	101.8
2	0.0	999.9	69	2.3	57.7	136	3.2	98.8
3	0.0	999.9	70	2.3	69.7	137	3.0	94.6
4	0.0	999.9	71	2.4	74.8	138	2.8	91.2
5	2.6	29.3	72	2.5	71.6	139	2.9	95.0
6	2.6	25.9	73	2.6	76.1	140	3.3	99.9
7	2.6	23.5	74	2.7	77.7	141	3.6	104.1
8	2.7	21.9	75	2.7	78.1	142	4.0	107.0
9	2.9	21.4	76	2.6	78.7	143	4.4	109.0
10	3.0	20.9	77	2.5	76.3	144	4.5	111.0
11	3.2	20.4	78	2.3	67.5	145	4.4	111.4
12	3.2	18.3	79	2.3	58.0	146	4.7	114.3
13	3.2	15.3	80	2.4	48.7	147	5.0	117.9
14	3.1	15.2	81	2.4	47.6	148	4.8	117.6
15	3.1	16.9	82	2.7	47.9	149	4.5	116.2
16	3.1	18.6	83	2.9	49.1	150	4.5	114.8
17	3.1	19.3	84	2.9	51.8	151	4.5	113.6
18	2.9	18.4	85	2.8	56.6	152	4.4	113.0
19	2.9	14.6	86	2.8	63.1	153	4.3	113.4
20	3.0	10.1	87	2.8	69.6	154	4.2	113.3
21	3.3	8.5	88	2.9	76.2	155	4.2	112.6
22	3.5	8.6	89	3.0	82.6	156	4.1	111.9
23	3.5	9.8	90	3.1	86.9	157	3.7	105.8
24	3.3	12.8	91	3.0	85.7	158	3.4	97.3
25	3.2	14.5	92	3.0	84.5	159	3.2	92.9
26	3.1	15.6	93	3.0	83.9	160	3.0	90.7
27	3.2	14.0	94	3.1	86.3	161	2.8	90.1
28	3.3	12.1	95	3.1	88.5	162	2.5	82.3
29	3.2	12.4	96	3.2	90.8	163	2.4	70.5
30	3.1	13.7	97	3.2	92.9	164	2.3	57.7
31	3.0	16.1	98	3.3	94.9	165	2.4	50.6
32	3.0	15.8	99	3.3	95.2	166	2.3	56.8
33	3.0	14.6	100	3.2	91.2	167	2.3	63.1
34	3.2	11.1	101	2.9	84.7	168	2.3	69.5
35	3.5	7.5	102	2.6	77.6	169	2.4	77.1
36	3.8	4.5	103	2.3	68.7	170	2.6	85.5
37	4.0	1.8	104	2.3	57.9	171	2.8	93.0
38	3.8	4.2	105	2.3	47.2	172	2.9	93.7
39	3.4	9.7	106	2.6	42.9	173	2.6	91.7
40	3.3	10.4	107	2.7	47.6	174	2.7	90.0
41	3.1	13.3	108	2.7	51.0	175	2.6	88.4
42	2.6	27.8	109	2.7	54.3	176	2.5	86.6
43	2.3	47.9	110	2.7	57.6	177	2.5	83.7
44	2.3	70.6	111	2.7	61.0	178	2.5	80.9
45	2.3	56.9	112	2.7	64.4	179	2.5	78.5
46	2.5	42.1	113	2.7	67.7	180	2.5	79.5
47	2.6	33.0	114	2.8	70.8	181	2.5	85.7
48	2.5	33.8	115	3.0	73.4	182	2.7	94.5
49	2.3	37.1	116	3.2	73.5	183	3.0	99.7
50	2.2	44.6	117	3.2	73.6	184	2.9	97.5
51	2.2	52.6	118	3.2	73.4	185	2.8	92.4
52	2.3	60.7	119	3.1	72.2	186	2.6	84.7
53	2.4	68.2	120	2.9	71.5	187	2.4	76.6
54	2.6	75.0	121	2.7	71.6	188	2.3	67.4
55	2.7	81.1	122	2.7	70.7	189	2.2	57.3
56	2.8	87.7	123	2.9	69.5	190	2.3	49.7
57	2.8	94.0	124	3.0	68.4	191	2.3	49.8
58	2.9	94.9	125	3.1	67.5	192	2.4	58.1
59	2.8	85.5	126	3.0	66.9	193	2.4	71.2
60	2.5	73.7	127	2.8	66.3	194	2.5	77.3
61	2.4	69.6	128	2.8	72.9			
62	2.3	70.7	129	2.8	79.5			
63	2.3	62.0	130	2.9	81.4			
64	2.3	60.3	131	2.9	84.2			
65	2.3	52.8	132	3.1	90.7			
66	2.5	41.7	133	3.3	96.4			

CARIBOU STATION 214 (190M.) 8/FEB/76 1051 GMT
LAT= 72.9709N LONG= 143.5408W LTER= 0. LGER= 1.
NIVEL= -6.0 EIVEL= 5.7 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	3.4	0.8	134	3.9	358.1
1	0.0	999.9	68	2.8	9.0	135	3.8	359.2
2	0.0	999.9	69	2.3	19.5	136	3.8	359.1
3	0.0	999.9	70	2.0	26.4	137	3.9	358.7
4	0.0	999.9	71	1.6	37.1	138	4.2	356.6
5	3.2	80.2	72	1.3	41.9	139	4.5	354.7
6	2.2	72.5	73	1.5	39.0	140	4.1	357.3
7	2.0	73.3	74	1.7	37.0	141	3.6	0.9
8	2.0	73.9	75	2.1	37.1	142	3.2	5.5
9	1.9	70.0	76	2.2	50.2	143	2.9	10.3
10	2.0	50.3	77	2.5	69.6	144	3.1	7.0
11	2.1	45.4	78	2.7	75.0	145	3.5	2.9
12	2.2	47.6	79	2.6	70.2	146	3.8	359.5
13	2.1	43.5	80	2.6	72.2	147	4.2	356.7
14	2.1	32.4	81	2.7	80.3	148	4.5	355.0
15	1.9	34.5	82	2.5	78.1	149	4.7	353.5
16	1.7	40.0	83	2.5	72.6	150	4.8	353.2
17	1.8	36.5	84	2.5	59.5	151	4.8	353.8
18	1.8	40.5	85	2.8	56.3	152	4.7	354.3
19	1.8	49.2	86	2.9	71.2	153	4.3	356.5
20	1.8	57.7	87	3.0	66.0	154	4.0	359.0
21	1.8	53.6	88	2.8	55.6	155	3.9	359.6
22	1.8	41.8	89	2.5	50.7	156	3.8	0.7
23	1.8	34.3	90	2.5	46.8	157	3.4	4.1
24	1.6	42.7	91	2.7	33.8	158	3.4	4.3
25	1.6	43.8	92	2.6	37.9	159	3.5	3.0
26	1.8	30.5	93	2.2	42.5	160	3.7	1.9
27	2.1	22.0	94	2.0	49.3	161	3.3	5.7
28	2.3	16.1	95	2.0	43.9	162	2.8	14.4
29	2.5	10.5	96	2.0	39.9	163	2.3	27.0
30	2.8	6.1	97	2.0	41.1	164	2.0	44.2
31	3.1	2.3	98	1.9	42.9	165	1.9	60.2
32	3.4	359.3	99	2.0	45.9	166	2.0	69.3
33	3.6	356.6	100	2.1	49.3	167	2.0	78.5
34	4.0	353.9	101	2.0	51.7	168	2.3	87.4
35	4.1	353.1	102	2.3	57.4	169	2.4	87.7
36	4.1	353.2	103	2.6	61.6	170	2.4	85.4
37	4.3	352.6	104	2.8	65.0	171	2.2	83.9
38	4.5	351.2	105	3.0	70.9	172	2.0	73.0
39	4.6	350.7	106	3.0	76.8	173	1.9	60.5
40	4.3	352.7	107	3.0	77.6	174	2.0	48.0
41	3.7	356.3	108	3.0	70.2	175	2.1	34.2
42	2.2	32.0	109	3.0	62.6	176	2.4	22.3
43	2.4	93.0	110	3.0	55.1	177	2.8	13.3
44	2.0	88.1	111	2.7	50.8	178	3.2	[illegible]
45	1.6	72.7	112	2.1	44.2	179	3.4	[illegible]
46	1.5	56.3	113	2.0	40.2	180	3.4	3.8
47	1.7	40.6	114	2.0	37.4	181	3.4	4.5
48	2.0	27.8	115	2.1	32.6	182	3.4	3.9
49	2.4	15.1	116	2.2	27.4	183	3.3	5.8
50	2.8	7.5	117	2.3	22.9	184	2.9	11.0
51	3.2	2.6	118	2.4	19.0	185	2.8	13.8
52	3.5	358.7	119	2.4	19.4	186	2.7	15.1
53	3.8	356.3	120	2.4	20.4	187	2.5	19.5
54	3.7	357.4	121	2.3	21.9	188	2.4	21.6
55	3.5	359.5	122	2.3	22.6	189	2.6	17.7
56	3.3	1.9	123	2.3	23.7	190	2.7	14.5
57	3.2	2.0	124	2.2	25.8			
58	3.3	1.2	125	2.2	27.9			
59	3.6	359.3	126	2.1	30.2			
60	4.0	358.1	127	2.2	28.3			
61	4.2	358.8	128	2.4	20.4			
62	4.1	358.9	129	2.7	12.9			
63	3.9	357.2	130	3.1	6.7			
64	4.2	353.4	131	3.5	1.8			
65	4.1	354.3	132	3.9	357.9			
66	3.7	357.1	133	3.9	358.1			


CAMP CARIBOU STATION 215
DATE 8/ 2/76 TIME 1654(GMT)
TRUE DIRECTION
0 90 180 270 360
DEPTH (M)
0 50 100 150 200
SPEED CM/SEC
0 5 10 15 20 25


CAMP CARIBOU STATION 216
DATE 8/ 2/76 TIME 2239(GMT)
TRUE DIRECTION
0 90 180 270 360
DEPTH (M)
0 50 100 150 200
SPEED CM/SEC
0 5 10 15 20 25

CARIBOU STATION 215 (192M.) 8/FEB/76 1654 GMT
LAT= 72.9597N LONG= 143.4982W LTER= 1. LGER= 2.
NIVEL= -7.1 EIVEL= 8.7 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	4.1	80.2	134	4.6	88.4
1	0.0	999.9	68	4.1	80.2	135	4.5	87.5
2	0.0	999.9	69	4.0	75.0	136	4.6	87.8
3	0.0	999.9	70	3.8	68.3	137	4.6	88.1
4	0.0	999.9	71	3.8	63.8	138	4.6	88.3
5	4.0	86.2	72	3.8	63.0	139	4.6	88.6
6	3.8	81.5	73	3.9	70.5	140	4.7	90.5
7	3.9	82.3	74	3.9	71.0	141	4.8	92.8
8	3.9	84.6	75	3.9	71.5	142	4.8	92.1
9	3.8	81.1	76	3.9	73.9	143	4.7	90.0
10	3.8	77.0	77	3.9	74.1	144	4.5	85.9
11	3.9	79.4	78	4.0	78.4	145	4.3	81.6
12	4.1	81.9	79	4.2	83.2	146	4.3	79.1
13	4.1	79.8	80	4.2	85.6	147	4.3	79.2
14	3.8	76.0	81	4.2	85.0	148	4.3	81.4
15	3.7	74.3	82	4.1	82.2	149	4.4	82.8
16	3.6	79.6	83	4.1	80.6	150	4.3	81.5
17	3.8	83.0	84	4.0	76.9	151	4.3	79.6
18	3.9	84.3	85	3.9	71.5	152	4.2	76.9
19	4.0	83.7	86	3.9	67.7	153	4.1	73.0
20	4.0	80.4	87	3.9	67.6	154	4.1	68.8
21	3.9	77.4	88	3.9	68.2	155	4.1	68.2
22	3.9	74.3	89	3.9	69.0	156	4.1	69.8
23	3.8	71.3	90	3.9	69.7	157	4.1	72.8
24	3.8	70.3	91	3.9	70.8	158	4.2	74.1
25	3.8	71.2	92	3.9	73.6	159	4.1	71.7
26	3.9	71.7	93	4.0	75.6	160	4.1	68.7
27	4.0	69.6	94	4.0	76.5	161	4.1	65.6
28	4.0	63.7	95	4.0	77.4	162	4.1	63.8
29	4.0	60.3	96	4.1	78.3	163	4.1	66.0
30	4.0	63.0	97	4.0	76.6	164	4.1	72.8
31	3.8	66.6	98	4.1	70.7	165	4.1	71.5
32	3.7	66.8	99	4.2	69.3	166	4.1	65.1
33	3.7	60.5	100	4.3	73.2	167	4.1	58.8
34	3.7	54.3	101	4.2	77.5	168	4.1	52.5
35	3.7	54.2	102	4.1	80.0	169	4.1	51.1
36	3.7	57.8	103	4.1	80.9	170	4.1	53.3
37	3.8	61.4	104	4.0	75.7	171	4.1	60.3
38	4.0	63.4	105	3.9	69.1	172	4.1	64.1
39	4.1	59.2	106	3.9	62.3	173	4.1	68.0
40	4.2	55.2	107	4.0	55.5	174	4.1	69.1
41	4.1	55.9	108	4.0	51.5	175	4.2	73.7
42	3.9	63.6	109	4.0	51.9	176	4.3	78.8
43	3.8	78.2	110	4.0	54.9	177	4.3	79.8
44	3.9	87.7	111	4.1	58.5	178	4.3	78.0
45	4.0	86.2	112	4.1	62.0	179	4.2	75.1
46	4.1	84.2	113	4.1	65.6	180	4.2	72.3
47	4.2	83.4	114	4.2	69.0	181	4.2	69.5
48	4.3	86.1	115	4.2	69.0	182	4.1	66.4
49	4.3	87.3	116	4.2	69.2	183	4.1	66.9
50	4.3	85.9	117	4.2	69.3	184	4.2	68.4
51	4.3	85.2	118	4.2	68.5	185	4.3	74.2
52	4.3	87.1	119	4.1	67.4	186	4.4	79.8
53	4.3	84.6	120	4.1	66.3	187	4.4	80.5
54	4.1	81.4	121	4.2	67.2	188	4.3	77.1
55	4.0	78.0	122	4.2	72.2	189	4.3	77.8
56	4.1	78.7	123	4.3	77.1	190	4.4	79.3
57	4.1	79.8	124	4.6	81.0	191	4.3	74.4
58	4.1	79.0	125	4.9	83.5	192	4.2	68.6
59	4.0	75.3	126	5.1	85.1			
60	3.9	71.4	127	5.0	84.3			
61	3.8	64.1	128	5.0	82.7			
62	3.8	58.9	129	4.7	84.5			
63	3.8	58.4	130	4.6	86.7			
64	3.8	63.2	131	4.6	87.6			
65	3.9	69.6	132	4.7	87.9			
66	4.0	75.7	133	4.8	88.2			

CARIBOU STATION 216 (192M.) 8/FEB/76 2239 GMT
LAT= 72.9499N LONG= 143.4545W LTER= 1. LGER= 2.
NIVEL= -4.1 EIVEL= 5.1 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	3.7	6.3	134	5.2	357.1
1	0.0	999.9	68	3.7	7.0	135	5.4	356.1
2	0.0	999.9	69	3.5	9.9	136	5.6	354.8
3	0.0	999.9	70	3.1	15.3	137	5.9	351.6
4	0.0	999.9	71	2.7	22.6	138	6.2	352.5
5	3.8	3.6	72	2.5	29.4	139	6.4	351.7
6	4.3	0.4	73	2.6	27.6	140	6.5	351.3
7	4.3	359.3	74	2.9	21.0	141	6.5	351.3
8	4.4	358.1	75	3.2	15.0	142	6.4	351.8
9	4.3	357.9	76	3.5	9.8	143	6.8	350.4
10	4.2	358.5	77	3.7	7.4	144	7.2	349.3
11	4.1	359.9	78	3.5	9.6	145	7.6	348.3
12	4.0	1.2	79	3.4	12.2	146	8.0	347.4
13	4.1	0.0	80	3.2	14.8	147	8.2	346.8
14	4.2	357.4	81	3.0	17.9	148	8.3	346.6
15	4.0	356.6	82	2.9	21.3	149	8.0	347.3
16	3.9	358.3	83	3.0	18.9	150	7.7	348.0
17	4.3	357.3	84	3.2	15.9	151	7.3	348.9
18	4.7	356.3	85	3.5	13.4	152	7.0	349.8
19	4.9	355.7	86	3.7	13.8	153	6.7	350.8
20	4.8	354.7	87	3.7	14.0	154	6.4	351.8
21	5.2	351.3	88	3.6	11.9	155	6.3	352.2
22	5.3	350.7	89	3.6	9.8	156	6.5	351.6
23	5.0	354.4	90	3.7	8.4	157	6.3	352.2
24	4.6	358.2	91	4.0	5.4	158	6.2	352.6
25	4.9	358.5	92	4.2	3.4	159	6.1	353.1
26	5.2	356.0	93	4.3	2.6	160	5.8	35 .0
27	5.3	354.0	94	4.2	3.3	161	5.4	356.0
28	4.9	354.4	95	4.1	4.2	162	5.0	358.2
29	4.6	355.4	96	4.1	4.0	163	4.6	1.0
30	4.4	358.6	97	4.3	3.1	164	4.2	4.3
31	4.3	0.9	98	4.5	1.2	165	3.8	8.2
32	4.4	1.7	99	4.6	1.0	166	3.5	12.0
33	4.7	1.3	100	4.4	4.4	167	3.4	13.7
34	5.0	0.9	101	4.2	8.2	168	3.4	14.0
35	5.3	0.8	102	4.0	10.7	169	3.0	21.5
36	5.6	0.6	103	3.7	11.9	170	3.3	16.0
37	5.8	359.4	104	3.4	13.3	171	3.1	19.6
38	6.0	358.7	105	3.3	14.4	172	3.2	17.1
39	6.0	359.0	106	3.3	15.7	173	3.7	10.4
40	5.8	359.7	107	3.3	17.0	174	4.0	6.4
41	5.9	359.4	108	3.2	18.4	175	4.0	5.9
42	5.9	359.0	109	3.2	20.8	176	4.3	3.7
43	6.0	358.7	110	3.2	26.5	177	4.3	3.5
44	5.9	354.6	111	3.2	31.7	178	4.1	5.6
45	5.9	351.3	112	3.3	36.7	179	3.9	7.9
46	5.9	351.1	113	3.3	41.5	180	3.6	10.5
47	5.7	352.0	114	3.5	42.3	181	3.3	15.0
48	5.5	353.0	115	3.4	41.2	182	3.1	20.6
49	5.3	354.1	116	3.3	37.6	183	2.7	26.3
50	5.1	354.7	117	3.2	33.5	184	2.7	27.5
51	5.0	355.5	118	3.3	29.4	185	3.0	20.4
52	4.8	356.3	119	3.6	23.9	186	3.4	15.1
53	4.6	357.4	120	3.5	13.9	187	3.8	9.5
54	4.3	359.7	121	3.8	8.0	188	4.2	4.9
55	4.2	0.9	122	4.1	4.5	189	4.6	0.2
56	4.1	1.3	123	4.5	1.4	190	5.3	356.5
57	4.1	0.0	124	4.8	358.8	191	6.1	353.7
58	4.2	359.3	125	5.2	356.8	192	6.1	353.7
59	4.3	359.1	126	5.6	354.8			
60	4.1	1.7	127	6.0	353.1			
61	3.9	5.2	128	5.9	353.3			
62	3.7	6.6	129	5.6	354.6			
63	3.6	6.3	130	5.4	355.7			
64	3.5	5.9	131	5.3	356.4			
65	3.4	5.7	132	5.2	357.1			
66	3.6	5.6	133	5.1	357.8			


CAMP CARIBOU
STATION 218
DATE 9/ 2/76
TIME 1045(GMT)
TRUE DIRECTION
0
90
180
270
360
SPEED CM/SEC
0
5
10
15
20
25
DEPTH (M)
0
50
100
150
200


CAMP CARIBOU
STATION 217
DATE 9/ 2/76
TIME 447(GMT)
TRUE DIRECTION
0
90
180
270
360
SPEED CM/SEC
0
5
10
15
20
25
DEPTH (M)
0
50
100
150
200

CARIBOU STATION 217 (190M.) 9/FEB/76 447 GMT
LAT= 72.9397N LONG= 143.4009W LTER= 0. LGER= 1.
NIVEL= -4.0 EIVEL= 7.4 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	7.3	37.8	134	6.1	66.5
1	0.0	999.9	68	7.5	35.4	135	6.1	68.0
2	0.0	999.9	69	7.6	34.7	136	6.1	69.0
3	0.0	999.9	70	7.6	35.1	137	6.1	70.3
4	0.0	999.9	71	7.7	34.0	138	6.1	71.5
5	5.2	58.9	72	7.7	34.7	139	6.1	72.1
6	6.0	56.5	73	7.4	37.4	140	6.0	71.4
7	6.3	56.7	74	7.1	40.3	141	6.0	70.7
8	6.4	56.5	75	6.9	43.4	142	6.0	71.7
9	6.3	55.8	76	6.9	42.3	143	6.0	75.0
10	6.3	53.4	77	7.0	41.2	144	6.0	78.3
11	6.4	50.8	78	6.8	44.1	145	6.1	81.5
12	6.5	48.5	79	6.6	46.8	146	6.3	84.5
13	6.5	48.7	80	6.6	48.2	147	6.5	87.4
14	6.4	51.7	81	6.6	47.6	148	6.5	83.8
15	6.4	53.6	82	6.8	47.6	149	6.4	82.2
16	6.4	55.1	83	6.9	49.5	150	6.3	81.7
17	6.4	55.1	84	7.0	51.9	151	6.2	79.2
18	6.6	52.2	85	6.9	54.0	152	6.2	75.1
19	6.7	49.2	86	7.0	53.1	153	6.3	71.0
20	6.5	50.6	87	7.2	51.5	154	6.3	67.2
21	6.4	52.0	88	7.3	50.2	155	6.2	68.1
22	6.4	51.2	89	7.2	50.0	156	6.2	68.1
23	6.4	48.9	90	7.2	50.3	157	6.3	64.5
24	6.5	49.4	91	7.2	49.7	158	6.4	60.9
25	6.5	52.0	92	7.2	49.8	159	6.4	57.3
26	6.4	56.3	93	7.2	49.9	160	6.5	53.4
27	6.3	60.6	94	7.2	51.0	161	6.7	49.6
28	6.4	61.6	95	7.1	52.2	162	6.9	46.2
29	6.6	57.9	96	7.0	53.4	163	7.2	42.9
30	6.7	54.0	97	7.0	54.3	164	7.4	39.9
31	6.7	53.2	98	6.9	55.1	165	7.7	37.1
32	6.6	54.3	99	7.0	53.1	166	8.0	34.5
33	6.5	55.3	100	7.2	50.5	167	8.2	33.8
34	6.6	52.5	101	7.4	49.0	168	8.3	32.8
35	6.7	49.4	102	7.3	52.0	169	8.4	32.0
36	6.9	46.5	103	7.4	52.6	170	8.6	31.1
37	7.1	45.0	104	7.5	49.3	171	8.6	30.8
38	7.2	45.9	105	7.4	48.6	172	8.6	30.7
39	7.3	48.0	106	7.3	50.1	173	8.7	30.6
40	7.0	48.1	107	7.3	50.2	174	8.5	31.5
41	6.7	47.3	108	7.3	49.4	175	8.3	33.3
42	6.4	46.6	109	7.3	48.7	176	8.1	35.2
43	6.4	52.8	110	7.4	48.0	177	7.8	37.1
44	6.5	57.6	111	7.3	49.0	178	7.9	36.4
45	6.3	61.3	112	7.2	50.2	179	7.8	37.3
46	6.2	59.6	113	7.1	51.3	180	7.5	40.3
47	6.2	56.6	114	7.0	52.9	181	7.2	43.5
48	6.2	56.9	115	7.0	54.5	182	7.0	47.0
49	6.2	57.9	116	6.9	56.1	183	6.7	50.7
50	6.4	57.0	117	6.8	57.8	184	6.7	52.3
51	6.5	54.8	118	6.7	59.6	185	6.7	52.3
52	6.8	51.2	119	6.8	58.9	186	6.7	51.7
53	7.1	47.9	120	6.8	58.2	187	6.6	52.5
54	7.1	48.4	121	6.8	57.4	188	6.3	55.0
55	7.0	50.7	122	6.8	58.0	189	6.0	61.4
56	6.9	53.2	123	6.7	60.0	190	6.0	67.3
57	6.6	55.7	124	6.6	61.9			
58	6.7	56.4	125	6.6	63.7			
59	6.6	55.8	126	6.4	63.4			
60	6.6	53.9	127	6.1	66.9			
61	6.6	52.0	128	6.1	70.8			
62	6.6	49.6	129	6.1	67.9			
63	6.8	45.6	130	6.2	65.3			
64	6.9	43.2	131	6.1	68.3			
65	7.0	41.2	132	6.1	67.1			
66	7.1	40.5	133	6.2	65.0			

CARIBOU STATION 218 (190M.) 9/FEB/76 1045 GMT
LAT= 72.9332N LONG= 143.3608W LTER= 0. LGER= 0.
NIVEL= -2.0 EIVEL= 4.9 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	5.3	36.5	134	5.6	28.0
1	0.0	999.9	68	5.3	36.3	135	5.6	26.1
2	0.0	999.9	69	5.2	37.2	136	5.6	23.8
3	0.0	999.9	70	5.1	38.7	137	5.7	21.6
4	0.0	999.9	71	5.0	40.4	138	5.9	20.7
5	4.3	41.7	72	5.0	40.9	139	6.0	18.9
6	4.2	42.5	73	5.1	40.4	140	6.1	18.3
7	4.1	43.9	74	5.4	41.5	141	6.0	18.5
8	4.0	45.5	75	5.6	42.1	142	6.0	18.7
9	4.0	47.6	76	5.7	41.5	143	6.0	18.9
10	4.1	49.7	77	5.8	39.7	144	5.9	19.3
11	4.2	52.4	78	5.9	36.2	145	5.9	19.9
12	4.4	55.0	79	6.0	33.2	146	5.8	20.4
13	4.5	55.6	80	6.2	31.0	147	5.9	19.9
14	4.5	54.2	81	6.3	30.6	148	6.0	18.6
15	4.4	53.0	82	6.3	30.2	149	6.2	17.4
16	4.4	53.1	83	6.4	29.8	150	6.3	16.2
17	4.4	53.3	84	6.4	29.4	151	6.3	16.3
18	4.4	53.7	85	6.3	30.6	152	6.1	17.2
19	4.4	54.0	86	6.2	31.3	153	6.0	18.1
20	4.3	53.9	87	6.1	31.9	154	6.0	18.0
21	4.3	52.9	88	6.1	33.2	155	6.1	17.1
22	4.5	50.9	89	6.1	35.0	156	6.3	16.3
23	4.6	49.2	90	5.9	37.5	157	6.4	15.5
24	4.8	48.5	91	5.8	39.8	158	6.2	17.0
25	4.7	50.3	92	5.6	42.2	159	5.9	19.5
26	4.5	51.4	93	5.7	43.6	160	5.6	22.2
27	4.3	52.8	94	5.8	44.5	161	5.3	25.3
28	4.3	47.9	95	5.8	44.7	162	5.1	28.8
29	4.6	43.2	96	5.8	44.9	163	4.8	32.4
30	4.8	41.5	97	5.8	45.0	164	4.6	36.5
31	4.9	43.6	98	5.6	46.7	165	4.5	38.2
32	4.9	44.5	99	5.5	49.0	166	4.5	38.5
33	4.9	43.0	100	5.4	50.2	167	4.6	37.4
34	5.0	40.8	101	5.4	48.9	168	4.5	39.0
35	5.0	38.4	102	5.6	46.6	169	4.6	41.9
36	5.0	37.6	103	5.7	44.6	170	4.6	47.0
37	5.0	40.0	104	5.8	44.2	171	4.5	50.3
38	5.1	42.6	105	5.8	43.4	172	4.5	51.1
39	5.1	45.2	106	5.8	40.4	173	4.6	49.0
40	5.1	46.0	107	6.0	38.6	174	4.7	44.4
41	5.0	44.5	108	6.1	36.9	175	4.8	42.7
42	5.1	37.8	109	6.1	37.0	176	4.8	42.9
43	5.2	31.5	110	5.9	38.6	177	4.8	41.4
44	5.5	26.9	111	5.7	40.5	178	5.0	38.6
45	5.6	26.0	112	5.7	40.2	179	4.8	42.2
46	5.7	26.3	113	5.8	39.2	180	4.9	39.4
47	5.7	27.0	114	5.8	36.9	181	5.0	35.3
48	6.0	26.3	115	5.7	35.0	182	5.0	31.1
49	6.1	25.1	116	5.7	37.1	183	5.2	27.9
50	6.1	25.0	117	5.6	40.7	184	5.2	26.6
51	6.0	26.3	118	5.5	42.9	185	5.2	24.4
52	5.8	27.6	119	5.5	43.2	186	5.0	24.4
53	5.8	27.4	120	5.6	43.9	187	5.0	27.9
54	6.1	25.2	121	5.7	44.6	188	4.8	32.3
55	6.3	23.2	122	5.6	43.9	189	4.9	34.0
56	6.3	24.1	123	5.5	43.2	190	4.9	34.0
57	6.2	25.3	124	5.4	41.2			
58	6.0	27.4	125	5.3	39.4			
59	5.8	29.6	126	5.3	37.7			
60	5.6	31.8	127	5.2	35.4			
61	5.5	33.7	128	5.2	33.8			
62	5.4	35.4	129	5.3	33.1			
63	5.5	37.4	130	5.4	32.5			
64	5.4	38.7	131	5.5	31.8			
65	5.5	37.4	132	5.6	31.1			
66	5.4	36.9	133	5.6	29.9			


CAMP CARIBOU STATION 228
DATE 12/ 2/76 TIME 522(GMT)
TRUE DIRECTION
0 90 180 270 360
DEPTH (M)
0 50 100 150 200
SPEED CM/SEC
0 5 10 15 20 25


CAMP CARIBOU STATION 227
DATE 11/ 2/76 TIME 2244(GMT)
TRUE DIRECTION
0 90 180 270 360
DEPTH (M)
0 50 100 150 200
SPEED CM/SEC
0 5 10 15 20 25

CARIBOU STATION 227 (190M.) 11/FEB/76 2244 GMT
LAT= 72.9274N LONG= 143.3173W LTER= 1. LGER= 2.
NIVEL= -0.2 EIVEL= 3.5 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	2.6	358.2	134	3.5	335.7
1	0.0	999.9	68	2.6	358.5	135	3.8	334.0
2	0.0	999.9	69	2.5	356.7	136	4.2	332.4
3	0.0	999.9	70	2.5	355.4	137	4.5	330.4
4	0.0	999.9	71	2.5	353.1	138	4.8	328.7
5	0.4	204.5	72	2.7	349.9	139	4.8	328.4
6	0.2	96.3	73	2.8	347.6	140	4.7	329.5
7	0.6	60.7	74	3.0	345.3	141	4.4	331.0
8	0.6	26.2	75	3.1	342.4	142	4.1	332.7
9	1.0	0.7	76	3.0	343.0	143	3.9	334.7
10	1.2	354.6	77	2.9	346.1	144	3.6	337.0
11	1.2	353.6	78	2.8	347.9	145	3.7	336.4
12	1.3	355.4	79	2.9	348.2	146	3.8	335.4
13	1.7	1.2	80	3.0	347.6	147	4.0	334.1
14	2.0	3.7	81	3.0	345.4	148	4.2	332.5
15	2.1	359.2	82	3.2	342.6	149	4.5	330.9
16	2.2	354.4	83	3.3	340.1	150	4.7	329.6
17	2.3	351.2	84	3.5	339.0	151	5.0	328.5
18	2.3	351.9	85	3.5	339.1	152	5.2	327.5
19	2.2	355.9	86	3.3	342.7	153	5.3	327.0
20	2.1	0.3	87	3.1	347.8	154	5.2	327.4
21	2.1	6.5	88	2.7	355.9	155	5.1	327.9
22	2.2	13.6	89	2.5	3.2	156	5.0	328.4
23	2.3	10.0	90	2.4	7.9	157	4.8	329.4
24	2.6	2.4	91	2.4	12.8	158	4.5	331.2
25	2.8	2.6	92	2.3	18.0	159	4.4	332.0
26	2.9	7.0	93	2.3	22.7	160	4.3	332.2
27	3.0	7.7	94	2.2	27.3	161	4.2	332.8
28	3.1	5.8	95	2.1	32.1	162	4.1	333.7
29	3.1	4.8	96	2.1	28.8	163	4.0	334.2
30	3.1	7.7	97	2.3	13.4	164	4.1	334.4
31	3.1	11.0	98	2.6	359.8	165	4.0	334.3
32	3.1	12.9	99	3.1	349.1	166	3.7	335.6
33	3.1	11.0	100	3.6	341.3	167	3.0	342.7
34	3.2	8.2	101	4.0	337.7	168	2.4	355.9
35	3.3	5.6	102	3.8	337.0	169	2.0	15.9
36	3.4	3.1	103	3.6	336.7	170	2.2	1.1
37	3.4	2.9	104	3.6	337.0	171	2.5	350.0
38	3.3	5.4	105	3.7	337.3	172	2.7	345.1
39	3.2	8.0	106	3.6	338.0	173	2.5	352.2
40	3.0	13.1	107	3.4	340.2	174	2.7	349.0
41	2.7	17.2	108	3.1	341.7	175	2.9	346.5
42	1.9	21.2	109	2.9	341.8	176	3.1	343.8
43	1.8	37.9	110	3.0	337.8	177	3.2	341.2
44	1.9	32.5	111	3.3	334.6	178	3.3	338.5
45	2.2	23.0	112	3.8	331.4	179	3.4	336.0
46	2.4	15.3	113	4.4	329.0	180	3.2	339.7
47	2.2	358.5	114	4.9	327.4	181	2.9	343.9
48	1.8	346.3	115	5.4	325.9	182	2.7	347.8
49	1.8	340.6	116	5.4	325.7	183	2.7	345.7
50	2.0	337.5	117	5.1	327.0	184	3.0	341.3
51	2.1	343.4	118	4.6	329.3	185	3.4	338.0
52	2.3	351.1	119	4.7	328.8	186	3.4	337.5
53	2.4	358.1	120	4.9	327.6	187	2.9	341.5
54	2.5	3.1	121	5.1	326.4	188	2.5	348.0
55	2.5	7.0	122	5.3	325.6	189	3.0	341.7
56	2.5	7.2	123	5.3	325.5	190	3.2	338.7
57	2.6	6.6	124	4.9	327.2			
58	2.6	6.8	125	4.4	329.6			
59	2.5	7.4	126	4.0	332.7			
60	2.4	8.1	127	3.5	336.5			
61	2.3	8.9	128	3.1	340.9			
62	2.3	10.7	129	2.8	346.3			
63	2.3	7.7	130	2.7	348.8			
64	2.4	4.7	131	2.9	347.3			
65	2.5	2.0	132	3.0	343.8			
66	2.5	359.3	133	3.2	339.1			

CARIBOU STATION 228 (192M.) 12/FEB/76 522 GMT
LAT= 72.9259N LONG= 143.3065W LTER= 1. LGER= 2.
NIVEL= -1.4 EIVEL= 4.4 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	3.5	310.7	134	1.8	89.7
1	0.0	999.9	68	3.3	311.2	135	1.6	81.4
2	0.0	999.9	69	3.2	311.7	136	1.6	76.0
3	0.0	999.9	70	3.2	311.8	137	1.9	87.6
4	0.0	999.9	71	3.4	311.1	138	2.3	95.3
5	2.4	103.4	72	3.6	310.4	139	2.1	94.3
6	2.3	103.4	73	3.7	310.1	140	2.0	90.4
7	2.3	103.3	74	3.6	310.4	141	1.9	85.9
8	2.3	103.2	75	3.3	312.2	142	1.8	82.2
9	2.3	103.2	76	2.8	314.9	143	1.7	78.7
10	2.3	103.2	77	2.3	318.8	144	1.6	75.0
11	2.3	103.2	78	1.8	325.0	145	1.6	76.5
12	2.3	103.2	79	1.6	327.9	146	1.8	81.3
13	2.3	103.1	80	1.6	327.9	147	1.9	88.5
14	2.3	103.1	81	1.4	334.4	148	2.0	93.4
15	2.3	103.1	82	1.0	352.6	149	2.2	95.7
16	2.3	103.1	83	0.8	23.9	150	2.4	97.0
17	2.3	103.1	84	0.8	19.2	151	2.4	97.0
18	2.3	103.1	85	0.8	37.8	152	2.4	98.1
19	2.3	103.1	86	1.0	66.4	153	2.3	101.7
20	2.2	103.0	87	1.2	74.0	154	2.3	105.2
21	2.2	103.0	88	1.0	63.8	155	2.3	107.9
22	2.2	103.0	89	0.9	49.8	156	2.3	100.9
23	2.2	103.0	90	0.8	33.7	157	2.4	94.8
24	2.2	103.0	91	0.8	15.9	158	2.4	96.5
25	2.2	102.9	92	0.9	0.2	159	2.4	96.7
26	2.2	102.9	93	1.1	348.2	160	2.4	94.9
27	2.2	102.9	94	1.3	339.2	161	2.2	92.5
28	2.2	102.9	95	1.5	332.6	162	2.1	93.5
29	2.2	102.9	96	1.6	330.7	163	2.0	95.8
30	2.2	102.8	97	1.2	344.4	164	1.9	98.6
31	2.2	102.8	98	0.9	9.4	165	1.8	94.8
32	2.2	102.8	99	0.9	42.6	166	1.4	83.2
33	2.1	102.1	100	1.1	68.8	167	1.1	65.7
34	1.7	100.3	101	1.5	83.7	168	0.9	42.5
35	1.3	96.3	102	1.4	81.2	169	1.0	50.2
36	0.8	85.5	103	1.0	58.1	170	1.1	65.7
37	0.5	29.8	104	0.9	18.2	171	1.2	73.1
38	1.0	347.1	105	0.9	10.0	172	1.3	75.6
39	1.4	327.4	106	0.9	36.2	173	1.6	79.8
40	2.0	318.6	107	0.9	48.8	174	1.8	87.8
41	2.5	314.0	108	0.9	30.2	175	2.0	92.6
42	2.9	311.7	109	1.0	54.7	176	2.0	92.4
43	3.1	310.7	110	1.3	77.8	177	1.9	90.1
44	3.4	309.5	111	1.4	80.8	178	1.7	87.2
45	3.4	309.7	112	1.4	72.5	179	1.5	84.0
46	3.4	309.7	113	1.7	77.7	180	1.4	80.1
47	3.4	309.7	114	1.8	80.0	181	1.6	81.8
48	3.7	308.6	115	1.8	80.0	182	1.9	83.0
49	4.0	307.9	116	1.7	78.0	183	1.8	83.6
50	4.3	307.2	117	1.5	71.9	184	1.4	77.5
51	4.4	307.0	118	1.4	64.3	185	1.2	66.1
52	4.1	307.8	119	1.3	55.5	186	1.0	49.5
53	3.8	309.2	120	1.6	72.8	187	0.9	30.7
54	3.4	310.3	121	2.0	88.6	188	0.9	12.9
55	3.1	311.6	122	1.7	85.2	189	1.1	357.9
56	2.8	313.2	123	1.9	90.5	190	1.2	346.2
57	2.5	315.2	124	2.0	90.5	191	1.1	351.8
58	2.2	317.8	125	1.8	83.7	192	1.1	351.8
59	1.9	321.2	126	1.5	77.5			
60	1.8	322.1	127	1.9	90.4			
61	2.2	318.5	128	1.7	88.0			
62	2.4	316.7	129	1.4	79.7			
63	2.4	316.7	130	1.3	76.9			
64	2.4	316.7	131	1.6	86.1			
65	2.9	313.2	132	1.9	92.0			
66	3.5	310.6	133	2.0	93.5			



CAMP CARIBOU STATION 229
DATE 12/ 2/76 TIME 1111(GMT)
TRUE DIRECTION
0 90 180 270 360
DEPTH (M)
0 50 100 150 200
0 5 10 15 20 25
SPEED CM/SEC



CAMP CARIBOU STATION 230
DATE 12/ 2/76 TIME 1623(GMT)
TRUE DIRECTION
0 90 180 270 360
DEPTH (M)
0 50 100 150 200
0 5 10 15 20 25
SPEED CM/SEC

CARIBOU STATION 229 (190M.) 12/FEB/76 1111 GMT
LAT= 72.9202N LONG= 143.2860W LTER= 0. LGER= 0.
NIVEL= -2.0 EIVEL= 3.6 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	2.0	315.2	134	1.4	108.2
1	0.0	999.9	68	1.9	315.7	135	1.4	108.2
2	0.0	999.9	69	1.8	316.2	136	1.4	109.2
3	0.0	999.9	70	1.7	316.8	137	1.4	113.5
4	0.0	999.9	71	1.7	316.7	138	1.4	116.7
5	2.1	101.8	72	1.8	316.5	139	1.5	113.2
6	2.1	101.9	73	1.9	315.6	140	1.5	108.2
7	2.1	102.0	74	2.1	314.8	141	1.6	105.7
8	2.1	102.2	75	2.1	314.7	142	1.6	105.9
9	2.0	105.4	76	1.8	316.6	143	1.7	109.6
10	2.0	107.7	77	1.4	319.4	144	1.7	113.5
11	2.0	107.7	78	1.7	317.1	145	1.7	116.4
12	2.0	107.7	79	2.2	314.3	146	1.6	117.2
13	2.0	107.7	80	2.1	314.8	147	1.6	117.2
14	2.0	107.7	81	1.7	317.2	148	1.5	116.9
15	2.0	107.7	82	1.1	323.9	149	1.4	117.0
16	2.0	107.7	83	0.6	341.9	150	1.4	117.2
17	2.0	107.9	84	0.4	43.3	151	1.4	117.4
18	2.0	108.0	85	0.5	68.1	152	1.3	117.4
19	2.0	108.1	86	0.6	83.7	153	1.1	117.1
20	2.0	108.2	87	0.5	73.3	154	1.3	117.9
21	1.9	106.8	88	0.4	15.7	155	1.3	117.9
22	1.6	103.7	89	0.9	333.2	156	1.3	117.9
23	1.6	103.1	90	1.3	323.6	157	1.4	118.0
24	1.6	103.1	91	1.4	322.4	158	1.4	118.0
25	1.6	107.5	92	1.2	325.5	159	1.5	118.1
26	1.5	110.1	93	0.8	334.5	160	1.5	118.1
27	1.5	110.1	94	0.5	5.4	161	1.6	118.2
28	1.5	110.1	95	0.5	62.2	162	1.7	113.4
29	1.4	109.2	96	0.9	76.9	163	1.8	110.6
30	1.2	106.0	97	1.4	84.0	164	1.9	111.2
31	1.1	103.7	98	1.7	89.9	165	2.1	112.6
32	1.2	94.7	99	1.8	90.7	166	2.1	112.4
33	1.2	94.5	100	1.8	93.7	167	2.1	112.4
34	1.3	95.5	101	1.8	98.6	168	2.1	112.3
35	1.3	96.3	102	1.7	102.0	169	2.1	112.3
36	1.4	97.2	103	1.7	102.9	170	2.1	112.4
37	1.4	97.1	104	1.7	103.2	171	2.1	112.4
38	1.4	97.1	105	1.7	103.4	172	2.1	112.6
39	1.3	104.5	106	1.8	103.7	173	2.1	112.7
40	1.1	107.0	107	1.8	103.8	174	2.1	112.8
41	0.9	101.5	108	1.8	103.8	175	2.1	110.0
42	0.7	92.2	109	1.9	104.8	176	2.1	108.0
43	0.5	82.4	110	1.9	104.9	177	2.1	108.0
44	0.4	42.5	111	1.9	104.9	178	2.1	108.0
45	0.5	356.8	112	1.9	104.9	179	2.1	107.9
46	0.7	336.2	113	1.9	104.9	180	2.1	107.8
47	0.9	326.3	114	1.8	103.1	181	2.1	107.7
48	1.2	320.6	115	1.7	96.8	182	2.1	107.6
49	1.2	320.6	116	1.7	95.7	183	2.1	107.5
50	0.9	325.7	117	1.8	97.8	184	2.1	107.5
51	0.8	329.1	118	1.8	102.8	185	2.1	107.5
52	0.6	334.1	119	1.8	109.7	186	2.1	107.5
53	0.6	336.0	120	1.7	111.1	187	2.1	107.5
54	0.7	330.1	121	1.6	110.3	188	2.1	107.5
55	0.8	326.2	122	1.5	109.0	189	2.1	107.5
56	0.9	324.5	123	1.4	107.5	190	2.1	107.5
57	0.9	327.2	124	1.3	106.6			
58	0.8	329.9	125	1.3	106.6			
59	0.7	333.3	126	1.5	108.4			
60	0.8	329.4	127	1.6	109.8			
61	1.0	326.1	128	1.6	110.2			
62	1.2	322.7	129	1.6	109.4			
63	1.4	320.1	130	1.5	108.8			
64	1.6	318.1	131	1.4	108.0			
65	1.7	316.7	132	1.5	108.4			
66	1.9	315.6	133	1.4	108.3			

CARIBOU STATION 230 (192M.) 12/FEB/76 1623 GMT
LAT= 72.9184N LONG= 143.2805W LTER= 1. LGER= 1.
NIVEL= -1.5 EIVEL= 2.3 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	4.9	305.7	134	1.0	36.8
1	0.0	999.9	68	4.8	305.8	135	1.0	36.8
2	0.0	949.9	69	4.7	305.8	136	1.0	36.7
3	0.0	999.9	70	4.5	305.8	137	1.0	36.7
4	0.0	999.9	71	4.4	305.5	138	1.0	37.2
5	1.1	44.9	72	4.3	305.4	139	1.0	37.1
6	1.2	45.1	73	4.0	305.3	140	0.9	36.2
7	1.2	45.1	74	3.9	305.1	141	0.5	27.4
8	1.2	45.0	75	4.1	305.1	142	0.4	22.2
9	1.1	44.9	76	4.1	305.4	143	0.4	23.5
10	1.1	44.8	77	3.7	306.0	144	0.4	23.5
11	1.1	44.8	78	3.2	306.6	145	0.4	23.5
12	1.1	44.6	79	2.3	307.9	146	0.4	23.5
13	0.9	42.2	80	1.7	315.7	147	0.4	23.5
14	0.9	42.0	81	1.4	323.9	148	0.2	15.7
15	0.7	39.6	82	1.3	324.8	149	0.1	357.2
16	0.6	39.5	83	1.4	324.5	150	0.3	20.6
17	0.6	39.5	84	1.9	321.2	151	0.7	33.6
18	0.6	39.4	85	2.3	317.3	152	0.7	33.9
19	0.6	39.4	86	2.4	308.8	153	0.7	34.6
20	0.6	39.3	87	2.4	307.8	154	0.7	34.6
21	0.7	39.7	88	2.3	307.9	155	0.7	34.6
22	0.9	42.0	89	2.0	308.3	156	0.7	34.6
23	1.1	44.6	90	1.5	318.6	157	0.7	34.6
24	1.3	46.2	91	1.1	338.6	158	0.7	34.6
25	1.4	47.7	92	1.0	0.2	159	0.7	35.4
26	1.4	48.1	93	1.1	22.6	160	0.7	35.4
27	1.4	48.1	94	1.0	28.3	161	0.7	35.4
28	1.4	48.1	95	1.1	23.9	162	0.4	28.8
29	1.4	48.1	96	1.3	20.1	163	0.4	28.1
30	1.4	48.1	97	1.7	11.2	164	0.4	29.6
31	1.4	48.1	98	2.1	359.0	165	0.4	29.7
32	1.4	48.1	99	2.5	337.4	166	0.1	7.2
33	1.4	48.0	100	2.9	321.0	167	0.2	16.6
34	1.4	47.8	101	3.0	317.3	168	0.2	19.7
35	1.4	47.6	102	2.7	318.1	169	0.2	19.7
36	1.4	47.4	103	2.3	319.4	170	0.2	19.7
37	1.4	47.3	104	1.5	323.8	171	0.2	19.7
38	1.3	47.0	105	0.9	333.4	172	0.2	18.7
39	1.3	46.3	106	0.9	5.5	173	0.1	19.7
40	1.1	44.0	107	1.0	22.2	174	0.1	17.8
41	0.8	41.0	108	1.0	26.2	175	0.1	17.8
42	0.3	36.0	109	1.1	22.3	176	0.1	19.7
43	0.6	38.9	110	1.2	10.2	177	0.1	20.3
44	0.9	42.3	111	1.6	358.0	178	0.1	23.9
45	1.1	44.4	112	1.6	339.3	179	0.1	23.0
46	1.3	40.9	113	2.2	335.0	180	0.1	21.9
47	1.5	19.9	114	2.6	327.4	181	0.1	22.5
48	1.7	356.5	115	2.8	316.8	182	0.1	24.7
49	1.9	325.4	116	2.7	309.2	183	0.2	29.9
50	2.3	307.9	117	2.5	306.7	184	0.4	35.2
51	2.8	305.5	118	2.2	311.4	185	0.5	37.3
52	3.3	305.3	119	2.1	319.0	186	0.7	39.4
53	3.7	305.2	120	1.9	321.4	187	0.7	40.4
54	3.8	305.3	121	1.4	325.1	188	0.7	40.5
55	3.9	305.3	122	1.1	329.8	189	0.8	40.6
56	4.1	305.4	123	0.9	334.9	190	0.8	40.8
57	4.3	305.4	124	0.8	355.8	191	1.0	43.2
58	4.5	305.5	125	0.9	5.7	192	1.0	43.2
59	4.3	305.6	126	0.9	8.8			
60	4.2	305.9	127	0.9	11.8			
61	4.4	305.9	128	0.8	16.3			
62	4.5	305.8	129	0.8	23.5			
63	4.7	305.8	130	0.8	31.8			
64	4.8	305.8	131	0.8	32.2			
65	5.0	305.7	132	1.0	36.8			
66	5.0	305.7	133	1.0	36.9			

CAMP CARIBOU STATION 291
DATE 4/ 3/76 TIME 445(GMT)



CAMP CARIBOU STATION 292
DATE 4/ 3/76 TIME 1049(GMT)



CARIBOU STATION 291 (189M.) 4/MAR/76 445 GMT
LAT= 72.9762N LONG= 143.4713W LTER= 1. LGER= 2.
NIVEL= 1.0 EIVEL= -11.2 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	18.4	225.5	134	14.0	229.2
1	0.0	999.9	68	18.3	224.2	135	14.0	229.0
2	0.0	999.9	69	18.6	223.4	136	14.5	229.3
3	0.0	999.9	70	18.6	223.4	137	14.7	229.0
4	0.0	999.9	71	18.5	223.5	138	14.9	228.3
5	13.9	236.7	72	18.5	223.5	139	15.2	227.1
6	14.1	236.7	73	18.5	223.2	140	15.5	226.0
7	14.1	236.6	74	18.6	222.8	141	15.6	225.3
8	14.2	236.1	75	18.3	221.0	142	15.5	225.9
9	14.7	237.2	76	18.2	222.3	143	15.3	226.8
10	14.8	237.4	77	18.0	222.9	144	15.4	226.5
11	14.8	237.5	78	17.8	223.4	145	15.0	224.5
12	14.7	237.9	79	17.7	223.9	146	15.0	225.5
13	14.7	237.9	80	17.5	224.3	147	14.8	226.0
14	15.0	236.8	81	17.5	224.5	148	15.0	225.7
15	15.4	235.1	82	17.5	223.8	149	14.7	226.7
16	15.3	235.1	83	16.9	223.1	150	14.5	227.6
17	15.2	235.5	84	16.5	224.0	151	14.3	228.6
18	15.1	234.2	85	16.8	223.3	152	14.3	228.7
19	15.2	234.1	86	16.8	223.3	153	14.5	228.0
20	15.3	233.8	87	16.4	224.4	154	14.4	228.5
21	15.3	233.7	88	16.0	225.7	155	14.2	229.3
22	15.2	233.9	89	15.6	227.0	156	14.3	229.0
23	15.4	235.9	90	15.6	227.1	157	14.4	228.3
24	15.7	235.6	91	15.7	226.7	158	14.6	227.6
25	16.2	236.8	92	15.4	227.8	159	14.6	227.6
26	16.3	236.7	93	15.1	228.0	160	14.6	227.4
27	16.1	237.3	94	15.1	226.4	161	14.6	227.3
28	16.0	237.7	95	15.4	225.3	162	14.6	227.2
29	15.9	238.0	96	15.6	224.4	163	15.1	227.0
30	15.8	237.8	97	15.9	223.5	164	15.5	226.4
31	15.8	237.1	98	16.1	222.7	165	15.8	225.2
32	15.9	236.0	99	16.2	222.6	166	16.3	223.7
33	16.3	235.9	100	16.2	222.8	167	16.7	222.3
34	16.4	235.7	101	16.4	222.1	168	16.7	220.1
35	16.5	235.3	102	16.6	221.3	169	16.9	218.9
36	16.5	235.0	103	16.8	220.8	170	17.1	218.5
37	16.2	236.3	104	16.6	221.5	171	17.0	218.9
38	16.0	237.2	105	16.3	222.2	172	16.7	219.8
39	15.9	238.1	106	16.2	222.7	173	16.4	220.8
40	16.0	238.0	107	16.0	223.2	174	16.0	222.0
41	16.2	236.6	108	15.8	223.8	175	15.7	223.2
42	16.4	235.4	109	15.5	225.2	176	15.6	223.6
43	16.7	234.1	110	15.3	225.9	177	15.7	223.3
44	16.7	233.8	111	15.3	225.9	178	15.7	223.3
45	16.9	233.4	112	15.3	225.8	179	15.7	223.2
46	17.0	232.9	113	15.2	226.4	180	15.8	222.9
47	16.8	232.9	114	14.9	227.4	181	15.9	222.4
48	16.3	231.7	115	14.9	227.8	182	16.0	222.2
49	16.3	231.7	116	15.1	226.8	183	15.8	222.7
50	16.1	232.0	117	15.4	225.4	184	15.4	224.0
51	16.1	231.7	118	15.7	224.5	185	15.2	225.0
52	16.7	230.1	119	15.5	225.4	186	15.3	224.6
53	17.1	228.9	120	15.2	226.3	187	15.1	225.2
54	17.1	229.0	121	15.2	226.6	188	14.8	226.5
55	16.8	228.1	122	15.1	226.9	189	14.8	226.5
56	16.6	228.0	123	15.1	226.9			
57	17.1	226.7	124	15.0	227.3			
58	17.8	226.9	125	14.6	226.2			
59	17.7	228.1	126	14.5	226.6			
60	17.6	228.2	127	14.5	226.9			
61	17.9	227.4	128	14.4	227.4			
62	18.2	226.8	129	14.3	227.9			
63	18.1	226.9	130	14.2	228.5			
64	18.1	226.8	131	14.1	229.0			
65	18.3	226.4	132	14.0	229.3			
66	18.4	226.1	133	14.0	229.3			

CARIBOU STATION 292 (190M.) 4/MAR/76 1049 GMT
LAT= 72.9741N LONG= 143.5476W LTER= 0. LGER= 1.
NIVEL= -1.4 EIVEL= -10.3 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	13.3	204.3	134	12.7	216.2
1	0.0	999.9	68	13.0	205.6	135	12.5	217.0
2	0.0	999.9	69	13.1	206.0	136	12.4	218.3
3	0.0	999.9	70	12.9	207.3	137	12.2	219.6
4	0.0	999.9	71	12.6	207.8	138	12.1	219.0
5	9.0	232.9	72	12.7	207.4	139	12.0	218.4
6	9.0	230.2	73	12.8	208.2	140	11.7	217.6
7	9.2	226.1	74	12.4	209.9	141	11.3	218.4
8	9.4	221.6	75	12.1	211.8	142	11.2	219.7
9	9.4	219.9	76	11.9	213.7	143	11.1	220.5
10	9.4	218.5	77	11.6	215.8	144	11.4	222.2
11	9.5	217.7	78	11.3	217.9	145	11.5	221.7
12	9.6	218.6	79	11.1	220.2	146	11.6	221.0
13	9.6	218.9	80	11.0	221.8	147	11.6	220.6
14	9.6	219.2	81	10.9	223.5	148	11.6	220.6
15	9.7	219.3	82	10.8	225.3	149	11.6	220.7
16	9.8	218.4	83	10.8	224.4	150	11.7	219.7
17	10.1	216.9	84	10.8	223.5	151	11.9	218.7
18	10.6	215.6	85	10.9	222.2	152	11.9	218.1
19	10.7	214.3	86	10.9	221.9	153	11.9	218.3
20	10.6	214.3	87	11.0	221.6	154	12.1	219.1
21	10.4	214.7	88	11.1	218.9	155	12.2	220.7
22	10.4	215.6	89	11.2	218.0	156	12.1	221.7
23	10.4	216.7	90	11.1	220.4	157	11.9	222.7
24	10.4	217.9	91	11.2	219.8	158	12.1	221.9
25	10.4	219.0	92	11.4	217.2	159	12.1	221.7
26	10.4	220.0	93	11.5	215.5	160	12.1	221.8
27	10.4	220.7	94	11.4	215.8	161	12.1	221.3
28	10.5	220.2	95	11.2	217.6	162	12.1	221.9
29	10.5	219.5	96	11.1	219.5	163	12.0	222.8
30	10.6	220.0	97	11.0	220.4	164	11.9	223.7
31	10.5	221.3	98	11.3	216.6	165	11.8	224.6
32	10.3	222.7	99	11.4	216.0	166	12.0	223.3
33	10.4	223.4	100	11.4	217.0	167	12.2	221.4
34	10.7	225.9	101	11.6	214.9	168	12.9	220.7
35	11.1	224.6	102	11.8	213.0	169	13.2	219.6
36	10.9	225.8	103	12.5	213.2	170	13.0	220.9
37	10.9	224.2	104	12.2	215.0	171	12.7	222.3
38	10.7	217.4	105	11.9	217.3	172	12.5	223.5
39	10.9	212.8	106	11.7	219.7	173	12.4	224.2
40	11.3	209.6	107	11.7	220.3	174	12.4	224.1
41	11.7	206.5	108	11.7	220.2	175	12.0	225.1
42	11.7	208.4	109	11.9	216.9	176	11.8	224.6
43	11.4	210.9	110	12.1	217.7	177	11.9	223.9
44	11.4	209.2	111	12.1	217.0	178	12.0	223.2
45	11.6	206.7	112	12.1	216.6	179	12.1	222.5
46	11.9	204.3	113	12.1	216.4	180	12.2	221.7
47	12.0	204.0	114	12.1	217.1	181	12.3	221.0
48	12.1	204.1	115	11.9	218.2	182	12.3	221.5
49	12.3	202.9	116	12.0	218.3	183	12.5	222.7
50	12.4	201.7	117	12.2	217.0	184	12.4	223.2
51	12.5	202.1	118	12.5	215.4	185	12.4	223.1
52	12.5	202.9	119	12.3	215.8	186	12.5	222.7
53	12.8	202.6	120	12.2	215.9	187	12.5	222.9
54	13.5	202.8	121	12.3	215.5	188	12.4	222.7
55	13.6	202.2	122	12.1	216.5	189	12.5	221.7
56	13.7	201.7	123	12.2	215.7	190	12.5	221.7
57	13.6	202.2	124	12.3	214.7			
58	13.5	203.1	125	12.4	214.0			
59	13.5	203.4	126	12.7	214.5			
60	13.6	202.8	127	12.8	214.8			
61	13.7	202.6	128	12.9	214.5			
62	14.0	201.7	129	12.9	214.6			
63	14.4	200.4	130	12.9	214.8			
64	14.2	200.4	131	12.8	215.4			
65	13.9	201.7	132	12.7	215.7			
66	13.6	203.0	133	12.7	215.9			


CAMP CARIBOU STATION 298
DATE 7/ 3/76 TIME 757 (GMT)
TRUE DIRECTION
0
90
180
270
360
SPEED CM/SEC
0
5
10
15
20
25
DEPTH (M)
0
50
100
150
200


CAMP CARIBOU STATION 293
DATE 4/ 3/76 TIME 2102 (GMT)
TRUE DIRECTION
0
90
180
270
360
SPEED CM/SEC
0
5
10
15
20
25
DEPTH (M)
0
50
100
150
200

CARIBOU STATION 293 (189M.) 4/MAR/76 2102 GMT
LAT= 72.9631N LONG= 143.6853W LTER= 0. LGER= 1.
NIVEL= -6.8 EIVEL= -12.0 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	12.8	204.0	134	10.7	189.3
1	0.0	999.9	68	12.8	204.5	135	11.1	190.2
2	0.0	999.9	69	12.8	203.1	136	11.1	191.5
3	0.0	999.9	70	12.8	201.7	137	11.1	192.8
4	0.0	999.9	71	12.7	200.4	138	11.1	193.7
5	12.3	201.0	72	12.6	199.5	139	11.1	193.9
6	13.0	201.9	73	12.5	198.6	140	11.1	194.5
7	13.4	201.1	74	12.0	196.3	141	11.1	195.5
8	13.1	199.0	75	11.8	195.5	142	11.2	196.1
9	12.9	196.6	76	11.8	196.9	143	11.1	197.8
10	12.8	196.8	77	11.7	198.3	144	11.2	198.2
11	12.5	198.0	78	11.7	199.7	145	11.2	198.5
12	12.6	200.1	79	11.8	200.7	146	11.2	200.3
13	13.0	200.1	80	11.8	200.4	147	11.2	202.0
14	13.1	198.7	81	11.7	199.5	148	11.2	203.7
15	13.8	199.3	82	11.7	199.0	149	11.1	204.8
16	14.2	200.8	83	11.7	199.6	150	11.1	205.4
17	14.2	201.9	84	11.7	200.2	151	11.1	205.7
18	14.1	200.5	85	11.8	200.7	152	11.0	205.6
19	14.0	199.9	86	11.5	200.7	153	10.6	199.9
20	14.0	200.7	87	11.4	200.7	154	10.4	198.6
21	14.2	201.0	88	11.4	200.0	155	10.3	196.9
22	14.2	200.0	89	11.4	199.3	156	10.3	195.1
23	14.1	199.4	90	11.3	198.6	157	10.3	192.7
24	13.9	198.9	91	11.3	197.9	158	10.3	192.2
25	13.8	200.7	92	11.3	197.2	159	10.3	189.7
26	14.0	202.2	93	11.2	197.1	160	10.4	187.1
27	14.2	202.9	94	11.2	198.5	161	10.7	187.1
28	14.4	203.4	95	11.2	199.9	162	10.9	187.7
29	14.4	204.1	96	11.2	201.3	163	10.9	187.1
30	14.3	203.8	97	11.2	202.6	164	11.0	185.2
31	14.3	203.7	98	11.2	202.1	165	11.0	184.3
32	14.5	203.7	99	11.2	200.5	166	11.0	184.9
33	14.7	203.8	100	11.2	199.0	167	11.0	185.1
34	13.7	205.1	101	11.2	197.4	168	11.0	183.9
35	13.6	200.1	102	11.2	195.9	169	11.1	183.0
36	13.7	201.4	103	11.2	194.7	170	11.2	180.7
37	13.7	203.2	104	11.3	194.2	171	11.2	180.6
38	13.6	204.0	105	11.3	193.6	172	11.2	181.4
39	13.5	204.9	106	11.4	193.1	173	11.1	182.5
40	13.4	202.1	107	11.4	192.6	174	11.1	181.9
41	13.4	199.2	108	11.1	189.9	175	11.2	180.1
42	12.9	199.0	109	11.1	188.2	176	11.4	178.4
43	12.3	198.7	110	11.2	186.6	177	11.3	179.0
44	11.9	197.7	111	11.3	185.0	178	11.2	180.4
45	12.0	197.2	112	11.3	183.4	179	11.1	181.8
46	12.1	197.5	113	11.3	182.8	180	11.0	183.2
47	12.1	198.8	114	11.3	184.1	181	11.0	183.8
48	12.0	200.3	115	11.2	185.5	182	11.2	181.1
49	11.8	202.8	116	11.2	186.9	183	11.3	178.9
50	11.7	202.0	117	11.1	187.9	184	11.3	178.9
51	11.5	199.7	118	11.0	187.7	185	11.4	176.2
52	11.5	196.8	119	11.0	187.6	186	11.4	178.1
53	11.3	194.3	120	11.1	186.3	187	11.3	180.0
54	11.3	195.8	121	11.2	185.1	188	11.0	183.4
55	11.3	197.5	122	11.2	183.9	189	11.0	184.1
56	11.4	198.6	123	11.3	182.8			
57	11.5	198.3	124	11.4	181.6			
58	11.6	197.5	125	11.5	180.5			
59	11.8	199.3	126	11.6	180.2			
60	11.9	201.7	127	11.4	181.8			
61	12.2	203.8	128	11.3	183.4			
62	12.8	203.7	129	11.2	185.1			
63	12.8	203.0	130	11.1	186.9			
64	12.6	203.0	131	11.1	187.7			
65	12.6	203.1	132	11.1	188.5			
66	12.7	203.6	133	10.7	188.4			

CARIBOU STATION 298 (190M.) 7/MAR/76 757 GMT
LAT= 72.9433N LONG= 143.7110W LTER= 0. LGER= 0.
NIVEL= 4.6 EIVEL= -8.3 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	15.4	269.6	134	15.3	272.7
1	0.0	999.9	68	15.2	270.5	135	15.4	272.6
2	0.0	999.9	69	15.3	272.2	136	15.5	272.3
3	0.0	999.9	70	15.3	272.2	137	15.6	272.0
4	0.0	999.9	71	15.5	271.5	138	15.8	271.5
5	13.0	278.4	72	15.8	270.9	139	16.1	270.9
6	13.4	275.5	73	16.1	270.4	140	16.1	270.9
7	13.4	273.8	74	16.3	270.1	141	15.9	271.4
8	13.3	274.9	75	16.6	269.5	142	15.9	271.5
9	13.1	275.8	76	16.9	269.1	143	16.1	271.0
10	12.8	276.7	77	17.0	268.9	144	16.5	270.4
11	12.8	274.5	78	16.9	269.0	145	16.7	270.1
12	12.9	272.5	79	16.9	269.1	146	17.3	270.7
13	12.9	271.7	80	16.9	269.1	147	17.5	270.3
14	12.8	271.6	81	16.9	269.0	148	17.3	270.5
15	12.6	271.6	82	17.0	268.8	149	17.3	270.5
16	12.6	271.8	83	17.0	268.8	150	17.4	270.4
17	12.7	272.3	84	16.7	269.3	151	17.5	270.4
18	12.8	272.0	85	16.4	269.9	152	17.5	268.7
19	12.9	271.7	86	16.3	271.8	153	17.7	268.4
20	12.9	271.3	87	16.2	271.9	154	17.9	268.1
21	13.0	272.4	88	16.1	272.1	155	18.2	269.3
22	13.0	274.3	89	16.0	272.3	156	18.2	269.5
23	12.9	274.2	90	16.0	272.4	157	18.1	269.6
24	12.8	273.9	91	15.9	272.6	158	18.1	269.6
25	12.8	274.7	92	15.8	272.9	159	17.8	270.0
26	12.8	274.4	93	15.7	273.1	160	17.6	270.3
27	12.8	274.1	94	15.6	273.4	161	17.3	268.9
28	12.9	273.6	95	15.6	272.6	162	17.3	268.8
29	13.1	273.2	96	15.5	270.5	163	16.4	270.6
30	13.0	273.1	97	15.6	269.9	164	16.2	271.1
31	13.0	273.0	98	15.8	270.1	165	16.0	271.5
32	13.1	273.0	99	16.0	270.5	166	15.8	271.9
33	13.1	272.9	100	16.1	269.3	167	15.6	272.3
34	13.0	272.9	101	16.0	269.0	168	15.5	272.6
35	13.2	272.8	102	16.0	268.8	169	15.3	273.2
36	13.6	271.9	103	16.3	269.6	170	15.1	273.7
37	14.1	270.9	104	16.3	270.1	171	15.3	273.5
38	14.4	270.6	105	16.3	270.1	172	15.5	272.9
39	14.3	270.6	106	16.3	270.1	173	15.9	272.2
40	14.5	270.4	107	16.3	270.0	174	16.2	271.5
41	14.4	270.6	108	16.1	270.3	175	16.6	270.8
42	14.2	271.8	109	16.0	270.6	176	16.9	270.2
43	13.9	273.1	110	15.9	270.8	177	17.3	269.5
44	13.6	274.4	111	15.9	271.0	178	17.2	269.6
45	13.5	272.7	112	15.8	271.1	179	17.0	269.9
46	13.6	268.0	113	15.5	271.7	180	16.8	270.2
47	14.5	267.2	114	15.2	272.3	181	16.7	270.6
48	14.6	267.2	115	15.1	272.6	182	16.7	270.6
49	14.6	267.4	116	15.0	272.8	183	16.7	270.6
50	14.5	267.9	117	14.9	273.0	184	16.7	270.5
51	14.5	269.1	118	14.7	272.3	185	16.7	270.5
52	14.3	269.9	119	14.6	272.4	186	16.7	270.4
53	14.7	271.5	120	14.5	272.6	187	16.7	270.5
54	14.6	271.2	121	14.5	272.8	188	16.6	270.6
55	14.8	270.9	122	14.6	272.5	189	16.3	271.2
56	15.0	271.0	123	14.7	272.1	190	16.0	271.8
57	15.2	271.7	124	14.9	271.8			
58	15.2	271.9	125	15.0	271.5			
59	15.1	272.1	126	15.1	271.3			
60	15.0	272.3	127	15.1	271.3			
61	15.3	271.7	128	15.1	271.4			
62	15.5	271.2	129	15.1	271.5			
63	15.6	270.8	130	15.1	271.6			
64	15.6	269.9	131	15.0	271.8			
65	15.6	268.8	132	15.2	273.0			
66	15.5	269.1	133	15.3	272.9			


CAMP CARIBOU STATION 301
DATE 8/ 3/76 TIME 2003(GMT)
TRUE DIRECTION
0 90 180 270 360
SPEED CM/SEC
0 5 10 15 20 25
DEPTH (M)
0 50 100 150 200


CAMP CARIBOU STATION 299
DATE 7/ 3/76 TIME 1954(GMT)
TRUE DIRECTION
0 90 180 270 360
SPEED CM/SEC
0 5 10 15 20 25
DEPTH (M)
0 50 100 150 200

CARIBOU STATION 299 (188M.) 7/MAR/76 1954 GMT
LAT= 72.9646N LONG= 143.8595W LTER= 1. LGER= 2.
NIVEL= 6.5 EIVEL= -10.7 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	10.7	260.1	134	8.2	234.9
1	0.0	999.9	68	10.5	258.6	135	8.1	232.9
2	0.0	999.9	69	10.2	258.0	136	8.1	232.3
3	0.0	999.9	70	10.0	258.0	137	8.0	230.1
4	0.0	999.9	71	10.0	257.6	138	7.8	227.1
5	10.0	282.9	72	10.1	257.2	139	7.6	227.0
6	11.1	280.2	73	10.2	256.7	140	7.7	230.0
7	11.2	277.3	74	10.3	256.2	141	7.5	229.5
8	12.0	276.3	75	10.4	255.6	142	6.2	209.8
9	12.7	275.9	76	10.2	255.0	143	5.4	189.7
10	13.2	275.0	77	10.0	254.3	144	5.2	182.5
11	13.0	272.6	78	9.5	257.4	145	4.9	169.1
12	13.4	272.6	79	9.7	259.3	146	4.8	168.0
13	13.9	273.5	80	10.2	259.3	147	4.7	168.2
14	14.0	275.2	81	10.5	259.7	148	4.5	162.1
15	13.4	276.0	82	10.8	261.5	149	4.1	145.8
16	13.0	276.0	83	11.5	264.5	150	4.0	137.3
17	12.2	276.8	84	11.9	263.8	151	3.9	137.7
18	11.8	277.9	85	11.8	264.3	152	3.9	137.8
19	11.8	278.8	86	11.4	264.4	153	3.9	137.8
20	11.3	281.6	87	11.1	264.3	154	4.2	135.9
21	11.2	282.9	88	10.9	263.9	155	4.5	131.7
22	10.7	283.0	89	10.6	263.5	156	4.3	127.4
23	10.4	282.8	90	10.4	263.1	157	4.1	127.6
24	9.9	284.6	91	10.2	262.8	158	3.9	127.9
25	10.3	287.9	92	10.2	262.0	159	3.8	128.1
26	11.1	287.8	93	10.2	263.5	160	3.8	127.5
27	11.7	286.1	94	10.2	264.5	161	3.9	127.1
28	11.8	286.4	95	10.1	265.2	162	4.0	126.5
29	11.8	287.0	96	10.0	265.9	163	4.0	126.1
30	11.5	287.3	97	10.0	266.1	164	3.7	126.1
31	11.6	286.6	98	9.8	265.8	165	3.4	115.5
32	11.6	285.9	99	9.6	265.5	166	3.1	115.3
33	11.4	285.7	100	9.6	265.6	167	2.7	114.5
34	11.3	284.8	101	9.6	266.6	168	2.3	113.4
35	11.4	282.8	102	9.7	267.5	169	1.9	112.1
36	11.7	282.1	103	9.9	268.0	170	1.6	110.4
37	11.6	282.0	104	10.1	268.4	171	1.4	106.9
38	11.7	282.0	105	10.3	268.9	172	1.3	109.1
39	11.5	282.0	106	10.2	267.3	173	1.3	109.5
40	11.2	282.0	107	10.2	264.7	174	1.3	109.1
41	11.1	282.1	108	10.5	266.0	175	1.1	108.1
42	11.0	282.3	109	10.9	266.9	176	1.1	108.5
43	10.8	281.8	110	11.2	267.1	177	1.3	110.7
44	10.2	279.4	111	10.8	265.5	178	1.5	112.4
45	10.0	279.4	112	10.9	265.9	179	1.7	114.5
46	9.9	278.7	113	10.6	265.0	180	1.7	114.9
47	10.1	279.4	114	10.2	265.4	181	1.8	115.4
48	10.4	278.6	115	9.8	265.6	182	2.0	116.4
49	10.5	277.9	116	9.6	264.5	183	2.3	117.0
50	10.4	277.9	117	9.5	262.8	184	2.6	117.1
51	9.9	276.0	118	9.4	259.0	185	2.9	116.8
52	10.1	275.4	119	9.4	259.4	186	3.2	116.6
53	10.3	274.7	120	9.3	260.1	187	2.7	106.9
54	10.5	274.1	121	9.4	258.6	188	1.8	92.8
55	10.7	273.3	122	9.4	256.3			
56	10.7	269.5	123	9.5	256.7			
57	10.9	268.8	124	9.6	257.1			
58	11.1	266.6	125	9.5	257.0			
59	10.8	262.5	126	9.1	253.1			
60	10.8	262.4	127	9.1	252.5			
61	10.8	262.6	128	8.9	251.0			
62	10.7	263.0	129	8.8	249.6			
63	10.6	263.4	130	8.7	246.7			
64	10.5	263.4	131	8.6	244.2			
65	10.5	263.4	132	8.7	243.9			
66	10.6	261.9	133	8.6	241.1			

CARIBOU STATION 301 (190M.) 8/MAR/76 2003 GMT
LAT= 72.9749N LONG= 144.1827W LTER= 1. LGER= 1.
NIVEL= 2.0 EIVEL= -11.9 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	11.9	325.9	134	12.0	325.3
1	0.0	999.9	68	11.7	323.4	135	12.1	325.6
2	0.0	999.9	69	11.4	319.8	136	12.0	325.5
3	0.0	999.9	70	11.1	320.2	137	12.0	325.3
4	0.0	999.9	71	11.1	321.3	138	12.0	325.7
5	11.5	312.6	72	11.1	321.0	139	12.0	325.9
6	11.8	312.3	73	11.1	319.6	140	12.0	326.0
7	11.8	312.6	74	11.0	318.5	141	12.0	326.1
8	11.9	313.4	75	11.0	317.6	142	12.0	326.0
9	12.0	314.8	76	10.9	316.7	143	12.0	326.4
10	12.0	316.2	77	11.2	316.0	144	12.1	327.3
11	12.1	317.4	78	11.2	315.9	145	12.2	328.4
12	12.0	316.2	79	11.2	316.1	146	12.2	328.3
13	12.0	315.4	80	11.3	317.5	147	12.3	329.4
14	12.0	315.3	81	11.3	319.0	148	12.3	330.0
15	12.0	315.1	82	11.2	321.0	149	12.2	329.3
16	11.9	313.5	83	11.1	321.5	150	12.1	328.5
17	11.8	312.5	84	11.0	319.2	151	12.0	326.7
18	12.0	314.0	85	11.0	319.1	152	12.0	327.8
19	12.0	314.7	86	11.0	320.5	153	12.1	328.9
20	12.0	315.3	87	11.0	321.2	154	12.0	327.1
21	12.0	315.7	88	11.3	320.9	155	11.9	325.9
22	12.0	316.2	89	11.3	321.3	156	11.9	325.8
23	11.8	316.8	90	11.4	322.5	157	11.9	326.0
24	11.6	316.6	91	11.5	324.0	158	11.8	325.8
25	11.4	314.4	92	11.5	324.5	159	11.8	325.0
26	11.2	316.0	93	11.6	325.0	160	11.8	324.2
27	11.2	317.6	94	11.8	327.3	161	11.7	323.2
28	11.2	317.8	95	12.0	329.8	162	11.7	322.4
29	11.2	316.0	96	12.1	330.6	163	11.7	322.8
30	11.2	315.7	97	12.5	329.8	164	11.7	323.1
31	11.2	316.0	98	12.4	328.4	165	11.7	323.5
32	11.2	316.1	99	12.3	328.1	166	11.8	324.0
33	11.2	315.6	100	12.2	327.6	167	11.8	324.5
34	11.2	314.5	101	11.8	326.7	168	11.8	324.9
35	11.1	314.0	102	11.5	326.5	169	11.8	324.4
36	11.1	316.5	103	11.3	326.1	170	11.8	324.0
37	11.0	320.6	104	11.4	328.6	171	11.8	324.8
38	11.0	321.8	105	11.8	330.7	172	11.9	326.0
39	10.9	320.2	106	11.9	329.9	173	11.9	326.5
40	11.0	318.1	107	11.8	329.0	174	12.0	326.9
41	11.3	320.4	108	11.6	328.5	175	12.0	327.6
42	11.2	321.3	109	11.4	327.9	176	12.1	32[illegible].8
43	11.1	320.5	110	11.7	330.3	177	12.2	329.9
44	11.3	322.8	111	12.1	331.1	178	12.3	331.1
45	11.4	323.8	112	12.1	330.7	179	12.4	331.7
46	11.7	323.7	113	11.9	328.1	180	12.2	330.2
47	12.0	324.4	114	11.7	325.9	181	12.1	328.7
48	12.4	325.7	115	11.8	327.3	182	12.0	328.0
49	12.8	327.2	116	11.8	328.0	183	12.2	330.2
50	12.8	327.1	117	11.8	327.5	184	12.5	332.6
51	12.4	326.8	118	11.7	327.4	185	12.7	334.7
52	12.2	324.9	119	11.8	327.8	186	13.0	336.4
53	12.0	322.7	120	11.7	327.1	187	12.9	335.6
54	11.7	324.8	121	11.6	325.7	188	12.7	333.6
55	11.8	327.0	122	11.5	324.5	189	12.4	331.0
56	12.0	329.1	123	11.5	324.6	190	12.2	329.5
57	12.0	329.0	124	11.6	325.5			
58	12.0	328.7	125	11.7	326.7			
59	11.8	326.4	126	11.8	327.4			
60	11.6	325.4	127	12.0	327.6			
61	11.8	326.6	128	12.2	327.0			
62	12.2	328.1	129	12.1	326.4			
63	12.5	328.2	130	12.1	326.1			
64	12.2	328.9	131	12.1	325.8			
65	11.9	326.8	132	12.1	325.7			
66	11.9	325.9	133	12.1	325.6			


CAMP CARIBOU STATION 303
DATE 9/ 3/76 TIME 1637(GMT)
TRUE DIRECTION
0 90 180 270 360
SPEED CM/SEC
0 5 10 15 20 25
DEPTH (M)
0 50 100 150 200


CAMP CARIBOU STATION 302
DATE 9/ 3/76 TIME 748(GMT)
TRUE DIRECTION
0 90 180 270 360
SPEED CM/SEC
0 5 10 15 20 25
DEPTH (M)
0 50 100 150 200

CARIBOU STATION 302 (191M.) 9/MAR/76 748 GMT
LAT= 72.9802N LONG= 144.3035W LTER= 1. LGER= 2.
NIVEL= -0.1 EIVEL= -3.5 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	11.3	319.9	134	7.6	308.6
1	0.0	999.9	68	12.0	320.9	135	7.2	307.1
2	0.0	999.9	69	12.7	321.9	136	6.8	305.5
3	0.0	999.9	70	13.4	322.6	137	6.4	303.7
4	0.0	999.9	71	14.2	323.4	138	6.4	304.0
5	3.7	311.0	72	15.0	324.2	139	6.1	302.1
6	4.1	308.6	73	16.1	325.1	140	5.6	299.0
7	4.2	307.3	74	17.1	325.9	141	5.6	298.7
8	4.3	306.8	75	18.2	326.6	142	5.5	297.6
9	4.4	306.3	76	18.6	326.8	143	5.6	294.7
10	4.4	306.3	77	18.9	326.9	144	5.7	292.9
11	4.4	306.0	78	19.3	327.1	145	5.7	294.2
12	4.4	305.7	79	19.6	327.2	146	5.6	295.6
13	4.5	305.1	80	19.8	327.4	147	5.4	296.1
14	4.6	304.5	81	19.9	327.6	148	5.4	291.6
15	4.6	303.9	82	20.2	327.7	149	5.4	288.9
16	4.7	303.2	83	20.3	327.8	150	5.4	288.6
17	4.7	302.5	84	20.5	327.9	151	5.4	289.4
18	4.8	302.4	85	20.4	329.1	152	5.3	289.9
19	4.8	302.3	86	20.3	329.8	153	5.3	290.6
20	4.8	302.6	87	20.3	329.7	154	5.2	291.6
21	4.8	302.6	88	20.2	329.7	155	5.4	294.3
22	4.8	302.1	89	20.2	329.7	156	5.6	296.1
23	4.8	302.0	90	20.0	328.7	157	5.5	296.8
24	4.8	302.5	91	19.8	327.6	158	5.4	296.6
25	4.7	303.1	92	19.5	327.5	159	5.4	295.3
26	4.7	303.4	93	19.4	327.6	160	5.6	295.3
27	4.7	303.1	94	19.7	328.1	161	6.1	298.4
28	4.7	303.5	95	20.0	329.2	162	6.5	300.0
29	4.6	304.7	96	19.8	329.4	163	6.6	299.2
30	4.5	305.4	97	19.5	329.3	164	6.2	296.3
31	4.4	305.9	98	19.3	329.2	165	5.8	294.3
32	4.4	306.5	99	19.1	329.1	166	5.7	293.8
33	4.3	306.8	100	19.0	329.2	167	5.6	294.2
34	4.4	305.8	101	19.0	329.2	168	5.5	295.6
35	4.6	304.0	102	18.7	329.1	169	5.3	296.9
36	4.7	302.4	103	18.7	329.1	170	5.4	298.1
37	5.7	310.2	104	18.5	327.9	171	5.4	299.0
38	7.0	316.8	105	18.1	326.7	172	5.4	299.7
39	7.2	316.8	106	17.5	326.4	173	5.4	300.3
40	6.9	314.7	107	17.0	326.0	174	5.4	299.7
41	6.4	312.0	108	16.5	325.7	175	5.4	299.2
42	6.3	311.5	109	16.0	325.3	176	5.4	299.4
43	6.2	309.7	110	15.8	325.0	177	5.5	300.0
44	6.0	307.3	111	15.6	324.7	178	5.5	300.2
45	5.9	306.5	112	15.7	324.9	179	5.3	299.4
46	6.0	307.2	113	15.3	324.6	180	5.2	298.7
47	5.7	304.2	114	14.8	324.2	181	5.0	296.9
48	5.2	300.6	115	14.4	323.7	182	5.0	295.8
49	4.7	300.4	116	14.2	323.4	183	5.0	295.3
50	4.4	303.1	117	13.8	322.9	184	5.0	294.8
51	4.3	303.8	118	13.2	322.3	185	5.0	294.2
52	4.3	303.8	119	12.6	321.7	186	5.0	294.2
53	4.3	303.3	120	12.4	321.5	187	5.0	294.7
54	4.4	303.2	121	12.4	321.4	188	5.0	294.9
55	4.4	303.1	122	11.9	320.7	189	5.0	294.7
56	4.4	303.0	123	11.4	320.0	190	5.0	294.7
57	4.8	306.0	124	10.8	319.0	191	5.0	294.7
58	5.5	309.3	125	10.3	318.0			
59	6.2	309.7	126	9.9	317.4			
60	6.8	311.6	127	9.5	316.7			
61	7.3	313.2	128	9.0	315.4			
62	7.7	313.6	129	8.5	313.9			
63	8.6	314.7	130	8.2	313.0			
64	9.5	316.8	131	8.3	312.7			
65	10.3	318.6	132	8.3	310.7			
66	10.6	318.9	133	8.0	309.9			

CARIBOU STATION 303 (173M.) 9/MAR/76 1637 GMT
LAT= 72.9813N LONG= 144.3483W LTER= 1. LGER= 2.
NIVEL= 0.1 EIVEL= -2.5 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	14.9	318.5	134	6.9	314.8
1	0.0	999.9	68	15.5	318.9	135	5.8	307.5
2	0.0	999.9	69	15.9	319.3	136	5.4	305.2
3	0.0	999.9	70	16.5	319.7	137	5.4	303.9
4	0.0	999.9	71	17.3	320.2	138	5.4	305.1
5	2.1	336.7	72	18.1	320.8	139	5.4	305.9
6	2.1	336.9	73	18.8	321.3	140	5.2	304.8
7	2.2	336.7	74	19.6	321.7	141	4.9	304.4
8	2.3	336.0	75	20.1	321.8	142	4.9	304.4
9	2.4	335.3	76	20.5	322.0	143	4.8	304.0
10	2.4	335.3	77	21.0	322.1	144	4.7	302.8
11	2.4	335.2	78	21.3	322.4	145	4.5	301.9
12	2.5	334.4	79	21.6	322.6	146	4.4	300.3
13	2.5	334.4	80	21.8	322.8	147	4.4	300.2
14	2.6	332.5	81	21.9	322.9	148	4.4	301.6
15	2.7	331.4	82	22.1	323.0	149	4.4	301.3
16	2.8	330.5	83	22.3	323.1	150	4.4	300.3
17	2.8	330.3	84	22.5	323.1	151	4.5	299.1
18	2.9	329.2	85	22.5	323.1	152	4.6	296.4
19	2.9	327.8	86	22.1	322.9	153	4.7	294.7
20	3.0	326.4	87	21.7	322.8	154	4.6	298.0
21	3.0	326.3	88	21.4	322.7	155	4.4	302.5
22	3.0	326.1	89	21.5	322.9	156	4.0	[illegible]
23	3.2	324.6	90	21.0	324.8	157	3.9	[illegible]
24	3.3	323.0	91	20.7	325.1	158	4.2	307.0
25	3.4	321.1	92	20.7	325.3	159	4.4	301.7
26	3.4	319.8	93	21.0	325.4	160	4.5	300.5
27	3.4	319.7	94	20.9	325.3	161	4.5	298.9
28	3.4	319.7	95	20.7	325.1	162	4.5	294.3
29	3.4	320.0	96	20.4	324.9	163	4.5	298.3
30	3.4	320.4	97	20.1	325.0	164	4.4	303.6
31	3.3	320.9	98	19.9	325.1	165	4.2	308.6
32	3.3	322.4	99	19.9	325.1	166	3.9	312.9
33	3.1	324.3	100	19.6	324.9	167	3.6	317.0
34	3.0	326.0	101	19.4	324.7	168	3.5	316.2
35	3.1	326.3	102	19.2	324.5	169	3.5	314.7
36	3.2	324.2	103	19.2	324.4	170	3.4	314.9
37	3.3	322.8	104	19.2	324.5	171	3.5	314.2
38	3.5	319.5	105	19.2	324.5	172	3.7	311.3
39	3.6	317.9	106	19.2	324.5	173	3.9	309.9
40	3.4	318.3	107	18.9	324.2			
41	3.4	315.7	108	18.4	323.9			
42	3.5	314.2	109	17.9	323.8			
43	3.7	312.4	110	17.3	323.6			
44	3.9	310.2	111	16.7	323.3			
45	4.0	308.3	112	16.4	323.1			
46	4.1	306.2	113	16.2	322.7			
47	4.3	303.5	114	15.9	322.4			
48	4.4	301.9	115	15.3	323.0			
49	4.5	300.4	116	14.6	325.2			
50	4.4	300.4	117	14.0	326.2			
51	4.4	300.3	118	13.4	325.6			
52	4.4	300.2	119	12.9	325.1			
53	4.4	301.1	120	12.3	324.5			
54	4.4	302.3	121	11.7	323.8			
55	4.3	302.7	122	11.3	323.1			
56	4.3	303.0	123	10.9	320.2			
57	4.5	305.5	124	10.7	320.0			
58	5.1	308.3	125	10.3	319.8			
59	5.8	311.3	126	10.0	319.6			
60	7.6	314.7	127	9.9	319.3			
61	9.1	316.0	128	9.5	318.6			
62	9.6	315.9	129	9.0	317.9			
63	10.3	316.7	130	8.6	317.1			
64	11.3	318.2	131	8.1	316.2			
65	12.5	319.5	132	7.7	316.0			
66	13.9	318.6	133	7.3	316.2			


CAMP CARIBOU STATION 305
DATE 10/ 3/76 TIME 456(GMT)
TRUE DIRECTION
0
90
180
270
360
DEPTH (M)
0
50
100
150
200
SPEED CM/SEC
0
5
10
15
20
25


CAMP CARIBOU STATION 304
DATE 9/ 3/76 TIME 2309(GMT)
TRUE DIRECTION
0
90
180
270
360
DEPTH (M)
0
50
100
150
200
SPEED CM/SEC
0
5
10
15
20
25

CARIBOU STATION 304 (180M.) 9/MAR/76 2309 GMT
LAT= 72.9808N LONG= 144.3703W LTER= 1. LGER= 2.
NIVEL= -0.3 EIVEL= -4.4 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	18.1	307.1	134	10.5	300.8
1	0.0	999.9	68	19.4	307.8	135	10.1	299.2
2	0.0	999.9	69	20.4	[illegible]	136	10.1	297.7
3	0.0	999.9	70	21.2	308.7	137	9.9	297.6
4	0.0	999.9	71	21.5	308.9	138	9.2	296.3
5	6.1	262.9	72	21.8	309.0	139	8.5	295.0
6	6.2	263.7	73	22.1	309.2	140	8.0	293.6
7	6.2	263.7	74	22.5	309.3	141	7.8	292.5
8	6.2	263.5	75	22.9	309.5	142	7.6	291.9
9	6.2	263.2	76	23.1	309.6	143	7.6	291.5
10	6.2	263.2	77	23.4	309.7	144	7.6	290.6
11	6.3	263.5	78	23.7	309.8	145	7.4	290.0
12	6.3	263.8	79	23.7	309.8	146	7.2	289.3
13	6.2	264.5	80	23.4	311.5	147	6.9	288.4
14	6.1	264.9	81	23.1	312.1	148	6.8	287.2
15	6.1	265.1	82	23.0	312.1	149	6.6	284.4
16	6.1	264.9	83	22.8	312.0	150	6.5	281.3
17	6.2	264.8	84	22.7	312.1	151	6.5	280.4
18	6.2	264.9	85	22.8	312.3	152	6.5	280.8
19	6.3	265.2	86	22.8	312.3	153	6.4	283.3
20	6.3	265.8	87	22.7	312.3	154	6.2	286.3
21	6.2	267.0	88	22.7	312.2	155	5.8	288.5
22	6.1	268.2	89	22.6	312.2	156	5.2	288.3
23	6.1	268.9	90	22.3	312.2	157	5.2	287.6
24	6.0	267.4	91	21.9	313.1	158	5.3	287.4
25	5.8	265.0	92	21.7	313.6	159	5.4	287.6
26	5.4	262.3	93	21.8	313.7	160	5.5	288.2
27	4.9	260.6	94	22.2	313.9	161	5.5	288.6
28	4.3	261.1	95	22.2	314.0	162	5.5	288.4
29	3.6	267.3	96	22.0	313.9	163	5.4	286.7
30	3.3	274.5	97	21.7	313.9	164	5.4	283.5
31	3.2	278.7	98	21.9	313.9	165	5.3	285.6
32	3.2	286.3	99	22.0	314.0	166	5.1	290.0
33	3.3	291.1	100	21.6	313.7	167	4.9	294.1
34	3.5	296.8	101	21.1	313.5	168	4.8	294.5
35	3.7	301.3	102	21.1	313.4	169	4.7	294.5
36	3.8	302.0	103	21.0	313.3	170	4.7	290.8
37	1.7	302.0	104	20.7	313.2	171	4.7	287.0
38	3.5	300.1	105	20.4	313.0	172	4.7	285.7
39	3.8	299.9	106	20.1	312.8	173	4.8	286.1
40	4.1	299.6	107	19.4	312.5	174	4.9	285.5
41	4.1	298.1	108	18.8	311.1	175	5.1	283.6
42	3.6	292.7	109	18.7	309.9	176	5.2	281.4
43	3.4	287.6	110	18.7	310.1	177	5.3	280.6
44	3.4	280.7	111	18.7	311.0	178	5.4	280.5
45	3.7	282.5	112	18.6	312.4	179	5.4	279.4
46	4.8	289.5	113	18.6	312.2	180	5.4	278.2
47	5.2	288.7	114	18.2	311.9			
48	4.6	287.5	115	17.7	311.6			
49	3.9	283.7	116	17.1	311.2			
50	3.7	282.4	117	16.7	309.5			
51	3.7	279.6	118	16.5	308.8			
52	3.8	266.6	119	16.3	308.6			
53	4.1	260.6	120	16.2	308.4			
54	4.5	258.4	121	15.9	308.1			
55	4.8	257.9	122	15.5	307.8			
56	5.6	261.5	123	15.1	307.4			
57	7.1	273.9	124	14.7	307.0			
58	7.9	290.1	125	14.4	306.6			
59	8.7	292.8	126	14.1	306.3			
60	9.7	295.4	127	13.8	305.9			
61	10.8	299.0	128	13.2	305.3			
62	11.8	302.5	129	12.7	304.6			
63	12.9	304.0	130	12.4	304.3			
64	14.0	305.3	131	12.0	104.7			
65	15.4	305.7	132	11.6	104.7			
66	16.9	306.2	133	11.2	302.7			

CARIBOU STATION 305 (191M.) 10/MAR/76 456 GMT
LAT= 72.9797N LONG= 144.4010W LTER= 1. LGER= 1.
NIVEL= -3.3 EIVEL= -7.4 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	13.4	287.2	134	9.0	272.4
1	0.0	999.9	68	14.0	288.9	135	8.9	270.9
2	0.0	999.9	69	14.7	290.4	136	8.8	269.9
3	0.0	999.9	70	15.4	292.3	137	8.6	269.4
4	0.0	999.9	71	16.3	294.4	138	8.5	[illegible]
5	8.4	264.1	72	16.9	295.7	139	8.4	269.1
6	9.5	268.7	73	17.5	296.6	140	8.3	269.6
7	9.9	269.7	74	18.0	297.4	141	8.1	270.4
8	9.9	269.2	75	18.5	298.3	142	7.8	271.8
9	9.7	268.4	76	18.9	298.9	143	7.2	273.8
10	9.6	267.3	77	19.1	299.1	144	6.7	274.5
11	9.7	266.9	78	19.2	299.3	145	7.1	273.5
12	9.6	267.0	79	19.3	299.6	146	7.5	271.7
13	9.5	267.1	80	19.6	300.0	147	7.8	269.2
14	9.5	266.9	81	19.9	300.5	148	7.9	268.6
15	9.9	267.2	82	20.2	300.6	149	7.8	268.2
16	10.1	265.5	83	20.4	300.6	150	7.7	267.5
17	10.2	265.0	84	20.6	302.2	151	7.6	267.5
18	10.1	265.1	85	20.7	303.0	152	7.6	267.5
19	10.0	265.3	86	20.7	303.2	153	7.7	268.1
20	9.9	265.3	87	20.8	303.4	154	7.7	270.1
21	9.8	265.2	88	20.5	304.2	155	7.6	275.4
22	9.7	265.0	89	19.7	306.6	156	7.7	278.2
23	9.6	264.7	90	19.6	306.9	157	7.8	277.9
24	9.5	264.5	91	19.4	306.7	158	7.8	274.7
25	9.5	264.4	92	19.1	306.4	159	7.6	274.2
26	9.5	264.5	93	18.8	306.2	160	7.5	275.0
27	9.5	264.6	94	18.6	305.7	161	7.5	276.7
28	9.5	264.6	95	18.3	305.3	162	7.3	277.6
29	9.4	264.7	96	18.1	304.8	163	7.2	277.1
30	9.3	265.1	97	18.2	304.7	164	7.1	276.6
31	9.3	265.5	98	18.3	304.7	165	7.1	273.7
32	9.4	265.6	99	18.3	304.9	166	7.3	268.8
33	9.6	265.5	100	18.2	304.7	167	7.3	264.4
34	9.8	265.1	101	18.1	304.4	168	7.2	264.5
35	9.9	264.4	102	17.9	303.7	169	7.2	264.5
36	10.1	264.5	103	17.8	303.3	170	7.2	264.5
37	10.2	267.0	104	17.8	303.4	171	7.5	264.8
38	10.2	269.3	105	17.7	301.4	172	7.8	264.6
39	9.8	269.6	106	17.7	301.3	173	7.9	264.5
40	9.4	268.1	107	17.5	301.0	174	7.6	264.7
41	9.0	266.4	108	17.4	300.4	175	7.3	265.3
42	8.6	266.6	109	17.1	299.8	176	7.1	267.9
43	8.5	266.5	110	16.9	299.1	177	7.1	267.9
44	8.7	266.4	111	16.5	298.4	178	7.1	267.9
45	8.8	265.3	112	16.1	297.5	179	7.1	267.8
46	8.9	262.8	113	15.9	296.7	180	7.1	268.9
47	9.0	261.2	114	15.5	295.8	181	7.1	270.2
48	8.9	260.4	115	14.5	295.6	182	7.1	271.0
49	8.8	261.8	116	13.9	294.2	183	7.2	270.4
50	8.6	264.1	117	13.5	292.6	184	7.3	267.7
51	8.6	266.1	118	13.1	291.0	185	7.3	264.6
52	9.3	262.1	119	12.8	289.5	186	7.3	264.6
53	9.4	260.7	120	12.5	287.8	187	7.5	264.6
54	9.3	262.2	121	12.3	287.4	188	7.4	264.6
55	9.2	262.6	122	12.2	286.9	189	7.3	264.5
56	9.2	262.1	123	12.0	286.0	190	7.3	264.5
57	9.2	262.5	124	11.7	286.6	191	7.3	264.5
58	9.3	263.5	125	11.5	285.4			
59	9.4	265.9	126	10.8	284.6			
60	10.0	269.8	127	10.6	283.3			
61	10.5	273.4	128	10.3	282.0			
62	10.9	276.2	129	10.0	280.4			
63	11.3	279.0	130	9.6	279.0			
64	11.8	281.3	131	9.2	277.2			
65	12.3	283.6	132	8.9	275.4			
66	12.9	285.4	133	9.0	274.0			


CAMP CARIBOU STATION 307
DATE 10/ 3/76 TIME 1943(GMT)
TRUE DIRECTION
0 90 180 270 360
SPEED CM/SEC
0 5 10 15 20 25
DEPTH (M)
0 50 100 150 200


CAMP CARIBOU STATION 306
DATE 10/ 3/76 TIME 1033(GMT)
TRUE DIRECTION
0 90 180 270 360
SPEED CM/SEC
0 5 10 15 20 25
DEPTH (M)
0 50 100 150 200

CARIBOU STATION 306 (190M.) 10/MAR/76 1033 GMT
LAT= 72.9766N LONG= 141.4312W LTER= 1. LGER= 2.
NIVEL= -2.2 EIVEL= -5.7 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	13.2	311.6	134	8.4	301.5
1	0.0	999.9	68	14.3	313.9	135	8.3	297.8
2	0.0	999.9	69	15.3	315.7	136	8.0	295.6
3	0.0	999.9	70	16.3	317.2	137	7.8	293.5
4	0.0	999.9	71	17.0	318.2	138	7.7	291.7
5	5.6	272.0	72	17.7	319.1	139	7.5	289.8
6	5.9	272.3	73	18.2	319.7	140	7.4	288.5
7	6.1	272.2	74	18.4	320.0	141	7.3	286.9
8	6.2	271.9	75	18.8	320.4	142	7.1	285.4
9	6.3	271.7	76	19.4	321.1	143	7.0	284.4
10	6.3	271.7	77	20.1	321.8	144	7.1	283.3
11	6.3	271.9	78	20.7	322.2	145	7.2	281.8
12	6.2	272.2	79	21.0	322.5	146	7.0	281.2
13	6.0	272.4	80	21.3	322.8	147	6.7	281.2
14	6.1	272.3	81	21.4	322.9	148	6.6	281.1
15	6.3	271.9	82	21.6	323.1	149	6.8	279.8
16	6.4	271.6	83	21.8	323.3	150	7.0	278.4
17	6.4	271.4	84	21.9	323.4	151	6.9	277.3
18	6.6	271.0	85	21.9	323.4	152	6.9	276.1
19	6.7	270.7	86	21.8	323.3	153	6.7	274.7
20	6.7	270.5	87	21.6	323.1	154	6.5	272.7
21	6.7	270.6	88	21.3	322.9	155	6.4	271.9
22	6.7	270.6	89	21.1	322.7	156	6.4	271.5
23	6.7	270.6	90	21.2	322.8	157	6.4	271.5
24	6.7	270.6	91	21.3	322.9	158	6.4	271.7
25	6.6	270.7	92	21.7	323.2	159	6.4	271.8
26	6.6	270.8	93	22.0	323.4	160	6.4	271.9
27	6.6	270.8	94	22.1	323.5	161	6.6	271.1
28	6.6	270.8	95	21.9	323.3	162	6.9	269.4
29	6.6	270.8	96	21.7	323.2	163	7.1	267.8
30	6.5	271.2	97	21.4	323.0	164	6.9	269.4
31	6.3	271.8	98	20.7	324.7	165	6.2	272.3
32	6.2	272.1	99	20.1	325.3	166	6.3	272.1
33	6.2	272.1	100	19.8	325.4	167	6.8	270.4
34	6.2	272.1	101	19.5	326.8	168	6.9	269.7
35	6.0	272.4	102	19.3	326.8	169	7.0	269.5
36	5.5	271.8	103	19.1	326.6	170	6.9	269.7
37	5.1	269.4	104	19.0	326.5	171	6.8	270.0
38	4.8	265.9	105	18.8	326.2	172	7.1	268.8
39	4.4	259.9	106	18.4	325.6	173	7.6	265.4
40	4.4	254.8	107	18.0	325.1	174	7.6	266.2
41	4.2	246.5	108	17.6	324.7	175	7.3	267.9
42	4.2	246.8	109	17.3	324.2	176	6.8	270.0
43	4.2	252.6	110	16.7	325.8	177	6.0	271.9
44	4.3	258.9	111	16.2	327.7	178	5.4	272.5
45	4.1	260.9	112	16.1	327.4	179	5.4	271.0
46	3.7	257.0	113	15.9	327.2	180	5.6	269.5
47	3.7	255.8	114	15.7	326.8	181	6.1	269.7
48	3.8	259.0	115	15.5	326.5	182	6.9	268.5
49	4.2	265.0	116	15.4	325.0	183	7.5	265.3
50	4.8	268.2	117	15.3	322.9	184	7.6	264.8
51	5.2	269.7	118	15.0	322.5	185	7.4	266.8
52	5.4	270.3	119	14.8	322.0	186	6.8	270.1
53	5.5	270.4	120	14.4	321.3	187	6.7	270.5
54	5.7	270.2	121	13.8	320.3	188	6.8	270.1
55	6.0	270.6	122	13.3	319.4	189	7.0	269.2
56	6.2	271.3	123	13.2	318.9	190	7.1	268.4
57	6.3	271.6	124	12.9	318.1			
58	6.3	272.7	125	12.4	316.9			
59	6.6	279.3	126	11.9	315.6			
60	7.2	286.6	127	11.4	314.0			
61	8.1	292.4	128	10.8	312.4			
62	8.9	296.7	129	10.4	310.7			
63	9.7	299.9	130	10.0	308.9			
64	10.3	302.6	131	9.6	306.9			
65	11.0	305.3	132	9.1	305.1			
66	12.1	308.8	133	8.6	303.7			

CARIBOU STATION 307 (190M.) 10/MAR/76 1943 GMT
LAT= 72.9762N LONG= 144.4640W LTER= 0. LGER= 0.
NIVEL= -1.4 EIVEL= -1.5 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	8.4	317.8	134	6.7	327.1
1	0.0	999.9	68	9.1	320.8	135	6.4	321.1
2	0.0	999.9	69	9.7	322.4	136	6.2	320.3
3	0.0	999.9	70	10.3	323.2	137	6.0	319.6
4	0.0	999.9	71	10.9	323.8	138	6.0	319.6
5	1.7	307.2	72	11.6	324.4	139	6.0	320.0
6	1.7	307.2	73	12.3	325.0	140	5.6	318.4
7	1.7	307.2	74	13.0	325.4	141	5.2	312.5
8	1.7	307.2	75	13.7	325.9	142	4.9	309.7
9	1.7	307.2	76	14.5	326.5	143	4.6	308.6
10	1.7	307.2	77	15.2	326.8	144	4.4	307.6
11	1.7	307.2	78	15.7	327.0	145	4.3	307.4
12	1.7	307.2	79	16.2	327.3	146	4.2	307.3
13	1.7	307.2	80	16.7	327.3	147	4.2	307.8
14	1.7	307.2	81	17.1	327.5	148	4.2	308.2
15	1.7	307.2	82	17.4	327.6	149	4.1	307.9
16	1.7	307.2	83	17.8	327.8	150	4.0	306.6
17	1.7	307.2	84	18.3	327.9	151	3.9	305.5
18	1.7	307.2	85	19.0	328.2	152	3.9	305.1
19	1.7	307.2	86	19.4	328.4	153	3.8	304.8
20	1.8	306.1	87	19.7	328.5	154	3.6	304.8
21	1.8	304.0	88	20.0	328.6	155	3.2	303.0
22	1.9	302.3	89	20.3	328.8	156	2.9	300.7
23	1.9	300.9	90	20.5	328.8	157	2.8	297.3
24	1.9	301.2	91	20.5	328.8	158	2.6	291.9
25	1.9	302.1	92	20.5	328.9	159	2.7	290.5
26	2.0	300.8	93	20.4	328.8	160	2.8	288.0
27	2.1	299.3	94	20.3	328.8	161	2.9	286.0
28	2.2	300.8	95	20.2	328.8	162	2.9	284.9
29	2.6	307.4	96	20.1	328.8	163	2.9	284.5
30	2.7	309.9	97	20.0	328.8	164	3.0	283.4
31	3.1	308.2	98	20.0	328.7	165	2.9	284.8
32	3.6	311.2	99	20.0	328.7	166	2.7	287.5
33	4.2	314.4	100	19.9	328.7	167	2.7	289.4
34	4.8	317.8	101	19.8	328.7	168	2.7	289.0
35	5.4	320.1	102	19.6	328.6	169	2.8	287.3
36	5.8	320.1	103	19.3	331.1	170	2.9	285.7
37	4.2	323.2	104	18.9	331.1	171	2.9	284.8
38	3.1	311.6	105	18.6	331.2	172	2.9	283.8
39	2.2	300.1	106	18.2	333.8	173	3.0	283.0
40	2.4	295.1	107	17.8	333.6	174	3.0	282.5
41	2.6	290.8	108	17.4	333.4	175	3.0	282.8
42	2.6	290.4	109	17.1	333.3	176	2.9	283.7
43	2.5	294.5	110	16.9	333.2	177	2.9	284.3
44	2.3	296.6	111	16.6	332.1	178	2.9	284.3
45	2.4	295.5	112	16.3	330.4	179	2.9	284.3
46	2.3	296.8	113	15.9	330.2	180	2.9	284.3
47	2.1	300.8	114	15.7	330.1	181	2.9	284.4
48	2.0	301.1	115	15.5	329.9	182	3.0	282.8
49	2.1	298.8	116	15.3	329.8	183	3.1	281.0
50	2.5	292.7	117	15.1	329.7	184	3.1	281.0
51	2.8	296.7	118	14.8	329.6	185	3.0	281.3
52	2.9	301.9	119	14.5	329.4	186	3.1	280.5
53	3.1	300.0	120	14.0	329.1	187	3.1	279.4
54	3.2	297.1	121	13.5	328.8	188	3.1	279.2
55	3.4	297.5	122	12.8	328.4	189	3.2	278.2
56	3.6	298.0	123	12.2	327.8	190	3.2	278.2
57	3.8	298.3	124	11.7	327.4			
58	4.0	297.3	125	11.3	326.9			
59	4.2	297.8	126	10.8	326.3			
60	4.3	299.5	127	10.2	325.8			
61	4.6	302.6	128	9.9	325.3			
62	4.9	305.9	129	9.6	324.8			
63	5.4	310.9	130	8.9	324.0			
64	6.0	313.4	131	8.2	323.7			
65	6.9	314.2	132	7.5	324.2			
66	7.7	315.2	133	7.0	323.0			


CAMP CARIBOU STATION 308
DATE 11/ 3/76 TIME 830(GMT)
TRUE DIRECTION
0 90 180 270 360
0 50 100 150 200
DEPTH (M)
0 5 10 15 20 25
SPEED CM/SEC


CAMP CARIBOU STATION 309
DATE 11/ 3/76 TIME 2022(GMT)
TRUE DIRECTION
0 90 180 270 360
0 50 100 150 200
DEPTH (M)
0 5 10 15 20 25
SPEED CM/SEC

CARIBOU STATION 308 (190M.) 11/MAR/76 830 GMT
LAT= 72.9718N LONG= 144.4827W LTER= 1. LGER= 2.
NIVEL= -0.5 EIVEL= 1.0 NVER= 6. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	5.2	314.9	134	5.3	315.9
1	0.0	999.9	68	5.7	315.6	135	5.2	316.6
2	0.0	999.9	69	6.1	316.1	136	4.7	314.3
3	0.0	999.9	70	6.7	315.8	137	4.1	313.9
4	0.0	999.9	71	7.3	315.5	138	3.8	313.4
5	2.1	163.7	72	7.9	315.2	139	3.7	312.9
6	2.1	166.1	73	8.4	315.1	140	3.7	313.1
7	2.1	171.2	74	8.9	315.0	141	3.6	313.8
8	2.2	186.1	75	9.5	314.9	142	3.6	316.4
9	2.2	191.1	76	10.1	314.8	143	3.6	318.1
10	2.1	194.2	77	10.6	314.8	144	3.7	318.0
11	2.1	199.5	78	11.1	314.8	145	3.6	318.2
12	2.1	202.8	79	11.7	314.8	146	3.2	319.2
13	2.1	202.9	80	12.2	314.8	147	2.8	320.0
14	2.1	202.9	81	12.7	314.9	148	2.4	320.6
15	2.1	202.9	82	13.1	315.1	149	2.1	320.0
16	2.1	202.9	83	13.5	315.1	150	2.2	317.1
17	2.1	202.9	84	13.9	315.2	151	2.3	317.5
18	2.1	202.9	85	14.2	315.3	152	2.3	318.5
19	2.1	205.1	86	14.6	315.3	153	2.4	317.2
20	2.1	207.9	87	14.7	315.3	154	2.4	313.2
21	1.9	215.0	88	14.9	315.3	155	2.2	311.6
22	1.5	228.6	89	15.1	315.3	156	1.8	312.7
23	1.3	243.8	90	15.5	315.3	157	1.8	312.8
24	1.3	264.1	91	15.8	315.3	158	1.8	312.8
25	1.3	281.7	92	16.0	315.3	159	2.0	313.6
26	1.7	296.3	93	16.1	315.3	160	1.8	314.5
27	2.2	304.0	94	16.2	315.2	161	1.4	307.7
28	2.6	305.0	95	16.3	315.2	162	1.4	302.1
29	2.9	304.6	96	16.2	315.2	163	1.4	302.4
30	3.1	306.1	97	16.2	315.2	164	1.4	305.4
31	3.3	310.0	98	15.9	315.3	165	1.4	306.9
32	3.5	310.6	99	15.7	315.4	166	1.4	306.9
33	3.8	310.5	100	15.4	315.4	167	1.4	305.1
34	4.1	309.3	101	14.9	315.5	168	1.4	302.5
35	4.3	309.0	102	14.5	315.5	169	1.4	304.2
36	4.3	308.4	103	14.2	315.4	170	1.4	305.7
37	4.1	308.8	104	13.9	315.3	171	1.4	297.9
38	3.4	313.4	105	13.7	315.0	172	1.4	289.5
39	2.4	336.2	106	13.6	314.8	173	1.4	290.7
40	1.7	355.5	107	13.7	314.8	174	1.3	291.2
41	1.6	359.1	108	14.0	315.0	175	1.4	274.3
42	1.6	344.5	109	14.2	315.1	176	1.5	251.2
43	1.5	333.1	110	13.9	315.0	177	1.4	249.8
44	1.5	335.8	111	13.6	316.4	178	1.4	253.8
45	1.7	351.9	112	13.4	318.6	179	1.3	261.5
46	1.8	3.2	113	13.1	318.7	180	1.3	266.6
47	1.9	7.6	114	12.9	318.7	181	1.4	265.7
48	1.7	357.7	115	12.8	318.7	182	1.4	263.7
49	1.6	350.8	116	12.5	318.6	183	1.4	263.7
50	1.5	346.6	117	11.9	318.7	184	1.5	255.1
51	1.4	338.6	118	11.5	318.8	185	1.5	251.1
52	1.3	334.0	119	11.3	318.8	186	1.6	251.7
53	1.4	337.2	120	10.9	318.9	187	1.5	254.4
54	1.5	348.3	121	10.5	318.1	188	1.5	262.5
55	1.6	357.0	122	10.7	314.7	189	1.5	257.7
56	1.6	358.1	123	10.8	314.8	190	1.5	257.8
57	1.5	354.1	124	10.2	314.8			
58	1.5	351.2	125	9.4	315.0			
59	1.5	347.7	126	8.3	315.4			
60	2.1	339.1	127	7.5	315.7			
61	2.4	328.5	128	6.9	315.7			
62	2.9	325.0	129	6.4	315.8			
63	3.4	324.1	130	6.1	316.3			
64	3.6	323.5	131	5.7	316.8			
65	4.1	316.8	132	5.5	316.2			
66	4.8	315.3	133	5.4	315.8			

CARIBOU STATION 309 (190M.) 11/MAR/76 2022 GMT
LAT= 72.9717N LONG= 144.4771W LTER= 1. LGER= 2.
NIVEL= -0.5 EIVEL= -8.3 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	15.5	287.5	134	14.1	285.2
1	0.0	999.9	68	15.9	288.1	135	14.0	285.1
2	0.0	999.9	69	16.4	288.7	136	13.9	284.9
3	0.0	999.9	70	16.6	289.1	137	13.6	284.4
4	0.0	999.9	71	16.9	289.5	138	13.1	283.4
5	8.1	265.3	72	17.1	289.7	139	12.6	282.4
6	8.2	264.7	73	17.5	288.9	140	12.2	280.4
7	8.3	264.1	74	17.9	288.8	141	12.0	279.4
8	8.5	262.7	75	18.3	289.1	142	12.0	280.1
9	8.8	260.5	76	18.5	289.3	143	12.0	280.7
10	9.2	258.9	77	18.7	289.4	144	11.8	280.3
11	9.6	258.9	78	19.0	289.6	145	11.9	280.3
12	10.0	259.2	79	19.5	290.0	146	12.0	279.9
13	10.3	260.2	80	19.8	290.6	147	11.8	278.9
14	10.5	261.5	81	19.8	292.5	148	12.0	278.5
15	10.6	262.6	82	20.1	292.6	149	12.1	278.4
16	10.6	263.9	83	20.4	292.9	150	12.1	278.6
17	10.6	264.9	84	20.8	293.3	151	12.0	278.7
18	10.7	265.4	85	21.1	293.6	152	11.6	278.1
19	10.7	265.8	86	21.5	294.0	153	11.3	277.6
20	10.7	266.0	87	21.8	294.3	154	11.3	277.2
21	10.7	266.5	88	22.1	294.6	155	11.3	276.7
22	10.6	267.1	89	22.0	294.5	156	11.2	276.3
23	10.6	267.7	90	22.2	294.7	157	11.2	276.0
24	10.6	268.6	91	22.5	295.0	158	11.2	276.1
25	10.6	270.3	92	22.8	295.3	159	11.2	276.1
26	10.6	272.3	93	23.2	295.5	160	11.2	276.1
27	10.5	273.8	94	22.9	295.4	161	11.2	276.1
28	10.4	274.2	95	22.3	295.0	162	11.1	276.1
29	10.7	274.8	96	21.9	294.6	163	11.1	276.1
30	11.0	275.4	97	22.3	294.9	164	11.1	276.0
31	11.4	276.0	98	22.8	295.3	165	11.0	275.8
32	11.3	275.9	99	22.4	295.0	166	11.0	275.8
33	11.2	275.9	100	22.0	294.6	167	10.9	275.2
34	11.4	277.3	101	21.6	294.4	168	10.8	274.5
35	11.7	278.4	102	21.5	294.4	169	10.6	274.2
36	11.8	279.3	103	21.5	294.4	170	10.5	274.8
37	11.2	278.7	104	21.2	294.2	171	10.5	275.0
38	10.6	277.3	105	21.0	294.1	172	10.5	274.4
39	10.1	277.0	106	20.5	293.7	173	10.6	273.1
40	10.0	277.6	107	20.0	293.2	174	10.7	271.4
41	10.0	277.7	108	19.6	292.9	175	10.7	271.2
42	10.1	277.5	109	19.3	292.6	176	10.6	272.7
43	10.1	277.2	110	19.1	292.3	177	10.5	274.2
44	10.2	276.6	111	19.0	292.3	178	10.4	274.6
45	10.3	276.1	112	18.8	292.1	179	10.5	274.0
46	10.3	276.3	113	18.5	291.7	180	10.6	273.0
47	10.2	276.8	114	18.2	291.3	181	10.6	272.9
48	10.1	277.6	115	18.0	291.1	182	10.6	273.2
49	9.9	278.7	116	17.5	290.6	183	10.6	273.0
50	9.8	279.5	117	17.0	290.1	184	10.6	272.4
51	9.9	279.1	118	16.6	289.6	185	10.7	271.3
52	10.1	278.4	119	16.3	289.2	186	10.7	270.4
53	10.6	278.3	120	16.1	288.9	187	10.6	271.2
54	10.6	277.7	121	16.1	288.9	188	10.6	271.8
55	10.7	277.6	122	16.2	288.9	189	10.5	272.2
56	10.7	277.8	123	15.9	288.5	190	10.5	272.2
57	10.8	278.6	124	15.5	287.9			
58	11.4	280.7	125	15.2	287.4			
59	11.7	281.1	126	14.8	286.8			
60	12.1	281.2	127	14.4	286.7			
61	12.4	281.3	128	13.9	286.3			
62	12.6	281.4	129	13.6	285.2			
63	13.2	282.6	130	13.6	284.0			
64	13.9	284.7	131	13.8	284.4			
65	14.6	286.2	132	14.2	284.7			
66	15.1	287.0	133	14.2	285.3			



CAMP CARIBOU STATION 310
DATE 12/ 3/76 TIME 833(GMT)
TRUE DIRECTION
0 90 180 270 360
DEPTH (M)
0 50 100 150 200
0 5 10 15 20 25
SPEED CM/SEC



CAMP CARIBOU STATION 311
DATE 12/ 3/76 TIME 2038(GMT)
TRUE DIRECTION
0 90 180 270 360
DEPTH (M)
0 50 100 150 200
0 5 10 15 20 25
SPEED CM/SEC

CARIBOU STATION 310 (191M.) 12/MAR/76 833 GMT
LAT= 72.9682N LONG= 144.4890W LTER= 0. LGER= 1.
NIVEL= -0.6 EIVEL= -1.6 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	8.7	295.8	134	5.3	292.9
1	0.0	999.9	68	8.9	296.2	135	4.6	289.2
2	0.0	999.9	69	9.2	297.4	136	4.6	288.8
3	0.0	999.9	70	9.9	299.0	137	4.9	289.5
4	0.0	999.9	71	10.6	300.4	138	5.3	290.8
5	2.0	234.8	72	11.2	300.8	139	5.0	288.8
6	2.4	233.6	73	11.4	300.9	140	4.8	286.4
7	2.7	234.4	74	11.6	301.0	141	4.5	284.8
8	2.9	235.4	75	11.7	301.1	142	4.2	282.3
9	3.0	236.6	76	11.8	301.2	143	3.9	279.5
10	3.2	238.2	77	12.0	301.4	144	3.9	278.6
11	3.4	240.7	78	12.4	301.6	145	3.9	278.7
12	3.6	244.0	79	12.5	301.8	146	3.9	278.8
13	3.7	247.6	80	12.2	301.6	147	3.9	278.9
14	3.7	247.6	81	12.2	301.7	148	3.9	279.1
15	3.7	247.0	82	12.7	302.0	149	3.9	279.1
16	3.8	246.0	83	13.3	302.3	150	3.9	279.5
17	3.8	245.0	84	13.5	302.5	151	3.9	281.0
18	3.9	244.8	85	13.1	302.3	152	3.9	281.1
19	3.9	245.6	86	13.2	302.3	153	3.9	281.1
20	3.9	246.4	87	13.6	302.5	154	3.9	281.1
21	3.9	247.1	88	13.7	302.6	155	3.9	281.1
22	4.0	247.7	89	13.7	302.7	156	3.9	281.2
23	4.0	247.5	90	13.6	302.5	157	3.9	281.2
24	3.9	247.0	91	13.4	302.4	158	3.9	281.2
25	3.9	246.7	92	13.3	302.4	159	3.9	281.3
26	3.8	246.6	93	13.2	302.5	160	3.9	281.3
27	3.7	246.5	94	13.3	302.5	161	3.9	281.3
28	3.7	247.5	95	13.5	302.6	162	4.0	281.3
29	3.7	248.9	96	13.3	302.4	163	4.0	281.1
30	3.7	250.7	97	13.1	302.2	164	4.0	281.2
31	3.7	252.4	98	12.8	301.9	165	4.0	281.5
32	3.7	252.0	99	12.3	301.6	166	4.0	281.6
33	3.7	250.5	100	12.1	301.5	167	4.0	281.7
34	3.6	249.0	101	11.9	301.5	168	4.0	281.6
35	3.5	248.2	102	11.6	301.3	169	4.1	279.9
36	3.5	247.6	103	11.2	301.1	170	4.1	278.1
37	3.4	246.7	104	11.3	301.3	171	4.1	277.8
38	3.4	245.9	105	11.4	301.3	172	4.1	278.6
39	3.4	246.0	106	11.5	301.3	173	4.0	279.4
40	3.5	248.5	107	11.6	301.4	174	4.0	280.2
41	3.6	251.8	108	11.6	301.4	175	4.0	278.4
42	3.7	255.1	109	11.5	301.4	176	4.1	272.2
43	3.8	258.2	110	11.3	301.2	177	4.1	270.6
44	3.8	261.7	111	10.9	300.9	178	4.1	271.7
45	3.8	264.4	112	10.6	300.6	179	4.1	273.8
46	3.8	267.3	113	10.3	300.3	180	4.1	273.7
47	3.8	273.6	114	9.8	299.8	181	4.1	272.1
48	3.8	280.0	115	9.1	299.3	182	4.1	271.6
49	3.7	286.3	116	8.6	299.4	183	4.0	277.0
50	3.6	289.9	117	8.2	298.8	184	4.0	276.0
51	3.6	290.8	118	7.9	298.1	185	4.1	272.3
52	3.6	289.6	119	7.6	297.5	186	4.1	268.9
53	3.6	288.3	120	7.3	297.0	187	4.2	265.8
54	4.1	289.7	121	6.6	298.1	188	4.2	262.5
55	4.3	290.6	122	6.3	297.8	189	4.2	258.3
56	4.5	290.5	123	5.4	295.3	190	4.2	256.3
57	4.6	290.2	124	5.9	296.0	191	4.2	257.5
58	5.2	293.1	125	6.8	297.8			
59	5.9	295.3	126	6.7	297.1			
60	6.0	295.7	127	6.3	295.3			
61	6.2	295.8	128	6.6	295.3			
62	6.6	296.4	129	6.3	294.6			
63	7.0	297.2	130	5.8	293.3			
64	7.5	298.0	131	5.8	294.2			
65	7.9	297.3	132	5.9	295.5			
66	8.4	296.6	133	6.1	296.3			

CARIBOU STATION 311 (190M.) 12/MAR/76 2038 GMT
LAT= 72.9678N LONG= 144.4875W LTER= 0. LGER= 0.
NIVEL= 0.0 EIVEL= -0.6 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	12.3	283.9	134	6.5	283.2
1	0.0	999.9	68	12.9	283.9	135	6.2	283.0
2	0.0	999.9	69	13.5	284.0	136	6.2	282.3
3	0.0	999.9	70	14.0	284.0	137	6.2	280.6
4	0.0	999.9	71	14.5	284.0	138	6.5	279.8
5	1.1	193.3	72	15.0	284.1	139	6.7	280.2
6	1.2	199.5	73	15.3	284.1	140	7.1	279.7
7	1.2	205.5	74	15.4	284.1	141	6.4	279.0
8	1.3	209.9	75	15.6	284.2	142	5.9	279.6
9	1.7	209.6	76	15.9	284.2	143	5.8	280.2
10	1.9	203.8	77	16.3	284.2	144	5.3	279.7
11	2.1	198.7	78	16.7	284.3	145	5.2	277.3
12	2.3	202.9	79	16.8	284.2	146	4.8	276.3
13	2.5	212.0	80	16.7	284.2	147	4.5	276.9
14	2.6	214.2	81	16.6	284.2	148	4.3	277.5
15	2.6	213.9	82	16.5	284.2	149	4.1	276.8
16	2.6	214.0	83	16.4	284.1	150	3.8	274.6
17	2.6	216.0	84	16.4	284.1	151	3.7	273.8
18	2.6	218.9	85	16.5	284.1	152	3.7	273.0
19	2.5	222.7	86	16.7	284.1	153	3.5	273.7
20	2.4	225.9	87	16.7	284.2	154	3.1	275.3
21	2.4	228.4	88	16.4	284.3	155	3.0	274.8
22	2.4	231.3	89	16.1	284.3	156	3.0	268.8
23	2.4	232.4	90	15.9	284.3	157	3.0	267.7
24	2.5	234.5	91	16.0	284.3	158	3.0	271.7
25	2.6	237.0	92	16.1	284.2	159	3.0	277.5
26	2.7	240.9	93	16.1	284.2	160	3.0	276.3
27	2.9	246.5	94	15.9	284.1	161	3.0	272.4
28	3.0	254.5	95	15.5	284.1	162	3.0	273.6
29	3.1	263.8	96	15.1	284.1	163	3.0	276.3
30	3.1	269.3	97	14.7	284.1	164	3.0	273.5
31	3.1	271.2	98	14.5	284.1	165	3.0	271.3
32	3.1	271.8	99	14.8	284.2	166	3.0	270.6
33	3.1	271.9	100	14.5	284.2	167	3.0	271.6
34	3.0	272.0	101	14.1	284.1	168	3.0	272.9
35	3.0	272.3	102	13.8	284.0	169	3.0	271.0
36	3.0	273.0	103	13.5	283.8	170	3.0	268.0
37	3.0	274.7	104	13.5	283.8	171	3.0	269.3
38	3.0	277.2	105	13.2	283.9	172	3.0	269.7
39	3.0	281.1	106	12.8	283.8	173	3.0	268.4
40	3.0	283.9	107	12.3	283.7	174	3.0	266.1
41	3.1	283.9	108	12.0	283.7	175	2.9	262.4
42	3.1	283.7	109	11.8	283.7	176	2.9	260.7
43	3.1	284.8	110	11.6	283.7	177	2.9	258.2
44	3.4	285.7	111	11.3	283.7	178	2.9	257.4
45	4.1	284.1	112	10.9	283.8	179	2.9	257.8
46	4.5	282.5	113	10.6	283.8	180	3.0	262.2
47	4.8	281.8	114	10.7	283.6	181	3.0	267.9
48	4.9	281.6	115	10.5	283.6	182	3.0	270.2
49	4.9	281.9	116	10.2	283.6	183	3.0	272.4
50	4.9	282.1	117	9.8	283.6	184	3.0	273.2
51	4.9	282.6	118	9.4	283.4	185	3.0	271.9
52	5.3	283.3	119	9.0	283.3	186	3.0	268.3
53	5.9	283.1	120	8.6	283.1	187	3.0	267.4
54	6.3	282.9	121	8.5	283.0	188	3.0	263.5
55	6.8	282.9	122	8.4	283.0	189	2.9	260.9
56	7.1	283.0	123	8.4	283.0	190	2.9	271.1
57	7.5	283.0	124	8.3	281.3			
58	7.8	283.0	125	8.2	280.7			
59	8.1	282.3	126	8.0	280.7			
60	8.6	281.6	127	7.8	280.6			
61	9.0	281.1	128	7.7	280.5			
62	9.6	281.0	129	7.4	280.5			
63	10.1	281.1	130	7.4	280.7			
64	10.8	281.3	131	7.3	280.8			
65	11.4	283.2	132	7.0	281.9			
66	11.6	283.9	133	6.8	282.8			



CAMP CARIBOU
DATE 13/ 3/76
STATION 313
TIME 1920(GMT)
TRUE DIRECTION
0
90
180
270
360
SPEED CM/SEC
0
5
10
15
20
25
DEPTH (M)
0
50
100
150
200



CAMP CARIBOU
DATE 13/ 3/76
STATION 312
TIME 821(GMT)
TRUE DIRECTION
0
90
180
270
360
SPEED CM/SEC
0
5
10
15
20
25
DEPTH (M)
0
50
100
150
200

CARIBOU STATION 312 (190M.) 13/MAR/76 821 GMT
LAT= 72.9678N LONG= 144.4886W LTER= 0. LGER= 0.
NIVEL= 0.0 EIVEL= -3.1 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	13.1	292.5	134	8.5	289.0
1	0.0	999.9	68	13.6	292.8	135	7.7	287.8
2	0.0	999.9	69	14.0	293.0	136	7.6	287.6
3	0.0	999.9	70	14.4	293.2	137	7.8	288.1
4	0.0	999.9	71	14.6	293.4	138	8.1	288.6
5	2.9	257.1	72	15.0	293.6	139	8.3	288.8
6	2.9	257.5	73	15.3	293.8	140	8.1	288.5
7	2.9	259.5	74	15.4	293.7	141	7.9	288.2
8	2.9	259.7	75	15.6	293.8	142	7.8	288.1
9	3.0	257.2	76	16.0	294.1	143	7.6	287.8
10	3.1	252.9	77	16.4	294.2	144	7.3	287.4
11	3.3	249.3	78	16.8	294.4	145	7.1	286.5
12	3.5	246.5	79	16.9	294.5	146	7.1	283.9
13	3.8	245.5	80	17.1	294.6	147	7.1	282.6
14	4.0	245.5	81	17.2	294.7	148	7.0	282.7
15	4.0	245.6	82	17.3	294.7	149	6.9	283.3
16	4.1	245.7	83	17.5	294.8	150	6.8	283.0
17	4.1	245.1	84	17.7	294.9	151	6.7	282.1
18	4.2	244.9	85	17.9	294.9	152	6.7	282.1
19	4.[illegible]	246.5	86	18.1	295.0	153	6.8	282.2
20	4.[illegible]	248.0	87	18.1	294.9	154	6.9	282.4
21	4.4	249.1	88	18.1	294.9	155	6.8	281.8
22	4.4	249.6	89	18.6	295.0	156	6.3	280.6
23	4.4	250.4	90	18.7	295.1	157	5.7	279.2
24	4.4	250.2	91	18.5	295.1	158	5.7	276.8
25	4.4	250.2	92	18.3	295.1	159	5.7	275.9
26	4.5	250.8	93	18.0	294.9	160	5.7	279.8
27	4.9	252.2	94	17.6	294.8	161	5.6	283.6
28	5.4	254.0	95	17.2	294.7	162	5.6	285.3
29	5.8	259.9	96	16.9	294.5	163	5.6	285.5
30	6.2	272.2	97	16.9	294.5	164	5.6	284.9
31	6.2	277.4	98	16.9	294.5	165	5.6	283.5
32	6.4	277.4	99	16.6	294.4	166	5.9	282.6
33	6.8	278.3	100	16.2	294.2	167	6.1	283.6
34	7.3	279.2	101	15.9	293.9	168	6.2	284.4
35	7.5	279.5	102	15.6	293.8	169	6.2	283.7
36	7.6	281.5	103	15.3	293.7	170	6.3	281.9
37	7.3	284.5	104	15.0	293.5	171	6.3	280.0
38	6.8	286.9	105	14.7	293.4	172	6.3	279.9
39	6.4	288.8	106	14.5	293.2	173	6.0	279.5
40	6.2	289.1	107	14.2	293.0	174	5.7	279.0
41	6.1	286.9	108	13.9	292.9	175	5.7	279.0
42	6.5	286.4	109	13.4	292.7	176	5.7	278.9
43	6.9	286.0	110	13.0	292.5	177	5.7	278.1
44	6.7	285.6	111	12.6	292.3	178	5.7	276.0
45	6.4	285.6	112	12.2	292.2	179	5.7	274.5
46	6.4	285.0	113	12.0	292.1	180	5.6	277.3
47	6.7	284.2	114	12.0	292.1	181	5.6	279.3
48	6.9	284.7	115	12.2	292.2	182	5.6	280.2
49	7.2	285.5	116	12.2	292.1	183	5.6	279.8
50	7.2	284.3	117	11.8	291.7	184	5.6	277.6
51	7.2	283.5	118	11.4	291.4	185	5.7	275.5
52	7.2	284.1	119	11.2	291.4	186	5.7	274.6
53	7.7	287.2	120	11.1	291.4	187	5.7	271.5
54	8.1	288.2	121	10.8	291.2	188	5.6	266.3
55	8.6	287.9	122	10.6	290.9	189	5.5	261.4
56	9.1	287.3	123	10.4	290.9	190	5.1	257.5
57	9.2	287.9	124	10.5	290.6			
58	8.8	287.9	125	10.4	289.1			
59	9.4	288.2	126	10.2	288.7			
60	10.2	288.4	127	9.9	288.4			
61	11.0	289.0	128	9.7	288.3			
62	11.6	289.4	129	9.7	288.3			
63	11.6	289.4	130	9.3	287.9			
64	11.6	289.4	131	8.9	287.4			
65	11.9	289.8	132	8.6	286.8			
66	12.5	291.2	133	8.7	288.1			

CARIBOU STATION 313 (190M.) 13/MAR/76 1920 GMT
LAT= 72.9620N LONG= 144.4862W LTER= 0. LGER= 0.
NIVEL= -3.6 EIVEL= 1.6 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	4.7	271.5	134	5.2	275.8
1	0.0	999.9	68	4.7	271.2	135	4.7	272.4
2	0.0	999.9	69	4.7	271.4	136	4.5	271.1
3	0.0	999.9	70	4.9	272.9	137	4.6	271.3
4	0.0	999.9	71	5.1	274.3	138	4.6	267.4
5	3.2	221.5	72	5.4	275.6	139	4.5	266.5
6	3.1	221.9	73	5.5	276.4	140	4.4	265.5
7	3.1	223.7	74	5.8	277.4	141	4.2	263.8
8	3.3	228.9	75	6.2	279.0	142	4.0	261.7
9	3.3	229.8	76	6.4	280.0	143	4.0	262.4
10	3.2	226.9	77	6.5	280.2	144	4.1	263.9
11	3.0	220.7	78	6.6	280.5	145	4.0	262.7
12	3.0	213.8	79	6.7	280.9	146	3.8	260.8
13	3.0	207.2	80	7.0	281.7	147	3.7	259.8
14	3.0	196.4	81	7.2	282.4	148	3.8	260.9
15	2.9	193.8	82	7.2	282.4	149	4.0	263.0
16	2.9	193.9	83	7.1	282.4	150	4.2	264.7
17	2.9	194.1	84	7.2	282.6	151	4.4	266.4
18	2.9	194.4	85	7.4	283.2	152	4.6	267.9
19	2.9	194.6	86	7.6	283.8	153	4.6	268.5
20	2.8	194.7	87	7.8	284.3	154	4.3	265.0
21	2.8	194.6	88	8.0	284.8	155	3.9	260.9
22	2.7	194.4	89	8.2	285.4	156	3.8	259.3
23	2.6	194.2	90	8.0	284.9	157	4.0	262.7
24	2.6	194.4	91	7.6	283.9	158	4.2	267.0
25	2.6	194.6	92	7.2	282.8	159	4.6	271.5
26	2.6	194.8	93	7.3	283.4	160	4.9	275.0
27	2.6	194.8	94	7.5	283.9	161	4.8	273.4
28	2.4	194.0	95	7.6	284.3	162	4.8	271.5
29	2.3	193.1	96	7.7	284.3	163	4.8	269.7
30	2.2	191.7	97	7.7	284.3	164	4.8	269.9
31	2.1	189.8	98	7.5	284.0	165	4.8	270.6
32	2.0	189.7	99	7.4	283.9	166	5.0	271.4
33	2.0	190.1	100	7.1	283.1	167	5.1	272.3
34	1.9	189.2	101	6.8	282.1	168	5.2	273.2
35	1.9	188.3	102	6.6	281.6	169	5.3	273.7
36	1.6	195.8	103	6.8	282.2	170	5.0	272.0
37	1.8	215.8	104	6.9	282.7	171	4.7	269.8
38	2.3	221.1	105	6.6	281.7	172	4.5	269.0
39	2.7	218.4	106	6.4	280.9	173	4.5	270.1
40	2.6	217.3	107	6.4	280.8	174	4.7	273.3
41	2.6	231.9	108	6.3	280.8	175	4.8	274.1
42	2.9	249.1	109	6.5	281.3	176	4.9	272.6
43	2.9	248.8	110	6.6	281.5	177	5.0	273.5
44	2.9	247.4	111	6.6	281.8	178	4.7	273.7
45	2.9	246.6	112	6.7	281.9	179	4.1	270.2
46	3.0	249.9	113	6.8	282.0	180	4.1	270.6
47	3.1	253.5	114	6.6	281.5	181	4.5	274.6
48	3.4	257.5	115	6.3	280.5	182	4.6	274.8
49	3.7	258.6	116	6.0	279.5	183	4.6	272.7
50	3.9	258.6	117	6.0	279.5	184	4.6	269.9
51	3.9	258.7	118	6.0	279.7	185	4.8	271.7
52	3.9	261.4	119	6.3	281.1	186	4.7	270.7
53	3.9	264.4	120	6.7	282.5	187	4.7	269.8
54	3.8	264.2	121	6.6	281.8	188	4.6	269.5
55	3.7	263.1	122	6.6	281.5	189	4.3	269.2
56	3.6	262.3	123	6.6	281.7	190	4.3	269.2
57	3.5	261.6	124	6.5	281.2			
58	3.3	257.2	125	6.1	280.0			
59	3.1	252.8	126	5.8	278.7			
60	3.1	252.8	127	5.5	277.2			
61	3.5	260.2	128	5.3	276.5			
62	3.8	263.5	129	5.1	275.6			
63	3.7	262.4	130	5.0	274.8			
64	4.0	265.8	131	5.2	276.0			
65	4.4	269.5	132	5.5	277.0			
66	4.7	271.4	133	5.4	276.9			


CAMP CARIBOU STATION 315
DATE 14/ 3/76 TIME 1039(GMT)
TRUE DIRECTION
0
90
180
270
360
0
5
10
15
20
25
SPEED CM/SEC
0
50
100
150
200
DEPTH (M)


CAMP CARIBOU STATION 314
DATE 14/ 3/76 TIME 446(GMT)
TRUE DIRECTION
0
90
180
270
360
0
5
10
15
20
25
SPEED CM/SEC
0
50
100
150
200
DEPTH (M)

CARIBOU STATION 314 (190M.) 14/MAR/76 446 GMT
LAT= 72.9502N LONG= 144.4587W LTER= 0. LGER= 0.
NIVEL= -5.3 EIVEL= 3.9 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	2.7	263.3	134	3.6	277.0
1	0.0	999.9	68	2.5	262.9	135	3.5	276.3
2	0.0	999.9	69	2.4	261.2	136	3.5	275.4
3	0.0	999.9	70	3.1	276.6	137	3.3	273.7
4	0.0	999.9	71	3.9	284.3	138	3.3	274.2
5	1.7	288.9	72	4.3	284.8	139	3.4	275.2
6	2.4	272.3	73	4.4	282.2	140	3.4	274.6
7	2.7	272.6	74	4.5	282.6	141	3.3	273.1
8	2.9	274.5	75	4.4	283.0	142	3.1	271.9
9	2.9	273.7	76	4.1	285.9	143	3.1	271.3
10	2.9	273.9	77	4.0	288.4	144	3.3	275.1
11	3.0	267.7	78	4.1	289.0	145	3.7	278.3
12	2.9	264.4	79	4.0	288.3	146	3.7	279.5
13	2.9	264.0	80	3.8	286.6	147	3.7	280.0
14	2.9	265.5	81	3.9	287.4	148	3.7	280.4
15	3.0	267.2	82	3.9	287.3	149	3.4	277.9
16	3.0	269.7	83	3.6	285.1	150	3.2	275.7
17	2.9	265.3	84	3.6	284.2	151	3.2	275.8
18	2.7	260.3	85	3.6	284.5	152	3.3	276.4
19	2.5	253.8	86	3.8	286.1	153	3.3	277.2
20	2.5	251.9	87	4.4	289.6	154	3.3	276.9
21	2.6	255.2	88	4.8	291.3	155	3.3	276.4
22	2.7	258.4	89	5.2	292.9	156	3.4	277.3
23	2.7	264.1	90	5.2	295.0	157	3.5	278.9
24	2.8	270.4	91	5.0	297.9	158	3.4	278.5
25	2.7	272.9	92	4.4	295.9	159	3.4	278.4
26	2.5	274.2	93	4.2	294.9	160	3.5	278.6
27	2.6	272.5	94	4.2	295.2	161	3.5	278.8
28	2.7	270.4	95	4.3	293.7	162	3.5	278.4
29	2.8	270.1	96	4.4	290.6	163	3.8	280.9
30	3.0	271.1	97	4.6	291.1	164	4.2	283.5
31	3.2	271.6	98	4.8	292.0	165	3.8	281.2
32	3.5	273.1	99	5.0	292.7	166	3.6	278.9
33	3.8	276.4	100	5.0	291.8	167	3.3	276.5
34	4.1	281.9	101	5.1	285.9	168	3.5	278.7
35	4.4	286.5	102	5.3	286.8	169	3.7	280.0
36	4.3	287.9	103	5.6	287.7	170	3.1	274.4
37	3.3	281.1	104	5.7	288.3	171	2.6	267.4
38	2.5	271.0	105	5.6	288.0	172	2.3	259.8
39	2.6	268.2	106	5.6	287.9	173	2.6	267.7
40	2.5	258.0	107	5.5	287.7	174	2.9	271.7
41	2.3	245.9	108	5.5	288.0	175	2.8	269.7
42	1.9	230.6	109	5.6	288.4	176	2.5	265.0
43	1.7	213.0	110	5.7	288.6	177	2.4	262.4
44	1.5	209.5	111	5.3	287.7	178	2.6	267.0
45	1.3	214.5	112	5.0	289.5	179	3.0	273.3
46	1.3	220.2	113	4.8	290.9	180	3.5	278.6
47	1.3	219.9	114	4.7	292.1	181	3.5	279.0
48	1.3	218.1	115	4.6	292.3	182	3.7	280.0
49	1.3	222.6	116	4.7	291.7	183	4.0	282.3
50	1.4	228.2	117	4.9	287.5	184	4.3	284.4
51	1.7	231.9	118	4.6	284.4	185	3.9	281.9
52	2.0	235.4	119	4.2	282.2	186	3.5	278.7
53	2.1	243.1	120	3.9	280.1	187	3.4	277.7
54	2.4	252.0	121	4.2	282.5	188	3.3	276.9
55	2.6	259.2	122	4.4	283.8	189	2.9	272.0
56	2.9	265.3	123	4.2	282.7	190	2.9	272.0
57	2.7	262.1	124	4.1	281.5			
58	2.4	254.4	125	3.9	280.3			
59	2.2	246.4	126	4.1	281.7			
60	2.3	249.8	127	4.1	281.8			
61	2.7	262.4	128	3.8	279.8			
62	3.0	267.7	129	3.6	277.9			
63	3.2	269.9	130	3.7	278.0			
64	3.5	273.1	131	3.7	278.6			
65	3.4	273.5	132	3.8	278.9			
66	3.1	270.3	133	3.7	278.0			

CARIBOU STATION 315 (189M.) 14/MAR/76 1039 GMT
LAT= 72.9366N LONG= 144.4314W LTER= 0. LGER= 0.
NIVEL= -7.5 EIVEL= 3.4 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	5.0	230.8	134	5.1	238.8
1	0.0	999.9	68	5.1	234.7	135	5.0	237.5
2	0.0	999.9	69	5.2	237.8	136	5.0	236.2
3	0.0	999.9	70	5.2	237.1	137	5.1	231.4
4	0.0	949.9	71	5.2	236.6	138	5.0	226.9
5	3.8	130.5	72	5.3	238.0	139	4.9	222.8
6	2.1	156.1	73	5.2	238.0	140	4.5	220.7
7	3.0	215.9	74	5.2	237.2	141	4.5	218.8
8	3.6	230.4	75	5.2	237.3	142	4.4	217.9
9	3.8	233.9	76	5.2	238.9	143	4.4	220.5
10	4.0	231.5	77	5.3	240.4	144	4.4	222.5
11	4.6	231.5	78	5.2	239.1	145	4.5	2.5.0
12	4.9	231.1	79	5.0	235.5	146	4.6	226.7
13	4.9	230.3	80	4.7	232.2	147	4.6	228.5
14	4.8	229.8	81	4.5	229.9	148	4.5	230.1
15	4.7	227.2	82	4.4	227.9	149	4.4	230.5
16	4.7	223.5	83	4.6	231.7	150	4.4	230.5
17	4.7	220.4	84	4.9	236.2	151	4.4	232.7
18	4.8	218.5	85	5.2	241.6	152	4.8	235.4
19	4.9	214.8	86	5.6	247.3	153	4.8	235.4
20	4.9	211.7	87	5.7	248.4	154	4.8	233.0
21	5.0	209.9	88	5.6	246.9	155	4.7	231.0
22	5.0	209.1	89	5.1	249.0	156	4.7	228.1
23	5.0	208.5	90	5.1	247.6	157	4.6	226.6
24	4.9	209.9	91	5.1	247.1	158	4.5	228.7
25	5.0	210.0	92	5.1	246.4	159	4.3	232.4
26	4.9	209.7	93	5.0	244.8	160	4.4	231.6
27	4.5	205.3	94	4.9	244.2	161	4.3	231.1
28	4.1	197.4	95	4.9	242.2	162	4.3	230.1
29	4.0	192.2	96	4.9	241.4	163	4.3	231.5
30	3.9	193.6	97	4.9	241.9	164	4.3	236.4
31	3.6	193.0	98	4.8	242.5	165	4.5	238.2
32	3.5	192.5	99	4.8	243.2	166	4.5	238.4
33	3.4	194.4	100	4.8	243.9	167	4.9	237.4
34	3.5	193.3	101	4.6	239.1	168	5.0	238.4
35	3.7	188.6	102	4.5	235.1	169	5.0	241.0
36	4.0	186.9	103	4.8	236.5	170	5.1	243.5
37	3.8	190.3	104	5.0	238.1	171	5.2	245.6
38	3.6	196.3	105	5.1	239.6	172	5.3	247.7
39	3.6	201.3	106	4.9	236.0	173	5.4	248.7
40	3.5	216.5	107	4.8	231.9	174	5.5	248.9
41	3.9	223.0	108	4.7	229.6	175	5.5	249.2
42	4.0	222.9	109	4.7	228.4	176	5.5	248.7
43	4.0	222.1	110	4.7	228.6	177	5.6	243.5
44	4.4	223.8	111	4.8	227.9	178	5.4	240.0
45	4.6	220.6	112	4.8	226.8	179	5.3	237.1
46	4.8	226.0	113	4.9	230.2	180	5.2	234.4
47	4.9	230.9	114	5.0	233.5	181	5.1	231.3
48	5.1	233.8	115	5.1	237.0	182	5.0	228.8
49	5.1	234.1	116	5.2	240.2	183	5.0	227.2
50	5.1	234.1	117	5.3	241.7	184	5.0	228.9
51	5.1	234.2	118	5.3	243.1	185	5.0	233.9
52	5.1	234.6	119	5.4	244.7	186	4.9	239.6
53	5.0	233.4	120	5.3	243.3	187	5.0	240.1
54	5.0	231.0	121	5.3	242.4	188	4.9	239.6
55	4.9	228.7	122	5.3	242.6	189	4.9	239.1
56	4.9	229.3	123	5.2	241.3			
57	4.9	230.9	124	4.7	241.8			
58	5.0	232.3	125	4.7	241.3			
59	5.0	232.7	126	4.7	240.9			
60	5.0	233.1	127	4.6	239.4			
61	5.0	233.3	128	4.6	241.3			
62	5.0	232.6	129	4.8	244.6			
63	5.0	231.0	130	5.0	245.1			
64	4.9	230.6	131	5.2	242.6			
65	4.9	229.7	132	5.2	241.4			
66	4.9	229.8	133	5.1	240.1			


CAMP CARIBOU STATION 316
DATE 14/ 3/76 TIME 1640(GMT)
TRUE DIRECTION
0 90 180 270 360
0 50 100 150 200
DEPTH (M)
0 5 10 15 20 25
SPEED CM/SEC


CAMP CARIBOU STATION 317
DATE 14/ 3/76 TIME 2301(GMT)
TRUE DIRECTION
0 90 180 270 360
0 50 100 150 200
DEPTH (M)
0 5 10 15 20 25
SPEED CM/SEC

CARIBOU STATION 316 (190M.) 14/MAR/76 1640 GMT
LAT= 72.9210N LONG= 144.4059W LTER= 0. LGER= 0.
NIVEL= -7.8 EIVEL= 4.3 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	4.7	217.9	134	4.8	222.8
1	0.0	999.9	68	4.7	218.0	135	4.9	223.9
2	0.0	999.9	69	4.8	218.9	136	4.9	223.8
3	0.0	999.9	70	4.8	219.9	137	4.8	220.5
4	0.0	999.9	71	4.8	220.1	138	4.8	219.2
5	1.7	179.4	72	4.8	220.5	139	5.1	220.6
6	2.8	209.7	73	4.8	219.8	140	5.4	221.7
7	3.6	212.4	74	4.5	218.4	141	5.4	224.1
8	3.9	210.6	75	4.5	214.8	142	5.4	223.1
9	4.1	211.3	76	4.5	211.8	143	5.3	220.4
10	4.1	212.1	77	4.4	210.2	144	5.2	218.1
11	4.1	213.3	78	4.4	209.6	145	5.2	217.2
12	4.5	206.9	79	4.4	208.4	146	5.2	217.8
13	4.5	204.0	80	4.4	210.5	147	5.2	217.5
14	4.4	204.4	81	4.5	213.8	148	5.1	216.2
15	4.4	203.7	82	4.5	217.1	149	5.1	215.7
16	4.5	202.1	83	4.6	218.6	150	5.1	216.9
17	4.5	201.9	84	4.5	219.6	151	5.5	217.6
18	4.5	202.1	85	4.4	218.6	152	5.5	218.2
19	4.6	201.7	86	4.3	216.1	153	5.6	218.8
20	4.9	196.8	87	4.3	211.9	154	5.6	218.5
21	5.0	191.7	88	4.3	209.9	155	5.5	218.0
22	4.9	186.5	89	4.4	208.4	156	5.5	217.9
23	4.8	180.9	90	4.5	206.0	157	5.5	219.5
24	4.8	175.4	91	4.5	204.2	158	5.5	219.9
25	4.8	175.6	92	4.5	200.5	159	5.6	220.7
26	4.8	176.3	93	4.6	197.4	160	6.1	220.4
27	4.8	176.1	94	4.8	196.0	161	6.0	219.4
28	4.7	177.6	95	4.8	196.2	162	5.9	215.9
29	4.7	181.1	96	4.8	198.7	163	5.8	213.2
30	4.9	180.8	97	4.8	203.9	164	5.9	216.8
31	4.9	178.9	98	4.7	209.1	165	5.9	215.4
32	5.0	179.2	99	4.8	215.3	166	5.9	214.3
33	5.1	181.1	100	4.7	217.6	167	5.9	215.6
34	5.0	182.7	101	4.7	213.9	168	6.0	218.2
35	4.7	183.8	102	4.7	211.8	169	6.0	218.8
36	4.4	186.3	103	4.7	211.1	170	6.0	219.2
37	4.5	188.1	104	4.7	212.7	171	6.0	219.1
38	4.5	188.0	105	4.7	215.5	172	6.0	218.5
39	4.5	190.1	106	4.8	218.4	173	6.0	218.3
40	4.4	202.6	107	4.8	219.6	174	6.0	217.8
41	4.6	210.3	108	4.8	220.5	175	6.0	217.4
42	4.8	209.5	109	4.7	217.8	176	6.0	218.3
43	4.8	207.1	110	4.7	215.9	177	6.0	218.8
44	4.8	203.1	111	4.7	216.3	178	5.9	216.7
45	4.9	201.0	112	4.8	219.9	179	5.9	214.4
46	4.9	202.8	113	4.9	223.3	180	6.0	217.3
47	4.8	204.3	114	4.9	223.3	181	6.1	221.4
48	4.9	201.9	115	4.8	222.5	182	6.3	226.7
49	4.9	199.5	116	4.8	225.4	183	6.5	229.9
50	4.8	205.3	117	4.8	222.8	184	6.6	230.7
51	4.7	211.0	118	4.8	218.9	185	6.5	230.4
52	4.8	217.0	119	4.7	215.0	186	6.5	229.4
53	4.8	218.5	120	4.7	211.1	187	6.3	227.1
54	4.8	220.1	121	4.5	209.9	188	6.2	224.9
55	4.8	220.5	122	4.3	211.1	189	6.3	226.1
56	4.8	220.1	123	4.4	212.9	190	6.3	226.1
57	4.8	220.2	124	4.3	209.9			
58	4.8	222.7	125	4.4	210.2			
59	4.9	225.6	126	4.4	212.2			
60	4.9	229.1	127	4.4	214.2			
61	5.0	229.5	128	4.5	214.4			
62	5.0	228.4	129	4.7	215.0			
63	4.9	225.6	130	4.8	217.4			
64	4.9	222.1	131	4.8	220.7			
65	4.8	218.3	132	4.8	223.7			
66	4.8	216.5	133	4.8	221.8			

CARIBOU STATION 317 (190M.) 14/MAR/76 2301 GMT
LAT= 72.8997N LONG= 144.3768W LTER= 0. LGER= 0.
NIVEL= -14.0 EIVEL= 2.2 NVER= 0. FVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	10.4	234.1	134	10.0	233.5
1	0.0	999.9	68	10.5	236.2	135	10.0	234.4
2	0.0	999.9	69	10.6	238.5	136	10.1	235.4
3	0.0	999.9	70	10.5	237.7	137	10.2	236.7
4	0.0	999.9	71	10.4	236.5	138	10.3	238.2
5	9.9	199.9	72	9.8	236.8	139	10.4	239.7
6	9.4	195.6	73	9.8	235.7	140	10.4	239.5
7	10.4	195.3	74	9.8	236.0	141	10.3	238.0
8	10.1	200.3	75	9.8	237.4	142	10.2	237.5
9	10.2	205.1	76	9.9	239.2	143	10.2	237.5
10	10.3	210.0	77	10.0	241.3	144	10.2	237.8
11	10.4	212.4	78	10.2	243.5	145	10.3	238.6
12	10.6	212.6	79	10.3	245.2	146	10.3	239.8
13	10.7	211.9	80	10.4	245.2	147	10.3	240.4
14	10.7	209.7	81	10.3	244.3	148	10.3	239.5
15	10.6	209.3	82	10.2	243.3	149	10.1	237.3
16	10.6	210.5	83	10.1	242.1	150	10.0	235.1
17	10.5	212.3	84	10.0	240.9	151	9.9	233.9
18	10.4	214.4	85	10.0	240.4	152	10.0	234.9
19	10.5	215.0	86	9.9	240.1	153	10.0	236.3
20	10.5	214.9	87	9.9	239.5	154	10.1	236.1
21	10.6	214.5	88	9.8	238.7	155	10.0	235.1
22	10.5	215.2	89	9.8	238.0	156	10.1	236.2
23	10.1	216.5	90	9.8	238.2	157	10.1	236.5
24	9.7	214.7	91	10.1	239.5	158	10.1	236.4
25	9.8	214.5	92	10.7	241.0	159	10.1	236.2
26	9.8	215.5	93	10.9	243.0	160	10.0	235.8
27	9.8	215.5	94	11.0	244.2	161	10.0	235.4
28	9.7	215.9	95	11.0	244.4	162	10.0	234.8
29	9.7	216.2	96	11.0	244.1	163	10.0	234.2
30	9.7	215.0	97	10.9	243.2	164	9.9	233.5
31	9.8	213.3	98	10.8	241.8	165	9.9	232.9
32	9.8	211.9	99	10.7	240.2	166	9.9	232.3
33	9.9	211.2	100	10.6	239.4	167	9.8	231.2
34	9.9	212.1	101	10.5	238.5	168	9.8	229.9
35	9.9	213.1	102	10.4	237.7	169	9.8	229.5
36	10.0	215.1	103	10.4	237.4	170	9.8	229.0
37	10.0	217.4	104	10.4	237.4	171	9.8	230.6
38	10.0	220.7	105	10.4	237.4	172	9.9	231.3
39	10.0	224.2	106	10.5	238.7	173	9.9	230.9
40	10.1	227.5	107	10.6	241.0	174	9.8	228.6
41	10.2	230.6	108	10.9	243.8	175	9.7	225.8
42	10.4	233.4	109	11.1	245.9	176	9.7	225.6
43	11.1	235.4	110	11.2	246.3	177	9.7	227.1
44	10.9	234.3	111	11.0	245.0	178	9.7	227.7
45	10.7	232.5	112	10.8	242.9	179	9.7	227.0
46	10.8	233.6	113	10.7	241.3	180	9.6	226.3
47	10.9	235.1	114	10.6	239.9	181	9.6	225.1
48	10.9	237.4	115	10.5	239.0	182	9.6	224.4
49	10.7	237.5	116	10.5	238.5	183	9.6	224.3
50	10.5	236.5	117	10.6	239.7	184	9.6	225.0
51	10.6	236.0	118	10.6	239.9	185	9.6	226.6
52	10.6	235.5	119	10.6	240.1	186	9.7	229.1
53	10.6	234.7	120	10.6	240.6	187	9.7	230.4
54	10.3	235.7	121	10.6	240.8	188	9.7	231.6
55	10.1	236.4	122	10.7	241.6	189	9.8	231.5
56	10.1	236.8	123	10.7	242.5	190	9.8	231.5
57	10.0	237.4	124	10.7	242.4			
58	10.0	238.0	125	10.5	240.4			
59	10.0	238.6	126	10.3	238.0			
60	10.1	238.6	127	10.2	236.1			
61	10.1	237.5	128	10.1	235.5			
62	10.1	236.6	129	10.1	235.6			
63	10.1	235.5	130	10.1	235.6			
64	10.4	231.9	131	10.1	235.7			
65	10.4	232.4	132	10.1	235.6			
66	10.3	233.8	133	10.1	234.7			


CAMP CARIBOU STATION 319
DATE 15/ 3/76 TIME 1037(GMT)
TRUE DIRECTION
0
90
180
270
360
DEPTH (M)
0
50
100
150
200
SPEED CM/SEC
0
5
10
15
20
25


CAMP CARIBOU STATION 318
DATE 15/ 3/76 TIME 503(GMT)
TRUE DIRECTION
0
90
180
270
360
DEPTH (M)
0
50
100
150
200
SPEED CM/SEC
0
5
10
15
20
25

CARIBOU STATION 318 (190M.) 15/MAR/76 503 GMT
LAT= 72.8780N LONG= 144.3545W LTER= 1. LGER= 2.
NIVEL= -8.5 EIVEL= 10.1 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	4.5	123.4	134	4.9	123.5
1	0.0	999.9	68	4.2	121.0	135	5.1	124.0
2	0.0	999.9	69	3.9	121.0	136	5.3	124.4
3	0.0	999.9	70	3.9	127.9	137	5.5	124.7
4	0.0	999.9	71	4.2	131.9	138	5.6	124.9
5	5.5	133.7	72	4.5	127.8	139	5.7	125.0
6	5.7	140.3	73	4.6	121.8	140	5.7	125.0
7	6.1	148.7	74	4.7	119.7	141	5.6	124.8
8	6.1	150.5	75	4.8	119.4	142	5.6	124.6
9	5.9	152.2	76	5.0	120.0	143	5.5	124.4
10	5.8	154.1	77	5.2	120.8	144	5.4	124.2
11	5.6	157.0	78	5.5	121.7	145	5.3	123.8
12	5.3	161.6	79	5.6	122.2	146	5.2	123.6
13	5.4	167.3	80	5.7	122.3	147	5.2	123.3
14	5.6	171.0	81	5.4	121.7	148	5.1	122.9
15	5.8	172.5	82	5.2	121.1	149	5.1	122.6
16	5.4	168.0	83	5.6	122.1	150	5.0	122.5
17	5.1	163.9	84	5.5	122.0	151	4.9	122.4
18	5.1	161.0	85	5.3	121.3	152	4.9	122.5
19	5.2	159.7	86	5.1	120.9	153	4.9	122.6
20	5.1	159.6	87	5.2	120.8	154	5.3	123.4
21	4.9	162.6	88	5.4	117.9	155	5.6	124.0
22	4.3	165.6	89	5.3	117.7	156	5.7	124.2
23	3.8	167.0	90	5.1	116.6	157	5.8	124.2
24	3.8	170.3	91	5.0	115.9	158	5.6	124.0
25	3.9	170.5	92	5.0	115.6	159	5.6	123.9
26	4.3	165.5	93	4.9	114.7	160	5.7	124.0
27	4.8	159.6	94	4.9	114.7	161	5.8	124.3
28	5.2	155.1	95	4.6	112.9	162	6.0	124.7
29	5.5	153.0	96	4.6	112.5	163	6.0	124.7
30	5.5	151.3	97	4.6	117.7	164	5.8	124.5
31	5.2	147.2	98	4.8	118.6	165	5.8	124.5
32	5.1	143.0	99	4.7	118.1	166	5.7	124.4
33	5.3	142.3	100	4.8	118.7	167	5.5	124.0
34	5.3	142.3	101	4.9	119.2	168	5.2	123.4
35	5.3	141.2	102	4.9	123.4	169	4.7	122.3
36	5.1	138.3	103	5.0	123.5	170	4.3	120.7
37	5.0	137.6	104	5.1	123.8	171	4.3	121.1
38	4.8	137.9	105	4.9	123.6	172	4.5	121.5
39	4.8	136.4	106	4.8	123.6	173	4.5	121.6
40	4.7	132.3	107	4.8	123.8	174	4.5	121.7
41	4.5	130.6	108	5.0	124.2	175	4.5	121.7
42	4.5	130.6	109	5.2	124.5	176	4.5	121.6
43	4.3	130.9	110	5.4	124.7	177	4.3	120.8
44	4.0	130.9	111	5.5	125.0	178	4.0	119.9
45	3.9	131.1	112	5.6	125.0	179	4.0	119.7
46	4.6	130.5	113	5.5	124.9	180	4.1	119.6
47	5.2	130.1	114	5.5	124.8	181	4.1	119.7
48	5.3	129.8	115	5.2	124.4	182	4.0	118.8
49	5.1	129.4	116	5.0	123.8	183	4.0	119.0
50	4.9	129.1	117	4.7	123.3	184	4.3	120.1
51	4.7	129.2	118	4.7	123.1	185	4.6	120.9
52	4.5	127.8	119	4.8	123.4	186	4.5	120.6
53	4.5	124.1	120	4.9	123.6	187	4.5	120.6
54	4.3	124.0	121	5.1	124.1	188	4.2	119.8
55	3.9	123.3	122	5.4	124.5	189	4.0	118.9
56	3.6	122.5	123	5.4	124.5	190	3.9	118.5
57	3.9	123.1	124	5.3	124.4			
58	4.0	120.9	125	5.4	124.4			
59	3.8	117.6	126	5.4	124.5			
60	3.8	116.3	127	5.4	124.5			
61	3.8	116.2	128	5.3	124.3			
62	3.7	117.7	129	5.1	123.9			
63	3.9	120.3	130	4.9	123.4			
64	3.9	122.6	131	4.9	123.3			
65	4.1	125.0	132	4.8	123.2			
66	4.6	125.8	133	4.8	123.2			

CARIBOU STATION 319 (189M.) 15/MAR/76 1037 GMT
LAT= 72.6590N LONG= 144.3176W LTER= 0. LGER= 0.
NIVEL= -13.3 EIVEL= 9.7 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	2.0	139.4	134	3.6	126.3
1	0.0	999.9	68	1.5	140.2	135	3.5	125.8
2	0.0	999.9	69	1.6	108.6	136	3.4	124.3
3	0.0	999.9	70	1.5	105.6	137	3.2	122.8
4	0.0	999.9	71	1.5	104.8	138	3.0	127.5
5	8.1	136.7	72	1.5	104.0	139	3.0	139.5
6	7.4	140.3	73	1.5	104.0	140	3.3	139.6
7	7.2	145.5	74	1.5	105.5	141	3.6	139.8
8	7.5	149.8	75	1.6	108.6	142	3.8	140.0
9	7.8	149.3	76	1.7	111.9	143	3.9	140.2
10	8.0	149.9	77	1.8	112.4	144	3.9	140.0
11	8.0	153.2	78	1.7	108.7	145	3.8	139.8
12	7.7	157.1	79	1.5	103.4	146	3.5	139.0
13	7.5	159.7	80	1.4	94.6	147	3.2	138.1
14	7.2	161.4	81	1.3	87.0	148	3.0	137.4
15	6.9	161.5	82	1.4	89.6	149	3.5	138.1
16	6.5	162.2	83	1.5	96.7	150	3.4	138.4
17	6.1	163.2	84	1.8	108.6	151	3.9	139.5
18	6.1	162.6	85	1.9	108.7	152	4.1	140.2
19	5.7	174.3	86	1.8	105.5	153	4.0	140.4
20	5.5	176.6	87	1.7	101.5	154	4.7	140.9
21	5.3	179.3	88	1.7	100.8	155	4.3	140.5
22	4.2	187.1	89	1.7	102.4	156	4.6	140.2
23	4.5	187.7	90	1.8	105.4	157	4.4	139.7
24	4.4	181.3	91	1.9	109.1	158	4.1	139.3
25	4.0	179.2	92	2.0	111.6	159	4.0	138.7
26	3.8	177.9	93	2.1	114.4	160	4.0	138.9
27	3.7	184.9	94	2.3	117.8	161	3.9	139.0
28	4.6	188.6	95	2.5	120.2	162	4.3	139.4
29	4.6	187.7	96	2.6	121.2	163	4.4	139.6
30	4.6	187.3	97	2.8	111.7	164	4.4	140.2
31	4.1	180.8	98	3.2	102.9	165	4.6	140.8
32	4.2	180.2	99	3.3	101.1	166	4.8	140.9
33	4.1	180.7	100	3.3	103.4	167	4.6	140.8
34	3.7	176.3	101	3.5	105.9	168	4.7	140.8
35	3.6	175.5	102	3.6	108.9	169	4.9	140.9
36	3.5	175.5	103	3.4	117.4	170	5.0	141.0
37	3.5	175.1	104	3.6	119.0	171	5.0	141.0
38	3.0	162.9	105	3.6	119.7	172	5.2	141.0
39	2.9	158.2	106	3.7	120.0	173	5.4	140.9
40	2.8	161.1	107	3.5	118.8	174	5.5	141.0
41	2.4	162.7	108	3.4	121.5	175	5.7	141.1
42	2.2	161.7	109	3.3	117.6	176	5.9	141.4
43	2.6	165.1	110	3.3	116.4	177	6.1	141.6
44	2.2	191.4	111	3.3	117.2	178	6.2	141.8
45	1.9	198.7	112	3.5	119.2	179	6.4	141.9
46	1.7	202.3	113	3.6	120.8	180	6.6	142.0
47	1.7	215.1	114	3.7	121.5	181	6.7	142.0
48	1.8	211.7	115	3.5	120.2	182	6.8	141.9
49	2.1	193.5	116	3.3	117.2	183	6.6	141.8
50	2.6	178.4	117	3.0	113.7	184	6.3	141.5
51	2.7	174.4	118	2.7	109.6	185	5.9	141.1
52	2.8	159.4	119	2.7	108.9	186	5.4	140.6
53	3.1	159.4	120	2.9	110.6	187	5.5	141.0
54	3.4	159.4	121	2.7	122.3	188	5.2	140.9
55	3.5	153.8	122	2.8	123.0	189	4.8	140.0
56	3.7	144.1	123	3.0	124.8			
57	3.7	143.5	124	3.1	126.3			
58	3.5	143.1	125	3.2	126.3			
59	3.1	129.7	126	3.1	124.7			
60	2.4	140.0	127	3.0	124.1			
61	1.8	139.6	128	3.1	124.2			
62	1.4	139.3	129	3.3	124.8			
63	1.3	137.2	130	3.4	125.1			
64	1.1	135.7	131	3.5	125.3			
65	1.3	135.9	132	3.4	124.2			
66	1.9	139.7	133	3.5	125.1			


CAMP CARIBOU STATION 321
DATE 15/ 3/76 TIME 2305(GMT)
TRUE DIRECTION
0 90 180 270 360
SPEED CM/SEC
0 5 10 15 20 25
DEPTH (M)
0 50 100 150 200


CAMP CARIBOU STATION 320
DATE 15/ 3/76 TIME 1642(GMT)
TRUE DIRECTION
0 90 180 270 360
SPEED CM/SEC
0 5 10 15 20 25
DEPTH (M)
0 50 100 150 200

CARIBOU STATION 320 (188M.) 15/MAR/76 1642 GMT
LAT= 72.8338N LONG= 144.2845W LTER= 1. LGER= 2.
NIVEL= -12.3 EIVEL= 5.0 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	5.1	216.6	134	4.0	225.9
1	0.0	999.9	68	5.0	223.6	135	4.0	228.4
2	0.0	999.9	69	5.0	224.6	136	4.0	232.8
3	0.0	999.9	70	5.1	221.4	137	4.0	235.3
4	0.0	999.9	71	5.2	218.4	138	4.0	231.8
5	4.7	201.8	72	5.3	219.9	139	4.1	231.5
6	5.3	219.5	73	5.2	222.4	140	4.1	235.4
7	6.0	221.9	74	5.3	220.5	141	4.1	234.5
8	6.1	220.2	75	5.2	219.3	142	4.1	229.2
9	6.0	220.8	76	4.7	220.8	143	4.1	227.7
10	6.1	215.1	77	4.4	222.4	144	4.0	230.5
11	6.2	210.9	78	4.3	223.4	145	4.0	230.5
12	6.3	211.6	79	3.9	220.5	146	3.9	233.1
13	6.4	212.3	80	3.8	217.4	147	4.0	232.5
14	6.4	213.9	81	3.9	215.6	148	4.0	231.9
15	6.3	212.8	82	3.9	215.6	149	4.0	231.3
16	6.1	212.9	83	3.8	218.7	150	4.1	230.7
17	6.0	213.1	84	3.8	222.0	151	4.1	228.4
18	5.9	218.5	85	3.8	222.8	152	4.0	225.3
19	5.9	225.2	86	3.8	221.1	153	4.0	223.7
20	6.1	226.9	87	3.8	219.3	154	4.0	223.2
21	6.1	227.0	88	3.8	218.3	155	4.0	223.0
22	6.0	223.8	89	3.7	217.8	156	4.0	224.0
23	5.9	222.5	90	3.2	213.0	157	4.0	226.7
24	5.6	223.5	91	3.1	211.5	158	4.0	226.9
25	5.2	224.7	92	3.1	212.2	159	4.0	227.3
26	5.0	222.6	93	3.2	214.3	160	4.0	224.0
27	5.1	220.4	94	3.6	222.2	161	4.0	218.5
28	5.1	220.8	95	3.8	226.6	162	4.0	219.5
29	5.1	225.5	96	3.7	227.2	163	4.0	223.0
30	5.1	230.2	97	3.7	225.2	164	3.6	226.9
31	5.2	230.9	98	3.7	222.6	165	3.5	222.9
32	5.3	229.5	99	3.7	222.9	166	3.6	215.9
33	5.3	224.9	100	3.7	223.4	167	3.7	214.4
34	5.2	226.1	101	3.7	223.2	168	3.6	218.3
35	5.2	225.6	102	3.7	223.0	169	3.5	222.5
36	5.3	223.5	103	3.7	223.2	170	3.3	220.9
37	5.3	218.4	104	3.3	220.7	171	3.1	216.3
38	5.2	216.0	105	3.1	215.6	172	3.1	214.5
39	5.3	209.3	106	3.1	213.1	173	3.0	219.9
40	5.4	205.8	107	3.1	211.5	174	3.0	223.4
41	5.4	208.6	108	3.2	210.0	175	3.0	218.4
42	5.6	203.6	109	3.2	208.4	176	3.0	221.7
43	5.6	206.4	110	3.2	206.9	177	3.1	230.7
44	5.4	206.5	111	3.2	205.5	178	3.5	238.2
45	5.3	209.1	112	3.3	204.0	179	3.5	244.0
46	5.3	211.8	113	3.4	204.2	180	4.1	238.1
47	5.2	218.3	114	3.8	211.4	181	4.1	233.6
48	5.1	225.3	115	3.7	215.3	182	4.1	229.3
49	5.1	221.5	116	3.7	219.2	183	4.1	225.1
50	5.2	217.9	117	3.7	219.5	184	4.2	221.1
51	5.2	214.3	118	3.7	215.9	185	4.2	217.7
52	5.2	210.7	119	3.7	216.3	186	4.2	216.7
53	4.8	208.5	120	3.6	216.9	187	4.3	216.6
54	4.6	208.0	121	3.6	218.6	188	4.3	216.6
55	4.5	210.1	122	3.7	218.1			
56	4.5	211.1	123	3.7	217.1			
57	4.6	211.2	124	3.8	216.3			
58	4.6	211.4	125	4.2	218.4			
59	4.7	210.6	126	4.1	222.8			
60	4.7	209.7	127	4.1	224.7			
61	4.5	213.2	128	4.1	224.4			
62	4.4	216.0	129	4.0	225.9			
63	4.4	217.6	130	4.0	228.7			
64	5.0	216.7	131	4.0	226.5			
65	5.3	213.0	132	4.1	224.2			
66	5.3	210.7	133	4.1	221.8			

CARIBOU STATION 321 (190M.) 15/MAR/76 2305 GMT
LAT= 72.8123N LONG= 144.2532W LTER= 0. LGER= 0.
NIVEL= -4.1 EIVEL= -2.0 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	10.7	286.3	134	9.1	279.1
1	0.0	999.9	68	10.6	286.1	135	9.0	278.7
2	0.0	999.9	69	10.5	286.0	136	9.0	278.4
3	0.0	999.9	70	10.6	286.0	137	9.0	278.6
4	0.0	999.9	71	10.6	286.0	138	9.1	279.1
5	9.0	280.3	72	10.4	285.6	139	9.1	279.3
6	9.2	281.3	73	10.2	285.2	140	9.0	278.8
7	9.2	281.3	74	10.1	284.8	141	8.7	277.8
8	9.0	280.5	75	10.2	285.0	142	8.6	277.7
9	8.8	280.1	76	10.3	285.5	143	8.7	278.2
10	8.8	280.1	77	10.5	286.1	144	8.9	279.0
11	8.9	280.5	78	10.5	286.1	145	9.0	279.7
12	9.0	280.8	79	10.4	285.7	146	9.1	280.3
13	8.9	280.2	80	10.5	286.0	147	9.3	280.8
14	8.8	279.8	81	10.6	286.4	148	9.1	280.2
15	8.8	280.5	82	10.6	286.6	149	8.8	279.2
16	8.9	281.7	83	10.6	286.8	150	8.6	278.3
17	9.0	282.4	84	10.6	286.9	151	8.6	278.3
18	8.9	282.3	85	10.6	287.0	152	8.8	278.9
19	8.9	281.7	86	10.4	286.5	153	8.9	279.1
20	8.8	280.9	87	10.5	283.6	154	8.7	278.7
21	8.7	280.7	88	10.3	283.0	155	8.6	278.3
22	8.6	278.6	89	10.2	282.4	156	8.5	277.9
23	8.6	277.3	90	10.1	281.9	157	8.5	277.6
24	8.6	276.7	91	10.0	281.4	158	8.4	277.1
25	8.8	277.4	92	9.8	280.8	159	8.6	278.0
26	8.8	278.2	93	9.9	281.1	160	8.8	278.5
27	8.7	279.2	94	10.1	281.8	161	8.9	279.0
28	8.5	278.5	95	10.0	281.6	162	9.0	279.6
29	8.3	277.6	96	10.0	281.5	163	9.2	280.2
30	8.1	276.6	97	10.1	282.1	164	9.2	280.4
31	7.8	275.6	98	10.4	282.8	165	9.1	280.0
32	7.5	274.1	99	10.4	283.0	166	8.8	278.9
33	7.1	272.8	100	10.4	283.1	167	8.5	277.8
34	6.7	271.8	101	10.2	282.7	168	8.2	276.2
35	6.4	271.5	102	10.0	282.1	169	8.0	275.3
36	6.2	271.7	103	9.8	281.6	170	8.2	276.4
37	6.2	271.9	104	9.8	281.5	171	8.6	275.2
38	6.2	271.8	105	9.8	281.6	172	8.9	275.3
39	6.4	272.1	106	9.8	281.6	173	8.9	275.7
40	6.6	273.8	107	9.9	281.7	174	8.9	274.8
41	7.0	275.7	108	9.7	281.2	175	8.5	273.4
42	7.5	277.3	109	9.4	280.2	176	8.0	272.2
43	8.1	278.3	110	9.1	279.3	177	7.7	271.6
44	8.7	279.2	111	9.0	278.4	178	7.4	270.5
45	9.2	279.9	112	8.8	277.6	179	7.2	269.3
46	9.5	280.8	113	8.9	278.1	180	7.2	269.2
47	9.8	281.8	114	9.1	279.0	181	7.2	269.7
48	9.9	281.9	115	9.3	279.7	182	7.3	270.2
49	9.8	281.8	116	9.2	279.7	183	7.3	270.4
50	9.6	281.1	117	9.2	279.7	184	7.4	270.8
51	9.3	280.5	118	9.2	279.6	185	7.5	271.5
52	9.2	280.7	119	9.3	279.9	186	7.8	271.9
53	9.3	281.4	120	9.4	280.0	187	8.1	272.5
54	9.4	282.1	121	9.3	279.6	188	8.5	274.3
55	9.6	282.8	122	9.1	279.0	189	8.8	27[illegible].8
56	9.6	283.1	123	8.9	278.1	190	9.1	27[illegible].1
57	9.7	283.4	124	8.8	277.6			
58	9.8	283.4	125	8.8	277.7			
59	9.7	282.9	126	8.9	278.0			
60	9.5	282.0	127	8.9	278.1			
61	9.4	281.6	128	8.9	278.3			
62	9.6	282.4	129	8.8	278.3			
63	9.8	283.2	130	8.8	278.2			
64	10.0	284.1	131	8.6	277.4			
65	10.3	285.0	132	8.7	277.7			
66	10.6	285.8	133	8.9	278.5			


CAMP CARIBOU
DATE 16/ 3/76
STATION 324
TIME 1644(GMT)
TRUE DIRECTION
SPEED CM/SEC
DEPTH (M)


CAMP CARIBOU
DATE 16/ 3/76
STATION 323
TIME 1042(GMT)
TRUE DIRECTION
SPEED CM/SEC
DEPTH (M)

CARIBOU STATION 323 (191M.) 16/MAR/76 1042 GMT
LAT= 72.8033N LONG= 144.2464W LTER= 1. LGER= 1.
NIVEL= -5.1 EIVEL= -2.7 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	6.5	266.1	134	7.5	270.5
1	0.0	999.9	68	6.4	265.7	135	7.3	267.5
2	0.0	999.9	69	6.4	265.8	136	7.1	266.9
3	0.0	999.9	70	6.3	265.7	137	7.1	268.8
4	0.0	999.9	71	6.3	264.7	138	6.9	267.5
5	5.5	227.8	72	6.4	263.9	139	6.8	266.0
6	5.6	229.7	73	6.5	263.1	140	6.7	264.9
7	5.5	231.4	74	6.5	263.3	141	6.5	265.6
8	5.5	231.9	75	6.6	264.7	142	6.2	267.2
9	5.5	232.3	76	6.6	266.1	143	6.2	268.2
10	5.6	232.6	77	6.7	267.1	144	6.3	269.4
11	5.6	232.6	78	6.8	267.5	145	6.4	271.3
12	5.6	232.6	79	6.9	267.4	146	6.4	274.5
13	5.6	232.5	80	7.0	267.3	147	6.4	277.2
14	5.8	232.4	81	7.1	268.1	148	6.6	278.8
15	6.0	231.9	82	7.4	269.4	149	6.7	280.2
16	6.2	231.5	83	7.7	270.6	150	6.7	279.0
17	6.1	231.7	84	7.9	271.9	151	6.4	273.8
18	6.1	231.9	85	8.1	273.1	152	6.5	276.3
19	6.0	232.1	86	8.2	274.2	153	6.4	276.7
20	5.8	232.4	87	8.4	274.6	154	6.4	277.4
21	5.7	232.4	88	8.4	273.8	155	6.1	273.8
22	5.7	232.4	89	8.3	272.8	156	5.9	273.3
23	5.7	232.4	90	8.1	271.6	157	6.0	277.1
24	5.7	232.2	91	7.9	270.4	158	6.2	279.7
25	5.9	231.2	92	7.8	269.2	159	6.2	279.0
26	5.9	231.1	93	7.7	267.9	160	6.2	279.3
27	5.8	234.1	94	7.5	266.6	161	6.4	281.1
28	5.8	233.5	95	7.4	267.0	162	6.4	281.4
29	5.8	233.1	96	7.4	267.6	163	6.4	280.3
30	5.9	232.8	97	7.5	268.3	164	6.1	277.4
31	5.9	232.8	98	7.6	269.1	165	5.9	274.3
32	5.9	232.7	99	7.7	270.0	166	5.8	272.1
33	5.9	232.1	100	7.8	270.8	167	5.8	272.5
34	6.0	229.1	101	7.9	271.6	168	5.8	273.5
35	6.0	228.8	102	7.8	272.0	169	5.9	275.1
36	5.9	229.5	103	8.0	272.9	170	6.0	276.5
37	5.8	230.2	104	8.2	273.9	171	5.9	274.1
38	5.6	234.3	105	8.3	274.9	172	5.8	272.8
39	5.3	239.6	106	8.5	275.6	173	5.8	273.5
40	5.3	239.6	107	8.3	276.0	174	5.8	273.0
41	5.1	246.1	108	8.1	273.6	175	5.7	271.3
42	5.1	254.0	109	7.8	273.1	176	5.8	271.8
43	5.4	260.0	110	7.7	274.3	177	5.8	272.6
44	5.7	259.4	111	7.9	278.0	178	5.8	273.4
45	6.1	260.5	112	8.2	280.1	179	6.0	272.3
46	6.3	263.7	113	7.9	279.5	180	6.0	270.8
47	6.4	266.9	114	7.7	278.2	181	5.9	269.3
48	6.5	268.2	115	7.8	277.6	182	5.9	267.5
49	6.5	268.9	116	7.8	277.1	183	5.9	265.4
50	6.5	269.4	117	7.9	277.3	184	6.0	265.5
51	6.5	269.4	118	7.9	277.4	185	6.1	267.7
52	6.6	270.1	119	7.8	277.5	186	6.1	268.2
53	6.7	271.1	120	7.8	277.4	187	6.0	266.1
54	6.9	272.1	121	7.6	275.5	188	5.9	264.0
55	7.1	272.6	122	7.5	273.1	189	5.9	261.4
56	7.2	272.3	123	7.5	272.6	190	6.1	261.9
57	7.2	272.0	124	7.6	274.7	191	6.3	263.8
58	7.2	272.1	125	7.8	276.2			
59	7.2	272.1	126	7.9	276.9			
60	7.1	271.0	127	7.9	276.9			
61	7.0	269.7	128	7.8	273.9			
62	6.9	268.0	129	7.7	271.3			
63	6.8	268.1	130	7.6	270.2			
64	6.7	269.5	131	7.5	270.8			
65	6.7	269.5	132	7.6	271.7			
66	6.6	267.8	133	7.6	271.8			

CARIBOU STATION 324 (190M.) 16/MAR/76 1644 GMT
LAT= 72.7967N LONG= 144.2518W LTER= 0. LGER= 0.
NIVEL= -5.4 EIVEL= 2.5 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	2.4	217.5	134	3.0	242.8
1	0.0	999.9	68	2.7	221.1	135	3.0	248.8
2	0.0	999.9	69	2.8	225.3	136	3.2	253.8
3	0.0	999.9	70	2.8	224.9	137	3.3	258.2
4	0.0	999.9	71	2.8	223.9	138	3.4	261.5
5	4.0	128.3	72	2.8	224.1	139	3.5	263.9
6	3.6	131.7	73	2.8	227.4	140	3.5	264.3
7	3.4	136.8	74	2.8	231.6	141	3.4	263.4
8	3.4	139.8	75	3.1	234.4	142	3.2	262.8
9	3.3	143.0	76	3.0	235.0	143	3.0	265.6
10	3.2	145.4	77	3.1	232.6	144	2.7	268.2
11	3.2	147.5	78	3.2	231.2	145	2.6	270.5
12	3.2	148.7	79	3.2	231.5	146	2.6	270.6
13	3.4	151.6	80	3.2	232.2	147	2.6	271.4
14	3.6	154.5	81	3.2	232.8	148	2.6	270.5
15	3.6	156.1	82	3.2	233.0	149	2.3	264.1
16	3.6	157.2	83	3.2	232.4	150	2.1	256.2
17	3.7	157.2	84	3.2	229.8	151	2.0	247.6
18	3.7	156.3	85	3.0	225.3	152	1.9	239.9
19	3.7	155.7	86	2.7	219.2	153	1.9	231.4
20	3.7	155.4	87	2.4	214.6	154	1.9	223.8
21	3.6	155.5	88	2.3	213.0	155	1.9	219.0
22	3.6	156.2	89	2.3	214.7	156	1.9	214.6
23	3.6	157.5	90	2.3	217.3	157	2.0	211.0
24	3.6	158.2	91	2.4	219.9	158	2.0	208.2
25	3.6	157.8	92	2.7	220.8	159	2.0	204.9
26	3.6	157.0	93	2.9	220.8	160	2.1	203.0
27	3.6	155.8	94	2.9	222.0	161	2.0	202.1
28	3.7	154.8	95	3.0	222.6	162	1.9	210.2
29	3.8	153.8	96	3.0	222.7	163	1.8	225.2
30	3.8	153.1	97	3.0	222.8	164	1.8	236.2
31	3.8	152.6	98	2.9	222.2	165	1.9	243.7
32	3.7	150.7	99	2.8	221.3	166	1.9	246.3
33	3.6	146.2	100	2.9	219.8	167	1.9	247.7
34	3.9	137.1	101	2.9	216.5	168	2.0	253.3
35	3.9	137.4	102	3.0	213.1	169	2.1	255.2
36	3.8	138.8	103	2.8	206.8	170	2.1	254.3
37	3.6	141.9	104	2.7	202.5	171	2.1	253.7
38	3.1	145.8	105	2.8	201.4	172	2.0	251.3
39	2.8	148.4	106	2.9	202.7	173	2.0	247.9
40	2.2	157.0	107	2.9	202.4	174	1.9	245.2
41	1.9	172.4	108	2.8	201.4	175	1.9	243.4
42	2.2	174.8	109	2.7	202.1	176	1.9	241.3
43	2.2	178.2	110	2.7	204.8	177	1.9	239.2
44	2.2	179.2	111	2.6	209.8	178	1.9	236.8
45	2.1	179.3	112	2.6	215.2	179	1.9	235.4
46	2.1	180.2	113	2.5	221.2	180	1.9	235.5
47	2.2	173.7	114	2.5	224.7	181	1.9	235.7
48	2.4	167.9	115	2.5	224.9	182	1.9	237.0
49	2.5	164.7	116	2.8	229.1	183	1.9	239.1
50	2.3	163.7	117	3.1	232.5	184	1.9	242.0
51	2.1	163.6	118	3.1	232.3	185	1.9	246.4
52	2.1	164.3	119	3.1	232.6	186	2.0	251.0
53	2.2	166.2	120	3.0	233.9	187	2.0	253.8
54	2.3	170.2	121	2.9	237.5	188	2.2	254.8
55	2.4	175.1	122	3.0	240.7	189	2.4	252.5
56	2.3	176.4	123	3.2	240.4	190	2.6	248.0
57	2.2	177.4	124	3.2	238.6			
58	2.1	179.1	125	3.3	234.6			
59	1.9	192.6	126	3.3	229.3			
60	2.0	199.6	127	3.3	227.0			
61	2.2	202.8	128	3.2	227.9			
62	2.4	201.0	129	3.2	229.6			
63	2.4	197.7	130	3.2	231.1			
64	2.5	200.5	131	3.1	234.5			
65	2.4	206.5	132	3.0	236.4			
66	2.4	212.2	133	3.0	238.4			


CAMP CARIBOU STATION 326
DATE 17/ 3/76 TIME 515(GMT)
TRUE DIRECTION
0
90
180
270
360
DEPTH (M)
0
50
100
150
200
SPEED CM/SEC
0
5
10
15
20
25


CAMP CARIBOU STATION 325
DATE 16/ 3/76 TIME 2320(GMT)
TRUE DIRECTION
0
90
180
270
360
DEPTH (M)
0
50
100
150
200
SPEED CM/SEC
0
5
10
15
20
25

CARIBOU STATION 325 (190M.) 16/MAR/76 2320 GMT
LAT= 72.7796N LONG= 144.2433W LTER= 0. LGER= 0.
NIVEL= -8.4 EIVEL= -0.1 NVER= 0. FVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	9.8	270.4	134	7.2	252.5
1	0.0	999.9	68	9.8	270.5	135	7.0	247.3
2	0.0	999.9	69	9.8	271.3	136	7.0	241.3
3	0.0	999.9	70	9.8	271.5	137	7.0	238.6
4	0.0	999.9	71	9.6	270.7	138	6.6	237.3
5	8.3	232.5	72	9.5	269.8	139	6.2	235.1
6	8.6	235.4	73	9.2	268.2	140	6.1	230.0
7	9.0	237.6	74	8.9	266.5	141	6.0	224.6
8	8.9	237.8	75	8.6	264.6	142	6.0	221.2
9	9.0	236.3	76	8.3	262.8	143	5.9	221.0
10	9.0	235.5	77	8.1	260.9	144	5.6	222.6
11	9.0	235.0	78	7.9	259.2	145	5.4	225.6
12	8.9	234.5	79	7.7	257.8	146	5.4	229.0
13	9.1	233.8	80	7.6	256.2	147	5.6	231.0
14	9.3	232.7	81	7.4	254.7	148	5.7	231.3
15	9.3	232.7	82	7.3	253.9	149	5.8	231.4
16	9.3	233.2	83	7.3	253.3	150	5.9	234.6
17	9.3	233.7	84	7.2	252.2	151	5.9	238.1
18	9.3	233.5	85	6.9	251.2	152	5.8	241.7
19	9.2	233.3	86	6.7	250.9	153	5.6	243.6
20	9.2	232.9	87	6.7	251.0	154	5.5	243.3
21	9.3	232.7	88	6.9	251.6	155	5.5	242.7
22	9.3	232.4	89	7.1	252.1	156	5.5	243.9
23	9.3	232.3	90	7.2	252.0	157	5.4	246.1
24	9.4	232.2	91	7.3	251.8	158	5.4	248.6
25	9.4	232.1	92	7.3	251.8	159	5.7	250.5
26	9.3	232.0	93	7.2	252.0	160	5.8	252.4
27	9.3	232.2	94	7.2	252.3	161	6.1	253.9
28	9.1	232.8	95	7.2	252.0	162	6.2	255.7
29	9.0	233.5	96	7.1	251.6	163	6.2	257.1
30	8.9	234.7	97	7.1	251.3	164	6.3	256.6
31	8.9	236.0	98	7.1	251.3	165	6.3	254.7
32	8.9	236.5	99	7.1	251.3	166	6.2	252.0
33	9.0	234.9	100	7.1	252.5	167	6.2	250.1
34	9.1	233.8	101	7.2	254.5	168	6.1	249.1
35	9.1	233.4	102	7.3	256.1	169	6.1	248.7
36	9.1	233.1	103	7.4	257.1	170	6.1	248.2
37	9.0	232.7	104	7.4	257.1	171	6.1	247.0
38	8.9	234.1	105	7.3	255.6	172	6.0	244.9
39	9.2	240.4	106	7.2	254.5	173	6.0	243.7
40	9.7	246.6	107	7.2	254.4	174	6.0	244.8
41	10.0	250.5	108	7.2	254.4	175	6.1	245.9
42	10.3	252.7	109	7.3	255.5	176	6.1	244.9
43	10.5	255.4	110	7.4	256.8	177	6.0	243.3
44	10.6	258.5	111	7.6	258.3	178	5.9	240.0
45	10.5	259.2	112	7.8	259.8	179	5.8	237.0
46	10.1	258.2	113	7.7	256.6	180	5.8	235.9
47	10.0	257.4	114	7.5	256.9	181	5.8	236.2
48	10.0	257.2	115	7.4	255.2	182	5.8	236.7
49	10.1	258.1	116	7.2	253.6	183	5.8	237.3
50	10.1	260.3	117	7.2	252.3	184	5.9	239.2
51	10.2	262.2	118	7.1	251.0	185	5.9	239.1
52	10.4	263.3	119	7.0	249.6	186	5.8	236.1
53	10.6	264.3	120	7.0	249.0	187	5.8	232.8
54	10.6	264.7	121	6.9	248.0	188	5.9	229.1
55	10.4	264.8	122	6.9	246.0	189	6.1	225.8
56	10.4	266.3	123	7.1	244.8	190	6.1	225.8
57	10.3	268.1	124	7.1	245.0			
58	10.3	270.5	125	7.1	246.0			
59	10.4	272.8	126	7.2	247.0			
60	10.6	274.7	127	7.2	248.1			
61	11.0	276.0	128	7.1	249.7			
62	11.2	276.8	129	7.1	251.5			
63	11.2	276.8	130	7.2	252.6			
64	10.9	275.7	131	7.3	254.1			
65	10.5	274.3	132	7.4	255.4			
66	10.2	272.4	133	7.4	256.0			

CARIBOU STATION 326 (190M.) 17/MAR/76 515 GMT
LAT= 72.7520N LONG= 144.2358W LTER= 1. LGER= 2.
NIVEL= -15.1 EIVEL= 0.5 NVER= 0. FVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	12.0	239.8	134	11.7	236.6
1	0.0	999.9	68	12.1	241.4	135	11.8	238.2
2	0.0	999.9	69	12.2	242.6	136	11.8	237.8
3	0.0	999.9	70	12.2	243.4	137	11.7	237.3
4	0.0	999.9	71	12.2	243.1	138	11.7	238.2
5	10.1	202.1	72	12.2	243.0	139	11.8	239.5
6	10.3	208.0	73	12.2	242.8	140	11.9	241.6
7	10.6	214.4	74	12.2	243.1	141	12.0	243.5
8	11.1	221.2	75	12.3	243.3	142	12.0	244.0
9	11.8	227.5	76	12.4	244.1	143	12.0	244.3
10	12.6	234.5	77	12.5	245.3	144	12.0	244.1
11	13.3	238.5	78	12.7	246.9	145	11.9	243.9
12	13.6	238.9	79	12.8	247.8	146	11.9	243.9
13	13.8	238.3	80	12.8	248.1	147	12.0	244.2
14	13.9	237.9	81	12.8	248.3	148	12.1	245.3
15	14.0	238.7	82	12.9	248.5	149	12.1	246.0
16	13.9	238.9	83	12.8	248.3	150	12.2	246.2
17	13.8	239.3	84	12.7	247.3	151	12.1	245.9
18	13.8	239.7	85	12.6	246.2	152	12.1	[illegible]
19	13.8	239.5	86	12.6	246.7	153	12.0	244.5
20	13.8	238.9	87	12.6	247.3	154	12.0	244.3
21	13.8	238.0	88	12.5	246.3	155	12.0	244.5
22	13.8	237.4	89	12.5	245.6	156	12.1	245.3
23	13.6	237.1	90	12.4	245.2	157	12.1	246.2
24	13.1	238.3	91	12.3	244.2	158	12.2	247.4
25	12.9	238.6	92	12.2	243.2	159	12.2	246.7
26	13.0	239.0	93	12.2	242.6	160	12.1	245.7
27	13.1	239.7	94	12.2	243.0	161	11.9	243.2
28	13.2	241.9	95	12.3	244.0	162	11.7	241.4
29	13.2	243.7	96	12.4	244.6	163	11.6	240.1
30	13.1	243.4	97	12.4	244.5	164	11.6	239.4
31	13.0	242.9	98	12.3	244.2	165	11.6	[illegible]
32	13.0	242.2	99	12.3	243.5	166	11.6	239.3
33	12.6	243.3	100	12.2	242.7	167	11.6	239.5
34	12.5	243.1	101	12.2	242.5	168	11.6	239.7
35	12.5	242.4	102	12.2	242.7	169	11.6	240.3
36	12.5	242.2	103	12.3	243.5	170	11.7	241.0
37	12.5	241.9	104	12.3	244.3	171	11.8	242.6
38	13.1	240.2	105	12.3	244.6	172	12.0	244.6
39	13.2	241.7	106	12.2	243.6	173	12.1	246.5
40	13.2	243.3	107	12.1	242.7	174	12.2	247.9
41	13.1	242.8	108	12.0	242.0	175	12.3	248.8
42	12.9	240.8	109	12.0	241.5	176	12.3	249.5
43	12.7	237.8	110	12.0	241.4	177	12.3	249.2
44	12.6	236.5	111	12.0	241.5	178	12.2	248.6
45	12.6	237.6	112	12.1	242.0	179	12.1	247.8
46	12.6	238.8	113	12.0	241.0	180	12.2	248.1
47	12.6	238.5	114	11.9	240.1	181	12.3	248.8
48	12.6	238.4	115	11.8	239.8	182	12.4	250.2
49	12.5	238.1	116	11.2	240.2	183	12.4	250.8
50	12.5	237.6	117	10.9	240.5	184	12.3	249.0
51	12.5	237.2	118	10.9	240.5	185	12.1	247.4
52	12.4	236.2	119	10.9	240.4	186	11.9	245.9
53	12.3	234.6	120	10.9	240.6	187	11.9	245.9
54	12.2	233.4	121	11.0	241.0	188	12.0	246.8
55	12.1	232.5	122	10.9	240.8	189	12.0	245.6
56	12.1	233.1	123	10.9	239.6	190	12.0	245.6
57	11.8	235.7	124	10.8	237.9			
58	11.8	237.7	125	10.8	236.5			
59	12.0	239.4	126	10.7	235.6			
60	12.0	240.9	127	10.7	235.3			
61	12.1	241.8	128	10.8	233.9			
62	12.1	242.2	129	11.0	232.6			
63	12.1	242.0	130	11.2	231.8			
64	12.1	241.3	131	11.5	231.6			
65	12.0	239.7	132	11.5	232.8			
66	12.0	239.2	133	11.6	234.5			


CAMP CARIBOU STATION 327
DATE 17/ 3/76 TIME 1030(GMT)
TRUE DIRECTION
0 90 180 270 360
DEPTH (M)
0 50 100 150 200
SPEED CM/SEC
0 5 10 15 20 25


CAMP CARIBOU STATION 328
DATE 17/ 3/76 TIME 1642(GMT)
TRUE DIRECTION
0 90 180 270 360
DEPTH (M)
0 50 100 150 200
SPEED CM/SEC
0 5 10 15 20 25

CARIBOU STATION 327 (190M.) 17/MAR/76 1030 GMT
LAT= 72.7335N LONG= 144.2068W LTER= 1. LGER= 2.
NIVEL= -7.9 EIVEL= 6.7 NVER= 0. FVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	1.7	264.9	134	1.6	204.6
1	0.0	999.9	68	1.8	271.0	135	1.8	187.9
2	0.0	999.9	69	1.9	271.9	136	2.0	181.9
3	0.0	999.9	70	1.8	270.4	137	1.9	185.1
4	0.0	999.9	71	1.7	268.7	138	1.9	188.5
5	2.3	182.6	72	1.6	266.9	139	1.8	192.2
6	2.0	200.5	73	1.6	264.7	140	1.7	196.2
7	1.9	204.4	74	1.5	262.5	141	1.6	203.5
8	2.0	217.6	75	1.5	262.3	142	1.6	211.6
9	2.4	233.4	76	1.2	273.0	143	1.6	217.8
10	2.2	220.5	77	1.2	280.1	144	1.5	215.1
11	2.2	231.5	78	1.4	284.3	145	1.5	207.0
12	2.3	240.9	79	1.5	286.9	146	1.6	200.3
13	2.1	232.4	80	1.3	283.6	147	1.6	199.3
14	2.2	242.7	81	1.2	279.4	148	1.8	190.4
15	2.3	246.8	82	1.1	277.1	149	1.7	191.6
16	1.9	231.5	83	0.9	264.1	150	1.6	201.1
17	1.9	229.7	84	0.7	233.7	151	1.6	201.2
18	2.0	246.5	85	0.7	237.7	152	1.7	191.9
19	1.3	254.4	86	0.7	229.2	153	1.6	196.9
20	1.1	253.4	87	0.7	200.9	154	1.5	202.9
21	1.1	257.1	88	0.7	210.0	155	1.5	209.7
22	1.1	260.7	89	1.0	236.9	156	1.5	220.6
23	0.9	236.5	90	1.4	260.3	157	1.3	235.5
24	0.9	195.5	91	1.4	259.7	158	1.1	257.7
25	1.1	184.1	92	1.2	243.5	159	1.3	269.3
26	0.8	219.1	93	1.2	230.3	160	1.4	275.7
27	0.8	230.5	94	1.2	232.8	161	1.2	268.0
28	0.9	204.0	95	1.2	226.8	162	1.1	257.3
29	1.0	200.1	96	1.2	222.1	163	1.0	243.8
30	0.7	172.2	97	1.2	219.0	164	0.9	227.7
31	1.1	157.8	98	1.2	224.6	165	0.9	236.2
32	1.6	151.8	99	1.2	236.0	166	1.1	256.9
33	1.6	151.7	100	1.1	230.5	167	1.4	274.7
34	1.4	153.7	101	1.0	210.9	168	1.8	284.8
35	1.2	157.3	102	1.0	192.0	169	2.2	290.4
36	1.4	153.5	103	0.8	196.1	170	2.5	293.7
37	1.5	173.8	104	0.8	205.0	171	2.8	296.2
38	1.6	169.7	105	0.8	227.2	172	3.2	298.2
39	1.7	165.7	106	1.1	243.3	173	3.1	297.5
40	1.8	163.7	107	1.2	257.4	174	2.7	294.2
41	1.7	164.6	108	1.3	260.9	175	2.2	289.4
42	1.5	167.8	109	1.3	263.4	176	1.9	284.5
43	1.6	180.7	110	1.4	266.2	177	1.6	278.3
44	1.6	188.0	111	1.4	274.7	178	1.3	267.1
45	1.3	193.4	112	1.3	281.3	179	1.0	246.6
46	0.8	197.4	113	1.3	283.5	180	1.0	218.9
47	0.4	183.3	114	1.2	265.9	181	1.1	197.9
48	0.4	188.0	115	1.1	251.7	182	1.0	227.4
49	0.4	187.9	116	1.1	255.8	183	1.0	205.5
50	0.6	175.3	117	1.1	253.9	184	1.3	182.7
51	0.7	170.2	118	1.0	241.6	185	1.7	168.9
52	0.5	190.5	119	0.9	228.3	186	2.0	163.3
53	0.4	225.0	120	0.7	208.8	187	2.4	163.9
54	0.7	246.6	121	0.8	189.3	188	2.6	175.0
55	0.9	234.3	122	1.1	186.0	189	2.7	177.2
56	0.9	224.4	123	1.3	185.8	190	2.7	177.2
57	0.9	242.3	124	1.3	185.0			
58	1.1	267.8	125	1.3	184.2			
59	0.9	254.7	126	1.3	185.1			
60	0.8	231.8	127	1.3	185.9			
61	0.8	220.2	128	1.4	191.9			
62	0.8	225.6	129	1.7	199.5			
63	0.7	236.1	130	1.6	204.1			
64	0.6	246.4	131	1.6	209.0			
65	0.7	260.2	132	1.6	217.5			
66	1.2	260.6	133	1.6	218.4			

CARIBOU STATION 328 (190M.) 17/MAR/76 1642 GMT
LAT= 72.7245N LONG= 144.1778W LTER= 1. LGER= 2.
NIVEL= -2.6 EIVEL= 3.0 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	2.9	246.9	134	2.7	236.5
1	0.0	999.9	68	2.8	248.1	135	2.8	232.6
2	0.0	999.9	69	2.6	243.9	136	2.8	226.1
3	0.0	999.9	70	2.5	240.7	137	2.6	222.0
4	0.0	999.9	71	2.3	239.6	138	2.4	218.6
5	2.3	60.2	72	2.3	244.8	139	2.2	214.1
6	1.8	324.1	73	2.3	250.1	140	2.2	212.3
7	1.9	276.9	74	2.7	252.1	141	2.4	210.6
8	2.0	267.7	75	3.0	249.6	142	2.7	214.9
9	2.6	265.5	76	3.3	248.0	143	2.7	219.4
10	3.0	266.1	77	3.4	249.2	144	2.7	220.6
11	2.9	264.2	78	3.3	248.1	145	2.6	222.4
12	2.9	264.3	79	3.1	251.5	146	2.6	225.7
13	2.8	264.3	80	3.2	255.4	147	2.6	230.3
14	2.8	264.9	81	3.2	255.7	148	2.6	235.3
15	2.9	265.3	82	3.2	255.8	149	2.7	239.4
16	3.0	265.4	83	3.2	255.9	150	2.9	241.6
17	3.1	263.0	84	3.3	255.2	151	3.1	241.9
18	3.1	260.4	85	3.4	251.1	152	3.2	244.0
19	3.2	257.8	86	3.4	249.2	153	3.4	246.0
20	3.2	255.3	87	3.3	247.8	154	3.3	245.2
21	3.3	253.1	88	3.2	246.5	155	3.3	244.4
22	3.3	251.5	89	3.2	246.9	156	3.2	243.2
23	3.2	251.0	90	3.2	247.2	157	3.0	239.5
24	3.2	250.8	91	3.2	247.6	158	2.7	235.2
25	3.1	251.1	92	3.3	249.2	159	2.7	234.0
26	3.0	251.6	93	3.5	252.8	160	2.8	236.3
27	2.8	252.0	94	3.6	256.1	161	2.8	238.4
28	2.7	252.2	95	3.8	256.0	162	2.9	240.3
29	2.6	253.0	96	4.1	256.1	163	3.0	241.3
30	2.4	253.9	97	4.1	255.3	164	2.9	240.4
31	2.2	252.8	98	4.3	251.0	165	2.9	239.4
32	2.1	249.3	99	4.2	250.4	166	2.9	238.3
33	2.2	247.1	100	4.1	249.6	167	2.8	237.2
34	2.3	247.8	101	3.9	248.6	168	2.8	235.9
35	2.4	248.8	102	3.8	247.6	169	2.9	237.0
36	2.4	250.8	103	3.7	246.5	170	3.1	241.4
37	2.3	252.5	104	3.7	245.7	171	3.2	243.6
38	2.2	253.0	105	3.6	244.9	172	3.1	241.8
39	2.0	250.8	106	3.5	244.2	173	3.1	237.3
40	1.8	247.9	107	3.4	242.8	174	3.2	232.9
41	1.6	243.7	108	3.2	242.2	175	3.1	230.0
42	1.4	236.9	109	2.9	244.2	176	2.9	227.6
43	1.0	218.4	110	2.6	244.3	177	2.5	229.7
44	0.7	206.3	111	2.3	243.1	178	2.0	232.3
45	0.8	237.5	112	2.0	244.1	179	1.9	228.7
46	1.0	254.3	113	1.8	242.5	180	2.1	229.0
47	1.2	258.7	114	1.6	236.6	181	2.5	236.9
48	1.0	255.1	115	1.5	230.4	182	2.9	245.2
49	0.7	241.3	116	1.4	229.6	183	3.2	248.8
50	0.5	210.2	117	1.3	235.3	184	3.7	250.1
51	0.5	196.3	118	1.3	242.6	185	4.0	252.4
52	0.5	178.7	119	1.2	243.6	186	4.4	254.8
53	0.5	166.4	120	1.2	240.1	187	4.6	252.7
54	0.6	176.2	121	1.1	236.1	188	4.5	248.3
55	0.6	186.8	122	1.1	232.1	189	4.2	245.5
56	0.7	195.4	123	1.0	228.1	190	4.2	239.9
57	0.8	205.1	124	1.1	239.2			
58	1.2	230.7	125	1.4	242.9			
59	1.5	242.9	126	1.8	239.1			
60	1.9	250.7	127	2.0	228.8			
61	2.5	250.3	128	1.9	228.2			
62	3.0	247.9	129	1.9	228.3			
63	3.2	246.2	130	2.0	225.9			
64	3.0	245.2	131	2.1	230.6			
65	2.9	244.1	132	2.3	236.6			
66	2.9	245.3	133	2.5	238.8			


CAMP CARIBOU STATION 373
DATE 9/ 4/76 TIME 724(GMT)
TRUE DIRECTION
0 90 180 270 360
SPEED CM/SEC
0 5 10 15 20 25
DEPTH (M)
0 50 100 150 200


CAMP CARIBOU STATION 372
DATE 8/ 4/76 TIME 2126(GMT)
TRUE DIRECTION
0 90 180 270 360
SPEED CM/SEC
0 5 10 15 20 25
DEPTH (M)
0 50 100 150 200

CARIBOU STATION 372 (190M.) 8/APR/76 2126 GMT
LAT= 72.7318N LONG= 144.3431W LTER= 1. LGER= 2.
NIVEL= 10.1 EIVEL= -5.9 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	9.1	267.7	134	9.0	262.3
1	0.0	999.9	68	9.1	267.8	135	9.0	262.7
2	0.0	999.9	69	9.2	268.0	136	9.0	263.0
3	0.0	999.9	70	9.1	268.8	137	8.9	264.2
4	0.0	999.9	71	9.0	270.3	138	8.8	265.4
5	6.3	316.9	72	9.0	270.4	139	8.7	267.6
6	6.5	312.5	73	9.0	270.3	140	8.6	270.5
7	6.9	306.8	74	8.9	272.1	141	8.5	273.5
8	7.2	302.4	75	8.9	273.9	142	8.4	276.6
9	7.4	299.8	76	8.9	273.2	143	8.0	277.3
10	7.4	298.3	77	9.0	271.1	144	7.8	276.1
11	7.4	297.8	78	9.3	265.7	145	7.8	275.0
12	7.3	297.4	79	9.7	259.6	146	7.8	274.1
13	7.2	297.6	80	10.0	254.6	147	7.9	273.1
14	7.3	297.7	81	9.7	253.6	148	7.9	272.5
15	7.5	297.2	82	9.5	256.4	149	7.9	272.3
16	7.8	296.8	83	9.2	259.2	150	7.9	272.5
17	7.9	297.3	84	9.0	261.6	151	7.9	273.0
18	8.1	297.7	85	9.0	261.9	152	7.9	273.6
19	8.2	298.2	86	9.0	261.7	153	7.9	274.3
20	8.0	295.9	87	9.1	261.5	154	7.9	275.0
21	7.9	294.2	88	9.0	261.7	155	8.3	274.0
22	7.9	294.8	89	8.9	264.1	156	8.5	272.9
23	8.1	296.6	90	8.8	266.5	157	8.5	274.7
24	8.2	298.2	91	8.7	268.1	158	8.4	276.4
25	8.2	299.3	92	8.6	268.8	159	8.4	276.4
26	8.3	299.4	93	8.7	267.5	160	8.4	278.7
27	8.2	297.9	94	8.7	267.0	161	8.4	277.9
28	8.2	296.4	95	8.7	266.7	162	8.4	277.2
29	8.0	295.5	96	8.7	266.4	163	8.4	276.2
30	8.0	295.1	97	8.7	266.0	164	8.5	274.8
31	8.1	296.3	98	8.8	265.4	165	8.5	273.4
32	8.5	295.9	99	8.8	264.8	166	8.6	270.8
33	8.7	295.8	100	8.8	264.8	167	8.7	268.4
34	8.7	295.5	101	8.8	264.6	168	8.8	266.3
35	8.6	294.9	102	8.9	263.3	169	8.8	266.1
36	8.6	293.2	103	9.0	261.9	170	8.8	266.3
37	8.6	291.6	104	9.1	260.5	171	8.8	267.3
38	8.6	292.2	105	9.3	259.0	172	8.8	266.1
39	8.7	293.5	106	9.1	260.8	173	8.9	264.2
40	8.7	294.7	107	9.1	261.8	174	9.0	263.4
41	8.7	294.9	108	9.0	263.2	175	9.0	262.8
42	8.7	294.6	109	8.8	265.3	176	9.2	260.2
43	8.7	294.1	110	8.8	266.0	177	9.1	261.0
44	8.7	292.5	111	8.8	265.8	178	8.9	264.5
45	8.8	290.6	112	8.9	264.5	179	8.7	268.4
46	8.9	287.4	113	8.8	265.9	180	8.6	271.3
47	8.8	284.0	114	8.9	264.9	181	8.5	273.3
48	8.7	280.9	115	8.9	264.6	182	7.9	276.2
49	8.7	278.0	116	8.8	265.1	183	7.8	280.1
50	8.7	276.8	117	8.8	266.4	184	7.8	280.8
51	8.8	275.8	118	8.8	265.7	185	7.8	282.0
52	8.8	274.9	119	8.8	265.3	186	7.7	282.3
53	8.7	277.4	120	8.8	265.8	187	7.7	280.0
54	8.6	280.0	121	8.8	265.0	188	7.7	278.8
55	8.6	282.2	122	9.2	263.5	189	7.7	282.0
56	8.6	280.0	123	9.6	262.4	190	7.7	282.0
57	8.7	276.9	124	9.6	262.5			
58	8.8	274.3	125	9.3	262.9			
59	8.8	274.3	126	9.0	263.7			
60	8.8	274.0	127	9.0	265.2			
61	8.8	273.8	128	9.2	263.2			
62	8.9	272.4	129	9.4	261.3			
63	8.9	270.8	130	9.5	261.6			
64	9.0	269.2	131	9.1	262.9			
65	9.1	268.4	132	9.0	263.3			
66	9.1	267.9	133	9.0	262.8			

CARIBOU STATION 373 (190M.) 9/APR/76 724 GMT
LAT= 72.7584N LONG= 144.3894W LTER= 1. LGER= 2.
NIVEL= 6.7 EIVFL= -0.8 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	6.7	323.8	134	6.6	316.9
1	0.0	999.9	68	6.8	320.4	135	6.6	317.2
2	0.0	999.9	69	6.9	316.7	136	6.6	316.5
3	0.0	999.9	70	7.0	314.7	137	6.6	316.0
4	0.0	999.9	71	7.1	313.0	138	6.6	315.6
5	7.5	334.9	72	7.2	311.3	139	6.6	315.6
6	7.2	333.4	73	7.1	309.4	140	6.6	315.7
7	7.1	332.9	74	7.0	308.0	141	6.6	315.0
8	7.0	332.7	75	6.9	307.5	142	6.6	313.4
9	7.0	332.7	76	6.9	308.4	143	6.7	312.5
10	7.0	332.6	77	6.9	310.1	144	6.7	312.2
11	7.0	332.5	78	6.9	312.1	145	6.7	312.2
12	7.0	332.5	79	6.8	314.4	146	6.7	312.6
13	7.0	332.6	80	6.8	316.9	147	6.8	312.2
14	7.0	332.7	81	6.8	319.3	148	6.9	309.9
15	7.0	332.8	82	6.8	320.6	149	7.0	307.7
16	7.0	332.8	83	6.8	318.8	150	7.1	307.2
17	7.0	332.7	84	6.8	316.2	151	7.0	307.1
18	7.0	332.5	85	6.9	312.7	152	6.9	309.5
19	6.9	332.4	86	7.1	308.7	153	6.8	312.6
20	6.9	332.4	87	7.1	305.1	154	6.6	317.7
21	6.9	332.3	88	7.2	302.5	155	6.5	322.4
22	6.9	332.3	89	7.3	301.2	156	6.4	326.3
23	6.9	332.2	90	7.3	300.8	157	6.4	328.2
24	6.8	332.2	91	7.4	300.3	158	6.4	329.4
25	6.8	332.2	92	7.4	300.3	159	6.4	329.5
26	6.8	332.2	93	7.4	300.1	160	6.4	328.6
27	6.9	332.3	94	7.4	299.6	161	6.4	325.7
28	6.9	332.4	95	7.5	298.6	162	6.5	322.2
29	7.0	332.6	96	7.6	298.0	163	6.7	314.3
30	7.0	332.7	97	7.6	297.6	164	6.9	309.2
31	7.0	332.7	98	7.6	298.2	165	7.1	306.9
32	7.0	332.7	99	7.5	298.9	166	7.4	306.8
33	7.0	332.7	100	7.5	299.3	167	7.4	306.7
34	7.0	332.7	101	7.5	299.4	168	7.3	307.7
35	7.1	328.7	102	7.5	299.0	169	7.3	308.7
36	7.2	327.1	103	7.6	298.6	170	7.2	310.0
37	7.2	327.0	104	7.6	298.2	171	7.1	311.8
38	7.1	328.3	105	7.7	297.6	172	7.0	313.4
39	7.1	329.7	106	7.8	297.0	173	6.9	314.8
40	7.0	331.8	107	7.8	296.3	174	6.8	316.4
41	7.0	332.3	108	7.9	295.6	175	6.8	317.7
42	7.0	332.4	109	8.0	295.1	176	6.8	317.4
43	7.0	332.4	110	7.9	295.7	177	6.8	316.4
44	7.0	332.3	111	7.8	296.7	178	7.0	314.2
45	6.8	332.0	112	7.7	298.1	179	7.1	312.0
46	6.7	331.9	113	7.5	300.0	180	7.2	310.4
47	6.7	332.0	114	7.4	301.8	181	7.2	309.4
48	6.7	331.1	115	7.2	303.6	182	7.2	310.2
49	6.7	326.8	116	7.1	305.4	183	7.1	311.6
50	6.6	323.5	117	7.0	306.9	184	7.0	313.2
51	6.6	321.5	118	6.9	308.4	185	6.9	314.8
52	6.6	321.6	119	6.9	309.5	186	6.8	317.1
53	6.7	321.7	120	6.8	310.3	187	6.8	317.5
54	6.8	322.5	121	6.8	311.1	188	6.7	317.0
55	6.9	323.4	122	6.7	311.9	189	6.3	315.9
56	6.9	324.1	123	6.7	312.5	190	6.1	315.5
57	6.8	324.5	124	6.7	312.9			
58	6.6	324.9	125	6.7	313.3			
59	6.6	324.7	126	6.7	313.9			
60	6.7	324.1	127	6.6	314.5			
61	6.7	323.9	128	6.6	315.2			
62	6.7	324.2	129	6.6	315.8			
63	6.7	324.4	130	6.6	316.1			
64	6.7	324.8	131	6.6	316.1			
65	6.7	325.3	132	6.6	316.1			
66	6.7	325.2	133	6.6	316.4			


CAMP CARIBOU STATION 379
DATE 11/ 4/76 TIME 1712(GMT)
TRUE DIRECTION
0
90
180
270
360
SPEED CM/SEC
0
5
10
15
20
25
DEPTH (M)
0
50
100
150
200


CAMP CARIBOU STATION 377
DATE 11/ 4/76 TIME 818(GMT)
TRUE DIRECTION
0
90
180
270
360
SPEED CM/SEC
0
10
20
30
40
50
DEPTH (M)
0
50
100
150
200

CARIBOU STATION 377 (190M.) 11/APR/76 818 GMT
LAT= 72.7184N LONG= 144.5820W LTER= 1. LGER= 1.
NIVEL= -0.5 EIVEL= -10.3 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	16.1	240.8	134	14.6	242.1
1	0.0	999.9	68	16.1	241.0	135	14.5	242.5
2	0.0	999.9	69	15.9	241.3	136	14.6	242.2
3	0.0	999.9	70	16.2	240.6	137	14.7	242.0
4	0.0	999.9	71	16.5	239.3	138	14.7	241.7
5	14.4	243.8	72	16.5	238.4	139	14.9	241.3
6	14.7	240.7	73	16.3	238.6	140	15.3	240.2
7	14.7	240.7	74	16.0	239.3	141	15.7	239.1
8	14.7	240.6	75	15.6	240.3	142	16.1	238.2
9	14.8	240.5	76	15.3	241.2	143	16.4	237.4
10	14.7	240.8	77	15.3	241.1	144	16.6	236.9
11	14.7	240.8	78	15.4	241.0	145	16.8	237.0
12	15.0	240.8	79	15.5	240.6	146	16.7	237.9
13	14.8	243.3	80	15.6	241.4	147	16.7	237.9
14	15.1	244.0	81	15.5	242.3	148	16.9	237.2
15	15.4	243.3	82	15.5	242.4	149	17.0	236.6
16	15.6	242.9	83	15.6	242.2	150	17.0	236.2
17	15.4	243.3	84	15.7	241.8	151	17.1	235.9
18	15.3	243.7	85	15.8	241.5	152	17.2	235.7
19	15.1	244.1	86	15.8	241.4	153	17.2	235.8
20	15.2	244.0	87	15.8	241.4	154	17.0	236.2
21	15.2	243.8	88	15.8	241.5	155	16.8	236.7
22	15.2	243.6	89	15.7	241.7	156	16.5	237.4
23	15.5	243.1	90	15.6	241.9	157	16.3	237.7
24	15.6	242.9	91	15.5	242.1	158	16.3	237.8
25	15.6	242.9	92	15.7	241.9	159	16.2	238.0
26	15.5	242.9	93	15.7	241.3	160	16.2	238.0
27	15.5	242.9	94	15.5	240.3	161	16.4	237.4
28	15.6	242.9	95	15.5	240.6	162	16.8	236.5
29	15.6	242.8	96	15.4	240.8	163	17.1	236.1
30	15.6	242.7	97	15.3	241.1	164	17.4	236.5
31	15.8	243.2	98	15.2	241.5	165	17.6	236.5
32	15.9	244.0	99	15.1	242.3	166	17.7	236.3
33	15.8	244.2	100	15.1	243.3	167	17.7	236.2
34	15.9	244.2	101	14.9	243.8	168	17.7	236.3
35	16.0	244.1	102	14.7	244.5	169	17.7	236.2
36	15.9	243.1	103	14.5	245.2	170	17.9	235.9
37	15.7	241.5	104	14.4	245.4	171	18.2	235.3
38	15.4	240.4	105	14.4	245.5	172	18.5	234.8
39	15.1	239.9	106	14.2	244.6	173	18.6	234.6
40	14.9	240.5	107	14.4	244.2	174	19.6	232.9
41	14.8	240.9	108	14.5	243.7	175	21.1	230.8
42	14.7	242.2	109	14.7	243.2	176	22.0	229.7
43	14.8	243.8	110	14.7	243.0	177	22.4	229.3
44	14.8	244.3	111	14.8	242.7	178	22.1	229.6
45	14.9	243.9	112	14.8	242.8	179	21.8	229.9
46	15.2	243.2	113	14.9	242.9	180	22.6	229.1
47	15.4	242.6	114	15.0	242.6	181	23.5	228.1
48	15.5	242.4	115	15.3	242.4	182	24.2	227.5
49	15.5	242.5	116	15.7	241.9	183	24.7	227.0
50	15.4	242.7	117	16.0	241.3	184	25.1	225.9
51	15.4	242.7	118	16.1	240.5	185	25.4	224.5
52	15.4	242.7	119	16.2	239.4	186	25.8	224.2
53	15.5	242.5	120	16.3	238.7	187	26.2	223.9
54	15.7	242.1	121	16.4	238.4	188	26.4	223.7
55	15.8	241.7	122	16.1	239.2	189	26.6	223.7
56	15.9	241.4	123	16.1	239.3	190	26.6	223.7
57	16.0	241.1	124	16.2	238.4			
58	16.2	240.6	125	16.4	237.2			
59	16.4	240.1	126	16.7	236.5			
60	16.6	239.5	127	16.7	236.4			
61	16.5	239.8	128	16.6	236.5			
62	16.2	240.4	129	16.1	237.6			
63	16.0	240.9	130	15.6	238.8			
64	16.1	240.9	131	15.4	239.6			
65	16.1	240.8	132	15.1	240.4			
66	16.1	240.7	133	14.8	241.3			

CARIBOU STATION 379 (191M.) 11/APR/76 1712 GMT
LAT= 72.7239N LONG= 144.7118W LTER= 1. LGER= 2.
NIVEL= 1.7 EIVEL= -9.3 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	6.6	219.6	134	5.7	202.7
1	0.0	999.9	68	6.5	222.0	135	5.3	201.1
2	0.0	999.9	69	6.4	223.7	136	5.1	201.9
3	0.0	999.9	70	6.4	224.3	137	4.8	202.4
4	0.0	999.9	71	6.4	224.1	138	4.8	203.3
5	7.5	214.2	72	6.6	224.7	139	4.9	200.9
6	7.5	214.7	73	6.7	226.3	140	4.9	199.7
7	7.5	215.9	74	6.7	228.2	141	4.9	200.6
8	7.4	217.2	75	6.7	228.3	142	4.8	202.9
9	7.3	217.0	76	6.7	227.0	143	4.7	204.6
10	7.4	212.6	77	6.7	225.2	144	4.8	200.7
11	7.7	207.4	78	6.5	223.6	145	4.6	194.8
12	7.9	203.8	79	6.4	222.4	146	4.7	192.7
13	7.8	205.2	80	6.4	222.3	147	4.8	191.5
14	8.1	206.3	81	6.5	221.5	148	4.8	191.6
15	8.5	207.2	82	6.6	218.5	149	4.7	192.8
16	8.6	206.7	83	6.7	214.4	150	4.8	191.7
17	8.6	207.3	84	6.8	211.7	151	4.9	190.3
18	8.6	209.0	85	7.0	210.2	152	4.9	190.1
19	8.6	208.2	86	6.9	211.1	153	4.9	190.1
20	8.6	207.6	87	6.8	212.7	154	4.9	190.3
21	8.5	207.1	88	6.7	213.9	155	4.9	190.3
22	8.4	206.8	89	6.8	212.3	156	5.0	189.4
23	8.1	207.2	90	6.9	210.6	157	5.0	188.1
24	8.4	209.0	91	6.9	210.8	158	5.1	187.0
25	8.5	209.0	92	6.8	212.3	159	5.1	187.5
26	8.6	208.9	93	6.8	212.7	160	5.1	188.3
27	8.7	208.8	94	6.8	213.7	161	5.1	186.9
28	8.7	208.7	95	6.4	214.2	162	5.5	188.3
29	8.8	208.7	96	6.3	214.5	163	5.6	187.3
30	8.8	208.6	97	6.4	213.9	164	5.6	187.0
31	8.6	205.2	98	6.4	213.0	165	5.6	187.0
32	8.6	205.4	99	6.5	212.2	166	5.6	187.2
33	8.6	206.0	100	6.5	211.0	167	5.7	186.9
34	8.5	206.5	101	6.5	209.4	168	5.7	186.8
35	8.4	207.8	102	6.6	207.6	169	6.1	190.0
36	8.4	208.3	103	6.7	204.9	170	6.1	189.5
37	8.5	208.2	104	6.8	202.1	171	6.2	188.3
38	8.5	206.4	105	6.8	202.9	172	6.2	187.6
39	8.2	203.1	106	6.8	203.6	173	6.1	188.6
40	8.2	201.8	107	6.9	203.3	174	6.1	189.3
41	8.0	203.4	108	6.9	203.0	175	6.1	188.6
42	7.6	206.5	109	7.0	201.9	176	6.1	188.4
43	7.0	215.3	110	6.9	202.4	177	6.2	187.1
44	6.8	224.6	111	6.7	205.1	178	6.2	186.5
45	6.9	224.7	112	6.3	205.5	179	6.1	187.7
46	6.9	222.6	113	6.3	206.6	180	6.0	189.5
47	6.9	221.0	114	6.4	205.1	181	6.0	189.1
48	6.9	219.6	115	6.5	202.8	182	6.1	187.8
49	6.8	221.3	116	6.6	200.4	183	6.1	186.2
50	6.8	224.4	117	6.6	200.6	184	6.4	184.6
51	6.8	226.5	118	6.5	201.3	185	6.5	183.6
52	6.9	228.2	119	5.9	200.1	186	6.6	182.5
53	6.9	227.3	120	5.8	202.6	187	6.3	185.6
54	6.9	226.6	121	5.7	205.3	188	5.9	191.2
55	6.8	225.7	122	5.6	208.3	189	5.9	190.7
56	6.8	225.8	123	5.5	211.4	190	6.1	188.4
57	6.8	226.4	124	5.5	213.1	191	6.0	189.4
58	6.8	226.8	125	5.4	214.7			
59	6.9	226.1	126	5.4	215.3			
60	6.9	223.6	127	5.4	214.8			
61	6.6	219.9	128	5.4	214.9			
62	6.6	218.5	129	5.3	216.1			
63	6.7	217.5	130	5.3	216.8			
64	6.7	217.1	131	5.4	213.5			
65	6.7	217.0	132	5.6	207.4			
66	6.7	217.8	133	5.7	204.3			

CAMP CARIBOU STATION 386
DATE 14/ 4/76 TIME 1628(GMT)



CAMP CARIBOU STATION 387
DATE 15/ 4/76 TIME 140(GMT)



CARIBOU STATION 386 (190M.) 14/APR/76 1628 GMT
LAT= 72.7308N LONG= 144.7930W LTER= 3. LGER= 7.
NIVEL= -0.7 EIVEL= 8.6 NVER= 0. EVER= 1.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	5.2	164.9	134	5.5	148.4
1	0.0	999.9	68	5.1	160.7	135	5.5	147.1
2	0.0	999.9	69	5.0	158.0	136	5.5	145.8
3	0.0	999.9	70	5.0	157.3	137	5.5	144.8
4	0.0	999.9	71	5.0	156.1	138	5.5	144.0
5	3.0	105.4	72	5.0	153.2	139	5.5	146.3
6	3.1	121.4	73	5.0	150.4	140	5.5	147.6
7	3.6	131.8	74	5.0	149.2	141	5.5	146.8
8	3.8	132.9	75	4.8	151.0	142	5.4	145.8
9	4.0	134.6	76	4.7	153.8	143	5.5	148.4
10	4.2	136.3	77	4.7	157.6	144	5.5	146.4
11	4.2	137.7	78	4.7	159.1	145	5.4	147.6
12	4.4	140.5	79	4.7	151.8	146	5.4	146.9
13	4.7	143.3	80	4.7	144.7	147	5.4	146.0
14	4.8	145.0	81	4.8	141.6	148	5.4	144.8
15	5.0	147.0	82	4.8	145.0	149	5.4	144.9
16	5.1	147.7	83	4.8	148.8	150	5.4	145.0
17	5.1	148.1	84	4.7	156.3	151	5.4	145.5
18	5.1	148.2	85	4.8	157.9	152	5.4	146.5
19	5.1	148.6	86	4.8	151.6	153	5.4	147.4
20	5.1	148.8	87	4.8	153.8	154	5.4	144.4
21	5.1	148.3	88	4.8	161.3	155	5.4	145.8
22	5.1	146.5	89	4.8	162.7	156	5.4	147.9
23	4.9	144.3	90	4.8	162.1	157	5.4	147.4
24	4.7	143.5	91	4.8	162.2	158	5.4	148.1
25	4.8	144.5	92	4.8	164.8	159	5.4	150.1
26	4.9	144.6	93	4.9	169.1	160	5.4	151.4
27	5.1	145.0	94	4.9	168.4	161	5.4	151.9
28	5.1	147.4	95	4.9	166.9	162	5.3	148.8
29	5.1	149.6	96	4.9	165.3	163	5.3	145.8
30	5.2	149.1	97	4.8	163.6	164	5.4	143.0
31	4.8	150.9	98	4.8	162.0	165	5.4	141.8
32	4.7	155.2	99	4.8	163.1	166	5.4	141.8
33	4.7	158.4	100	4.9	166.1	167	5.4	143.1
34	4.7	160.9	101	4.9	166.2	168	5.4	144.4
35	4.7	157.4	102	4.8	164.0	169	5.4	145.2
36	4.7	153.9	103	4.9	164.2	170	5.4	145.6
37	4.7	150.9	104	4.9	164.7	171	5.4	146.0
38	4.7	153.8	105	5.0	170.6	172	5.3	148.3
39	4.9	156.6	106	5.1	172.6	173	5.4	151.1
40	5.0	155.4	107	5.1	173.3	174	5.4	151.0
41	5.0	154.6	108	5.0	169.6	175	5.4	147.3
42	5.1	154.5	109	4.9	165.6	176	5.4	142.7
43	5.1	156.3	110	4.8	161.1	177	5.4	140.1
44	5.1	157.0	111	4.8	157.5	178	5.4	141.4
45	5.1	156.7	112	4.9	154.0	179	5.4	141.7
46	5.1	158.3	113	4.9	155.7	180	5.4	141.0
47	5.0	162.2	114	4.9	156.9	181	5.5	139.0
48	5.0	164.9	115	4.8	153.2	182	5.5	139.7
49	5.0	165.9	116	4.8	148.5	183	5.4	142.7
50	5.0	165.6	117	4.9	146.6	184	5.4	145.0
51	5.0	165.7	118	4.8	148.2	185	5.5	143.0
52	5.0	165.8	119	4.8	148.6	186	5.8	140.5
53	5.0	166.7	120	4.9	146.8	187	5.9	141.3
54	5.0	170.1	121	4.9	146.0	188	5.9	143.5
55	5.1	173.7	122	5.2	147.4	189	5.9	144.0
56	5.1	172.2	123	5.2	148.5	190	5.9	144.0
57	5.1	170.4	124	5.2	150.5			
58	5.0	168.4	125	5.2	152.4			
59	4.9	165.7	126	5.4	151.3			
60	4.9	162.7	127	5.6	147.6			
61	4.8	161.2	128	5.7	147.7			
62	4.8	163.1	129	5.6	148.2			
63	4.8	164.1	130	5.5	149.1			
64	4.8	166.9	131	5.4	149.1			
65	5.2	165.0	132	5.3	149.1			
66	5.2	165.1	133	5.5	149.2			

CARIBOU STATION 387 (190M.) 15/APR/76 140 GMT
LAT= 72.7326N LONG= 144.6725W LTER= 1. LGER= 2.
NIVEL= 3.5 EIVEL= 6.8 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	2.9	187.4	134	2.4	182.0
1	0.0	999.9	68	2.8	186.4	135	2.6	187.0
2	0.0	999.9	69	2.9	187.8	136	2.7	189.4
3	0.0	999.9	70	3.0	191.4	137	2.8	191.2
4	0.0	999.9	71	3.0	192.3	138	2.9	192.8
5	3.0	200.1	72	2.9	190.1	139	3.0	195.1
6	2.9	199.0	73	2.7	187.7	140	3.1	196.2
7	3.5	204.7	74	2.6	186.1	141	3.1	196.4
8	4.2	208.8	75	2.6	185.3	142	3.0	195.5
9	4.7	211.0	76	2.5	183.3	143	2.9	194.3
10	5.2	207.8	77	2.4	181.3	144	3.0	191.8
11	5.3	208.5	78	2.5	182.3	145	3.2	189.0
12	5.0	207.6	79	2.6	184.6	146	3.3	195.7
13	4.8	206.8	80	2.8	188.7	147	3.2	198.0
14	5.0	207.0	81	3.1	192.4	148	3.2	197.3
15	5.3	206.6	82	3.0	190.6	149	3.2	197.9
16	5.3	201.9	83	2.8	186.8	150	3.3	198.9
17	5.0	200.1	84	2.6	182.1	151	3.4	199.9
18	4.9	198.5	85	2.6	181.3	152	3.4	200.2
19	4.9	197.1	86	2.5	178.5	153	3.3	199.5
20	4.8	195.9	87	2.5	179.1	154	3.2	197.9
21	4.9	199.0	88	2.6	182.5	155	3.1	197.1
22	4.8	203.3	89	2.9	189.1	156	3.0	201.7
23	5.0	206.1	90	3.2	194.4	157	2.7	202.2
24	5.1	205.4	91	3.4	195.6	158	2.5	200.6
25	5.5	203.2	92	3.2	192.9	159	2.5	200.4
26	5.6	203.3	93	3.0	190.3	160	2.1	193.2
27	5.6	200.7	94	3.0	189.6	161	1.9	189.0
28	5.6	196.8	95	3.0	189.3	162	1.9	187.7
29	5.4	196.0	96	2.8	185.0	163	2.1	176.6
30	5.2	194.7	97	3.0	189.1	164	2.1	176.9
31	5.0	194.2	98	3.3	194.0	165	2.2	178.5
32	5.6	197.4	99	3.5	196.6	166	2.2	179.0
33	6.1	202.6	100	3.7	197.8	167	2.3	182.9
34	6.3	206.0	101	3.8	199.2	168	2.5	186.6
35	6.2	205.0	102	3.9	200.3	169	2.8	181.8
36	6.2	205.1	103	4.1	202.0	170	2.6	177.1
37	6.4	205.7	104	4.3	204.0	171	2.4	172.1
38	6.4	206.3	105	4.9	208.1	172	2.5	174.1
39	6.3	206.4	106	5.3	210.1	173	2.7	178.6
40	5.7	204.0	107	5.1	209.2	174	2.9	183.0
41	5.8	204.8	108	4.6	206.8	175	2.6	189.3
42	5.8	205.1	109	4.1	206.9	176	2.5	189.5
43	4.9	201.8	110	3.7	207.7	177	2.5	[illegible]
44	3.2	190.9	111	3.3	204.9	178	2.7	192.3
45	2.7	181.6	112	3.0	202.5	179	2.7	191.8
46	3.0	181.8	113	2.9	201.1	180	2.8	194.7
47	3.4	184.0	114	2.9	201.2	181	3.1	197.5
48	3.8	188.3	115	2.9	201.3	182	3.4	200.4
49	4.0	190.3	116	2.9	201.4	183	3.7	202.9
50	3.9	191.9	117	3.0	202.5	184	3.7	203.0
51	3.8	196.4	118	3.3	201.8	185	3.7	202.7
52	3.5	197.4	119	3.6	201.3	186	3.5	201.4
53	3.6	198.2	120	3.7	202.9	187	3.4	199.6
54	3.9	199.5	121	4.0	204.6	188	3.0	196.3
55	3.7	198.0	122	4.2	206.0	189	3.1	197.5
56	3.4	196.0	123	4.3	209.2	190	3.1	197.5
57	3.3	195.2	124	3.8	210.7			
58	3.4	196.4	125	3.4	208.1			
59	3.9	200.4	126	2.9	204.1			
60	4.1	202.6	127	2.7	201.6			
61	4.0	202.2	128	2.6	200.1			
62	3.8	200.3	129	2.3	195.5			
63	3.5	197.2	130	2.0	187.2			
64	3.2	193.7	131	1.8	180.4			
65	2.9	190.0	132	1.8	180.9			
66	2.9	188.5	133	2.2	176.5			


CAMP CARIBOU
STATION 388
DATE 15/ 4/76
TIME 806(GMT)
TRUE
DIRECTION
0
90
180
270
360
SPEED
CM/SEC
0
5
10
15
20
25
DEPTH
(M)
0
50
100
150
200


CAMP CARIBOU
STATION 389
DATE 15/ 4/76
TIME 1654(GMT)
TRUE
DIRECTION
0
90
180
270
360
SPEED
CM/SEC
0
5
10
15
20
25
DEPTH
(M)
0
50
100
150
200

CARIBOU STATION 388 (186M.) 15/APR/76 806 GMT
LAT= 72.7395N LONG= 144.6247W LTER= 0. LGER= 1.
NIVEL= 3.0 EIVEL= 4.6 NVER= 0. FVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	3.4	165.4	134	4.0	155.6
1	0.0	999.9	68	3.5	163.1	135	3.7	157.9
2	0.0	999.9	69	3.6	159.9	136	3.4	154.0
3	0.0	999.9	70	3.6	158.7	137	3.1	146.1
4	0.0	999.9	71	3.7	160.8	138	3.0	142.4
5	2.7	181.0	72	3.6	161.2	139	3.0	142.4
6	3.2	170.9	73	3.5	157.5	140	3.0	141.4
7	3.4	168.0	74	3.3	153.6	141	3.0	138.1
8	3.6	165.6	75	3.3	151.9	142	3.0	137.1
9	3.8	167.9	76	3.4	155.6	143	3.0	136.7
10	4.0	167.2	77	3.4	157.4	144	3.0	137.8
11	4.1	166.3	78	3.5	159.5	145	3.2	142.0
12	4.1	165.7	79	3.7	162.0	146	3.4	146.6
13	4.0	164.7	80	4.0	161.2	147	3.6	152.1
14	4.1	165.0	81	3.9	157.3	148	3.8	156.3
15	4.1	165.5	82	3.8	153.6	149	3.8	160.5
16	4.1	165.5	83	3.9	156.0	150	3.8	165.1
17	4.2	165.7	84	4.0	157.2	151	3.8	165.3
18	4.3	167.2	85	4.0	157.5	152	3.8	164.1
19	4.3	167.7	86	3.7	155.8	153	3.5	160.2
20	4.3	167.7	87	3.4	154.8	154	3.3	157.2
21	4.3	167.1	88	3.5	147.9	155	3.3	156.4
22	4.2	166.0	89	3.4	144.4	156	3.3	156.7
23	4.1	165.0	90	3.3	142.9	157	3.4	158.0
24	4.0	164.0	91	3.3	144.2	158	3.6	159.9
25	4.0	163.7	92	3.2	145.6	159	3.7	160.8
26	4.2	160.7	93	3.2	147.1	160	3.7	156.4
27	4.3	160.4	94	3.2	147.9	161	3.6	151.6
28	4.3	161.1	95	3.1	146.2	162	3.5	150.0
29	4.4	162.5	96	3.0	151.9	163	3.5	149.1
30	4.5	163.3	97	3.1	152.7	164	3.4	147.7
31	4.4	163.0	98	3.1	152.5	165	3.4	149.9
32	4.2	164.9	99	3.2	152.8	166	3.4	151.3
33	4.1	166.8	100	3.2	156.7	167	3.2	148.0
34	4.2	167.7	101	3.2	161.7	168	3.3	144.0
35	4.3	168.6	102	3.3	163.5	169	3.3	140.2
36	4.3	168.3	103	3.3	163.3	170	3.4	137.5
37	4.3	168.1	104	3.3	162.9	171	3.3	136.9
38	4.1	166.8	105	3.3	164.1	172	3.3	139.7
39	4.0	165.7	106	3.3	165.5	173	3.4	143.5
40	4.1	166.5	107	3.2	163.1	174	3.5	145.1
41	4.3	169.1	108	3.2	156.2	175	3.5	144.3
42	4.4	169.7	109	3.1	150.0	176	3.5	143.9
43	4.0	165.3	110	3.2	148.3	177	3.4	142.7
44	3.7	157.3	111	3.4	146.5	178	3.3	141.2
45	3.6	145.1	112	3.3	146.2	179	3.3	140.8
46	3.4	140.4	113	3.3	146.5	180	3.4	138.8
47	3.1	136.3	114	3.4	149.4	181	3.6	136.9
48	2.6	133.9	115	3.6	152.4	182	3.6	133.8
49	2.4	132.1	116	3.7	155.4	183	3.7	132.7
50	2.4	134.3	117	3.5	158.5	184	3.7	131.6
51	2.7	139.6	118	3.5	157.3	185	3.7	132.1
52	3.0	145.7	119	3.3	153.1	186	3.7	132.1
53	3.3	148.5	120	3.3	154.0			
54	3.4	147.4	121	3.4	156.0			
55	3.4	146.9	122	3.4	154.9			
56	3.4	149.9	123	3.4	154.0			
57	3.3	153.3	124	3.5	156.5			
58	3.4	155.3	125	3.6	159.2			
59	3.4	157.4	126	3.6	160.3			
60	3.6	157.2	127	3.6	161.3			
61	3.8	155.4	128	3.6	162.4			
62	3.8	154.6	129	3.7	164.3			
63	3.6	156.8	130	3.9	165.6			
64	3.5	158.8	131	4.1	164.8			
65	3.6	160.4	132	4.0	161.3			
66	3.5	163.7	133	4.1	156.0			

CARIBOU STATION 389 (190M.) 15/APR/76 1654 GMT
LAT= 72.7486N LONG= 144.5653W LTER= 10. LGER= 23.
NIVEL= 3.0 EIVEL= 10.1 NVER= 1. EVER= 1.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	7.8	119.5	134	7.9	115.5
1	0.0	999.9	68	7.7	122.9	135	8.2	114.9
2	0.0	999.9	69	7.7	125.7	136	8.4	115.9
3	0.0	999.9	70	7.6	128.0	137	8.4	119.3
4	0.0	999.9	71	7.6	129.2	138	8.4	118.6
5	8.5	130.0	72	7.5	128.0	139	8.3	115.8
6	9.2	132.2	73	7.5	126.8	140	8.3	115.4
7	9.7	133.0	74	7.5	127.0	141	8.3	115.0
8	9.8	133.3	75	7.5	128.1	142	8.3	115.0
9	9.6	131.6	76	7.5	127.1	143	8.3	116.3
10	9.7	130.8	77	7.5	124.5	144	8.0	114.6
11	9.9	130.2	78	7.5	121.8	145	8.1	114.1
12	10.0	130.4	79	7.5	123.1	146	8.1	115.7
13	10.1	130.6	80	7.5	125.0	147	8.1	115.9
14	10.1	130.9	81	7.6	126.5	148	8.0	115.7
15	9.9	131.5	82	7.5	125.8	149	7.9	114.8
16	9.7	132.0	83	7.5	124.3	150	7.9	111.8
17	9.7	133.0	84	7.5	125.0	151	7.9	110.3
18	9.7	133.9	85	7.4	124.3	152	7.8	112.2
19	9.7	134.8	86	7.4	121.8	153	7.7	116.2
20	9.6	133.8	87	7.4	118.1	154	7.8	113.6
21	9.5	133.0	88	7.4	115.8	155	7.8	110.8
22	9.5	132.4	89	7.4	115.0	156	7.8	112.5
23	9.5	132.6	90	7.5	115.1	157	7.8	113.8
24	9.5	133.1	91	7.5	115.8	158	7.8	111.4
25	9.5	133.5	92	7.5	117.1	159	7.9	108.7
26	9.5	133.3	93	7.5	118.1	160	7.9	108.5
27	9.2	131.6	94	7.4	117.4	161	7.8	109.5
28	9.1	129.8	95	7.4	118.7	162	7.8	111.1
29	9.2	129.8	96	7.4	118.9	163	7.8	112.3
30	9.3	130.6	97	7.4	118.8	164	7.9	111.1
31	9.4	131.7	98	7.4	118.1	165	7.9	110.3
32	9.6	134.2	99	7.4	119.3	166	8.0	109.5
33	9.6	134.0	100	7.4	121.4	167	8.1	109.5
34	9.4	132.4	101	7.4	120.4	168	8.2	108.4
35	9.1	129.4	102	7.4	118.5	169	8.1	107.4
36	9.1	128.0	103	7.4	116.4	170	8.1	106.5
37	9.1	130.4	104	7.4	118.2	171	8.1	106.0
38	8.9	133.0	105	7.4	118.7	172	8.1	106.0
39	8.8	134.6	106	7.4	117.1	173	8.3	105.7
40	8.8	134.2	107	7.4	116.1	174	8.5	104.8
41	8.8	134.2	108	7.5	114.9	175	8.4	108.1
42	8.8	134.5	109	7.7	113.8	176	8.2	108.9
43	8.8	133.2	110	7.7	114.2	177	8.2	106.7
44	8.2	121.3	111	7.7	114.1	178	8.1	110.4
45	8.0	115.9	112	7.7	114.4	179	8.1	112.6
46	7.9	109.1	113	7.7	116.4	180	8.1	112.5
47	7.9	108.4	114	7.7	118.4	181	8.1	110.6
48	7.9	108.5	115	7.6	119.5	182	8.0	111.1
49	7.9	108.9	116	7.6	120.2	183	7.9	112.3
50	7.8	109.2	117	7.8	119.8	184	8.0	112.6
51	7.8	109.6	118	7.8	119.8	185	8.1	110.7
52	7.8	110.1	119	7.7	120.9	186	8.2	108.8
53	7.8	111.0	120	7.6	122.2	187	8.4	107.2
54	7.7	111.8	121	7.6	123.5	188	8.7	108.1
55	7.7	113.8	122	7.6	123.2	189	8.9	107.3
56	7.8	115.5	123	7.6	122.4	190	8.9	106.0
57	7.8	115.2	124	7.6	121.4			
58	7.8	113.7	125	7.6	121.3			
59	8.1	111.4	126	7.6	121.1			
60	8.1	112.2	127	7.6	117.9			
61	8.1	112.9	128	7.6	114.7			
62	8.1	112.7	129	7.6	114.4			
63	8.1	112.0	130	7.6	115.8			
64	8.1	111.5	131	7.8	116.9			
65	8.1	112.7	132	7.9	117.3			
66	8.0	116.0	133	7.9	116.5			


CAMP CARIBOU
STATION 396
DATE 18/ 4/76
TIME 1647(GMT)
TRUE DIRECTION
0
90
180
270
360
DEPTH (M)
0
50
100
150
200
SPEED CM/SEC
0
5
10
15
20
25


CAMP CARIBOU
STATION 390
DATE 16/ 4/76
TIME 309(GMT)
TRUE DIRECTION
0
90
180
270
360
DEPTH (M)
0
50
100
150
200
SPEED CM/SEC
0
5
10
15
20
25

CARIBOU STATION 390 (190M.) 16/APR/76 309 GMT
LAT= 72.7605N LONG= 144.4578W LTER= 0. LGER= 0.
NIVEL= 1.9 EIVEL= 5.1 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	4.8	143.8	134	5.0	146.4
1	0.0	999.9	68	4.9	144.5	135	5.0	145.5
2	0.0	999.9	69	4.9	149.3	136	5.0	144.8
3	0.0	999.9	70	4.8	152.6	137	5.0	144.0
4	0.0	999.9	71	4.8	154.6	138	4.9	142.3
5	5.9	156.8	72	5.1	154.7	139	4.8	140.5
6	6.8	154.7	73	5.2	152.8	140	4.8	140.2
7	7.5	155.9	74	5.2	152.6	141	4.8	140.7
8	7.7	156.9	75	5.2	152.7	142	4.8	141.8
9	7.6	156.5	76	5.2	152.8	143	4.9	142.7
10	7.5	155.2	77	5.0	155.0	144	4.9	143.7
11	7.5	154.1	78	5.2	157.9	145	5.1	146.5
12	7.7	153.9	79	5.4	160.9	146	5.1	144.7
13	7.8	154.4	80	5.8	162.6	147	4.7	137.9
14	7.9	154.9	81	6.1	162.1	148	4.5	132.1
15	8.0	155.7	82	5.7	161.5	149	4.4	127.7
16	8.0	157.8	83	5.4	157.6	150	4.3	124.0
17	7.9	159.3	84	5.2	152.8	151	4.3	126.8
18	7.9	159.4	85	4.9	148.8	152	4.4	131.1
19	7.9	159.6	86	4.7	144.9	153	4.4	130.8
20	7.8	159.8	87	4.5	140.3	154	4.3	130.6
21	7.8	159.9	88	4.4	136.6	155	4.3	130.8
22	7.8	160.0	89	4.3	141.4	156	4.4	130.8
23	7.9	159.9	90	4.5	145.8	157	4.5	127.4
24	7.8	159.2	91	4.6	149.6	158	4.5	124.2
25	7.6	158.2	92	4.9	153.1	159	4.5	124.0
26	7.4	156.6	93	4.9	153.3	160	4.4	120.6
27	7.0	154.5	94	4.7	151.1	161	4.4	120.4
28	6.8	153.2	95	4.8	153.1	162	4.4	122.5
29	7.0	154.6	96	4.9	154.0	163	4.4	122.7
30	7.4	156.5	97	4.9	154.8	164	4.4	121.8
31	7.5	157.2	98	4.9	154.3	165	4.4	124.0
32	7.4	157.0	99	4.7	151.7	166	4.5	131.6
33	7.6	157.7	100	4.7	148.2	167	4.8	139.3
34	7.3	156.4	101	4.7	146.9	168	4.7	138.8
35	6.9	154.3	102	4.5	147.0	169	4.5	135.2
36	7.0	154.6	103	4.4	145.9	170	4.4	132.7
37	6.9	158.8	104	4.4	147.4	171	4.4	134.9
38	7.0	161.7	105	4.5	149.0	172	4.6	138.3
39	6.9	161.1	106	4.6	151.1	173	4.9	140.7
40	6.8	160.5	107	4.7	152.6	174	5.1	143.6
41	6.8	160.2	108	4.9	150.9	175	5.0	143.0
42	6.8	159.7	109	5.0	150.9	176	4.8	139.4
43	6.4	157.2	110	5.1	152.0	177	4.8	141.2
44	5.7	151.3	111	5.1	152.9	178	5.0	145.2
45	5.0	145.1	112	5.1	152.6	179	5.2	148.8
46	4.6	140.1	113	5.1	153.1	180	5.3	150.1
47	4.4	136.7	114	5.1	153.7	181	5.1	148.5
48	4.4	134.8	115	5.1	153.9	182	4.9	145.9
49	4.5	133.5	116	5.1	153.6	183	4.7	143.5
50	4.5	132.8	117	5.1	149.0	184	4.8	141.3
51	4.4	132.0	118	5.0	146.7	185	4.8	139.7
52	4.3	132.0	119	5.0	148.0	186	4.8	138.8
53	4.3	132.1	120	5.0	150.7	187	4.9	138.1
54	4.6	133.3	121	5.0	152.8	188	5.1	137.4
55	4.8	136.0	122	4.9	151.8	189	5.2	135.3
56	5.0	137.8	123	4.9	150.3	190	5.2	135.3
57	5.0	137.5	124	4.9	150.9			
58	4.9	136.2	125	5.0	152.0			
59	4.8	134.5	126	4.9	150.5			
60	4.7	131.6	127	4.9	150.9			
61	4.5	129.0	128	4.9	150.4			
62	4.5	130.6	129	4.8	148.4			
63	4.4	134.2	130	4.8	147.2			
64	4.5	137.5	131	4.9	146.0			
65	4.6	142.1	132	5.0	146.3			
66	4.7	143.3	133	5.0	147.1			

CARIBOU STATION 396 (190M.) 18/APR/76 1647 GMT
LAT= 72.7568N LONG= 144.4726W LTER= 0. LGER= 0.
NIVEL= -0.8 EIVEL= -3.9 NVER= 0. EVER= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	8.7	248.0	134	7.3	249.6
1	0.0	999.9	68	8.6	248.1	135	7.3	249.6
2	0.0	999.9	69	8.4	248.3	136	7.3	249.6
3	0.0	999.9	70	8.3	248.5	137	7.1	249.4
4	0.0	999.9	71	8.1	248.7	138	6.4	247.8
5	5.7	244.4	72	7.9	248.9	139	6.1	247.1
6	5.8	245.5	73	7.7	249.1	140	6.1	247.0
7	5.8	246.0	74	7.5	249.4	141	6.2	246.9
8	5.9	247.3	75	7.4	249.6	142	6.2	246.9
9	5.9	247.3	76	7.2	249.9	143	6.3	249.0
10	5.9	247.3	77	7.0	250.1	144	6.4	251.4
11	5.9	247.2	78	6.8	251.0	145	6.5	251.2
12	5.9	247.2	79	6.9	252.7	146	6.9	250.5
13	6.0	247.2	80	7.0	252.6	147	7.2	250.0
14	6.0	247.2	81	7.1	252.6	148	7.4	249.8
15	5.9	247.2	82	7.2	252.5	149	7.5	249.7
16	5.9	247.2	83	7.2	252.4	150	7.7	249.5
17	5.9	247.3	84	7.3	252.3	151	7.7	249.5
18	5.9	247.3	85	7.3	252.3	152	7.7	249.6
19	5.9	247.3	86	7.2	252.4	153	7.6	249.6
20	5.9	247.3	87	7.1	252.5	154	7.5	249.7
21	5.9	247.3	88	6.9	252.7	155	7.5	249.8
22	5.9	247.4	89	6.8	252.8	156	7.4	249.9
23	5.9	247.4	90	6.9	252.7	157	7.3	250.0
24	5.8	247.4	91	7.0	252.6	158	7.7	249.6
25	5.8	247.4	92	7.0	252.6	159	8.1	249.1
26	5.8	247.5	93	7.1	252.5	160	8.1	249.1
27	6.5	245.6	94	7.2	252.4	161	7.9	249.5
28	6.7	248.0	95	7.3	252.3	162	7.6	249.8
29	7.0	251.4	96	7.3	252.3	163	7.7	249.6
30	7.1	251.8	97	7.4	252.2	164	8.3	249.0
31	7.3	251.7	98	7.5	252.1	165	8.8	248.6
32	7.3	251.8	99	7.5	252.1	166	8.8	248.6
33	7.2	252.0	100	7.5	252.1	167	8.3	249.0
34	7.1	252.2	101	7.5	252.1	168	7.9	249.5
35	7.6	251.2	102	7.5	251.2	169	8.0	249.4
36	8.1	249.3	103	7.5	249.5	170	8.1	249.3
37	8.6	248.7	104	7.6	249.5	171	8.2	249.3
38	9.1	248.3	105	7.7	248.7	172	8.2	249.3
39	9.6	246.0	106	7.7	246.7	173	8.2	249.3
40	9.1	244.7	107	7.8	246.7	174	8.2	249.3
41	8.6	245.4	108	7.7	249.9	175	8.2	249.3
42	8.0	248.7	109	7.3	250.2	176	8.5	249.0
43	7.4	249.5	110	7.4	250.0	177	9.0	248.6
44	7.7	249.1	111	7.4	249.9	178	9.2	248.5
45	7.7	249.1	112	7.5	249.9	179	8.9	248.7
46	7.5	249.4	113	7.5	249.8	180	8.8	248.8
47	7.5	249.4	114	7.6	249.7	181	9.2	248.5
48	7.9	248.9	115	7.6	249.6	182	9.2	248.5
49	8.4	248.4	116	7.6	249.6	183	9.1	248.5
50	8.6	248.1	117	7.6	249.5	184	9.0	248.6
51	8.2	248.5	118	7.7	249.5	185	8.8	248.7
52	7.8	249.0	119	7.6	248.1	186	8.6	248.8
53	7.4	249.5	120	7.6	246.3	187	8.5	248.9
54	7.3	249.6	121	7.6	246.4	188	8.0	247.8
55	7.4	249.6	122	7.7	248.8	189	7.4	244.7
56	7.4	249.6	123	7.7	249.1	190	7.4	244.7
57	7.4	249.5	124	7.8	249.0			
58	7.4	249.5	125	8.0	248.7			
59	7.4	249.5	126	8.3	248.4			
60	7.5	249.5	127	8.5	248.3			
61	7.8	249.0	128	8.6	248.2			
62	8.3	248.4	129	8.2	248.5			
63	8.9	247.9	130	7.9	248.9			
64	8.8	247.9	131	7.6	249.3			
65	8.8	247.9	132	7.3	249.7			
66	8.8	248.0	133	7.3	249.6			


CAMP CARIBOU STATION 398
DATE 19/ 4/76 TIME 1620(GMT)
TRUE DIRECTION
0
90
180
270
360
SPEED CM/SEC
0
5
10
15
20
25
DEPTH (M)
0
50
100
150
200

CARIBOU STATION 198 (1904.) 19/APR/76 1620 GMT
LAT= 72.7471N LONG= 144.6225W LTER= 12. LGER= 37.
NIVEL= -3.3 EIVEL= -1.6 NVER= 0. EVFR= 0.

DPT	SPD	DRN	DPT	SPD	DRN	DPT	SPD	DRN
0	0.0	999.9	67	9.7	215.2	134	11.0	217.2
1	0.0	999.9	68	9.9	215.4	135	11.4	217.7
2	0.0	999.9	69	10.0	215.6	136	11.8	218.4
3	0.0	999.9	70	10.0	215.6	137	11.8	219.0
4	0.0	999.9	71	10.0	215.6	138	11.6	217.7
5	4.9	214.9	72	9.8	216.4	139	11.5	217.6
6	5.1	216.8	73	9.4	217.0	140	11.5	217.6
7	5.2	218.3	74	9.1	217.5	141	11.0	217.5
8	5.3	219.0	75	8.7	217.8	142	10.4	217.8
9	5.4	218.7	76	8.7	217.8	143	9.9	217.8
10	5.5	218.4	77	8.7	218.3	144	9.5	216.9
11	5.6	217.9	78	8.9	219.4	145	9.8	217.1
12	5.7	217.3	79	8.9	219.7	146	10.0	217.2
13	5.8	216.5	80	8.5	219.4	147	10.3	217.4
14	6.0	217.2	81	8.3	219.3	148	10.6	217.4
15	6.6	219.3	82	8.4	219.5	149	10.9	216.5
16	7.0	219.1	83	8.5	219.6	150	11.2	215.7
17	7.2	220.3	84	8.5	219.3	151	11.5	215.7
18	7.3	220.1	85	8.3	218.5	152	11.5	215.7
19	7.3	218.9	86	7.8	218.0	153	11.3	215.6
20	7.3	218.1	87	7.8	218.7	154	11.1	215.5
21	7.3	218.1	88	7.8	219.5	155	10.6	215.3
22	7.4	217.9	89	7.8	220.0	156	10.5	215.2
23	7.7	218.3	90	8.1	220.4	157	10.7	215.3
24	7.9	219.3	91	8.4	220.8	158	11.0	215.4
25	8.0	219.6	92	8.6	220.9	159	11.2	215.5
26	8.1	220.1	93	8.8	220.8	160	11.4	215.6
27	8.1	220.2	94	8.9	220.1	161	11.7	215.6
28	8.1	220.3	95	8.9	220.2	162	12.0	215.7
29	8.1	220.4	96	8.9	220.7	163	12.2	215.7
30	8.1	220.6	97	8.8	221.2	164	12.4	216.5
31	8.1	221.0	98	8.9	221.3	165	12.4	217.5
32	8.1	221.4	99	8.9	221.3	166	12.4	217.7
33	8.1	221.7	100	9.0	221.4	167	12.2	216.8
34	8.1	222.1	101	9.0	221.5	168	12.1	215.9
35	8.2	222.3	102	9.1	220.9	169	12.0	215.9
36	8.2	222.5	103	9.2	220.2	170	12.1	215.9
37	8.2	222.7	104	9.3	220.1	171	12.3	216.0
38	8.1	222.8	105	9.4	219.8	172	12.5	216.2
39	8.1	222.8	106	9.5	218.8	173	12.5	216.2
40	8.1	222.6	107	9.7	218.0	174	12.4	217.4
41	8.0	222.5	108	10.2	218.2	175	12.4	218.4
42	8.1	221.6	109	10.2	218.0	176	12.5	218.4
43	8.2	220.0	110	10.2	217.8	177	12.6	218.5
44	8.5	219.7	111	10.1	217.6	178	12.3	218.2
45	8.6	219.7	112	9.8	217.5	179	12.2	218.3
46	8.4	218.8	113	9.5	218.3	180	11.9	218.2
47	8.6	218.0	114	9.2	219.0	181	11.6	218.0
48	9.0	218.0	115	9.2	219.9	182	11.5	218.0
49	9.6	218.5	116	9.4	220.3	183	11.3	216.8
50	9.8	218.0	117	9.5	220.3	184	11.3	216.0
51	9.7	217.0	118	9.6	220.2	185	11.2	216.0
52	9.8	217.0	119	9.7	219.7	186	11.3	215.9
53	10.0	216.7	120	9.7	218.6	187	11.8	215.9
54	10.0	216.2	121	9.8	217.7	188	12.3	215.9
55	10.1	215.8	122	9.9	217.8	189	12.2	215.7
56	10.1	215.8	123	10.1	216.9	190	12.0	214.0
57	10.2	215.8	124	10.4	216.8			
58	10.3	215.8	125	10.5	216.8			
59	10.4	215.9	126	10.4	217.2			
60	10.3	215.7	127	10.6	217.1			
61	10.2	215.6	128	11.1	216.8			
62	10.1	215.6	129	11.6	217.0			
63	10.0	215.5	130	11.9	217.2			
64	9.9	215.4	131	11.5	216.9			
65	9.8	215.3	132	11.2	216.6			
66	9.7	215.2	133	11.1	216.9			

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER Tech.Rept.No.CU-4-80 TR4 Vol.1	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) AIDJEX 75-76,Phys.Ocean.Data Report PCM Data - Camp Caribou		5. TYPE OF REPORT & PERIOD COVERED 6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) T.O.Manley,Kenneth Hunkins,Werner Tiemann		8. CONTRACT OR GRANT NUMBER(s) N00014-76-C-0004
9. PERFORMING ORGANIZATION NAME AND ADDRESS Lamont-Doherty Geological Observatory of Columbia Univ., Palisades, NY 10964		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS NR 307-359
11. CONTROLLING OFFICE NAME AND ADDRESS Dept. of Navy, Office of Naval Research Code 481, Arlington, VA 22217		12. REPORT DATE February, 1980 13. NUMBER OF PAGES 237
14. MONITORING AGENCY NAME & ADDRESS(if different from Controlling Office)		15. SECURITY CLASS. (of this report) Unclassified 15a. DECLASSIFICATION/DOWNGRADING SCHEDULE

16. DISTRIBUTION STATEMENT (of this Report)

Approved for public release; distribution unlimited
Reproduction in whole or in part is permitted for any purpose of the U. S. Government.

17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)

18. SUPPLEMENTARY NOTES

19. KEY WORDS (Continue on reverse side if necessary and identify by block number)

AIDJEX, ocean currents, Arctic Ocean, mesoscale eddies, Ekman Drift.

20. ABSTRACT (Continue on reverse side if necessary and identify by block number)

The oceanographic program of the 1975-1976 ARCTIC ICE DYNAMIC JOINT EXPERIMENT (AIDJEX) was designed to investigate the Arctic Ocean on space scales of 100 kilometers in the horizontal and hundreds of meters in the vertical. This was accomplished with oceanographic observations from a triangular array of three smaller manned satellite camps with a centrally located larger main camp. The radio call signs of the satellite camps were Caribou,

Blue Fox, and Snowbird, the main camp being designated Big Bear.

Profiles of relative current speed and direction were measured twice each day between the surface and 200 meters at each of the four camps. A profiling current meter (PCM) with speed, direction and depth sensors was lowered and retrieved with a multi-conductor cable at a slow rate of 5 meters per minute. Sensor signals were transmitted by cable to be recorded graphically and digitally at the surface. Digital recording of the data at a slow rate of 1 scan per half minute along with a low signal-to-noise ratio made it preferable to manually digitize the analog charts to preserve as much information as possible.

The final data set consisting of absolute velocity profiles of speed and direction was obtained by the vector addition of the relative PCM profiles with the interpolated ice velocity based on precise satellite navigation at the time of the observation. Data reduction problems included a hysteresis effect between up and down traces due to cable angle, directional spikes resulting from a rapid sensor package rotation, and spurious results when low velocities are added vectorially.

Relative speed between the ice and water in the upper mixed layer is often small indicating that this layer closely follows the ice motion. Persistent large clockwise shears in relative current direction occur sometimes in the mixed layer, attaining up to 540 degrees of rotation. These are best seen in the relative velocity data. Upon the addition of the ice velocity vector, to produce absolute velocities, the smooth relative directional shear of the Ekman spiral then exhibits local shears and speed minimums. This is due to the directions and speeds in the spiral being opposite or nearly opposite to the ice velocity vector and of comparable magnitude.

One of the most striking features of the current profiles is the appearance from time to time of swift currents below the mixed layer with speeds attaining 60 cm/sec. The depth of maximum velocity ranges from 80 to 190 meters. Although evidence of swift transient undercurrents had been observed in the Arctic Ocean as early as 1937, it was not until 1974 that these currents were shown to be associated with mesoscale eddies.

This data report deals only with the absolute velocity data obtained from the profiling current meter at Camp Caribou.PCM data for Camps Blue Fox, Snowbird and Big Bear are in separate volumes(Manley et al .,1980). Data reports pertaining to the salinity-temperature-depth(STD)data taken at the manned AIDJEX camps are also in separate volumes (Bauer et al.,1980).

MANDATORY
DISTRIBUTION LIST

FOR UNCLASSIFIED TECHNICAL REPORTS, REPRINTS, & FINAL REPORTS
PUBLISHED BY OCEANOGRAPHIC CONTRACTORS
OF THE OCEAN SCIENCE AND TECHNOLOGY DIVISION
OF THE OFFICE OF NAVAL RESEARCH
(Revised Feb. 1980)

1 Director of Defense Research
and Engineering
Office of the Secretary of Defense
Washington, D. C. 20301
ATTN: Office, Asst.Director
(Research)

Office of Naval Research
Arlington, VA 22217
3 ATTN: (Code 480)
1 ATTN: (460)
1 ATTN: (Code 102-C)

1 ONR Res. Representative (if any)

Director
Naval Research Laboratory
Washington, D. C. 20375
-6 ATTN: Library, Code 2620

12 Defense Documentation
Center
Cameron Station
Alexandria, VA 22314

Commander
Naval Oceanographic Offic
NSTL Station
Bay St. Louis MS 39522
1 ATTN: CODE 02

1 NODC/NOAA
Rockville,MD 20882

1 Asst.Chief for Technolog
Office of Naval Research
Code 200
Arlington, VA 22217